



Physical Config CLI Attributes

GLOBAL

Settings

Algorithm Settings

ROUTING

Static

RIP

SWITCHING

VLAN Database

INTERFACE

GigabitEthernet0/0

GigabitEthernet0/1

GigabitEthernet0/0

Port Status



1000 Mbps



100 Mbps



10 Mbps



On

Bandwidth



Half Duplex



Full Duplex



Auto

Duplex

MAC Address

0060.5C28.E301

IP Configuration

IPv4 Address

10.0.0.1

Subnet Mask

255.0.0.0

Tx Ring Limit

10



PC0

-



Physical

Config

Desktop

Programming

Attributes

IP Configuration



Interface

FastEthernet0



IP Configuration

 DHCP Static

IPv4 Address

10.0.0.3

Subnet Mask

255.0.0.0

Default Gateway

10.0.0.1

DNS Server

0.0.0.0



Physical Config Desktop Programming Attributes

IP Configuration

X

Interface FastEthernet0



IP Configuration

DHCP

Static

IPv4 Address

10.0.0.4

Subnet Mask

255.0.0.0

Default Gateway

10.0.0.1|

DNS Server

0.0.0.0



PC2



Physical

Config

Desktop

Programming

Attributes

IP Configuration

X

Interface

FastEthernet0



IP Configuration

 DHCP Static

IPv4 Address

10.0.0.5

Subnet Mask


255.0.0.0

Default Gateway

10.0.0.1

DNS Server

0.0.0.0



Server0



Physical

Config

Services

Desktop

Programming

Attributes

IP Configuration

X

IP Configuration

 DHCP Static

IPv4 Address

10.0.0.2

Subnet Mask

255.0.0.0

Default Gateway

10.0.0.1

DNS Server

0.0.0.0

[Physical](#) [Config](#) [Services](#) [Desktop](#) [Programming](#) [Attributes](#)

SERVICES
HTTP
DHCP
DHCPv6
TFTP
DNS
SYSLOG
AAA
NTP
EMAIL
FTP
IoT
VM Management
Radius EAP

FTP

Service	<input checked="" type="radio"/> On	<input type="radio"/> Off												
User Setup														
Username	Password													
<input type="checkbox"/> Write	<input type="checkbox"/> Read	<input type="checkbox"/> Delete												
<input type="checkbox"/> Rename	<input type="checkbox"/> List													
<table><thead><tr><th></th><th>Username</th><th>Password</th><th>Permission</th></tr></thead><tbody><tr><td>1</td><td>cisco</td><td>cisco</td><td>RWDNL</td></tr><tr><td>2</td><td>aarchie</td><td>aarchie12</td><td>RWDNL</td></tr></tbody></table>				Username	Password	Permission	1	cisco	cisco	RWDNL	2	aarchie	aarchie12	RWDNL
	Username	Password	Permission											
1	cisco	cisco	RWDNL											
2	aarchie	aarchie12	RWDNL											
Add														
Save														
Remove														

File

1 asa842-k8.bin
2 asa923-k8.bin
3 c1841-advpipservicesk9-mz.124-15.T1.bin
4 c1841-ipbase-mz.123-14.T7.bin
5 c1841-ipbasek9-mz.124-12.bin
6 c1900-universalk9-mz.SPA.155-3.M4a.bin
7 c2600-advpipservicesk9-mz.124-15.T1.bin

