Pratik Chandrakant Borge

Mongo database in docker

Step 1:- Create an EC2 instance Ports:22, 27017 ,32768

Step 2:- Connect to EC2 instance

Step 3:- Install Docker Engine latest version https://docs.docker.com/engine/install/ubuntu/ (for ubuntu)

Step 4:- Pull mongo image

```
root@ip-172-31-30-167:-/mongodb# docker pull mongo
Using default tag: latest
latest: Pulling from library/mongo
bccd10f490ab: Already exists
b00c7ff578b0: Pull complete
a1f43ab85151: Pull complete
9e72f6a5998a: Pull complete
8424336879e4: Pull complete
85a6d3c2e6c8: Pull complete
c53ac2le5fb8: Pull complete
Liddf702bb73: Pull complete
Digest: sha256:0e145625e78b94224d16222ff2609c4621ff6e2c390300e4e6bf698305596792
Status: Downloaded newer image for mongo:latest
      oot@ip-172-31-30-167:~/mongodb# docker pull mongo
  Status: Downloaded newer image for mongo:latest
docker.io/library/mongo:latest
  root@ip-172-31-30-167:~/mongodb# docker images
REPOSITORY TAG IMAGE ID CREATED
mongo latest 24041ceefc56 5 days ago
mariadb latest bc6434c28e9a 4 weeks ago
                                                                                                                                                                  755MB
405MB
                                                                                                                      4 weeks ago
                                                                       3c11803a9255
~/mongodb#
```

Step 5:- Create container using Image and log in to create database

docker run -d -P -e MONGO_INITDB_ROOT_USERNAME=<user>

-e MONGO_INITDB_ROOT_PASSWORD=<password> <imageid>

```
otkip-172-31-30-167:-/mongodb# docker run -d -P -e MONGO_INITDB_ROOT_USERNAME=root -e MONGO_INITDB_ROOT_PASSWOR
6c2fdd83ec19c29fab282cd77f72c3892b02e90e34d3a448e94c63c5d2844d
   ot@ip-172-31-30-167:~/mongodb# docker ps
NTAINER ID IMAGE COMMAND
CREATED
NAMES

NAMES

"docker-entrypoint.s..." 3 seconds ago
relaxed sutherland
c8cd267cfadb 3cl1 "/docker-entrypoint..." 14 minutes ago
b, 0.0.0.0:5432->5432/tcp, :::5432->5432/tcp pedantic bards
                                                                                                       STATUS
                                                                                                                                PORTS
                                                                                                       Up 2 seconds 0.0.0.0:32768->27017/tcp, :::32768->27017/tcp
                                                                       " 14 minutes ago Up 14 minutes 0.0.0.0:4200->4200/tcp, :::4200->4200/tcp, 0.0.0.14300->4300/tcp, :::4300->4300/tcp pedantic bardeen
```

Step 6:- Logging using mongosh

```
ngosh info see: https://docs.mongodb.com/mongodb-shell/
help improve our products, anonymous usage data is collected and sent to MongoDB periodically (https://www.mongodb.com/legal/privacy-policy).

1 can opt-out by running the disableTelemetry() command.
```