

Mfg. & Marketed by  
ANUGRAH METAL

LARGEST RANGE OF

# ALUMINIUM RAILING SYSTEMS





## ABOUT US

**M-RAILS The go to brand for  
all your Aluminium Railing needs...**

M-RAILS has been An Innovative And Professional Company Engaged In Research, Manufacture And Marketing Of Fittings For Railing Systems, Architectural Railing Hardware Accessories.

M-RAILS Provides Railing Fittings of high quality And Provides Consulting Services To The Architectural Industries.

Our Goal Is To Increase The Value Of Buildings And To Enhance The Living And Working Environment Of People Worldwide. We Achieve This Together With Our Dealers, Distributer, Channel Partners By Providing Innovative And Sustainable Architectural Solutions For The Building Envelope.Experience

M-RAILS is Designed keeping in mind the Indian mindset and is flexible in its availability to fulfill the needs of all types of customers with their unique budget and styling requirements.



**35+**  
ALUMINIUM RAILING  
SYSTEMS

**100%**  
WEATHER PROOF  
SYSTEMS

**32+**  
ALUMINIUM  
HANDRAILS

**RAILING  
ACCESSORIES**

**11+**  
RAILING SPIGOT

**LED  
SYSTEMS**  
  
**WOODEN  
HANDRAILS**

SYSTEMS WITH MULTI COLOR OPTIONS

PVDF  
FINISH

WOOD  
FINISH

ANODIZING

POWDER  
COATING

"LARGEST RANGE OF ALUMINIUM & STAINLESS STEEL SYSTEMS"



✓ TRUSTED  
✓ SAFE  
✓ ELEGANT



# INDEX



## ALUMINIUM RAILING SYSTEMS

MRL-01 Step Bracket With Cover.....	01
MRL-02 Modular Bracket With Cover.....	02
MRL-03 Square Brackets With Cover.....	03
MRL-04 Heavy Round Bracket With Cover.....	04
MRL-05 Heavy Square Bracket With Cover.....	05
MRL-06 Heavy Bracket with Cover .....	06
MRL-07 40x30 Continuous Channel.....	07
MRL-08 58x32 Continuous Channel.....	08
MRL-09 80x37 Continuous Channel.....	09
MRL-10 100x37 Continuous Channel .....	10
MRL-11 115x41 Continuous Channel .....	11
MRL-12 117x45 Continuous Channel .....	12
MRL-13 90x50 Continuous Channel .....	13
MRL-14 90x50 LED Continuous Channel .....	14
MRL-15 Commercial Feri.....	15
MRL-16 Modular Feri.....	16
MRL-17 Triangle Feri.....	17
MRL-18 Regular Feri.....	18
MRL-19 Clip Feri.....	19
MRL-20 120x60 Continuous Channel.....	20
MRL-21 125x70 Continuous Channel .....	21
MRL-22 L - Bracket .....	22
MRL-23 T - Bracket .....	23
MRL-24 Tower Bracket .....	24
MRL-25 V- Bracket 100mm(Wedges).....	25
MRL-26 V- Bracket 115mm (Wedges).....	26
MRL-27 V- Bracket 100mm (Grub).....	27
MRL-28 V- Bracket 115mm (Grub).....	28
MRL-29 Radius Bracket.....	29

## RAILING SPIGOT

MRL-30 50X36 Spigot (Big /Small).....	30
MRL-31 50MM Round Spigot (Big / Small).....	31
MRL-32 Hexagon Spigot (Big /Small).....	32

## BRACKET

MRL-33 Pyramid Bracket.....	33
MRL-34 Diamond Bracket (Big / Small).....	33
MRL-35 Square F-Bracket.....	34
MRL-36 Round F-Bracket.....	34
MRL-37 Curve F-Bracket.....	35
MRL-38 Triangle F-Bracket.....	35

## ALUMINIUM HANDRAILS

MRH-01 38MM Round.....	36
MRH-02 50MM Round.....	36
MRH-03 65MM Round.....	37
MRH-04 25X25MM Square.....	37
MRH-05 40X40MM Square.....	38
MRH-06 50X50MM Square.....	38
MRH-07 70X30MM 2 Side LED.....	39
MRH-08 70X30MM Without LED.....	39
MRH-09 35X40MM Commercial.....	40
MRH-10 50X40MM.....	40
MRH-11 60X40MM.....	41
MRH-12 71X35MM.....	41
MRH-13 71X35MM LED.....	42
MRH-14 Diamond.....	42
MRH-15 EYES.....	43
MRH-16 Incline.....	43
MRH-17 Incline LED.....	44
MRH-18 17x19MM Slim.....	44
MRH-19 56X30MM Small Rectangle.....	45
MRH-20 68X45MM Oval.....	45
MRH-21 Triangle.....	46
MRH-22 Crystal Diamond.....	46
MRH-23 Flower.....	47
MRH-24 Capsule.....	47
MRH-25 38X38MM Octagon.....	48
MRH-26 45X45MM Octagon.....	48
MRH-27 38MM Round Plain .....	49
MRH-28 50MM Round Plain .....	49
MRH-29 40X40MM Square Plain.....	50
MRH-30 50X50MM Square Plain.....	50
MRH-31 38X38MM Octagon Plain.....	51
MRH-32 45X45MM Octagon Plain.....	51

## ACCESSORIES

MRHA-01 L Connector for Plain Handrails.....	52
MRHA-02 L Connector for Plain Handrails.....	52
MRHA-03 L Connector for Plain Handrails.....	52
MRHA-04 L Connector for Plain Handrails.....	52
MRHA-05 L Connector for Wall Mount.....	53
MRHA-06 L Connector for Wall Mount.....	53
MRHA-07 L Connector for Wall Mount.....	53
MRHA-08 L Connector for Wall Mount.....	53
MRHA-09 Glass to Glass Straight Connector.	54
MRHA-10 Glass to Glass L- Connector.....	54

# Step Bracket With Cover



## PRODUCT DETAILS

- **Type** : Bracket & Cover System
- **Use** : Indoor & Outdoor
- **Material** : Aluminimun Alloy 6063 - T6
- **Length** : Step Bracket(65mm)  
Step Cover (13 Feet / 16 Feet)
- **Weight** : Step Bracket(Approx, 0.450kg/Nos)  
Step Cover (Approx, 0.210-0.230 kg)(1 Feet/ 1 Side)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating

END CAP



SLOTTED END CAP



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

Recommended Railing Length Chart

		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			


Bracket will be fitted at every 2 feet

# Modular Step Bracket With Cover



## PRODUCT DETAILS

- **Type** : Bracket & Cover System
- **Use** : Indoor & Outdoor
- **Material** : Aluminimun Alloy 6063 - T6
- **Length** : Modular Step Bracket(65mm)  
Modular Cover (13 Feet / 16 Feet)
- **Weight** : Modular Step Bracket(Approx, 0.350kg/Nos)  
Modular Cover (Approx, 0.170-0.190 kg)(1 Feet/ 1 Side)  
EPDM Gasket (Approx, 0.018kg)(1 Feet/ 1 Side)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



END CAP



SLOTTED END CAP



### Features :


- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

Recommended Railing Length Chart

		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	
	42 inch	✓	✓		


Bracket will be fitted at every 2 feet

# Square Bracket With Cover



## PRODUCT DETAILS

- **Type** : Bracket & Cover System
- **Use** : Indoor & Outdoor
- **Material** : Aluminimun Alloy 6063 - T6
- **Length** : Square Bracket(65mm)  
Square Cover (13 Feet / 16 Feet)
- **Weight** : Square Bracket(Approx, 0.250kg/Nos)  
Square Cover (Approx, 0.170-0.190 kg)(1 Feet/ 1 Side)  
EPDM Gasket (Approx, 0.016kg)(1 Feet/ 1 Side)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



END CAP



SLOTTED END CAP



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

### Recommended Railing Length Chart

		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			


Bracket will be fitted at every 2 feet

# Heavy Round Bracket With Cover



## PRODUCT DETAILS

- **Type** : Bracket & Cover System
- **Use** : Indoor & Outdoor
- **Material** : Aluminimun Alloy 6063 - T6
- **Length** : Heavy Round Bracket(65mm)  
Heavy Round Cover(13 Feet / 16 Feet)
- **Weight** : Heavy Round Bracket(Approx, 0.490kg/Nos)  
Heavy Round Cover(Approx, 0.230-0.250 kg)(1 Feet/ 1 Side)  
EPDM Gasket (Approx, 0.460kg)(1 Feet/ 1 Side)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



END CAP



SLOTTED END CAP



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

Recommended Railing Length Chart

		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	
	42 inch	✓	✓	✓	


Bracket will be fitted at every 2 feet

# Heavy Square Bracket With Cover



## PRODUCT DETAILS

- **Type** : Bracket & Cover System
- **Use** : Indoor & Outdoor
- **Material** : Aluminimun Alloy 6063 - T6
- **Length** : Heavy Square Bracket(65mm)  
Heavy Square Cover (13 Feet / 16 Feet)
- **Weight** : Heavy Square Bracket(Approx, 0.490kg/Nos)  
Heavy Square (Approx, 0.210-0.230 kg)(1 Feet/ 1 Side)  
EPDM Gasket (Approx, 0.016kg)(1 Feet/ 1 Side)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



END CAP



SLOTTED END CAP



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

Recommended Railing Length Chart

		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	
	42 inch	✓	✓	✓	


Bracket will be fitted at every 2 feet

# Heavy Bracket With Cover



## PRODUCT DETAILS

- **Type** : Bracket & Cover System
- **Use** : Indoor & Outdoor
- **Material** : Aluminimun Alloy 6063 - T6
- **Length** : Heavy Bracket(65mm)  
Heavy Cover (13 Feet / 16 Feet)
- **Weight** : Heavy Bracket(Approx, 0.690kg/Nos)  
Heavy Cover (Approx, 0.360-0.380 kg)(1 Feet/ 1 Side)  
EPDM Gasket (Approx, 0.013kg)(1 Feet/ 1 Side)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



END CAP



SLOTTED END CAP



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

Recommended Railing Length Chart

		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	✓
	42 inch	✓	✓	✓	✓


Bracket will be fitted at every 2 feet

# 40X30 Continuous Channel



## PRODUCT DETAILS

- **Type** : Continuous Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminimun Alloy 6063 - T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx, 0.410-0.450kg/Feet  
EPDM Gasket (Approx, 0.058kg/Feet)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



END CAP



SLOTTED END CAP



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

### Recommended Railing Length Chart

		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓		
	36 inch	✓			
	42 inch				


Anchor & Wedge Will Be Fitted At Every 1 Feet

# 58x32 Continuous Channel



## PRODUCT DETAILS

- **Type** : Continuous Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminum Alloy 6063 - T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx, 0.610-0.650kg/Feet  
EPDM Gasket (Approx,0.110kg/Feet)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



END CAP



SLOTTED END CAP



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

Recommended Railing Length Chart

		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	
	36 inch	✓	✓		
	42 inch				

Anchor & Wedge Will Be Fitted At Every 1 Feet

# 80x37 Continuous Channel



## PRODUCT DETAILS

- **Type** : Continuous Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminimun Alloy 6063 - T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx, 0.910-0.960kg/Feet  
EPDM Gasket (Approx,0.110kg/Feet)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating

END CAP



SLOTTED END CAP



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

Recommended Railing Length Chart

		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	
	42 inch	✓	✓		


Anchor & Wedge Will Be Fitted At Every 1 Feet

# 100x37 Continuous Channel



## PRODUCT DETAILS

- **Type** : Continuous Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminimun Alloy 6063 - T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx, 1.110-1.170kg/Feet  
EPDM Gasket (Approx,0.110kg/Feet)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



END CAP



SLOTTED END CAP



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	
	42 inch	✓	✓		


Anchor & Wedge Will Be Fitted At Every 1 Feet

# 115x41 Continuous Channel



## PRODUCT DETAILS

- **Type** : Continuous Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminimun Alloy 6063 - T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx, 1.410-1.480kg/Feet  
EPDM Gasket (Approx,0.145kg/Feet)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



END CAP



SLOTTED END CAP




### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

		Recommended Railing Length Chart			
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	✓
	42 inch	✓	✓	✓	


Anchor & Wedge Will Be Fitted At Every 1 Feet

# 117X45 Continuous Channel



## PRODUCT DETAILS

- **Type** : Continuous Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminimun Alloy 6063 - T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx, 1.410-1.480kg/Feet  
EPDM Gasket (Approx,0.105kg/Feet)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



END CAP



SLOTTED END CAP



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

Recommended Railing Length Chart

		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	✓
	42 inch	✓	✓	✓	


Anchor & Wedge Will Be Fitted At Every 1 Feet

# 90x50 Continuous Channel



## PRODUCT DETAILS

- **Type** : Continuous Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminimun Alloy 6063 - T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx, 0.910-0.960kg/Feet  
EPDM Gasket (Approx,0.105kg/Feet)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



END CAP



SLOTTED END CAP



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

Recommended Railing Length Chart

		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	
	42 inch	✓	✓		


Anchor & Wedge Will Be Fitted At Every 1 Feet

# 90x50 LED Continuous Channel



## PRODUCT DETAILS

- **Type** : Continuous Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminimun Alloy 6063 - T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx, 0.900-0.950kg/Feet  
EPDM Gasket (Approx,0.110kg/Feet)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



END CAP



SLOTTED END CAP



### Features :


- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

Recommended Railing Length Chart

		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	
	42 inch	✓	✓		


Anchor & Wedge Will Be Fitted At Every 1 Feet

# Commercial feri



## PRODUCT DETAILS

- **Type** : Continuous Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminum Alloy 6063 - T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx, 0.510-0.540kg/Feet  
EPDM Gasket (Approx,0.110kg/Feet)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



END CAP



SLOTTED END CAP



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	
	30 inch	✓	✓		
	36 inch	✓			
	42 inch				

Anchor & Wedge Will Be Fitted At Every 1 Feet

# Modular feri



## PRODUCT DETAILS

- **Type** : Continuous Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminimun Alloy 6063 - T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx, 0.610-0.650kg/Feet  
EPDM Gasket (Approx,0.090kg/Feet)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



END CAP



SLOTTED END CAP



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

### Recommended Railing Length Chart

		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			


Anchor & Wedge Will Be Fitted At Every 1 Feet

# Triangle feri



## PRODUCT DETAILS

- **Type** : Continuous Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminimun Alloy 6063 - T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx, 0.610-0.650kg/Feet  
EPDM Gasket (Approx,0.105kg/Feet)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



END CAP



SLOTTED END CAP



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			


Anchor & Wedge Will Be Fitted At Every 1 Feet

# Regular féri



## PRODUCT DETAILS

- **Type** : Continuous Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminimun Alloy 6063 - T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx, 0.730-0.790kg/Feet  
EPDM Gasket (Approx,0.110kg/Feet)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



END CAP



SLOTTED END CAP



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			


Anchor & Wedge Will Be Fitted At Every 1 Feet

# Clip féri



## PRODUCT DETAILS

- **Type** : Continuous Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminimun Alloy 6063 - T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx, 0.860-0.910kg/Feet  
EPDM Gasket (Approx,0.016kg/Feet)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



END CAP



SLOTTED END CAP



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

### Recommended Railing Length Chart

		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	
	42 inch	✓	✓		


Anchor & Wedge Will Be Fitted At Every 1 Feet

# 120x60 Continuous Channel



## PRODUCT DETAILS

- **Type** : Continuous Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminimun Alloy 6063 - T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx, 1.410-1.480kg/Feet  
EPDM Gasket (Approx,0.105kg/Feet)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



END CAP



SLOTTED END CAP



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

Recommended Railing Length Chart

		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	✓
	42 inch	✓	✓	✓	✓


Anchor & Wedge Will Be Fitted At Every 1 Feet

# 125x70 Continuous Channel



## PRODUCT DETAILS

- **Type** : Continuous Profile System
- **Use** : Indoor & Outdoor
- **Material** : Aluminimun Alloy 6063 - T6
- **Length** : 13 Feet / 16 Feet
- **Weight** : Approx, 1.760-1.830kg/Feet  
EPDM Gasket (Approx,0.105kg/Feet)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



END CAP



SLOTTED END CAP



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

Recommended Railing Length Chart

		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓	✓	
	42 inch	✓	✓		


Anchor & Wedge Will Be Fitted At Every 1 Feet

# L - Bracket



## PRODUCT DETAILS

- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Material** : Aluminum Alloy 6063 - T6
- **Length** : Bracket(65mm)
- **Weight** : Bracket(Approx, 0.470kg/Nos)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			


Bracket will be fitted at every 2 feet

# T - Bracket



## PRODUCT DETAILS

- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Material** : Aluminum Alloy 6063 - T6
- **Length** : Bracket(65mm)
- **Weight** : Bracket(Approx, 0.450kg/Nos)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

		Recommended Railing Length Chart			
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			


Bracket will be fitted at every 2 feet

# Tower Bracket



## PRODUCT DETAILS

- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Material** : Aluminum Alloy 6063 - T6
- **Length** : Bracket(50mm)
- **Weight** : Bracket(Approx, 0.320kg/Nos)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

		Recommended Railing Length Chart			
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			


Bracket will be fitted at every 2 feet

# V - Bracket 100mm (Wedges)



## PRODUCT DETAILS

- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Material** : Aluminum Alloy 6063 - T6
- **Length** : Bracket(50mm)
- **Weight** : Bracket(Approx, 0.440kg/Nos)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating




## Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			


Bracket will be fitted at every 2 feet

# V - Bracket 115mm (Wedges)



## PRODUCT DETAILS

- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Material** : Aluminum Alloy 6063 - T6
- **Length** : Bracket(50mm)
- **Weight** : Bracket(Approx, 0.450kg/Nos)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



## Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			


Bracket will be fitted at every 2 feet

# V - Bracket 100mm (Grub)



## PRODUCT DETAILS

- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Material** : Aluminum Alloy 6063 - T6
- **Length** : Bracket(50mm)
- **Weight** : Bracket(Approx, 0.440kg/Nos)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



## Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

		Recommended Railing Length Chart			
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			


Bracket will be fitted at every 2 feet

# V - Bracket 115mm (Grub)



## PRODUCT DETAILS

- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Material** : Aluminum Alloy 6063 - T6
- **Length** : Bracket(50mm)
- **Weight** : Bracket(Approx, 0.460kg/Nos)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating




## Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety

Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			


Bracket will be fitted at every 2 feet

# Radius Bracket



## PRODUCT DETAILS

- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Material** : Aluminum Alloy 6063 - T6
- **Length** : Bracket(50mm)
- **Weight** : Bracket(Approx, 0.470kg/Nos)
- **Finish** : Natural  
Anodized  
Powder Coating  
Wooden Coating  
PVDF Coating



### Features :

- 100% Recyclable
- Easy Cleaning
- Maintenance Free
- Weather Proof
- Easy Installation
- Higher Safety


Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 inch	✓	✓	✓	✓
	30 inch	✓	✓	✓	✓
	36 inch	✓	✓		
	42 inch	✓			

Bracket will be fitted at every 2 feet



# Railing Spigot






## 50x36 Spigot(Big/small)



### PRODUCT DETAILS

- **Type** : Spigot System
- **Use** : Indoor & Outdoor
- **Height** : 9inch and 5inch
- **Weight** : Spigot 5inch(0.490kg/Nos.)  
Spigot 9inch(0.940kg/Nos.)
- **Finish** : Natural  
Powder Coating  
Wooden Coating  
PVDF Coating






## 50mm Round Spigot(Big/small)



### PRODUCT DETAILS

- **Type** : Spigot System
- **Use** : Indoor & Outdoor
- **Height** : 9inch and 5inch
- **Weight** : Spigot 5inch(0.560kg/Nos.)  
Spigot 9inch(1.110kg/Nos.)
- **Finish** : Natural  
Powder Coating  
Wooden Coating  
PVDF Coating




## Hexagon Spigot(Big/small)



### PRODUCT DETAILS

- **Type** : Spigot System
- **Use** : Indoor & Outdoor
- **Height** : 9inch and 5inch
- **Weight** : Spigot 5inch(0.590kg/Nos.)  
Spigot 9inch(1.110kg/Nos.)
- **Finish** : Natural  
Powder Coating  
Wooden Coating  
PVDF Coating





# Bracket




# Pyramid Bracket



## PRODUCT DETAILS

- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Length** : 65mm
- **Finish** : Natural  
Powder Coating  
Wooden Coating  
PVDF Coating



# Diamond Bracket(Big/Small)



## PRODUCT DETAILS

- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Height** : Big 7inch/ Small 4inch
- **Finish** : Natural  
Powder Coating  
Wooden Coating

# Square F-Bracket



## PRODUCT DETAILS

- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Height** : 10inch
- **Finish** : Natural  
Powder Coating  
Wooden Coating

# Round F-Bracket



## PRODUCT DETAILS

- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Height** : 10inch
- **Finish** : Natural  
Powder Coating  
Wooden Coating

# Curve F-Bracket



## PRODUCT DETAILS

- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Height** : 10inch
- **Finish** : Natural  
Powder Coating  
Wooden Coating

# Triangle F-Bracket




## PRODUCT DETAILS

- **Type** : Bracket System
- **Use** : Indoor & Outdoor
- **Height** : 10inch
- **Finish** : Natural  
Powder Coating  
Wooden Coating



# Aluminium

# Handrails




# 38MM Round



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.180kg - 0.200kg(1feet)  
EPDM Gasket(Approx 0.055kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed

Connector\*



Elbow\*




End Cap\*

# 50MM Round



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.270kg - 0.300kg(1feet)  
EPDM Gasket(Approx 0.085kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed

Connector\*



Elbow\*




End Cap\*

## 65MM Round

PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.430kg - 0.470kg(1feet)  
EPDM Gasket(Approx 0.090kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed



Connector\*



Elbow\*




End Cap\*

## 25X25MM Square

PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.190kg(1feet)  
EPDM Gasket(Approx 0.055kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed



Connector\*



Elbow\*



End Cap\*

# 40X40MM Square



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.270kg - 0.300kg(1feet)  
EPDM Gasket(Approx 0.085kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



# 50X50MM Square



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.370kg - 0.410kg(1feet)  
EPDM Gasket(Approx 0.090kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating




## 70X30MM 2 Side LED



### PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.350kg - 0.390kg(1feet)  
EPDM Gasket (Approx,0.085kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed



Connector\*



Elbow\*




End Cap\*

## 70X30MM Without LED



### PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.320kg - 0.370kg(1feet)  
EPDM Gasket (Approx,0.105kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed



Connector\*



Elbow\*




End Cap\*

# 35X40MM Commercial



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.230kg - 0.260kg(1feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed



Connector\*



Elbow\*




End Cap\*

# 50X40MM



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.260kg - 0.290kg(1feet)  
EPDM Gasket(Approx 0.085kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed



Connector\*



Elbow\*




End Cap\*

## 60X40MM

PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.390kg - 0.430kg(1feet)  
EPDM Gasket(Approx 0.085kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed



Connector\*



Elbow\*




End Cap\*

## 71X35MM

## MRH-12

PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.370kg - 0.410kg(1feet)  
EPDM Gasket(Approx 0.070kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed



Connector\*



Elbow\*




End Cap\*

## 71X35MM LED

PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.370kg - 0.410kg(1feet)  
EPDM Gasket(Approx 0.070kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed



Connector\*



Elbow\*




End Cap\*

## Diamond

PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.370kg - 0.410kg(1feet)  
EPDM Gasket(Approx 0.085kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed



Connector\*



Elbow\*




End Cap\*

## EYES

PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.310kg - 0.340kg(1feet)  
EPDM Gasket(Approx 0.085kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed



Connector\*



Elbow\*




End Cap\*

## Incline

## MRH-16

PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.350kg - 0.390kg(1feet)  
EPDM Gasket(Approx 0.070kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Connector\*




End Cap\*

# Incline LED



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.350kg - 0.390kg(1feet)  
EPDM Gasket(Approx 0.085kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed



Connector\*



Elbow\*




End Cap\*

# 17X19MM Slim



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.100kg - 0.110kg(1feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed



Connector\*




Elbow\*

# 56X30MM Small Rectangle



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.230kg - 0.260kg(1feet)  
EPDM Gasket(Approx 0.055kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed



Connector\*



Elbow\*



End Cap\*


# 68X45MM Oval

MRH-20



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.410kg - 0.450kg(1feet)  
EPDM Gasket(Approx 0.090kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Connector\*



Elbow\*




End Cap\*

# Triangle



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.310kg - 0.340kg(1feet)  
EPDM Gasket(Approx 0.085kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed



Connector\*



Elbow\*




End Cap\*

# Crystal Diamond



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.310kg - 0.340kg(1feet)  
EPDM Gasket(Approx 0.055kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed



Connector\*



Elbow\*




End Cap\*

# Flower



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.330kg - 0.360kg(1feet)  
EPDM Gasket(Approx 0.085kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed



Connector\*



Elbow\*




End Cap\*

# Capsule



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.330kg - 0.360kg(1feet)  
EPDM Gasket(Approx 0.070kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed



Connector\*



Elbow\*




End Cap\*

# 38X38MM Octagon



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.230kg - 0.260kg(1feet)  
EPDM Gasket(Approx 0.070kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed



Connector\*



Elbow\*




End Cap\*

# 45X45MM Octagon



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.270kg - 0.300kg(1feet)  
EPDM Gasket(Approx 0.085kg/Feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Wall Concealed



Connector\*



Elbow\*



End Cap\*

# 38MM Round Plain



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.140kg - 0.160kg(1feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Plain Wall Concealed\*



Plain Connector\*



Modular Elbow\*



Plain End Cap\*

# 50MM Round Plain



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.190kg - 0.210kg(1feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Plain Wall Concealed\*



Plain Connector\*



Modular Elbow\*

Plain End Cap\*  
Page 49

# 40X40MM Square Plain



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.190kg - 0.220kg(1feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Plain Wall Concealed\*



Plain Connector\*



Modular Elbow\*



Plain End Cap\*

# 50X50MM Square Plain



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.220kg - 0.240kg(1feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Plain Wall Concealed\*



Plain Connector\*



Modular Elbow\*



Plain End Cap\*

# 38X38MM Octagon Plain



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.160kg - 0.180kg(1feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Plain Wall Concealed\*



Plain Connector\*



Modular Elbow\*



Plain End Cap\*

# 45X45MM Octagon Plain



## PRODUCT DETAILS

- **Use** : Indoor & Outdoor
- **Material** : Aluminium Alloy 6063-T6
- **Length** : 13feet and 16feet
- **Weight** : 0.200kg - 0.220kg(1feet)
- **Finish** : Natural  
Anodize(\*Anodize Only in Pipe Note Accessories.)  
Powder Coating  
Wooden Coating  
PVDF Coating



Plain Wall Concealed\*



Plain Connector\*



Modular Elbow\*



Plain End Cap\*



# Accessories



# L Connector for plain & Glass Handrails



Elevate your space with our cutting-edge staircase railing spigots. Combining exquisite design and unmatched durability, they redefine elegance. Achieve safety without sacrificing style. Join those who've chosen innovation.



**MRHA - 01**



**MRHA - 02**



**MRHA - 03**



**MRHA - 04**

# L Connector for Wall Mount




Elevate your space with our cutting-edge staircase railing spigots. Combining exquisite design and unmatched durability, they redefine elegance. Achieve safety without sacrificing style. Join those who've chosen innovation.



**MRHA - 05**



**MRHA - 06**



**MRHA - 07**



**MRHA - 08**

## Glass to Glass Straight Connector



## Glass to Glass L-Connector



# Pipe to Pipe Connector



Straight Connector Patti



L- Connector Patti



Modular Connector Patti

# Anchor



- 01** 10 X 100 RCC PVC Wall Plug Screw anchor
- 02** 12.5 X 100 Steel Adhesive Anchor
- 03** 12.5 X 75 Steel Adhesive Anchor
- 04** 10 X 75 Steel Adhesive Anchor



**01**



**02**



**03**



**04**

# Instruments & Adhesive



Spirit Level



Hand Drill



Measure Tape



Allen Key Set



LED Light



Mallet

# Instruments & Adhesive



**Silicon Gun**



**Adhesive Gun**



**Cutter**



**Saw blade**



**Adhesive For Joint**



**Adhesive For Anchor**


# Packaging



## 6 in X 6 in Bamboo

Available Length


- 13 Feet
- 16 Feet



## 4 in X 4 in Bamboo

Available Length

- 13 Feet
- 16 Feet



## Notes





## ANUGRAH METAL

Rajkot/Ahmedabad (Gujarat) INDIA.

Cell : +91 76000 00775

Cell : +91 94272 48004

E-mail : [mrails.sales@gmail.com](mailto:mrails.sales@gmail.com)

Web : [www.mrails.in](http://www.mrails.in)

Follow Us On

