https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling

main | 7 Branches | 0 Tags | Go to file | Add file | Code

sourav-ganguly-osv_fedex Merge pull request #18 from FedEx/develop 78dbe36 · 4 months ago 132 Commits

.github/workflows	codeQL scan updated	9 months ago
gradle/wrapper	Gatlingfileschanges	last year
src	domcileCountryCd and statementOfLeaseDt attribute added	10 months ago
README.md	readme fix	last year
build.gradle	Update build.gradle	last year
gradle.properties	Update gradle.properties	last year
gradlew	Gatlingfileschanges	last year
gradlew.bat	Gatlingfileschanges	last year
settings.gradle	Gatlingfileschanges	last year

README

About

No description, website

Readme
Activity
Custom properties
0 stars
1 watching
0 forks

Releases

No releases published
Create a new release

Zscaler

Access to internal FedEx app
authenticate to PurpleID.

Authenticate Now

Contributors 8

Cloud PC Enterprise 4vCPU/16GB/128GB

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/.github/workflows/codeQL.yml

Files

main

Go to file

- .github/workflows
  - codeQL.yml
- gradle
- src
- README.md
- build.gradle
- gradle.properties
- gradlew
- gradlew.bat
- settings.gradle

Code | Blame | 27 lines (22 loc) · 742 Bytes | Raw

```yaml
# ******** NOTE ********
# We have attempted to detect the languages in your repository. Please check
# the `language` matrix defined below to confirm you have the correct set of
# supported CodeQL languages.
## CodeQL supports [ 'cpp', 'csharp', 'go', 'java', 'javascript', 'python', 'ruby' ]
#
# Optional Parameters when language has java: build-command, jdk-version, maven-version



name: codeQL SAST Scan

on:
  push:
    branches: [main, codeql, develop]
  pull_request:
    branches: [main, codeql, develop]

jobs:
  run_scan:
    name: 'SAST Scan'
    uses: FedEx/eai-3538069-GHAS/.github/workflows/codeQL.yml@main
    with:
      languages: "['java']"
```

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/.github/workflows/codeQL.yml

Files

main

Go to file

- .github/workflows
  - codeQL.yml
- gradle
- src
- README.md
- build.gradle
- gradle.properties
- gradlew
- gradlew.bat
- settings.gradle

eai-3538317-asset-services-assetapi-gatling / .github / workflows / codeQL.yml

Code | Blame | 27 lines (22 loc) · 742 Bytes | Raw

```yaml
# Optional Parameters when language has java: build-command, jdk-version, maven-version



name: codeQL SAST Scan

...

on:
  push:
    branches: [main, codeql, develop]
  pull_request:
    branches: [main, codeql, develop]

jobs:
  run_scan:
    name: 'SAST Scan'
    uses: FedEx/eai-3538069-GHAS/.github/workflows/codeQL.yml@main
    with:
      languages: "['java']"
      jdk-version: '8'
      gradle-version: '8.1.1'
      build-mode: 'none'
```

Trending videos
Stranger Things...

Search

Search

Cloud PC Enterprise 4vCPU/16GB/128GB

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/gradle/wrapper/gradle-wrapper.properties

Files

main

Go to file

- .github/workflows
  - codeQL.yml
- gradle/wrapper
  - gradle-wrapper.jar
  - gradle-wrapper.properties
- src
- README.md
- build.gradle
- gradle.properties
- gradlew
- gradlew.bat
- settings.gradle

eai-3538317-asset-services-assetapi-gatling / gradle / wrapper / gradle-wrapper.properties

5927423 and 5927423 Gatlingfileschanges

5454b9e · last year

Code Blame 6 lines (6 loc) · 223 Bytes

Raw

```
distributionBase=GRADLE_USER_HOME
distributionPath=wrapper/dists
distributionUrl=https\://services.gradle.org/distributions/gradle-8.1.1-bin.zip
networkTimeout=10000
zipStoreBase=GRADLE_USER_HOME
zipStorePath=wrapper/dists
```

25°C
Mostly cloudy

Search

Cloud PC Enterprise 4vCPU/16GB/128GB

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/constants/AssetCore...

Files

main

Go to file

- gradle-wrapper.properties
- src
  - gatling
    - java/com/fedex/efs/asset
      - constants
        - AssetCoreGatlingConstants.j...
      - simulation/asset
      - tokenRequest
      - util
    - resources
  - test/resources
- README.md
- build.gradle

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / constants / AssetCoreGatlingConstants.java

5540474 script change for load test — d17e600 · 11 months ago — History

Code | Blame | 43 lines (31 loc) · 2.07 KB — Raw

```java
package com.fedex.efs.asset.constants;

public class AssetCoreGatlingConstants {

    public static String ASSET_READ_TOKEN = "read_asset_access_token";
    public static String ASSET_WRITE_TOKEN = "write_asset_access_token";
    public static String ASSET_DELETE_TOKEN = "delete_asset_access_token";
    public static String ASSET_ROLLBACK_TOKEN = "rollback_asset_access_token";

    public static String ASSET_OKTA_URL = "https://asset-services-efs-client.app.clwdev1.paas.fedex.com/okta/token?scope=";

    public static String ASSET_API_GSLB_URL = "https://asset-core-assetapi.devapp.paas.fedex.com/";

    public static String ASSET_READ_SCOPE = "AssetCore_AssetService_Read";
    public static String ASSET_WRITE_SCOPE = "AssetCore_AssetService_Write";
    public static String ASSET_DELETE_SCOPE = "AssetCore_AssetService_Delete";
    public static String ASSET_ROLLBACK_SCOPE = "AssetCore_AssetService_Rollback";

```

25°C Mostly cloudy — Search — 12:52 PM 7/24/2025

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/simulation/asset/en...

Files

main

Go to file

- gradle-wrapper.jar
- gradle-wrapper.properties
- src
  - gatling
    - java/com/fedex/efs/asset
      - constants
        - AssetCoreGatlingConstants.j...
      - simulation/asset
        - endurance
          - AssetCreateEnduranceSim...
          - AssetDeleteByIdEndurance...
          - AssetFindByEnduranceSim...
          - AssetGetAssetsEnduranceS...

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / simulation / asset / endurance / AssetCreateEnduranceSimulationTest.java

4647567 Resolved all issue and printing the solar query to delete ids. dfb36b8 · 10 months ago

Code Blame 20 lines (13 loc) · 567 Bytes Raw

```
package com.fedex.efs.asset.simulation.asset.endurance;


import static io.gatling.javaapi.core.CoreDsl.*;

import com.fedex.efs.asset.tokenRequest.AssetScenariosConfig;

public class AssetCreateEnduranceSimulationTest extends AssetScenariosConfig {

    {
        setUp(
                assetWriteAccessTokenScn.injectOpen(atOnceUsers(1)).andThen(
                createAssetScn.injectOpen(
                        constantUsersPerSec(LOAD).during (DURATION)).andThen(
                solarQueryScn.injectOpen(atOnceUsers(1)))
        ).protocols(httpProtocol);
    }

```

25°C Mostly cloudy

Search

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/simulation/asset/loa...

Files

main

Go to file

- AssetPutEnduranceSimulat...
- AssetRollbackByIdEnduran...
- load
  - AssetCreateLoadSimulatio...
  - AssetDeleteByIdLoadSimul...
  - AssetFindByLoadSimulatio...
  - AssetGetAssetsLoadSimula...
  - AssetGetByIdLoadSimulati...
  - AssetGetByVinLoadSimulat...
  - AssetGetHistoryLoadSimul...
  - AssetPutLoadSimulationTe...
  - AssetRollbackByIdLoadSim...

Code | Blame | 24 lines (16 loc) · 725 Bytes | Raw

```java
package com.fedex.efs.asset.simulation.asset.load;


import static io.gatling.javaapi.core.CoreDsl.atOnceUsers;
import static io.gatling.javaapi.core.CoreDsl.nothingFor;
import static io.gatling.javaapi.core.CoreDsl.rampUsers;

import java.time.Duration;

import com.fedex.efs.asset.tokenRequest.AssetScenariosConfig;

public class AssetCreateLoadSimulationTest extends AssetScenariosConfig {

    {
        setUp(
                assetWriteAccessTokenScn.injectOpen(atOnceUsers(1)).andThen(
                createAssetScn.injectOpen(
                        rampUsers(LOAD_USERS).during(Duration.ofSeconds(DURATION)))).andThen(
                solarQueryScn.injectOpen(atOnceUsers(1)))
        ).protocols(httpProtocol);
    }


}
```

25°C
Mostly cloudy

Search

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/simulation/asset/spi...

Files

main

Go to file

- AssetPutEnduranceSimulat...
- AssetRollbackByIdEnduran...
- load
- spike
  - AssetCreateSpikeSimulatio...
  - AssetDeleteByIdSpikeSimu...
  - AssetFindBySpikeSimulatio...
  - AssetGetAssetsSpikeSimul...
  - AssetGetByIdSpikeSimulati...
  - AssetGetByVinSpikeSimula...
  - AssetGetHistorySpikeSimul...
  - AssetPutSpikeSimulationTe...
  - AssetRollbackByIdSpikeSi...

4647567 Resolved all issue and printing the solar query to delete ids. dfb36b8 · 10 months

Code | Blame | 20 lines (16 loc) · 700 Bytes | Raw

```java
package com.fedex.efs.asset.simulation.asset.spike;

import static io.gatling.javaapi.core.CoreDsl.*;

import com.fedex.efs.asset.tokenRequest.AssetScenariosConfig;

public class AssetCreateSpikeSimulationTest extends AssetScenariosConfig {

    {
        setUp(
                assetWriteAccessTokenScn.injectOpen(atOnceUsers(1)).andThen(
                createAssetScn.injectOpen(nothingFor(10),
                        constantUsersPerSec(5).during(5),
                        nothingFor(20),
                        constantUsersPerSec(10).during(10),
                        constantUsersPerSec(5).during(5))).andThen(
                solarQueryScn.injectOpen(atOnceUsers(1)))
        ).protocols(httpProtocol);
    }
}
```

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/simulation/asset/str...

Files

main

Go to file

- AssetPutEnduranceSimulat...
- AssetRollbackByIdEnduran...
- load
- spike
- stress
  - AssetCreateStressSimulatio...
  - AssetDeleteByIdStressSimu...
  - AssetFindByStressSimulati...
  - AssetGetAssetsStressSimul...
  - AssetGetByIdStressSimulati...
  - AssetGetByVinStressSimula...
  - AssetGetHistoryStressSimu...
  - AssetPutStressSimulationT...

4647567 Resolved all issue and printing the solar query to delete ids. dfb36b8

Code | Blame | 23 lines (16 loc) · 677 Bytes | Raw

```
package com.fedex.efs.asset.simulation.asset.stress;

import static io.gatling.javaapi.core.CoreDsl.*;

import com.fedex.efs.asset.tokenRequest.AssetScenariosConfig;

public class AssetCreateStressSimulationTest extends AssetScenariosConfig {

    {
        setUp(
                assetWriteAccessTokenScn.injectOpen(atOnceUsers(1)).andThen(
                createAssetScn.injectOpen(
                        incrementUsersPerSec(0.7)
                        .times(3)
                        .eachLevelLasting(100)
                        .startingFrom(1))).andThen(
                solarQueryScn.injectOpen(atOnceUsers(1)))
        ).protocols(httpProtocol);
    }


}
```

25°C
Mostly cloudy

Search

loud PC Enterprise 4vCPU/16GB/128GB

Files

main

Go to file

AssetFindByStressSimulati...
AssetGetAssetsStressSimul...
AssetGetByIdStressSimulati...
AssetGetByVinStressSimula...
AssetGetHistoryStressSimu...
AssetPutStressSimulationT...
AssetRollbackByIdStressSi...
tokenRequest
AssetScenariosConfig.java
BaseSimulationConfig.java
RequestTemplateReader.java
util
resources


```
3   import com.fedex.efs.asset.util.AssetSimulationUtil;
4
5   import io.gatling.javaapi.core.ScenarioBuilder;
6   import io.gatling.javaapi.core.Session;
7   import io.netty.handler.codec.http.HttpResponseStatus;
8
9   import static com.fedex.efs.asset.constants.AssetCoreGatlingConstants.*;
10  import static io.gatling.javaapi.core.CoreDsl.*;
11  import static io.gatling.javaapi.http.HttpDsl.http;
12  import static io.gatling.javaapi.http.HttpDsl.status;
13  import java.util.Iterator;
14
15  public class AssetScenariosConfig extends BaseSimulationConfig {
16
17      //Get asset READ token Scenario
18      public ScenarioBuilder assetReadAccessTokenScn = scenario("getAssetReadToken")
19              .exec(http("Get Asset Read Token")
20                      .get(ASSET_OKTA_URL + ASSET_READ_SCOPE).asFormUrlEncoded()
21                      .check(status().is(HttpResponseStatus.OK.code()))
22                      .check(bodyString().saveAs(ASSET_READ_TOKEN)))
23              .exec(saveToFile(ASSET_READ_TOKEN));
24
25      // Get asset WRITE token Scenario
```

25°C
Mostly cloudy
Search
Search

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/Asset...

Files

main

Go to file

- AssetFindByStressSimulati...
- AssetGetAssetsStressSimul...
- AssetGetByIdStressSimulati...
- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
- resources

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / AssetScenariosConfig.java

Code | Blame | 230 lines (209 loc) · 10.8 KB | Raw

```
15  public class AssetScenariosConfig extends BaseSimulationConfig {
18      public ScenarioBuilder assetReadAccessTokenScn = scenario("getAssetReadToken")
24
25      // Get asset WRITE token Scenario
26      public ScenarioBuilder assetWriteAccessTokenScn = scenario("getAssetWriteToken")
27              .exec(http("Get Asset Write Token")
28                      .get(ASSET_OKTA_URL + ASSET_WRITE_SCOPE).asFormUrlEncoded()
29                      .check(status().is(HttpResponseStatus.OK.code()))
30                      .check(bodyString().saveAs(ASSET_WRITE_TOKEN)))
31              .exec(saveToFile(ASSET_WRITE_TOKEN));
32
33      //Get asset Delete token Scenario
34      public ScenarioBuilder assetDeleteAccessTokenScn = scenario("getAssetDeleteToken")
35              .exec(http("Get Asset Delete Token")
36                      .get(ASSET_OKTA_URL+ASSET_DELETE_SCOPE).asFormUrlEncoded()
37                      .check(status().is(HttpResponseStatus.OK.code()))
38                      .check(bodyString().saveAs(ASSET_DELETE_TOKEN)))
39              .exec( saveToFile(ASSET_DELETE_TOKEN));
40
41      //Get asset Rollback token Scenario
42      public ScenarioBuilder assetRollbackAccessTokenScn = scenario("getAssetRollbackToken")
43              .exec(http("Get Asset Rollback Token")
44                      .get(ASSET_OKTA_URL+ASSET_ROLLBACK_SCOPE).asFormUrlEncoded()
45                      .check(status().is(HttpResponseStatus.OK.code()))
```

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/Asset...

Files

main

Go to file

- AssetFindByStressSimulati...
- AssetGetAssetsStressSimul...
- AssetGetByIdStressSimulati...
- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
- resources

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / AssetScenariosConfig.java

Code | Blame | 230 lines (209 loc) · 10.8 KB | Raw

```
15  public class AssetScenariosConfig extends BaseSimulationConfig {
34      public ScenarioBuilder assetDeleteAccessTokenScn = scenario("getAssetDeleteToken")
39              .exec( saveToFile(ASSET_DELETE_TOKEN));
40
41      //Get asset Rollback token Scenario
42      public ScenarioBuilder assetRollbackAccessTokenScn = scenario("getAssetRollbackToken")
43              .exec(http("Get Asset Rollback Token")
44                      .get(ASSET_OKTA_URL+ASSET_ROLLBACK_SCOPE).asFormUrlEncoded()
45                      .check(status().is(HttpResponseStatus.OK.code()))
46                      .check(bodyString().saveAs(ASSET_ROLLBACK_TOKEN)))
47              .exec( saveToFile(ASSET_ROLLBACK_TOKEN));
48
49      //Asset Create Scenario
50      public ScenarioBuilder createAssetScn = scenario("CreateAssetSimulation")
51              .exec(session -> {
52                  Session sessionNew = session.set("oktatoken", AssetSimulationUtil.getokta(ASSET_WRITE_TOKEN));
53                  return sessionNew;
54              })
55              .exec(session -> {
56                  Session sessionNew = session.set("unitNumber", AssetSimulationUtil.getRandomUnitNumber());
57                  return sessionNew;
58              })
59              .exec(
```

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/Asset...

Files

main

Go to file

- AssetFindByStressSimulati...
- AssetGetAssetsStressSimul...
- AssetGetByIdStressSimulati...
- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
- resources

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / AssetScenariosConfig.java

Code | Blame | 230 lines (209 loc) · 10.8 KB | Raw

```
15  public class AssetScenariosConfig extends BaseSimulationConfig {
50      public ScenarioBuilder createAssetScn = scenario("CreateAssetSimulation")
55              .exec(session -> {
56                  Session sessionNew = session.set("unitNumber", AssetSimulationUtil.getRandomUnitNumber());
57                  return sessionNew;
58              })
59              .exec(
60                  http("Asset Create Call")
61                  .post(VERSION+ASSET_CREATE_URL).asFormUrlEncoded()
62                  .body(StringBody(session -> postTemplate
63                          .replace("UNIT_NUMBER", session.get("unitNumber"))))
64                  .header("Content-Type", "application/json")
65                  .header(AUTHORIZATION, "#{oktatoken}")
66                  .check(status().is(HttpResponseStatus.OK.code()))
67                  .check(jsonPath("$.assets[0].assetId").saveAs(assetId))
68                  )
69              .exec(saveAssetId(assetId));
70
71      //Asset FindBy Scenario
72      public ScenarioBuilder assetFindByScn = scenario("AssetFindBySimulation")
73              .exec(session -> {
74              Session sessionNew = session.set("oktatoken", AssetSimulationUtil.getokta(ASSET_WRITE_TOKEN));
75              return sessionNew;
```

25°C
Mostly cloudy

Search

Search

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/Asset...

Files

main

Go to file

- AssetFindByStressSimulati...
- AssetGetAssetsStressSimul...
- AssetGetByIdStressSimulati...
- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
- resources

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / AssetScenariosConfig.java

Code | Blame | 230 lines (209 loc) · 10.8 KB | Raw

```
public class AssetScenariosConfig extends BaseSimulationConfig {
    public ScenarioBuilder createAssetScn = scenario("CreateAssetSimulation")

    //Asset FindBy Scenario
    public ScenarioBuilder assetFindByScn = scenario("AssetFindBySimulation")
            .exec(session -> {
            Session sessionNew = session.set("oktatoken", AssetSimulationUtil.getokta(ASSET_WRITE_TOKEN));
            return sessionNew;
        })
            .foreach(assetUnitNums, "unitNumber").on(
            http("Asset Find By Call")
            .get(VERSION+ASSET_FIND_BY_URL).asFormUrlEncoded()
            .header(AUTHORIZATION, "#{oktatoken}")
            .queryParam("unitNumber", "#{unitNumber}")
            .queryParam("subTypeCode", "VAN")
            .queryParam("ownedByParty", "FXE")
           // .queryParam("targetTimestamp","2024-08-28T00:00:00Z")
            .header("Content-Type", "application/json")
            .check(status().is(HttpResponseStatus.OK.code())));

    //Get asset
    public ScenarioBuilder getAssestScn = scenario("GetAssetsSimulation")
            .exec(session -> {
            Session sessionNew = session.set("oktatoken", AssetSimulationUtil.getokta(ASSET_READ_TOKEN));
```

25°C Mostly cloudy

Search

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/Asset...

Files

main

Go to file

- AssetFindByStressSimulati...
- AssetGetAssetsStressSimul...
- AssetGetByIdStressSimulati...
- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
- resources

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / AssetScenariosConfig.java

Code | Blame | 230 lines (209 loc) · 10.8 KB | Raw

```
15  public class AssetScenariosConfig extends BaseSimulationConfig {
72      public ScenarioBuilder assetFindByScn = scenario("AssetFindBySimulation")
85                  .header("Content-Type", "application/json")
86                  .check(status().is(HttpResponseStatus.OK.code())));
87
88      //Get asset
89      public ScenarioBuilder getAssestScn = scenario("GetAssetsSimulation")
90                  .exec(session -> {
91                  Session sessionNew = session.set("oktatoken", AssetSimulationUtil.getokta(ASSET_READ_TOKEN));
92                  return sessionNew;
93              })
94              .foreach(assetUnitNums, "unitNumber").on(
95                  http("Asset Get Assets Call")
96                  .get(VERSION+ASSET_GETASSETS_URL).asFormUrlEncoded()
97                  .header(AUTHORIZATION, "#{oktatoken}")
98                  .queryParam("unitNumber", "#{unitNumber}")
99                  .queryParam("subTypeCode", "TRAILER,CONTAINER,TRACTOR,SWITCHER,DOLLY,CHASSIS,GPS,AIRCRAFT,VAN")
100                 .queryParam("ownedByParty", "FDX, FSC, FTN, FXCC, FXE, FXF, FXG, FXO, FXS")
101                 //.queryParam("targetTimestamp","2023-04-28T00:00:00Z")
102                 .header("Content-Type", "application/json")
103                 .check(status().is(HttpResponseStatus.OK.code())));
104
105     // Asset Get By id Scenario
106     public ScenarioBuilder assetGetByIdScn = scenario("AssetGetByIdSimulation")
```

25°C Mostly cloudy

Search

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/Asset...

Files

main

Go to file

- AssetFindByStressSimulati...
- AssetGetAssetsStressSimul...
- AssetGetByIdStressSimulati...
- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
- resources

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / AssetScenariosConfig.java

Code | Blame | 230 lines (209 loc) · 10.8 KB | Raw

```
15  public class AssetScenariosConfig extends BaseSimulationConfig {
89      public ScenarioBuilder getAssestScn = scenario("GetAssetsSimulation")
102                 .header("Content-Type", "application/json")
103                 .check(status().is(HttpResponseStatus.OK.code())));
104
105     // Asset Get By id Scenario
106     public ScenarioBuilder assetGetByIdScn = scenario("AssetGetByIdSimulation")
107                 .exec(session -> {
108                 Session sessionNew = session.set("oktatoken", AssetSimulationUtil.getokta(ASSET_READ_TOKEN));
109                 return sessionNew;
110             })
111                 .exec(session -> {
112                 Session sessionNew = session.set("id", AssetSimulationUtil.getGetAssetIds());
113                 return sessionNew;
114             })
115                 .exec(
116                  http("Asset Get By Id Call")
117                 .get(VERSION+ASSET_URL + "#{id}").asFormUrlEncoded()
118                 .header(AUTHORIZATION, "#{oktatoken}")
119                 .queryParam("targetTimestamp", "")
120                 .header("Content-Type", "application/json")
121                 .check(status().is(HttpResponseStatus.OK.code())));
122
```

25°C Mostly cloudy

Search

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/Asset...

Files

main

Go to file

- AssetFindByStressSimulati...
- AssetGetAssetsStressSimul...
- AssetGetByIdStressSimulati...
- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
- resources

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / AssetScenariosConfig.java

Code | Blame | 230 lines (209 loc) · 10.8 KB | Raw

```
15  public class AssetScenariosConfig extends BaseSimulationConfig {
106     public ScenarioBuilder assetGetByIdScn = scenario("AssetGetByIdSimulation")

124
125     //Asset GetByVin Scenario
126     public ScenarioBuilder assetGetByVinScn = scenario("AssetGetByVinSimulation")
127             .exec(session -> {
128             Session sessionNew = session.set("oktatoken", AssetSimulationUtil.getokta(ASSET_READ_TOKEN));
129             return sessionNew;
130         })
131             .foreach(assetVinNums, "vinNumber").on(
132             http("Asset Get By Vin Call")
133             .get(VERSION+ASSET_GET_BY_VIN_URL).asFormUrlEncoded()
134             .header(AUTHORIZATION, "#{oktatoken}")
135             .queryParam("VIN", "#{vinNumber}")
136             .header("Content-Type", "application/json")
137             .check(status().is(HttpResponseStatus.OK.code())));
138
139     //Asset Get History Scenario
140     public ScenarioBuilder assetGetHistoryScn = scenario("AssetGetHistorySimulation")
141             .exec(session -> {
142             Session sessionNew = session.set("oktatoken", AssetSimulationUtil.getokta(ASSET_READ_TOKEN));
143             return sessionNew;
144         })
```

Cloud PC Enterprise 4vCPU/16GB/128GB

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/Asset...

Files

main

Go to file

- AssetFindByStressSimulati...
- AssetGetAssetsStressSimul...
- AssetGetByIdStressSimulati...
- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
- resources

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / AssetScenariosConfig.java

Code | Blame | 230 lines (209 loc) · 10.8 KB

```
15  public class AssetScenariosConfig extends BaseSimulationConfig {

139     //Asset Get History Scenario
140     public ScenarioBuilder assetGetHistoryScn = scenario("AssetGetHistorySimulation")
141             .exec(session -> {
142             Session sessionNew = session.set("oktatoken", AssetSimulationUtil.getokta(ASSET_READ_TOKEN));
143             return sessionNew;
144         })
145             .exec(session -> {
146             Session sessionNew = session.set("id", AssetSimulationUtil.getGetAssetIds());
147             return sessionNew;
148         })
149             .exec(
150             http("Asset Get History Call")
151             .get(VERSION+ASSET_HISTORY_URL + "#{id}").asFormUrlEncoded()
152             .header(AUTHORIZATION, "#{oktatoken}")
153             .header("Content-Type", "application/json")
154             .check(status().is(HttpResponseStatus.OK.code())));
155
156     //Asset Put Scenario
157     public ScenarioBuilder updateAssetScn = scenario("AssetPutSimulation")
158             .exec(session -> {
159             Session sessionNew = session.set("oktatoken", AssetSimulationUtil.getokta(ASSET_WRITE_TOKEN));
160             return sessionNew;
```

25°C Mostly cloudy

Search

12:55 PM 7/24/2025

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/Asset...

Files

main

Go to file

- AssetFindByStressSimulati...
- AssetGetAssetsStressSimul...
- AssetGetByIdStressSimulati...
- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
- resources

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / **AssetScenariosConfig.java**

Top

Code | Blame | 230 lines (209 loc) · 10.8 KB

Raw

```
public class AssetScenariosConfig extends BaseSimulationConfig {
                    .check(status().is(HttpResponseStatus.OK.code())));

        //Asset Put Scenario
        public ScenarioBuilder updateAssetScn = scenario("AssetPutSimulation")
                    .exec(session -> {
                    Session sessionNew = session.set("oktatoken", AssetSimulationUtil.getokta(ASSET_WRITE_TOKEN));
                    return sessionNew;
                })
                .exec(session -> {
                    Session sessionNew = session.set("id", AssetSimulationUtil.getPutAssetIds());
                    return sessionNew;
                })
                .exec(
                    http("Asset Put Call")
                    .put(VERSION+ASSET_URL+"#{id}").asFormUrlEncoded()
                    .body(StringBody(putTemplate.replace("ASSET_ID", "#{id}")))
                    .header(AUTHORIZATION, "#{oktatoken}")
                    .header("Content-Type", "application/json")
                    .check(status().is(HttpResponseStatus.OK.code())));

        //Asset Delete Scenario
        public ScenarioBuilder assetDeleteByIdScn = scenario("AssetDeleteByIdSimulation")
```

25°C Mostly cloudy

Search

12:55 PM 7/24/2025

Search

12:55 PM 7/24/2025

Cloud PC Enterprise 4vCPU/16GB/128GB

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/Asset...

Files

main

Go to file

- AssetFindByStressSimulati...
- AssetGetAssetsStressSimul...
- AssetGetByIdStressSimulati...
- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
- resources

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / **AssetScenariosConfig.java**

Code | Blame | 230 lines (209 loc) · 10.8 KB | Raw

```
15    public class AssetScenariosConfig extends BaseSimulationConfig {
193       public ScenarioBuilder assetRollbackByIdScn = scenario("AssetRollbackByIdSimulation")
206                           .header(AUTHORIZATION, "#{oktatoken}")
207                           .check(status().is(200)));
208
209       public ScenarioBuilder createAssetUnitNumVINScn = scenario("CreateAssetSimulation")
210                   .exec(session -> {
211                       Session sessionNew = session.set("oktatoken", AssetSimulationUtil.getokta(ASSET_WRITE_TOKEN));
212                       return sessionNew;
213                   })
214                   .exec(
215                       http("Asset Create Call")
216                       .post(VERSION+ASSET_CREATE_URL).asFormUrlEncoded()
217                       .body(StringBody(assetUnitNum))
218                       .header("Content-Type", "application/json")
219                       .header(AUTHORIZATION, "#{oktatoken}")
220                       .check(status().is(HttpResponseStatus.OK.code()))
221                       .check(jsonPath("$.assets[0].assetId").saveAs(assetId))
222                       )
223                   .exec(saveAssetId(assetId));
224
225       public ScenarioBuilder solarQueryScn = scenario("DisplaySolarQuery")
226                       .exec(session -> {
227                       Session sessionNew = session.get( AssetSimulationUtil.fetchSolarQuery());
```

25°C Mostly cloudy

Search

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/Asset...

Files

main

Go to file

- AssetFindByStressSimulati...
- AssetGetAssetsStressSimul...
- AssetGetByIdStressSimulati...
- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
- resources

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / AssetScenariosConfig.java

Code | Blame | 230 lines (209 loc) · 10.8 KB | Raw

```
15   public class AssetScenariosConfig extends BaseSimulationConfig {
209      public ScenarioBuilder createAssetUnitNumVINScn = scenario("CreateAssetSimulation")
212                 return sessionNew;
213             })
214             .exec(
215                 http("Asset Create Call")
216                 .post(VERSION+ASSET_CREATE_URL).asFormUrlEncoded()
217                 .body(StringBody(assetUnitNum))
218                 .header("Content-Type", "application/json")
219                 .header(AUTHORIZATION, "#{oktatoken}")
220                 .check(status().is(HttpResponseStatus.OK.code()))
221                 .check(jsonPath("$.assets[0].assetId").saveAs(assetId))
222                 )
223             .exec(saveAssetId(assetId));
224
225      public ScenarioBuilder solarQueryScn = scenario("DisplaySolarQuery")
226                 .exec(session -> {
227                 Session sessionNew = session.get( AssetSimulationUtil.fetchSolarQuery());
228                 return sessionNew;
229             });
230  }
```

25°C Mostly cloudy

Search

Cloud PC Enterprise 4vCPU/16GB/128GB

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/BaseS...

Files

main

Go to file

- AssetFindByStressSimulati...
- AssetGetAssetsStressSimul...
- AssetGetByIdStressSimulati...
- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
- resources

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / BaseSimulationConfig.java

4647567 query changes 0e13ac1 · 10 months ago

Code Blame 149 lines (114 loc) · 6.58 KB Raw

```
package com.fedex.efs.asset.tokenRequest;

import com.fedex.efs.asset.simulation.asset.load.AssetFindByLoadSimulationTest;
import com.fedex.efs.asset.simulation.asset.load.AssetGetByIdLoadSimulationTest;
import com.fedex.efs.asset.simulation.asset.load.AssetGetByVinLoadSimulationTest;
import com.fedex.efs.asset.util.AssetSimulationUtil;
import io.gatling.javaapi.core.ChainBuilder;
import io.gatling.javaapi.core.Simulation;
import io.gatling.javaapi.http.HttpProtocolBuilder;

import java.io.BufferedReader;
import java.io.File;
import java.io.InputStream;
import java.io.InputStreamReader;
import java.nio.file.Files;
import java.nio.file.Paths;
import java.util.ArrayList;
```

25°C Mostly cloudy

Cloud PC Enterprise 4vCPU/16GB/128GB

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/BaseS...

Files

main

Go to file

- AssetFindByStressSimulati...
- AssetGetAssetsStressSimul...
- AssetGetByIdStressSimulati...
- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
- resources

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / BaseSimulation

Code Blame 149 lines (114 loc) · 6.58 KB

```
21  import java.nio.file.Paths;
22  import java.util.List;
23
24  import com.fedex.efs.asset.simulation.asset.load.AssetPutLoadSimulationTest;
25  import static com.fedex.efs.asset.constants.AssetCoreGatlingConstants.*;
26  import static io.gatling.javaapi.core.CoreDsl.exec;
27  import static io.gatling.javaapi.http.HttpDsl.http;
28
29  public class BaseSimulationConfig extends Simulation {
30          //Input variables coming from runtime command
31      public static String DATA_CENTER = System.getProperty("DATA_CENTER");
32      public static String ENVIRONMENT = System.getProperty("CF_ENV");
33      public static Integer TOKEN_DURATION = Integer.parseInt(System.getProperty("TOKEN_DUR"));
34      public static Integer LOAD_USERS = Integer.parseInt(System.getProperty("LOAD_USERS"));
35      public static Integer DURATION = Integer.parseInt(System.getProperty("DURATION"));
36      public static String ATTRIBUTE_TYPE = System.getProperty("ATTRIBUTE_TYPE");
37      public static String VERSION = System.getProperty("VERSION");
38
39      //for Endurance testing
40      public static Double LOAD = Double.parseDouble(System.getProperty("LOAD"));
41
42      public HttpProtocolBuilder httpProtocol = http.baseUrl(ASSET_API_GSLB_URL);
43
```

25°C Mostly cloudy

Search

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/BaseS...

Files

main

Go to file

- AssetFindByStressSimulati...
- AssetGetAssetsStressSimul...
- AssetGetByIdStressSimulati...
- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
- resources

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / BaseSimulation

Code | Blame | 149 lines (114 loc) · 6.58 KB

```
public class BaseSimulationConfig extends Simulation {
    public static String VERSION = System.getProperty("VERSION");

    //for Endurance testing
    public static Double LOAD = Double.parseDouble(System.getProperty("LOAD"));

    public HttpProtocolBuilder httpProtocol = http.baseUrl(ASSET_API_GSLB_URL);

    public static String oktaWriteToken = null;
    public static String oktaReadToken = null;
    public static String oktaDeleteToken = null;
    public static String oktaRollbackToken = null;
    public static String deleteQuery=null;

        String postTemplate =null;
    String putTemplate =null;
    String assetReq=null;
    String assetUnitNum=null;

    public static List<String> assetIds=new ArrayList<>();


    public BaseSimulationConfig() {
```

25°C
Mostly cloudy

Search

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/BaseS...

Files

main

Go to file

- AssetFindByStressSimulati...
- AssetGetAssetsStressSimul...
- AssetGetByIdStressSimulati...
- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
- resources

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / **BaseSimulationConfig.java**

Top

Code | Blame | 149 lines (114 loc) · 6.58 KB

Raw

```
29  public class BaseSimulationConfig extends Simulation {
52      String assetReq=null;
53      String assetUnitNum=null;
54
55      public static List<String> assetIds=new ArrayList<>();
56
57
58      public BaseSimulationConfig() {
59
60          if(ATTRIBUTE_TYPE.equalsIgnoreCase("AIRCRAFT")) {
61              postTemplate = RequestTemplateReader.readTemplateFile("assetPostTemplateAircraft.json");
62              putTemplate = RequestTemplateReader.readTemplateFile("assetPutTemplateAircraft.json");
63              assetReq =postTemplate.replace("MH67FF88989",assetVinNums.get(0));
64              assetUnitNum=assetReq.replace("UNIT_NUMBER", assetUnitNums.get(0));
65              System.out.println("Aircraft postTemplate"+postTemplate);
66              System.out.println("Aircraft putTemplate "+putTemplate);
67
68          }else if(ATTRIBUTE_TYPE.equalsIgnoreCase("PT")) {
69              postTemplate = RequestTemplateReader.readTemplateFile("assetPostTemplatePT.json");
70              putTemplate = RequestTemplateReader.readTemplateFile("assetPutTemplatePT.json");
71              assetReq =postTemplate.replace("MH67FF88989",assetVinNums.get(0));
72              assetUnitNum=assetReq.replace("UNIT_NUMBER", assetUnitNums.get(0));
73              System.out.println(" PT postTemplate "+postTemplate);
```

25°C Mostly cloudy

Search

12:55 PM 7/24/2025

Search

12:55 PM 7/24/2025

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/BaseS...

Files

main

Go to file

- AssetFindByStressSimulati...
- AssetGetAssetsStressSimul...
- AssetGetByIdStressSimulati...
- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
- resources

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / **BaseSimulationConfig.java**

Code | Blame | 149 lines (114 loc) · 6.58 KB | Raw

```
29  public class BaseSimulationConfig extends Simulation {
58      public BaseSimulationConfig() {
68              }else if(ATTRIBUTE_TYPE.equalsIgnoreCase("PT")) {
69                  postTemplate = RequestTemplateReader.readTemplateFile("assetPostTemplatePT.json");
70                  putTemplate = RequestTemplateReader.readTemplateFile("assetPutTemplatePT.json");
71                  assetReq =postTemplate.replace("MH67FF88989",assetVinNums.get(0));
72                  assetUnitNum=assetReq.replace("UNIT_NUMBER", assetUnitNums.get(0));
73                  System.out.println(" PT postTemplate "+postTemplate);
74                  System.out.println(" PT putTemplate "+putTemplate);
75
76              }else if(ATTRIBUTE_TYPE.equalsIgnoreCase("AV")) {
77                  postTemplate = RequestTemplateReader.readTemplateFile("assetPostTemplateAV.json");
78                  putTemplate = RequestTemplateReader.readTemplateFile("assetPutTemplateAV.json");
79                  assetReq =postTemplate.replace("MH67FF88989",assetVinNums.get(0));
80                  assetUnitNum=assetReq.replace("UNIT_NUMBER", assetUnitNums.get(0));
81                  System.out.println("AV postTemplate "+postTemplate);
82                  System.out.println(" AV putTemplate "+putTemplate);
83
84              }else if(ATTRIBUTE_TYPE.equalsIgnoreCase("V1")) {
85                  postTemplate = RequestTemplateReader.readTemplateFile("assetPostTemplateV1.json");
86                  putTemplate = RequestTemplateReader.readTemplateFile("assetPutTemplateV1.json");
87                  assetReq =postTemplate.replace("MH67FF88989",assetVinNums.get(0));
```

25°C Mostly cloudy

Search

12:55 7/24/2

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/BaseS...

Files

main

Go to file

- AssetFindByStressSimulati...
- AssetGetAssetsStressSimul...
- AssetGetByIdStressSimulati...
- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
- resources

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / **BaseSimulationConfig.java**

Code | Blame | 149 lines (114 loc) · 6.58 KB

```
29  public class BaseSimulationConfig extends Simulation {
58      public BaseSimulationConfig() {
85                  postTemplate = RequestTemplateReader.readTemplateFile("assetPostTemplateV1.json");
86                  putTemplate = RequestTemplateReader.readTemplateFile("assetPutTemplateV1.json");
87                  assetReq =postTemplate.replace("MH67FF88989",assetVinNums.get(0));
88                  assetUnitNum=assetReq.replace("UNIT_NUMBER", assetUnitNums.get(0));
89                  System.out.println("V1 postTemplate "+postTemplate);
90                  System.out.println(" V1 putTemplate "+putTemplate);
91              }
92          }
93
94      InputStream assetIdResourceStream = AssetGetByIdLoadSimulationTest.class.getResourceAsStream("/assetIds/assetId.txt");
95      List<String> asset_ids = new BufferedReader(new InputStreamReader(assetIdResourceStream)).lines().collect(Collectors.toList());
96
97      InputStream assetUnitNumResourceStream = AssetFindByLoadSimulationTest.class.getResourceAsStream("/assetIds/assetUnitNum.txt");
98      List<String> assetUnitNums = new BufferedReader(new InputStreamReader(assetUnitNumResourceStream)).lines().collect(Collectors.toL
99
100     InputStream vinResourceStream = AssetGetByVinLoadSimulationTest.class.getResourceAsStream("/assetIds/VIN.txt");
101     List<String> assetVinNums = new BufferedReader(new InputStreamReader(vinResourceStream)).lines().collect(Collectors.toList());
102
103     //      Private helper methods
104
```

25°C Mostly cloudy

12:56 PM 7/24/2025

Cloud PC Enterprise 4vCPU/16GB/128GB

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/BaseS...

Files

main

Go to file

- AssetFindByStressSimulati...
- AssetGetAssetsStressSimul...
- AssetGetByIdStressSimulati...
- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
- resources

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / BaseSimulationConf

Code | Blame | 149 lines (114 loc) · 6.58 KB | Raw

```
29  public class BaseSimulationConfig extends Simulation {
58      public BaseSimulationConfig() {
101     List<String> assetVinNums = new BufferedReader(new InputStreamReader(vinResourceStream)).lines().collect(Col
102
103     //    Private helper methods
104
105     //    Read okta token from saved file (read or write token)
106     public ChainBuilder getOktaTokenFromFile(String filePath) {
107
108         if (filePath != null && filePath.contains(ASSET_WRITE_TOKEN) && oktaWriteToken == null) {
109
110             oktaWriteToken = RequestTemplateReader.readFile(filePath);
111
112         } else if (filePath != null && filePath.contains(ASSET_READ_TOKEN) && oktaReadToken == null) {
113
114             oktaReadToken = RequestTemplateReader.readFile(filePath);
115
116         }else if (filePath != null && filePath.contains(ASSET_DELETE_TOKEN) && oktaDeleteToken == null) {
117
118             oktaDeleteToken = RequestTemplateReader.readFile(filePath);
119
120         }else if (filePath != null && filePath.contains(ASSET_ROLLBACK_TOKEN) && oktaRollbackToken == null) {
```

25°C
Mostly cloudy

Cloud PC Enterprise 4vCPU/16GB/128GB

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/BaseS...

Files

main

Go to file

- AssetFindByStressSimulati...
- AssetGetAssetsStressSimul...
- AssetGetByIdStressSimulati...
- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
- resources

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / **BaseSimulationConfig.java**

Code | Blame | 149 lines (114 loc) · 6.58 KB | Raw

```
29    public class BaseSimulationConfig extends Simulation {
106       public ChainBuilder getOktaTokenFromFile(String filePath) {
116           }else if (filePath != null && filePath.contains(ASSET_DELETE_TOKEN) && oktaDeleteToken == null) {
117
118               oktaDeleteToken = RequestTemplateReader.readFile(filePath);
119
120           }else if (filePath != null && filePath.contains(ASSET_ROLLBACK_TOKEN) && oktaRollbackToken == null) {
121
122               oktaRollbackToken = RequestTemplateReader.readFile(filePath);
123
124           }
125
126           return exec(session -> session);
127       }
128
129       //save Asset Id
130       public ChainBuilder saveAssetId(String asset) {
131           return exec(session -> {
132               String assetid = session.getString(asset);
133               AssetSimulationUtil.saveAssetIds(assetid);
134
135               return session;
136           });
```

25°C
Mostly cloudy

Search

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/BaseS...

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / B

Code Blame 149 lines (114 loc) · 6.58 KB

file

- AssetFindByStressSimulati...
- AssetGetAssetsStressSimul...
- AssetGetByIdStressSimulati...
- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
- AssetScenariosConfig.java
- BaseSimulationConfig.java
- RequestTemplateReader.java
- util
- resources

```
29  public class BaseSimulationConfig extends Simulation {
130     public ChainBuilder saveAssetId(String asset) {
132             String assetid = session.getString(asset);
133             AssetSimulationUtil.saveAssetIds(assetid);
134
135             return session;
136         });
137     }
138
139
140     //Saving token to files
141     public ChainBuilder saveToFile(String scopeToken) {
142         return exec(session -> {
143
144             String fileContent = session.getString(scopeToken);
145             AssetSimulationUtil.saveToFile(scopeToken, fileContent);
146             return session;
147         });
148     }
149 }
```

-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/Requ...

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / RequestTemplateReader.java

4647567 error checking

2ce9c44 · 11 months ago

Code Blame 33 lines (26 loc) · 940 Bytes

Raw

```java
package com.fedex.efs.asset.tokenRequest;

import java.nio.file.Files;
import java.nio.file.Path;
import java.nio.file.Paths;

import static com.fedex.efs.asset.constants.AssetCoreGatlingConstants.TEMPLATE_FOLDER;
import static com.fedex.efs.asset.constants.AssetCoreGatlingConstants.TOKEN_FOLDER;

public class RequestTemplateReader {

    public static String readFile(String filePath) {
        try {
            Path path = Paths.get(TOKEN_FOLDER + filePath);
            return new String(Files.readAllBytes(path));

        } catch (Exception e) {
            e.printStackTrace();
```

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/tokenRequest/Requ...

Files

main

Go to file

- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
- resources
- test/resources
- README.md
- build.gradle
- gradle.properties
- gradlew
- gradlew.bat
- settings.gradle

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / tokenRequest / RequestTemplateReader.java

Code Blame 33 lines (26 loc) · 940 Bytes Raw

```
import static com.fedex.efs.asset.constants.AssetCoreGatlingConstants.TEMPLATE_FOLDER;
import static com.fedex.efs.asset.constants.AssetCoreGatlingConstants.TOKEN_FOLDER;

public class RequestTemplateReader {

    public static String readFile(String filePath) {
        try {
            Path path = Paths.get(TOKEN_FOLDER + filePath);
            return new String(Files.readAllBytes(path));

        } catch (Exception e) {
            e.printStackTrace();
            return "";
        }
    }

    public static String readTemplateFile(String filePath) {
        try {
            Path path = Paths.get(TEMPLATE_FOLDER + filePath);
            return new String(Files.readAllBytes(path));

        } catch (Exception e) {
            e.printStackTrace();
```

25°C Mostly cloudy

Search

Search

Cloud PC Enterprise 4vCPU/16GB/128GB

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/util/AssetSimulation...

Files

main

Go to file

- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
  - AssetSimulationUtil.java
- resources
- test/resources
- README.md

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / util / **AssetSimulationUtil.java**

4647567 query changes 0e13ac1 · 10 months ago History

Code Blame 123 lines (98 loc) · 3.96 KB Raw

```java
package com.fedex.efs.asset.util;

import static com.fedex.efs.asset.constants.AssetCoreGatlingConstants.*;


import java.io.*;
import java.nio.channels.FileChannel;
import java.nio.file.Path;
import java.nio.file.StandardOpenOption;
import java.util.List;
import java.util.stream.Collectors;

import com.fedex.efs.asset.simulation.asset.load.AssetGetByVinLoadSimulationTest;
import com.fedex.efs.asset.tokenRequest.BaseSimulationConfig;

public class AssetSimulationUtil {

        public static String getRandomUnitNumber() {
        long min = 10000000;
```

25°C Mostly cloudy

Search

Cloud PC Enterprise 4vCPU/16GB/128GB

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/util/AssetSimulation...

Files

main

Go to file

- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
  - AssetSimulationUtil.java
- resources
- test/resources
- README.md

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / util / AssetSimulationUtil.java

Code | Blame | 123 lines (98 loc) · 3.96 KB | Raw

```java
public class AssetSimulationUtil {

            public static  String getRandomUnitNumber() {
        long min = 10000000;
        long max = 99999999;
        long randomNum = (long)((Math.random() * (max - min)) + min);

        //Adding random num to current time in milliseconds
        long currentTime = System.currentTimeMillis();
        return String.valueOf(currentTime+randomNum);

    }

        // Method to generate asset id for Put endpoint
    public static  String getPutAssetIds() {
        String asset_id = null;
        for(String id:BaseSimulationConfig.assetIds) {
                asset_id=id;
                BaseSimulationConfig.assetIds.remove(id);
                break;
        }
            //  System.out.println(" Asset id value "+asset_id );
                return asset_id;
```

25°C
Mostly cloudy

Search

Search

Cloud PC Enterprise 4vCPU/16GB/128GB

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/util/AssetSimulation...

Files

main

Go to file

- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
  - AssetSimulationUtil.java
- resources
- test/resources
- README.md

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / util / AssetSimulationUtil.java

Top

Code | Blame | 123 lines (98 loc) · 3.96 KB | Raw

```
16  public class AssetSimulationUtil {
30      public static  String getPutAssetIds() {
32          for(String id:BaseSimulationConfig.assetIds) {
33              asset_id=id;
34              BaseSimulationConfig.assetIds.remove(id);
35              break;
36          }
37          //  System.out.println(" Asset id value "+asset_id );
38              return asset_id;
39      }
40
41  // Method to generate asset id for Get endpoint
42      public static  String getGetAssetIds() {
43          String asset_id = null;
44          for(String id:BaseSimulationConfig.assetIds) {
45              asset_id=id;
46              break;
47          }
48          //System.out.println(" Asset id value "+asset_id );
49              return asset_id;
50      }
51
52
```

25°C Mostly cloudy

Search

12:57 7/24/

Cloud PC Enterprise 4vCPU/16GB/128GB

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/util/AssetSimulation...

Files

main

Go to file

- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
  - AssetSimulationUtil.java
- resources
- test/resources
- README.md

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / util / **AssetSimulationUtil.java**

Top

Code | Blame | 123 lines (98 loc) · 3.96 KB | Raw

```
16  public class AssetSimulationUtil {
42      public static  String getGetAssetIds() {

52
53      //Method to fetch okta token
54      public static  String getokta(String scope) {
55          if (scope.equals(ASSET_WRITE_TOKEN)) {
56
57              scope= BaseSimulationConfig.oktaWriteToken;
58      }
59          if (scope.equals(ASSET_READ_TOKEN)) {
60
61              scope= BaseSimulationConfig.oktaReadToken;
62          }if (scope.equals(ASSET_DELETE_TOKEN)) {
63
64              scope= BaseSimulationConfig.oktaDeleteToken;
65          }
66          if (scope.equals(ASSET_ROLLBACK_TOKEN)) {
67
68              scope= BaseSimulationConfig.oktaRollbackToken;
69          }
70          return scope;
71      }
72
```

25°C Mostly cloudy

Search

12:57 7/24/2

Cloud PC Enterprise 4vCPU/16GB/128GB

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/util/AssetSimulation...

Files

main

Go to file

- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
  - AssetSimulationUtil.java
- resources
- test/resources
- README.md

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / util / **AssetSimulationUtil.java**

Top

Code | Blame | 123 lines (98 loc) · 3.96 KB

Raw

```
public class AssetSimulationUtil {
    public static  String getokta(String scope) {
    }

    public static void saveToFile(String scopeToken,String fileContent){
        BaseSimulationConfig.oktaWriteToken = fileContent;
        if (scopeToken.equals(ASSET_WRITE_TOKEN)) {
                BaseSimulationConfig.oktaWriteToken = fileContent;

        } else if (scopeToken.equals(ASSET_READ_TOKEN)) {
                BaseSimulationConfig.oktaReadToken = fileContent;

        }else if (scopeToken.equals(ASSET_DELETE_TOKEN)) {
                BaseSimulationConfig.oktaDeleteToken = fileContent;

        }else if (scopeToken.equals(ASSET_ROLLBACK_TOKEN)) {
                BaseSimulationConfig.oktaRollbackToken = fileContent;

        }
    }

    public static void saveAssetIds(String assetid){
        BaseSimulationConfig.assetIds.add(assetid);
         File SolrQuery = new File("src/gatling/resources/assetIds/SolrQuery.txt");
```

25°C Mostly cloudy

Search

12:57 PM 7/24/2025

Search

12:57 PM 7/24/2025

Cloud PC Enterprise 4vCPU/16GB/128GB

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/util/AssetSimulation...

Files

main

Go to file

- AssetGetByVinStressSimula...
- AssetGetHistoryStressSimu...
- AssetPutStressSimulationT...
- AssetRollbackByIdStressSi...
- tokenRequest
  - AssetScenariosConfig.java
  - BaseSimulationConfig.java
  - RequestTemplateReader.java
- util
  - AssetSimulationUtil.java
- resources
- test/resources
- README.md

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / util / **AssetSimulationUtil.java**

Top

Code | Blame | 123 lines (98 loc) · 3.96 KB | Raw

```java
16  public class AssetSimulationUtil {
90      public static void saveAssetIds(String assetid){
91          BaseSimulationConfig.assetIds.add(assetid);
92          File SolrQuery = new File("src/gatling/resources/assetIds/SolrQuery.txt");
93          AssetSimulationUtil.cleanFileContent(SolrQuery);
94          PrintWriter writer;
95          String query =BaseSimulationConfig.assetIds.toString().replace("[", "(");
96          query =query.replace("]", ")");
97          BaseSimulationConfig.deleteQuery=null;
98          try {
99              writer = new PrintWriter(new FileOutputStream(SolrQuery, true));
100             BaseSimulationConfig.deleteQuery = QUERY +  query;
101             writer.write(BaseSimulationConfig.deleteQuery);
102             writer.close();
103         } catch (FileNotFoundException e) {
104             throw new RuntimeException(e);
105         }
106     }
107
108
109     public static void cleanFileContent(File file) {
110         try {
111             if(file.exists()){
112                 FileChannel.open(Path.of(file.getAbsolutePath()), StandardOpenOption.WRITE).truncate(0).close();
```

25°C Mostly cloudy

Search

12:57 7/24/20

Cloud PC Enterprise 4vCPU/16GB/128GB

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/blob/main/src/gatling/java/com/fedex/efs/asset/util/AssetSimulation...

Files

main

Go to file

AssetGetByVinStressSimula...
AssetGetHistoryStressSimu...
AssetPutStressSimulationT...
AssetRollbackByIdStressSi...
tokenRequest
AssetScenariosConfig.java
BaseSimulationConfig.java
RequestTemplateReader.java
util
AssetSimulationUtil.java
resources
test/resources
README.md

eai-3538317-asset-services-assetapi-gatling / src / gatling / java / com / fedex / efs / asset / util / AssetSimulationUtil.java

Top

Code | Blame | 123 lines (98 loc) · 3.96 KB

Raw

```
16  public class AssetSimulationUtil {
90      public static void saveAssetIds(String assetid){
105         }
106     }
107
108
109     public static void cleanFileContent(File file) {
110         try {
111             if(file.exists()){
112                 FileChannel.open(Path.of(file.getAbsolutePath()), StandardOpenOption.WRITE).truncate(0).close();
113             }
114         } catch (IOException e) {
115             System.out.println("Cannot find asset id file. Please check the path.");
116         }
117     }
118
119     public static String fetchSolarQuery() {
120             System.out.println("Use below Query to delete data from 14-->"+BaseSimulationConfig.deleteQuery);
121         return null;
122     }
123 }
```

25°C
Mostly cloudy

Search

12:57 PM
7/24/202

Search

12:57
7/24/20

Cloud PC Enterprise 4vCPU/16GB/128GB

https://github.com/FedEx/eai-3538317-asset-services-assetapi-gatling/tree/main/src/gatling/resources

Files

main

Go to file

- util
  - AssetSimulationUtil.java
- resources
  - assetIds
  - requestTemplate
  - token
  - url
- test/resources
- README.md
- build.gradle
- gradle.properties
- gradlew
- gradlew.bat

eai-3538317-asset-services-assetapi-gatling / src / gatling / resources /

6239965 and 6239965 domcileCountryCd and statementOfLeaseDt attribute added 20d249d · 10 mont

Name	Last commit message
..	
assetIds	Resolved all issue and printing the solar query to delete ids.
requestTemplate	domcileCountryCd and statementOfLeaseDt attribute added
token	spike changes
url	Update asseturl.properties

25°C
Mostly cloudy

Search