A Project Report on

BOOK HUB

Submitted to

Edubridge Learning Private Limited, Mumbai
In partial fulfillment of the requirements for the award of
Course in

SOFTWARE TESTING

By

Miss. PRATIKSHA DAYARAM MAURYA

(Center-Thane, Batch code -7670)

Under Guidance of Mrs. Mohana Priya (Assistance Professor)

Course for Software Testing



Edubridge Learning Private Limited, Mumbai

2022-2023

Edubridge Learning Private Limited, Mumbai

CERTIFICATE

Certified that this project report "BOOK HUB" is the bonafide work of "Pratiksha Dayaram Maurya" who carried out the project work under my supervision. Certified further that to the best of my knowledge the work reported herein does not form part of any other thesis or dissertation on the basis of which a degree or award was conferred on an earlier occasion on this or any other candidate.

SIGNATURE

Mrs. MOHANA PRIYA

(Professor)

ABSTRACT

Nowadays, the network plays an import role in people's life. In the process of the improvement of the people's living standard, people's demands of the life's quality and efficiency is more higher, the traditional bookstore's inconvenience gradually emerge, and the online bookstore has gradually be used in public. The online bookstore is a revolution of book industry. The traditional bookstores' operation time, address and space is limited, so the types of books and books to find received a degree of restriction. But the online bookstore broke the management mode of traditional bookstore, as long as you have a computer, you can buy the book anywhere, saving time and effort, shortening the time of book selection link effectively. The online bookstore system based on the principle of provides convenience and service to people.

The Internet by far plays a major role in people's life. It has drastically improved the quality of life and the standard of living of so many people. It has widened its branches into many different levels and areas. The e-commerce industry is one such branch which has come into spotlight in the recent years. The online bookstore system has eased the life of so many book lovers by making it easy for them to purchase books online. It is not always feasible to access a traditional bookstore, it is limited by its operation time, availability of a particular book, its location and most importantly its capacity and the space required to store numerous books. Such drawbacks have led to the evolution of e-commerce industries related to bookstores. Our project is one such simple e-commerce website which houses various books of different categories for a consumer to purchase online.

TABLE OF CONTENTS 1. Introduction ☐ Background 2. System Analysis Feasibility Study Objective of the System П Hardware and Software Requirement 3. System Design Use Case Diagram **Activity Diagram** Class Diagram П П ER Diagram Data Level Flow Diagram 4. IMPLEMENTATION Coding Screenshots **Database Connectivity** 5. System Testing Types of Testing **Testing Methodologies** Equivalence class partitioning **Test Reports** □ Test Case □ Automation Testing code for Book hub website □ Automation Testing code for Book Amazon □ Automation Testing of Cucumber 6. CONCLUSION

1.INTRODUCTION

Book Hub is the process whereby consumers directly buy goods, services etc. from a seller interactively in real-time without an intermediary service over the internet.

Online book shoping is the process of buying goods and services from merchants who sell on the Internet. Since the emergence of the World Wide Web, merchants have sought to sell their books to people who surf the Internet. Shoppers can visit web stores from the comfort of their homes and shop as they sit in front of the computer. Consumers buy a variety of items from online stores. In fact, people can purchase just about anything from companies that provide their books online. Books, clothing, household appliances, toys, hardware, software, and health insurance are just some of the hundreds of books consumers can buy from an online store.

Many people choose to conduct shopping online because of the convenience. For example, when a person shops at a brick-and-mortar store, she has to drive to the store, find a parking place, and walk throughout the store until she locates the books she needs. After finding the items she wants to purchase, she may often need to stand in long lines at the cash register.

The Internet by far plays a major role in people's life. It has drastically improved the quality of life and the standard of living of so many people. It has widened its branches into many different levels and areas. The e-commerce industry is one such branch which has come into spotlight in the recent years. The online bookstore system has eased the life of so many book lovers by making it easy for them to purchase books online. It is not always feasible to access a traditional bookstore, it is limited by its operation time, availability of a particular book, its location and most importantly its capacity and the space required to store numerous books. Such drawbacks have led to the evolution of e-commerce industries related to bookstores. Our project is one such simple e-commerce website which houses various books of different categories for a consumer to purchase online.

1.1 Background

Online shopping allows you to browse through endless possibilities, and even offers merchandise that's unavailable in stores. If you're searching for a niche product that may not be distributed locally, you're sure to find what you're looking for on the internet. What's even more useful is the ability to compare items, similar or not, online. You can search through multiple stores at the same time, comparing material quality, sizes and pricing simultaneously.

	clerk to finally check out your items. Online shopping transactions occur instantly-saving you ti	
	your other errands done! Additionally, unlike a store, online shopping has friendly customer serventatives available 24 hours a day, 7 days a week to assist you with locating, purchasing and shipp	
	nerchandise.	mg
0 001 1		

2.SYSTEM ANALYSIS

The online book hub is opened in the network, not a physical store but a virtual store. In order to improve the efficiency of the query, the site can not only use a single condition query, but also can use multiple conditions to achieve accurate query, the query will be added after the shopping cart function, the query function, And then you can purchase to submit orders, generate orders and payment to complete the entire purchase process function, the user can submit orders before the order to modify, when the seller after the shipment can also confirm the receipt of the operation to complete the transaction , After the completion of the transaction the user can comment on the corresponding book, the other unregistered users cannot purchase books or add to the shopping cart operation, the user must first register as a member of the bookstore, log in before the above operations. In addition to the foreground function, the need for background management, administrators can log in through the corresponding Web site background, after the classification of the book catalog and book information to add, modify and delete, but also the order information management, Such as the cancellation of unpaid or unpaid orders, the payment of orders for delivery operations, etc., can also reply to the user's comments, you can reply to each comment, and the client's book details page is displayed.

The online book hub's main users are divided into two categories, one is the front user, and one is the background user. Front-end users are mainly customers who consume online bookstores. Front-end users can register, login, query, join shopping cart, place orders, submit orders, modify personal information, confirm receipt and add comments on the website. And add, modify or delete the book classification; add, modify or delete the book information, manage the order information and reply to the user's comments. The user is the administrator, the administrator to play the role of overall planning, master and control the front information and so on.

2.1Feasibility Study

Economic viability

An economic feasibility analysis is a criterion for determining the final market position of a website. Good economic feasibility analysis is helpful for project implementation and management. In this system development process, the technology used, from the database to the development tools, and then to the server are free, so the cost of the development of the system is only invested in time and effort, therefore, the system is economical.

Operational feasibility

The system's user platform is for those interested in books of all types of personnel, the interface is simple, the use of B / S visual interface, the user simply enter the book you want to search or related information to query, great convenience the user's view, reflects the human side. The system is based on the B / S architecture of an application, to achieve the page layer, business logic layer and data storage layer separation, the system is more stable and flexible. In summary this system is completely feasible.

2.2 Objective of the System

My objective is to design such an website using which one can say 'goodbye' to the days when you stood in line waiting, and waiting some more for a store clerk to finally check out your items. Online shopping transactions occur instantly-saving you time to get your other errands done! Additionally, unlike a store, online shopping has friendly customer service representatives available 24 hours a day, 7 days a week to assist you with locating, purchasing and shipping your merchandise.

My main aim is to design such a book store where customer can visit our site anytime of the day from anywhere to view the available books, choose any of them and can order by paying online or can opt for cash on delivery as well. The administrator will regularly add any new books available to them for sale. The administrator will take books from the reputed publishers and vendors only.

2.2.1 Purpose and Scope

Purpose

Online Book Shopping system would have the following goals.

- Provide a web user interface to add, view, delete records in different areas.
- Provide a user interface to enter computer details.
- Provide a user interface to change details of all the computers and accessories.
- Provide a user interface for users to explore the store and choose items to buy.

Scope

The main scope and deliverables of the project would be to:

- Understand and prepare detailed requirement and specifications
- Prepare high level and detailed design specifications of the system
- Prepare Test Plan and Test cases
- Develop the system and coding
- Perform unit testing, integration and system testing
- Demonstrate a bug free application after suitable modification if needed.

Achievements

By successfully implementing the project, a substantial knowledge has been acquired on the implementation of a database system using .net technologies. This knowledge will be useful in the future in creating any type of desktop application or online database systems.

2.3 Hardware and Software Requirement

Requirements analysis, also called requirements engineering, is the process of determining user expectations for a new or modified product. These features, called requirements, must be quantifiable, relevant and detailed. In software engineering, such requirements are often called functional specifications. Requirements analysis involves frequent communication with system users to determine specific feature expectations, resolution of conflict or ambiguity in requirements as demanded by the various users or groups of users, avoidance of feature creep and documentation of all aspects of the project development process from start to finish. Energy should be directed towards ensuring that the final system or product conforms to client needs rather than attempting to mold user expectations to fit the requirements.

Hardware Requirement

All computer software needs certain hardware components or other software resources to be present on a computer. These prerequisites are known as (computer) system requirements and are often used as a guideline as opposed to an absolute rule.

Sr No.	Hardware	Description
1	Server RAM	8GB
2	CPU	1CPU
3	User End RAM	2GB RAM
4	Hard Disk Space	16GB or more
5	Processor	Arm Based

Software Requirements

A software requirements specification (SRS) is a description of a software system to be developed. It lays out functional and non-functional requirements. Basic software requirements can be used for various server site scripting, browser support, device support their versions to be used for stability purpose. The system needs stable software environment to be able to establish a connection between the server and both the administrator and the user. To take care of this all the user and administrator is given all the information about the ideal software versions and specific software's needed to run the system without unexpected crashes.

The software specification document satisfies the following:-

- It specifies the external system behaviours.
- It specifies constraints on the implementation.
- It is easy to change.
- It serves as reference tool for system maintainers.
- It record forethought about the life cycle of the system.
- It characterizes acceptable response to undesired events.

Sr.No	Software	Description
1	Operating System	Window 10
2	Browser Support	Basic Browser
3	Internet Explorer	Basic Browser
4	visual studio/Notepad	For Development /Editor
5	HTML,CSS and JavaScript	Front-end languages
6	PHP	back-end languages

Justification of Platform

• Hardware Justification

- a) Server RAM -A 8GB server RAM will be helpful for faster processing
- b) CPU 1 CPU unit for the system.
- c) User End RAM- For a specific output a system must have at least 2GB RAM.
- d) Hard Disk Space -Basic necessity for storage.
- e) Processor-ARM based Snapdragon preffered

• Software Justification

- a) Operating System is used window 10
- b) Browser-Made use of Google Chrome.
- c) Internet Explorer-Highly not recommended but it's an optional browser other than Google chrome.

HTML

HTML or Hypertext Markup Language is the standard markup language used to create web pages.HTML is written in the form of HTML elements consisting of *tags* enclosed in angle brackets (like <html>). HTML tags most commonly come in pairs like <h1> and </h1>, although some tags represent *empty elements* and so are unpaired, for example . The first tag in a pair is the *start tag*, and the second tag is the *end tag* (they are also called *opening tags* and *closing tags*). The purpose of a web browser is to read HTML documents and compose them into visible or audible web pages. The browser does not display the HTML tags, but uses the tags to interpret the content of the page. HTML describes the structure of a website semantically along with cues for presentation, making it a markup language rather than a programming language) Visual studio code for for Development.

HTML Tags used in Project:

1. Header □ □

The <header> tag in HTML is used to define the header for a document or a section as it contains the information related to the title and heading of the related content. The <header> element is intended to usually contain the section's heading

2. Anchor Tag:

<a>: The Anchor element. The <a> HTML element (or anchor element), with its href attribute, creates a hyperlink to web pages, files, email addresses, locations in the same page, or anything else a URL can address. Content within each <a> should indicate the link's destination.

3. Nav:

The <nav> HTML element represents a section of a page whose purpose is to provide navigation links, either within the current document or to other documents. Common examples of navigation sections are menus, tables of contents, and indexes.

4. Div:

The <div> tag defines a division or a section in an HTML document. The <div> tag is used as a container for HTML elements - which is then styled with CSS or manipulated with JavaScript. The <div> tag is easily styled by using the class or id attribute.

5. Form: □

An **HTML form** is *a section of a document* which contains controls such as text fields, password fields, checkboxes, radio buttons, submit button, menus etc.

An HTML form facilitates the user to enter data that is to be sent to the server for processing such as name, email address, password, phone number, etc...

6. Span:

The tag is an inline container used to mark up a part of a text, or a part of a document. The tag is easily styled by CSS or manipulated with JavaScript using the class or id attribute. The tag is much like the <div> element, but <div> is a block-level element and is an inline element

7. Img:

The tag creates a holding space for the referenced image. The tag has two required attributes: src - Specifies the path to the image. alt - Specifies an alternate text for the image,

8. section

<section> tag defines the section of documents such as chapters, headers, footers or any other sections. The section tag divides the content into section and subsections

9. Heading Tags

<h1> tag is an HTML heading that's most commonly used to mark up a web page title. Most websites use CSS to make the H1 stand out on the page compared to lesser headings like H2, H3, etc

<h2> tag **defines the second level heading in the HTML document**. This tag is also commonly referred to as the <h2> element

<h3> tag **defines the third level heading in the HTML document**. This tag is also commonly referred to as the <h3> element

CSS

CSS was first developed in 1997, as a way for Web developers to define the look and feel of their Web pages. It was intended to allow developers to separate content from design so that HTML could perform more of the function that it was originally based on the markup of content, without worry about the design and layout. CSS didn't gain in popularity until around 2000, when Web browsers began using more than the basic font and color aspects of CSS.

Web Designers that don't use CSS for their design and development of Web sites are rapidly becoming a thing of the past. And it is arguably as important to understand CSS as it is to know HTML - and some would say it was more important to know CSS.

JavaScript:

JavaScript often abbreviated as JS, is a programming language that is one of the core technologies of the World Wide Web, alongside HTML and CSS. As of 2022, 98% of websites use JavaScript on the client side for webpage behavior, often incorporating third-party libraries. All major web browsers have a dedicated JavaScript engine to execute the code on users' devices.

JavaScript is a high-level, often just-in-time compiled language that conforms to the ECMAScript standard. It has dynamic typing, prototype-based object-orientation, and first-class functions. It is multiparadigm, supporting event-driven, functional, and imperative programming styles. It has application programming interfaces (APIs) for working with text, dates, regular expressions, standard data structures, and the Document Object Model (DOM). JavaScript is used by many developers (65% of the total development community), and the number is increasing day by day. JavaScript is one such programming language that has more than 1444231 libraries and increasing rapidly. It is preferred over any other programming language by most developers. Also, major tech companies like Microsoft, Uber, Google, Netflix, and Meta use JavaScript in their projects.

JavaScript can be added to your HTML file in two ways:

Internal JavaScript

External JavaScript

Internal JavaScript: We can add JS code directly to our HTML file by writing the code inside the <script> & </script>. The <script> tag can either be placed inside the <head> or the <body> tag according to the requirement.

Example: It is the basic example of using JavaScript code inside of HTML code, that script enclosing section can be placed in the body or head of the HTML document.

External JavaScript: We can create the file with a .js extension and paste the JS code inside of it. After creating the file, add this file in <script src="file_name.js"> tag, and this <sctipt> can import inside <head> or <body> tag of the HTML file.

Example: It is the basic example of using JavaScript JavaScript code which is written in a different file. By importing that .js file in the head section.

PHP:

PHP (recursive acronym for *PHP: Hypertext Preprocessor*) is a widely-used open source general-purpose scripting language that is especially suited for web development and can be embedded into HTML. Instead of lots of commands to output HTML (as seen in C or Perl), PHP pages contain HTML with embedded code that does "something" (in this case, output "Hi, I'm a PHP script!"). The PHP code is enclosed in special start and end processing instructions <?php and ?> that allow you to jump into and out of "PHP mode." What distinguishes PHP from something like client-side JavaScript is that the code is executed on the server, generating HTML which is then sent to the client. The client would receive the results of running that script, but would not know what the underlying code was.

You can even configure your web server to process all your HTML files with PHP, and then there's really no way that users can tell what you have up your sleeve. The best things in using PHP are that it is extremely simple for a newcomer, but offers many advanced features for a professional programmer. Don't be afraid reading the long list of PHP's features. You can jump in, in a short time, and start writing simple scripts in a few hours.

3.SYSTEM DESIGN

Module Division

A module is a self-contained component of a system (e.g., a product) which has a well-defined interface to other components of the system. There is typically some degree of substitutability among identical and/or non-identical modules within a system or between systems.

Module

Login: The Login Module is a portal module that allows users to type a user name and password to log in. You can add this module on any module tab to allow users to log in to the system. If you allow Users to create accounts and turn on Portal Direct Entry, a Create Account link appears in the Login Module.

View Product: After login process user can view the products in the system (book hub website). In book hub website all types of products are available such as a rundown of every main book genre, including fiction and non-fiction book types, user can choose the products and visit the products

View Categories: After login process user can view the products categories in the system (book hub website) such as:

- Adventure stories
- Classics
- Crime
- Fairy tales, fables, and folk tales
- Fantasy
- Historical fiction
- Horror
- Humour and satire
- Literary fiction
- Mystery
- Poetry
- Plays
- Romance
- Science fiction
- Short stories
- Thrillers
- War
- Women's fiction
- Young adult

View Features: After login process user can view features of the products in the system (Book hub website). In that features of the book hub website including fiction and non-fiction book types, free delivery, easy payments

Add to Cart: A cart module shows the items that have been added to the cart before the customer proceeds to checkout. The module also shows an order summary and lets the customer apply or remove promotional codes.

View Reviews: After login in to the system user can view the customer's reviews. The feedback management module can give customers a means to send/share comments to the client regarding their own experiences on the Feedback

View Blogs: After login process user can view the products blogs and write a blog in the system (book hub website). In book hub website all types of products are available such including fiction and non-fiction book types can choose the products and visit the products.

3.1 Use Case Diagram:

Use-case diagrams describe the high-level functions and scope of a system. These diagrams also identify the interactions between the system and its actors. The use cases and actors in use-case diagrams describe what the system does and how the actors use it, but not how the system operates internally. A use case diagram is a graphical depiction of a user's possible interactions with a system. A use case diagram shows various use cases and different types of users the system has and will often be accompanied by other types of diagrams as well. The use cases are represented by either circles or ellipses. The actors are often shown as stick figures.




Table of use case:

Use case	Actor(s)	Description
1.Login	User, Admin	Login to the system Change password Forgot password
2.View Product	User, Admin	View Products
3. View Categories	User, Admin	View Categories of the products
4.View Reviews	User, Admin	View all customers reviews
5.View Features	User, Admin	View features of the products
6. Add to Cart	Admin	Products add to cart
7. View Blogs	Admin, User	Users can write or view blogs

Use case description

Use Case 001: Login

1. Introduction:

This use case outlines the steps that need to be followed in order to login into the system.

1. Actors:

- Admin
- User
- **2.** Pre-Condition: The user must have valid credentials

3. Scenario:

	Action	Software Reaction
1.	User indicates that he would like to login to the system.	System requests the following data from student • Email ID • Password
2.	User fills out data	The System verifies that the above items have been filled out If any data is missing, the system warms the student and the scenario continues with software reaction If all data has been entered, the System asks the user to verify dashboard If the user indicates they would like to cancel the
		scenario end here
3.	User confirms that their dashboard is correct	If the user indicates that their Dashboard is correct the Scenarios continues with the software reaction

4. Post-Condition:

If use case is successfully executed, the user should be logged into the system, otherwise, the state remains unchanged.

6. Basic Flow: • Login

- 1. The page will request the user to provide valid credentials
- 2. User enters the credentials
- 3. User enters into the system
 - **7.** Alternate Flow:
 - ☐ Invalid Credentials:
 - If user provides invalid credentials in the basic flow, a validation message or error message should appear. Hence, returning the student/actor to the basic flow...
 - **8.** Special Requirements:

None

9. Associated Use Case(s):

None

Use Case 002: View Products

1. Introduction:

This use case outlines the steps that need to be followed in order to view products in the system.

2. Actors:

- Admin
- User

3. Pre-Condition:

The user must have valid credentials

4. Scenario:

Action	Software Reaction
User indicates that he would like to view product the system.	System requests the following data from student • Email ID • Password
User view products	The System verifies that the above items have been filled out If any data is missing, the system warms the student and the scenario continues with software reaction If all data has been entered, the System asks the user to verify dashboard If the user indicates they would like to cancel the scenario end here
User confirms that their dashboard is correct	If the user indicates that their Dashboard is correct the Scenarios continues with the software reaction

5. Post-Condition:

If use case is successfully executed, the user should be Logged into the system, otherwise, the state remains unchanged.

6. Basic Flow: a. Login

The page will request the user to provide valid credentials Student/actor enters the credentials Student/actor enters into the system

7. Alternate Flow:

☐ Invalid Credentials:

• If user provides invalid credentials in the basic flow, a validation message or error message should appear. Hence, returning the student/actor to the basic flow...

8. Special Requirements:

None

9. Associated Use Case(s):

None

Use Case 003: View Categories

1. Introduction:

This use case outlines the steps that need to be followed in order to view categories into the system.

2. Actors:

- Admin
- User

3. Pre-Condition:

The user must have valid credentials

4. Scenario:

	Action	Software Reaction
1.	User indicates that he would like to view categories into the system.	System requests the following data from student • Email ID • Password
2.	User fills out data	The System verifies that the above items have been filled out If any data is missing, the system warms the student and the scenario continues with software reaction If all data has been entered, the System asks the user to verify dashboard If the user indicates they would like to cancel the scenario end here

5. Post-Condition:

If use case is successfully executed, the user should be Logged into the system, otherwise, the state remains unchanged.

6. Basic Flow:

a. Logn

The page will request the user to provide valid credentials

User enters the credentials

User enters into the system

7. Alternate Flow:

☐ Invalid Credentials:

• If user provides invalid credentials in the basic flow, a validation message or error message should appear. Hence, returning the student/actor to the basic flow...

Special Requirements:

None

8. Associated Use Case(s):

None

Use Case 004: View Reviews

1. Introduction:

This use case outlines the steps that need to be followed in order to view customer's reviews into the system.

2. Actors:

- Admin
- User

3. Pre-Condition:

The user must have valid credentials

4. Scenario:

	Action	Software Reaction
1.	User indicates that he would like to view reviews into the system.	System requests the following data from student • Email ID • Password
2.	User fills out data	The System verifies that the above items have been filled out If any data is missing, the system warms the student and the scenario continues with software reaction If all data has been entered, the System asks the user to verify dashboard If the user indicates they would like to cancel the scenario end here
3.	User confirms that their dashboard is correct	If the user indicates that their Dashboard is correct the Scenarios continues with the software reaction

5. Post-Condition:

If use case is successfully executed, the user should be Logged into the system, otherwise, the state remains unchanged.

6. Basic Flow:

a. Login

The page will request the user to provide valid credentials User actor enters the credentials User enters into the system

7. Alternate Flow:

☐ Invalid Credentials:

• If user provides invalid credentials in the basic flow, a validation message or error message should appear. Hence, returning the student/actor to the basic flow...

8. Special Requirements: None


Associated Use Case(s): None

3.2 Activity Diagram:

Activity diagram is another important behavioral diagram in UML diagram to describe dynamic aspects of the system. Activity diagram is essentially an advanced version of flow chart that modeling the flow from one activity to another activity.

Activity Diagrams describe how activities are coordinated to provide a service which can be at different levels of abstraction. Typically, an event needs to be achieved by some operations, particularly where the operation is intended to achieve a number of different things that require coordination, or how the events in a single use case relate to one another, in particular, use cases where activities may overlap and require coordination. It is also suitable for modeling how a collection of use cases coordinate to represent business workflows

- 1. Identify candidate use cases, through the examination of business workflows
- 2. Identify pre- and post-conditions (the context) for use cases
- 3. Model workflows between/within use cases
- 4. Model complex workflows in operations on objects
- 5. Model in detail complex activities in a high level activity Diagram



3.3 Class Diagram:

Class diagrams are **the blueprints of your system or subsystem**. You can use class diagrams to model the objects that make up the system, to display the relationships between the objects, and to describe what those objects do and the services that they provide. Class diagrams are useful in many stages of system design.


In software engineering, a class diagram in the Unified Modeling Language (UML) is a type of static structure diagram that describes the structure of a system by showing the system's classes, their attributes, operations (or methods), and the relationships among objects.

Purpose of Class Diagrams

- 1. Shows static structure of classifiers in a system
- 2. Diagram provides a basic notation for other structure diagrams prescribed by UML
- 3. Helpful for developers and other team members too
- 4. Business Analysts can use class diagrams to model systems from a business perspective

A UML class diagram is made up of:

- A set of classes and
- A set of relationships between classes



3.4 ER Diagram (Entity-Relationship Model):

Simply stated the ER model is a conceptual data model that views the real world as entities and relationships. A basic component of the model is the Entity-Relationship diagram which is used to visually represent data objects. Since Chen wrote his paper the model has been extended and today it is commonly used for database.

Basic Constructs of E-R Modeling

The ER model views the real world as a construct of entities and association between entities.

Entities

Entities are the principal data object about which information is to be collected. Entities are classified as independent or dependent (in some methodologies, the terms used are strong and weak, respectively). An independent entity is one that does not rely on another for identification. A dependent entity is one that relies on another for identification.

Relationships

A Relationship represents an association between two or more entities. Relationships are classified in terms of degree, connectivity, cardinality, and existence.

Attributes

Attributes describe the entity of which they are associated. A particular instance of an attribute is a value. The domain of an attribute is the collection of all possible values an attribute can have. The domain of Name is a character string.

Classifying Relationships

Relationships are classified by their degree, connectivity, cardinality, direction, type, and existence. Not all modeling methodologies use all these classifications.

Degree of a Relationship

The degree of a relationship is the number of entities associated with the relationship. The n-ary relationship is the general form for degree n. Special cases are the binary, and ternary, where the degree is 2 and 3 respectively.

Connectivity and Cardinality

The connectivity of a relationship describes the mapping of associated entity instances in the relationship. The values of connectivity are "one" or "many". The cardinality of a relationship is the actual number of related occurrences for each of the two entities. The basic types of connectivity for relations are: one-to-one, one-to-many, and many-to-many.

Direction

The direction of a relationship indicates the originating entity of a binary relationship. The entity from which a relationship originates is the parent entity; the entity where the relationship terminates is the child entity.

The direction of a relationship is determined by its connectivity type .An identifying relationship is one in which one of the child entities is also a dependent entity. A non-identifying relationship is one in which both entities are independent.

Existence

Existence denotes whether the existence of an entity instance is dependent upon the existence of another, related, entity instance. The existence of an entity in a relationship is defined as either mandatory or optional.


Generalization Hierarchies

A generalization hierarchy is a form of abstraction that specifies that two or more entities that share common attributes can be generalized into a higher level entity type called a super type or generic entity. The lower-level of entities become the subtype, or categories, to the super type. Subtypes are dependent entities.

ER Notation

The symbols used for the basic ER constructs are:

- □ Entities are represented by labeled rectangles. The label is the name of the entity.
- Relationships are represented by a solid line connecting two entities. The name of the relationship is written above the line. Relationship names should be verbs.
- □ Attributes, when included, are listed inside the entity rectangle. Attributes which are identifiers are underlined. Attribute names should be singular nouns.
- □ Cardinality of many is represented by a line ending in a crow's foot. If the crow's foot is omitted, the cardinality is one.
- Existence is represented by placing a circle or a perpendicular bar on the line. Mandatory existence is shown by the bar (looks like a 1) next to the entity for an instance is required. Optional existence is shown by placing a circle next to the entity that is optional.
- □ Existence is represented by placing a circle or a perpendicular bar on the line. Mandatory existence is shown by the bar (looks like a 1) next to the entity for an instance is required. Optional existence is shown by placing a circle next to the entity that is optional.



3.5 Data Level Flow Diagram:

DATA FLOW DIAGRAM

What it is?

The Data Flow Diagram shows the flow of data or information. It can be partitioned into single processes or functions. Data Flow Diagrams can be grouped together or decomposed into multiple processes. There can be physical DFD's that represent the physical files and transactions, or they can be business DFD's (logical, or conceptual).

When it's used?

The DFD is an excellent communication tool for analysts to model processes and functional requirements. One of the primary tools of the structured analysis efforts of the 1970's it was developed and enhanced by the likes of Yourdon, McMenamin, Palmer, Gane and Sarson. It is still considered one of the best modeling techniques for eliciting and representing the processing requirements of a system.

Used effectively, it is a useful and easy to understand modeling tool. It has broad application and usability across most software development projects. It is easily integrated with data modeling, workflow modeling tools, and textual specs. Together with these, it provides analysts and developers with solid models and specs. Alone, however, it has limited usability. It is simple and easy to understand by users and can be easily extended and refined with further specification into a physical version for the design and development teams.

The different versions are Context Diagrams (Level 0), Partitioned Diagrams (single process only -- one level), functionally decomposed, leveled sets of Data Flow Diagrams.

Data Store

It is a repository of information. In the physical model, this represents a file, table, etc. In the logical model, a data store is an object or entity.

Dataflow

DFDs show the flow of data from external entities into the system, showed how the data moved from one process to another, as well as its logical storage. There are only four symbols:

- □ Squares representing **external entities**, which are sources or destinations of data.
- □ Rounded rectangles representing **processes**, which take data as input, do something to it, and output it.
- □ Arrows representing the **data flows**, which can either, be electronic data or physical items.
- Open-ended rectangles representing data stores, including electronic stores such as databases or
 XML files and physical stores such as or filing cabinets or stacks of paper.

There are several common modeling rules for creating DFDs:

- □ All processes must have at least one data flow in and one data flow out.
- □ All processes should modify the incoming data, producing new forms of outgoing data.
- Each data store must be involved with at least one data flow.
- Each external entity must be involved with at least one data flow.
- ☐ A data flow must be attached to at least one process.

DFDs are nothing more than a network of related system functions and indicate from where information is received and to where it is sent. It is the starting point in the system that decomposes the requirement specifications down to the lowest level detail.

The four symbols in DFD, each of which has its meaning. They are given below:

- External entities are outside to system but they either supply input data in the system or use the system output. These are represented by square of rectangle. External entities that supply data into a system are sometimes called Sources. External entities that use system data are sometimes called sinks.
- Dataflow models that passages of data in the system and are represented by line by joining system components. An arrow indicates the direction of the flow and the line is labeled by the name of the dataflow.
- Process show that the systems do. Each process has one or more data inputs and one or data outputs.
 Circles in DFD represent them. Each high level process may be consisting of more than one lower

level processes. Process will be expanded in sequent level DFD. A circle or a bubble represents a process that transforms incoming data flow into outgoing dataflow.


The high level processes in a system are:

- Receivable process.
- Verifiable process.
- Disposal process.
- □ File or data store is a repository of data. They contain data that is retained in the system. Process can enter data into data store or retrieved data from the data store. An open rectangle is a data store, data at rest.


0-Level DFD:




CONTEXT DTAGRAM



DFD for Admin Process



DFD for User Registration and Profile Update



DFD for shopping and checkout process

4. IMPLEMENTATION

4.1 System Coding:

Coding: code front-end html, CSs and JavaScript.

Index.html

```
<!DOCTYPE html>
<html lang="en">
<!-- Basic -->
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <!-- Mobile Metas -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!-- Site Metas -->
  <title>Book Hub</title>
  <meta name="keywords" content="">
  <meta name="description" content="">
  <meta name="author" content="">
  <!-- Site Icons -->
  k rel="shortcut icon" href="images/favicon.ico" type="image/x-icon">
  k rel="apple-touch-icon" href="images/apple-touch-icon.png">
  <!-- Bootstrap CSS -->
  k rel="stylesheet" href="css/bootstrap.min.css">
  <!-- Site CSS -->
  <link rel="stylesheet" href="css/style.css">
  <!-- Responsive CSS -->
  <link rel="stylesheet" href="css/responsive.css">
  <!-- Custom CSS -->
  <link rel="stylesheet" href="css/custom.css">
  <!--[if lt IE 9]>
   <script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
   <script src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>
  <![endif]-->
</head>
<body>
```

```
<!-- Start Main Top -->
  <div class="main-top">
    <div class="container-fluid">
      <div class="row">
        <div class="col-lg-6 col-md-6 col-sm-12 col-xs-12">
          <div class="text-slid-box">
             <div id="offer-box" class="carouselTicker">
               <
                   <i class="fab fa-opencart"></i> Off 10%! On first Order
                 <
                   <i class="fab fa-opencart"></i> 20% off Use Promo code: offT20
                 <
                   <i class="fab fa-opencart"></i> Off 30% off Refer a friend
               </div>
          </div>
        </div>
        <div class="col-lg-6 col-md-6 col-sm-12 col-xs-12">
          <div class="custom-select-box">
             <select id="basic" class="selectpicker show-tick form-control" data-placeholder="₹ Ind">
             <option>₹ Ind</option>
             <option>$ USD</option>
           </select>
           </div>
           <div class="right-phone-box">
             Call US :- <a href="#"> +9619961580</a>
          </div>
           <div class="our-link">
             <111>
               <a href="#">My Account</a>
href="https://www.google.com/maps/d/u/0/viewer?msa=0\&ie=UTF8\&t=h\&vpsrc=6\&ll=19.165924000000018\%2C77.
71728500000002&spn=11.50114%2C21.621094&z=6&source=embed&mid=1DfFcv3jAM8NAeioBjW_CHwtKL3A"
>Our location</a>
               <a href="contact-us.html">Contact Us</a>
             </div>
        </div>
      </div>
    </div>
  </div>
  <!-- End Main Top -->
  <!-- Start Main Top -->
```

```
<header class="main-header">
    <!-- Start Navigation -->
    <nav class="navbar navbar-expand-lg navbar-light bg-light navbar-default bootsnav">
      <div class="container">
        <!-- Start Header Navigation -->
        <div class="navbar-header">
          <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbar-menu" aria-
controls="navbars-rs-food" aria-expanded="false" aria-label="Toggle navigation">
          <i class="fa fa-bars"></i>
        </button>
          <a class="navbar-brand" href="index.html"><img src="images/logo.jpg" width="120" height="70"
class="logo" alt=""></a>
        </div>
        <!-- End Header Navigation -->
        <!-- Collect the nav links, forms, and other content for toggling -->
        <div class="collapse navbar-collapse" id="navbar-menu">
          class="nav-item active"><a class="nav-link" href="index.html">Home</a>
            <a class="nav-link" href="#">Our Service</a>
            class="nav-item"><a class="nav-link" href="contact-us.html">Contact Us</a>
          </div>
        <!--/.navbar-collapse -->
        <!-- Start Atribute Navigation -->
        <div class="attr-nav">
          <111>
            class="search"><a href="#"><i class="fa fa-search"></i></a>
            cli class="side-menu">
               <a href="#">
                 <i class="fa fa-shopping-bag"></i>
                 <span class="badge">0</span>
              </a>
            </div>
        <!-- End Atribute Navigation -->
      </div>
      <!-- Start Side Menu -->
      <div class="side">
        <a href="#" class="close-side"><i class="fa fa-times"></i></a>
        class="cart-box">
          >
```

```
cli class="total">
            </11/>
        </div>
      <!-- End Side Menu -->
    </nav>
    <!-- End Navigation -->
  </header>
  <!-- End Main Top -->
  <!-- Start Top Search -->
  <div class="top-search">
    <div class="container">
      <div class="input-group">
        <span class="input-group-addon"><i class="fa fa-search"></i></span>
        <input type="text" class="form-control" placeholder="Search">
        <span class="input-group-addon close-search"><i class="fa fa-times"></i></span>
      </div>
    </div>
  </div>
  <!-- End Top Search -->
  <!-- Start Slider -->
  <div id="slides-shop" class="cover-slides">
    class="text-left">
        <img src="images/img2.jpg" alt="">
        <div class="container">
          <div class="row">
            <div class="col-md-12">
              <h1 class="m-b-20"><strong>Welcome To <br> Book Hub</strong></h1>
              When it comes to searching for books, there is only one place to turn to – Book
Hub.
              <a class="btn hvr-hover" href="#">Shop New</a>
            </div>
          </div>
        </div>
```

```
<img src="images/img3.jpg" alt="">
        <div class="container">
           <div class="row">
             <div class="col-md-12">
               <h1 class="m-b-20"><strong>Welcome To <br> Book Hub</strong></h1>
               When it comes to searching for books, there is only one place to turn to – Book
Hub.
               <a class="btn hvr-hover" href="#">Shop New</a>
             </div>
           </div>
        </div>
      <img src="images/img1.webp" alt="">
        <div class="container">
           <div class="row">
             <div class="col-md-12">
               <h1 class="m-b-20"><strong>Welcome To <br>br> Book Hub</strong></h1>
               When it comes to searching for books, there is only one place to turn to – Book
Hub.
               <a class="btn hvr-hover" href="#">Shop New</a>
             </div>
           </div>
        </div>
      </11/>
    <div class="slides-navigation">
      <a href="#" class="next"><i class="fa fa-angle-right" aria-hidden="true"></i></a>
      <a href="#" class="prev"><i class="fa fa-angle-left" aria-hidden="true"></i></a>
    </div>
  </div>
  <!-- End Slider -->
  <!-- Start Categories -->
  <div class="categories-shop">
    <div class="container">
      <div class="row">
        <div class="col-lg-4 col-md-4 col-sm-12 col-xs-12">
           <div class="shop-cat-box">
             <img class="img-fluid" src="images/action and advencture.jpg" width="352px" length="352px" alt=""
/>
             <a class="btn hvr-hover" href="#">Action and Adventure</a>
           </div>
           <div class="shop-cat-box">
             <img class="img-fluid" src="images/Classics.png" alt="" />
             <a class="btn hvr-hover" href="#">Classics</a>
           </div>
         </div>
```

```
<div class="col-lg-4 col-md-4 col-sm-12 col-xs-12">
         <div class="shop-cat-box">
            <img class="img-fluid" src="images/Historical_fiction.jpg" alt="" />
            <a class="btn hvr-hover" href="#">Historical Fiction</a>
         </div>
         <div class="shop-cat-box">
            <img class="img-fluid" src="images/Litrature.jpg" alt="" />
            <a class="btn hvr-hover" href="#">Literary Fiction</a>
         </div>
       </div>
       <div class="col-lg-4 col-md-4 col-sm-12 col-xs-12">
         <div class="shop-cat-box">
            <img class="img-fluid" src="images/Science_fictiom.jpg" alt="" />
            <a class="btn hvr-hover" href="#">Science Fiction</a>
         </div>
         <div class="shop-cat-box">
            <img class="img-fluid" src="images/Biography.jpg" alt=""/>
            <a class="btn hvr-hover" href="#">Biography</a>
         </div>
       </div>
    </div>
  </div>
</div>
<!-- End Categories -->
<!-- Start Products -->
<div class="products-box">
  <div class="container">
    <div class="row">
       <div class="col-lg-12">
         <div class="title-all text-center">
            <h1>Featured Products</h1>
            Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed sit amet lacus enim.
         </div>
      </div>
    </div>
    <div class="row">
       <div class="col-lg-12">
         <div class="special-menu text-center">
            <div class="button-group filter-button-group">
              <button class="active" data-filter="*">All</button>
              <button data-filter=".top-featured">Top featured</button>
              <button data-filter=".best-seller">Best seller</button>
            </div>
         </div>
       </div>
    </div>
```

```
<div class="row special-list">
         <div class="col-lg-3 col-md-6 special-grid best-seller">
           <div class="products-single fix">
             <div class="box-img-hover">
               <div class="type-lb">
                  Sale
               <img src="images/Zero-To-One-by-Peter-Thiel-400x600.jpg" class="img-fluid" alt="Image">
               <div class="mask-icon">
                  ul>
                    <a href="#" data-toggle="tooltip" data-placement="right" title="View"><i class="fas fa-
eye"></i></a>
                    <a href="#" data-toggle="tooltip" data-placement="right" title="Compare"><i class="fas fa-
sync-alt"></i></a>
                    <a href="#" data-toggle="tooltip" data-placement="right" title="Add to Wishlist"><i i
class="far fa-heart"></i></i>
                  </11/>
                  <a class="cart" href="#">Add to Cart</a>
               </div>
             </div>
             <div class="why-text">
               <h4>Zero to One</h4>
               <h5> ₹160</h5>
             </div>
           </div>
         </div>
         <div class="col-lg-3 col-md-6 special-grid top-featured">
           <div class="products-single fix">
             <div class="box-img-hover">
               <div class="type-lb">
                  New
               </div>
               <img src="images/Alchemist.png" class="img-fluid" alt="Image">
               <div class="mask-icon">
                  ul>
                    <a href="#" data-toggle="tooltip" data-placement="right" title="View"><i class="fas fa-
eye"></i></a>
                    <a href="#" data-toggle="tooltip" data-placement="right" title="Compare"><i class="fas fa-
sync-alt"></i></a>
                    <a href="#" data-toggle="tooltip" data-placement="right" title="Add to Wishlist"><i
class="far fa-heart"></i></a>
                  </111>
                  <a class="cart" href="#">Add to Cart</a>
               </div>
             </div>
             <div class="why-text">
               <h4>Alchemist</h4>
```

```
<h5> ₹160</h5>
                                 </div>
                           </div>
                     </div>
                     <div class="col-lg-3 col-md-6 special-grid top-featured">
                           <div class="products-single fix">
                                 <div class="box-img-hover">
                                      <div class="type-lb">
                                            Sale
                                      </div>
                                      <img src="images/The_Intelligent_invester.jpg" class="img-fluid" alt="Image">
                                      <div class="mask-icon">
                                            ul>
                                                 <a href="#" data-toggle="tooltip" data-placement="right" title="View"><i class="fas fa-
eye"></i></a>
                                                 <a href="#" data-toggle="tooltip" data-placement="right" title="Compare"><i class="fas fa-
sync-alt"></i></a>
                                                 <a href="#" data-toggle="tooltip" data-placement="right" title="Add to Wishlist"><i
class="far fa-heart"></i></i>
                                            </11/>
                                            <a class="cart" href="#">Add to Cart</a>
                                      </div>
                                 </div>
                                 <div class="why-text">
                                      <h4>The Intelligent Invester</h4>
                                      <h5> ₹249</h5>
                                 </div>
                           </div>
                     </div>
                     <div class="col-lg-3 col-md-6 special-grid best-seller">
                           <div class="products-single fix">
                                 <div class="box-img-hover">
                                      <div class="type-lb">
                                            Sale
                                      </div>
                                      <img src="images/sherlock.jpg" class="img-fluid" alt="Image">
                                      <div class="mask-icon">
                                            \langle ul \rangle
                                                 <a href="#" data-toggle="tooltip" data-placement="right" title="View"><i class="fas fa-
eye"></i></a>
                                                 <a href="#" data-toggle="tooltip" data-placement="right" title="Compare"><i class="fas fa-
sync-alt"></i></a>
                                                 <a href="#" data-toggle="tooltip" data-placement="right" title="Add to Wishlist"><i href="#" data-toggle="tooltip" data-placement="right" title="Add to Wishlist"><i href="#" data-toggle="tooltip" data-placement="right" title="Add to Wishlist"><< href="#" data-toggle="tooltip" data-placement="" data-toggle=" data-toggle="tooltip" data-placement="" data-toggle="tooltip" data-toggle="tooltip
class="far fa-heart"></i></i>
                                            </11/>
                                            <a class="cart" href="#">Add to Cart</a>
```

```
</div>
           </div>
           <div class="why-text">
              <h4>Sherlock Homes</h4>
              <h5> ₹299</h5>
           </div>
         </div>
      </div>
    </div>
  </div>
</div>
<!-- End Products -->
<!-- Start Blog -->
<div class="latest-blog">
  <div class="container">
    <div class="row">
      <div class="col-lg-12">
         <div class="title-all text-center">
           <h1>Latest blog</h1>
           <strong>"A room without books is like a body without a soul." – Cicero</strong>
         </div>
      </div>
    </div>
    <div class="row">
      <div class="col-md-6 col-lg-4 col-xl-4">
         <div class="blog-box">
           <div class="blog-img">
              <img class="img-fluid" src="images/bo.webp" alt=""/>
           </div>
           <div class="blog-content">
              <div class="title-blog">
                <h3>A Promised Land by Barack Obama</h3>
                >
```

A Promised Land' is the first of two volumes of Barack Obama's memoirs of his two-term presidency. Published in November last year, this part covers his path to becoming the Democrat candidate in 2008 and then rattles through the main challenges he faced

during the first two-and-a-half years of his presidency including the financial crisis, military operations in Afghanistan and Iraq, healthcare reform, climate change, the Deepwater Horizon oil spill, the Arab Spring and the raid that killed Osama bin Laden

```
</div>

<a href="#" data-toggle="tooltip" data-placement="right" title="Likes"><i class="far fa-heart"></i>
<a href="#" data-toggle="tooltip" data-placement="right" title="Views"><i class="fas fa-eye"></i>
</a>
```

The last ten months or so have been very tough for the publishing industry in general, and particularly challenging for small indie presses who have still succeeded in bringing brilliant new books in to the world during a pandemic no less. One of those

is Exit Management by Naomi Booth which was published by Dead Ink Books last summer. Originally from the north of England, Lauren works at a City firm as a graduate HR executive and specialises in "exit management",

otherwise known as firing people in less corporate terms.

```
</div>
               <a href="#" data-toggle="tooltip" data-placement="right" title="Likes"><i class="far fa-
heart"></i></a>
                 <a href="#" data-toggle="tooltip" data-placement="right" title="Views"><i class="fas fa-
eye"></i></a>
                 <a href="#" data-toggle="tooltip" data-placement="right" title="Comments"><i class="far fa-
comments"></i></a>
               </div>
           </div>
        </div>
        <div class="col-md-6 col-lg-4 col-xl-4">
          <div class="blog-box">
             <div class="blog-img">
               <img class="img-fluid" src="images/ro.webp" alt="" />
             </div>
             <div class="blog-content">
               <div class="title-blog">
                 <h3>Rodham by Curtis Sittenfeld</h3>
```

>

I really enjoyed American Wife by Curtis Sittenfeld which is a thinly disguised account of the life of Laura Bush, wife of George W. Bush and former First Lady of the United States. I also enjoyed Sittenfeld's short story 'The Nominee' which is included

in the UK edition of You Think It, I'll Say It and is told from the perspective of Hillary Rodham Clinton a few months before the 2016 US presidential election.

```
</div>
               <a href="#" data-toggle="tooltip" data-placement="right" title="Likes"><i class="far fa-
heart"></i></a>
                  <a href="#" data-toggle="tooltip" data-placement="right" title="Views"><i class="fas fa-
eye"></i></a>
                  <a href="#" data-toggle="tooltip" data-placement="right" title="Comments"><i class="far fa-
comments"></i></a>
               </div>
           </div>
         </div>
      </div>
    </div>
  </div>
  <!-- End Blog -->
  <!-- Start Instagram Feed -->
  <div class="instagram-box">
    <div class="main-instagram owl-carousel owl-theme">
      <div class="item">
         <div class="ins-inner-box">
           <img src="images/instagram-img-01.jpg" alt="" />
           <div class="hov-in">
             <a href="#"><i class="fab fa-instagram"></i></a>
           </div>
         </div>
      </div>
      <div class="item">
         <div class="ins-inner-box">
           <img src="images/instagram-img-02.jpg" alt=""/>
           <div class="hov-in">
             <a href="#"><i class="fab fa-instagram"></i></a>
           </div>
         </div>
      </div>
      <div class="item">
         <div class="ins-inner-box">
           <img src="images/instagram-img-03.jpg" alt=""/>
           <div class="hov-in">
             <a href="#"><i class="fab fa-instagram"></i></a>
           </div>
         </div>
```

```
</div>
<div class="item">
  <div class="ins-inner-box">
    <img src="images/instagram-img-04.jpg" alt=""/>
    <div class="hov-in">
       <a href="#"><i class="fab fa-instagram"></i></a>
    </div>
  </div>
</div>
<div class="item">
  <div class="ins-inner-box">
    <img src="images/instagram-img-05.jpg" alt=""/>
    <div class="hov-in">
       <a href="#"><i class="fab fa-instagram"></i></a>
    </div>
  </div>
</div>
<div class="item">
  <div class="ins-inner-box">
    <img src="images/instagram-img-06.jpg" alt=""/>
    <div class="hov-in">
       <a href="#"><i class="fab fa-instagram"></i></a>
    </div>
  </div>
</div>
<div class="item">
  <div class="ins-inner-box">
    <img src="images/instagram-img-07.jpg" alt="" />
    <div class="hov-in">
       <a href="#"><i class="fab fa-instagram"></i></a>
    </div>
  </div>
</div>
<div class="item">
  <div class="ins-inner-box">
    <img src="images/instagram-img-08.jpg" alt=""/>
    <div class="hov-in">
       <a href="#"><i class="fab fa-instagram"></i></a>
    </div>
  </div>
</div>
<div class="item">
  <div class="ins-inner-box">
    <img src="images/instagram-img-09.jpg" alt=""/>
    <div class="hov-in">
       <a href="#"><i class="fab fa-instagram"></i></a>
    </div>
  </div>
```

```
<div class="item">
         <div class="ins-inner-box">
           <img src="images/instagram-img-05.jpg" alt=""/>
           <div class="hov-in">
             <a href="#"><i class="fab fa-instagram"></i></a>
           </div>
         </div>
      </div>
    </div>
  </div>
  <!-- End Instagram Feed -->
  <!-- Start Footer -->
  <footer>
    <div class="footer-main">
      <div class="container">
         <div class="row">
           <div class="col-lg-4 col-md-12 col-sm-12">
             <div class="footer-widget">
                <h4>About Book Hub</h4>
                < When it comes to searching for books, there is only one place to turn to – Book Hub. We have a
veritable collection of books that span categories as diverse as you could possibly expect. From segments like
accountancy, to parenting
                  and pregnancy, to banking and finance, to even topics on yoga and meditation - almost any
category you seek - you will find with us
                ul>
                  <a href="#"><i class="fab fa-facebook" aria-hidden="true"></i></a>
                  <a href="#"><i class="fab fa-twitter" aria-hidden="true"></i></a>
                  <a href="#"><i class="fab fa-linkedin" aria-hidden="true"></i></a>
                  <a href="#"><i class="fab fa-google-plus" aria-hidden="true"></i></a>
                  <a href="#"><i class="fa fa-rss" aria-hidden="true"></i></a>
                  <a href="#"><i class="fab fa-pinterest-p" aria-hidden="true"></i></a>
                  <a href="#"><i class="fab fa-whatsapp" aria-hidden="true"></i></a>
                </div>
           </div>
           <div class="col-lg-4 col-md-12 col-sm-12">
             <div class="footer-link">
                <h4>Information</h4>
                ul>
                  <a href="https://www.indiabookstore.net/">Details</a>
                </div>
           </div>
           <div class="col-lg-4 col-md-12 col-sm-12">
```

</div>

```
<div class="footer-link-contact">
                <h4>Contact Us</h4>
                ul>
                  <
                    <i class="fas fa-map-marker-alt"></i>Address: A/303 Street: A/10, East West Indl Estate,
Andheri Kurla Rd, <br/> Pin 400053 
                  \langle li \rangle
                    <i class="fas fa-phone-square"></i>Phone: <a href="tel:+1-
888705770">+9619961580</a>
                  <i class="fas fa-envelope"></i>Email: <a
href="pratiksha6037@gmail.com">bookhub@gmail.com</a>
                  </11/>
             </div>
           </div>
         </div>
      </div>
    </div>
  </footer>
  <!-- End Footer -->
  <!-- Start copyright -->
  <div class="footer-copyright">
    All Rights Reserved. © 2021 <a href="#">BOOK HUB</a>
       </div>
  <!-- End copyright -->
  <a href="#" id="back-to-top" title="Back to top" style="display: none;">&uarr;</a>
  <!-- ALL JS FILES -->
  <script src="js/jquery-3.2.1.min.js"></script>
  <script src="js/popper.min.js"></script>
  <script src="js/bootstrap.min.js"></script>
  <!-- ALL PLUGINS -->
  <script src="js/jquery.superslides.min.js"></script>
  <script src="js/bootstrap-select.js"></script>
  <script src="js/inewsticker.js"></script>
  <script src="js/bootsnav.js."></script>
  <script src="js/images-loded.min.js"></script>
  <script src="js/isotope.min.js"></script>
  <script src="js/owl.carousel.min.js"></script>
  <script src="js/baguetteBox.min.js"></script>
  <script src="js/form-validator.min.js"></script>
  <script src="js/contact-form-script.js"></script>
```

```
<script src="js/custom.js"></script>
</body>
</html>
About.html
<!DOCTYPE html>
<html lang="en">
<!-- Basic -->
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <!-- Mobile Metas -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!-- Site Metas -->
  <title>ThewayShop - Ecommerce Bootstrap 4 HTML Template</title>
  <meta name="keywords" content="">
  <meta name="description" content="">
  <meta name="author" content="">
  <!-- Site Icons -->
  k rel="shortcut icon" href="images/favicon.ico" type="image/x-icon">
  k rel="apple-touch-icon" href="images/apple-touch-icon.png">
  <!-- Bootstrap CSS -->
  k rel="stylesheet" href="css/bootstrap.min.css">
  <!-- Site CSS -->
  <link rel="stylesheet" href="css/style.css">
  <!-- Responsive CSS -->
  <link rel="stylesheet" href="css/responsive.css">
  <!-- Custom CSS -->
  <link rel="stylesheet" href="css/custom.css">
  <!--[if lt IE 9]>
   <script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
   <script src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>
  <![endif]-->
</head>
<body>
  <!-- Start Main Top -->
  <div class="main-top">
    <div class="container-fluid">
```

```
<div class="row">
  <div class="col-lg-6 col-md-6 col-sm-12 col-xs-12">
    <div class="text-slid-box">
      <div id="offer-box" class="carouselTicker">
        >
             <i class="fab fa-opencart"></i> Off 10%! Shop Now Man
           >
             <i class="fab fa-opencart"></i> 50% - 80% off on Fashion
           \langle li \rangle
             <i class="fab fa-opencart"></i> 20% off Entire Purchase Promo code: offT20
           \langle li \rangle
             <i class="fab fa-opencart"></i> Off 50%! Shop Now
           <
             <i class="fab fa-opencart"></i> Off 10%! Shop Now Man
           >
             <i class="fab fa-opencart"></i> 50% - 80% off on Fashion
           >
             <i class="fab fa-opencart"></i> 20% off Entire Purchase Promo code: offT20
           <i class="fab fa-opencart"></i> Off 50%! Shop Now
          </div>
    </div>
  </div>
  <div class="col-lg-6 col-md-6 col-sm-12 col-xs-12">
    <div class="custom-select-box">
      <select id="basic" class="selectpicker show-tick form-control" data-placeholder="$ USD">
      <option>\text{YPY</option>
      <option>$ USD</option>
      <option>€ EUR</option>
    </select>
    </div>
    <div class="right-phone-box">
      Call US :- <a href="#"> +11 900 800 100</a>
    </div>
    <div class="our-link">
      ul>
        <a href="#">My Account</a>
        <a href="#">Our location</a>
```

```
<a href="#">Contact Us</a>
           </div>
       </div>
     </div>
   </div>
  </div>
  <!-- End Main Top -->
  <!-- Start Main Top -->
  <header class="main-header">
   <!-- Start Navigation -->
   <nav class="navbar navbar-expand-lg navbar-light bg-light navbar-default bootsnav">
     <div class="container">
       <!-- Start Header Navigation -->
       <div class="navbar-header">
         <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbar-menu" aria-
controls="navbars-rs-food" aria-expanded="false" aria-label="Toggle navigation">
         <i class="fa fa-bars"></i>
       </button>
         <a class="navbar-brand" href="index.html"><img src="images/logo.png" class="logo" alt=""></a>
       </div>
       <!-- End Header Navigation -->
       <!-- Collect the nav links, forms, and other content for toggling -->
       <div class="collapse navbar-collapse" id="navbar-menu">
         <a class="nav-link" href="index.html">Home</a>
           <a class="nav-link" href="about.html">About Us</a>
           <a href="#" class="nav-link dropdown-toggle arrow" data-toggle="dropdown">Product</a>
             >
                 <div class="row">
                   <div class="col-menu col-md-3">
                     <h6 class="title">Top</h6>
                     <div class="content">
                       <a href="shop.html">Jackets</a>
                         <a href="shop.html">Shirts</a>
                         <a href="shop.html">Sweaters & Cardigans</a>
                         <a href="shop.html">T-shirts</a>
                       </div>
                   </div>
                   <!-- end col-3 -->
                   <div class="col-menu col-md-3">
                     <h6 class="title">Bottom</h6>
```

```
<div class="content">
          <a href="shop.html">Swimwear</a>
            <a href="shop.html">Skirts</a>
            <a href="shop.html">Jeans</a>
            <a href="shop.html">Trousers</a>
          </div>
       </div>
       <!-- end col-3 -->
       <div class="col-menu col-md-3">
         <h6 class="title">Clothing</h6>
         <div class="content">
          <a href="shop.html">Top Wear</a>
            <a href="shop.html">Party wear</a>
            <a href="shop.html">Bottom Wear</a>
            <a href="shop.html">Indian Wear</a>
          </div>
       </div>
       <div class="col-menu col-md-3">
         <h6 class="title">Accessories</h6>
         <div class="content">
          <a href="shop.html">Bags</a>
            <a href="shop.html">Sunglasses</a>
            <a href="shop.html">Fragrances</a>
            <a href="shop.html">Wallets</a>
          </div>
       </div>
       <!-- end col-3 -->
     </div>
     <!-- end row -->
   cli class="dropdown">
 <a href="#" class="nav-link dropdown-toggle arrow" data-toggle="dropdown">SHOP</a>
 <a href="cart.html">Cart</a>
   <a href="checkout.html">Checkout</a>
   <a href="my-account.html">My Account</a>
   <a href="wishlist.html">Wishlist</a>
   <a href="shop-detail.html">Shop Detail</a>
```

```
class="nav-item"><a class="nav-link" href="service.html">Our Service</a>
        class="nav-item"><a class="nav-link" href="contact-us.html">Contact Us</a>
      </div>
    <!--/.navbar-collapse -->
    <!-- Start Atribute Navigation -->
    <div class="attr-nav">
      <111>
        class="search"><a href="#"><i class="fa fa-search"></i></a>
        cli class="side-menu"><a href="#"></a
        <i class="fa fa-shopping-bag"></i>
           <span class="badge">3</span>
      </a>
      </div>
    <!-- End Atribute Navigation -->
  </div>
  <!-- Start Side Menu -->
  <div class="side">
    <a href="#" class="close-side"><i class="fa fa-times"></i></a>
    class="cart-box">
      >
           <a href="#" class="photo"><img src="images/img-pro-01.jpg" class="cart-thumb" alt="" /></a>
           <h6><a href="#">Delica omtantur </a></h6>
           1x - <span class="price">$80.00</span>
        \langle li \rangle
           <a href="#" class="photo"><img src="images/img-pro-02.jpg" class="cart-thumb" alt="" /></a>
          <h6><a href="#">Omnes ocurreret</a></h6>
           1x - <span class="price">$60.00</span>
        >
           <a href="#" class="photo"><img src="images/img-pro-03.jpg" class="cart-thumb" alt="" /></a>
           <h6><a href="#">Agam facilisis</a></h6>
           1x - <span class="price">$40.00</span>
        class="total">
           <a href="#" class="btn btn-default hvr-hover btn-cart">VIEW CART</a>
           <span class="float-right"><strong>Total</strong>: $180.00</span>
        </div>
  <!-- End Side Menu -->
</nav>
<!-- End Navigation -->
```

```
</header>
<!-- End Main Top -->
<!-- Start Top Search -->
<div class="top-search">
 <div class="container">
    <div class="input-group">
      <span class="input-group-addon"><i class="fa fa-search"></i></span>
      <input type="text" class="form-control" placeholder="Search">
      <span class="input-group-addon close-search"><i class="fa fa-times"></i></span>
    </div>
 </div>
</div>
<!-- End Top Search -->
<!-- Start All Title Box -->
<div class="all-title-box">
 <div class="container">
    <div class="row">
      <div class="col-lg-12">
        <h2>ABOUT US</h2>
        class="breadcrumb-item"><a href="#">Home</a>
          ABOUT US
        </div>
    </div>
 </div>
</div>
<!-- End All Title Box -->
<!-- Start About Page -->
<div class="about-box-main">
 <div class="container">
    <div class="row">
      <div class="col-lg-6">
        <h2 class="noo-sh-title">We are <span>ThewayShop</span></h2>
```

"Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam, eaque ipsa quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt explicabo.
Nemo enim ipsam

voluptatem quia voluptas sit aspernatur aut odit aut fugit, sed quia consequuntur magni dolores eos qui ratione voluptatem sequi nesciunt. Neque porro quisquam est, qui dolorem ipsum quia dolor sit amet, consectetur, adipisci velit,

sed quia non numquam eius modi tempora incidunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim ad minima veniam, quis nostrum exercitationem ullam corporis suscipit laboriosam, nisi ut aliquid ex ea commodi consequatur?

Quis autem vel eum iure reprehenderit qui in ea voluptate velit esse quam nihil molestiae consequatur, vel illum qui dolorem eum fugiat quo voluptas nulla pariatur?"

```
Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et
dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea
commodo consequat.
              </div>
         <div class="col-lg-6">
           <div class="banner-frame"> <img class="img-thumbnail img-fluid" src="images/about-img.jpg" alt="" />
         </div>
       </div>
       <div class="row my-5">
         <div class="col-sm-6 col-lg-4">
           <div class="service-block-inner">
              <h3>We are Trusted</h3>
              Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore
et dolore magna aliqua. 
           </div>
         </div>
         <div class="col-sm-6 col-lg-4">
           <div class="service-block-inner">
              <h3>We are Professional</h3>
              Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore
et dolore magna aliqua. 
           </div>
         </div>
         <div class="col-sm-6 col-lg-4">
           <div class="service-block-inner">
              <h3>We are Expert</h3>
              Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore
et dolore magna aliqua. 
           </div>
         </div>
       </div>
       <div class="row my-4">
         <div class="col-12">
           <h2 class="noo-sh-title">Meet Our Team</h2>
         </div>
         <div class="col-sm-6 col-lg-3">
           <div class="hover-team">
              <div class="our-team"> <img src="images/img-1.jpg" alt="" />
                <div class="team-content">
                  <h3 class="title">Williamson</h3> <span class="post">Web Developer</span> </div>
                <a href="#" class="fab fa-facebook"></a>
                  <
                    <a href="#" class="fab fa-twitter"></a>
```

```
\langle li \rangle
                     <a href="#" class="fab fa-google-plus"></a>
                   \langle li \rangle
                     <a href="#" class="fab fa-youtube"></a>
                   <div class="icon"> <i class="fa fa-plus" aria-hidden="true"></i> </div>
              </div>
              <div class="team-description">
                Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent urna diam, maximus ut
ullamcorper quis, placerat id eros. Duis semper justo sed condimentum rutrum. Nunc tristique purus turpis. Maecenas
vulputate. 
              </div>
              <hr class="my-0"> </div>
         </div>
         <div class="col-sm-6 col-lg-3">
           <div class="hover-team">
              <div class="our-team"> <img src="images/img-2.jpg" alt="" />
                <div class="team-content">
                   <h3 class="title">Kristiana</h3> <span class="post">Web Developer</span> </div>
                \langle 1i \rangle
                     <a href="#" class="fab fa-facebook"></a>
                   >
                     <a href="#" class="fab fa-twitter"></a>
                   \langle li \rangle
                     <a href="#" class="fab fa-google-plus"></a>
                   \langle li \rangle
                     <a href="#" class="fab fa-youtube"></a>
                   <div class="icon"> <i class="fa fa-plus" aria-hidden="true"></i> </div>
              </div>
              <div class="team-description">
                Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent urna diam, maximus ut
ullamcorper quis, placerat id eros. Duis semper justo sed condimentum rutrum. Nunc tristique purus turpis. Maecenas
vulputate. 
              </div>
              <hr class="my-0"> </div>
         </div>
         <div class="col-sm-6 col-lg-3">
           <div class="hover-team">
              <div class="our-team"> <img src="images/img-3.jpg" alt="" />
```

```
<h3 class="title">Steve Thomas</h3> <span class="post">Web Developer</span> </div>
                \langle 1i \rangle
                    <a href="#" class="fab fa-facebook"></a>
                  \langle li \rangle
                    <a href="#" class="fab fa-twitter"></a>
                  \langle li \rangle
                    <a href="#" class="fab fa-google-plus"></a>
                  \langle li \rangle
                    <a href="#" class="fab fa-youtube"></a>
                  <div class="icon"> <i class="fa fa-plus" aria-hidden="true"></i> </div>
             </div>
             <div class="team-description">
                Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent urna diam, maximus ut
ullamcorper quis, placerat id eros. Duis semper justo sed condimentum rutrum. Nunc tristique purus turpis. Maecenas
vulputate. 
             <hr class="my-0"> </div>
         </div>
         <div class="col-sm-6 col-lg-3">
           <div class="hover-team">
             <div class="our-team"> <img src="images/img-1.jpg" alt="" />
                <div class="team-content">
                  <h3 class="title">Williamson</h3> <span class="post">Web Developer</span> </div>
                >
                    <a href="#" class="fab fa-facebook"></a>
                  i>
                    <a href="#" class="fab fa-twitter"></a>
                  <
                    <a href="#" class="fab fa-google-plus"></a>
                  <a href="#" class="fab fa-youtube"></a>
                  <div class="icon"> <i class="fa fa-plus" aria-hidden="true"></i> </div>
             </div>
             <div class="team-description">
```

<div class="team-content">

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent urna diam, maximus ut ullamcorper quis, placerat id eros. Duis semper justo sed condimentum rutrum. Nunc tristique purus turpis. Maecenas vulputate.

```
</div>
           <hr class="my-0"> </div>
      </div>
    </div>
  </div>
</div>
<!-- End About Page -->
<!-- Start Instagram Feed -->
<div class="instagram-box">
  <div class="main-instagram owl-carousel owl-theme">
    <div class="item">
      <div class="ins-inner-box">
         <img src="images/instagram-img-01.jpg" alt="" />
         <div class="hov-in">
           <a href="#"><i class="fab fa-instagram"></i></a>
         </div>
      </div>
    </div>
    <div class="item">
       <div class="ins-inner-box">
         <img src="images/instagram-img-02.jpg" alt=""/>
         <div class="hov-in">
           <a href="#"><i class="fab fa-instagram"></i></a>
         </div>
      </div>
    </div>
    <div class="item">
      <div class="ins-inner-box">
         <img src="images/instagram-img-03.jpg" alt="" />
         <div class="hov-in">
           <a href="#"><i class="fab fa-instagram"></i></a>
         </div>
      </div>
    </div>
    <div class="item">
      <div class="ins-inner-box">
         <img src="images/instagram-img-04.jpg" alt=""/>
         <div class="hov-in">
           <a href="#"><i class="fab fa-instagram"></i></a>
         </div>
      </div>
    </div>
    <div class="item">
      <div class="ins-inner-box">
```

```
<img src="images/instagram-img-05.jpg" alt=""/>
         <div class="hov-in">
           <a href="#"><i class="fab fa-instagram"></i></a>
         </div>
      </div>
    </div>
    <div class="item">
      <div class="ins-inner-box">
         <img src="images/instagram-img-06.jpg" alt=""/>
         <div class="hov-in">
           <a href="#"><i class="fab fa-instagram"></i></a>
         </div>
      </div>
    </div>
    <div class="item">
      <div class="ins-inner-box">
         <img src="images/instagram-img-07.jpg" alt=""/>
         <div class="hov-in">
           <a href="#"><i class="fab fa-instagram"></i></a>
         </div>
      </div>
    </div>
    <div class="item">
       <div class="ins-inner-box">
         <img src="images/instagram-img-08.jpg" alt=""/>
         <div class="hov-in">
           <a href="#"><i class="fab fa-instagram"></i></a>
         </div>
      </div>
    </div>
    <div class="item">
      <div class="ins-inner-box">
         <img src="images/instagram-img-09.jpg" alt="" />
         <div class="hov-in">
           <a href="#"><i class="fab fa-instagram"></i></a>
         </div>
      </div>
    </div>
    <div class="item">
      <div class="ins-inner-box">
         <img src="images/instagram-img-05.jpg" alt=""/>
         <div class="hov-in">
           <a href="#"><i class="fab fa-instagram"></i></a>
         </div>
      </div>
    </div>
  </div>
</div>
```

```
<!-- End Instagram Feed -->
  <!-- Start Footer -->
  <footer>
    <div class="footer-main">
      <div class="container">
        <div class="row">
           <div class="col-lg-4 col-md-12 col-sm-12">
             <div class="footer-widget">
               <h4>About ThewayShop</h4>
               Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut
labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea
commodo consequat.
                 \langle ul \rangle
                 <a href="#"><i class="fab fa-facebook" aria-hidden="true"></i></a>
                 <a href="#"><i class="fab fa-twitter" aria-hidden="true"></i></a>
                 <a href="#"><i class="fab fa-linkedin" aria-hidden="true"></i></a>
                 <a href="#"><i class="fab fa-google-plus" aria-hidden="true"></i></a>
                 <a href="#"><i class="fa fa-rss" aria-hidden="true"></i></a>
                 <a href="#"><i class="fab fa-pinterest-p" aria-hidden="true"></i></a>
                 <a href="#"><i class="fab fa-whatsapp" aria-hidden="true"></i></a>
               </div>
           </div>
           <div class="col-lg-4 col-md-12 col-sm-12">
             <div class="footer-link">
               <h4>Information</h4>
               <111>
                 <a href="#">About Us</a>
                 <a href="#">Customer Service</a>
                 <a href="#">Our Sitemap</a>
                 <a href="#">Terms & Conditions</a>
                 <a href="#">Privacy Policy</a>
                 <a href="#">Delivery Information</a>
               </div>
           </div>
           <div class="col-lg-4 col-md-12 col-sm-12">
             <div class="footer-link-contact">
               <h4>Contact Us</h4>
               ul>
                 <
                   <i class="fas fa-map-marker-alt"></i>Address: A/303 Street: A/10, East West Indl Estate,
Andheri Kurla Rd, <br/> Safed Pool, Andheri(e), <br/> Mumbai 
                 \langle li \rangle
```

```
<i class="fas fa-phone-square"></i>Phone: <a
href="tel:+9619961580">+9619961580</a>
                  <
                    <i class="fas fa-envelope"></i>Email: <a
href="pratiksha6037@gmail.com">pratiksha6037@gmail.com</a>
                  </div>
           </div>
         </div>
      </div>
    </div>
  </footer>
  <!-- End Footer -->
  <!-- Start copyright -->
  <div class="footer-copyright">
    All Rights Reserved. © 2018 <a href="#">ThewayShop</a> Design By :
       <a href="https://html.design/">html design</a>
  </div>
  <!-- End copyright -->
  <a href="#" id="back-to-top" title="Back to top" style="display: none;">&uarr;</a>
  <!-- ALL JS FILES -->
  <script src="js/jquery-3.2.1.min.js"></script>
  <script src="js/popper.min.js"></script>
  <script src="js/bootstrap.min.js"></script>
  <!-- ALL PLUGINS -->
  <script src="js/jquery.superslides.min.js"></script>
  <script src="js/bootstrap-select.js"></script>
  <script src="js/inewsticker.js"></script>
  <script src="js/bootsnav.js."></script>
  <script src="js/images-loded.min.js"></script>
  <script src="js/isotope.min.js"></script>
  <script src="js/owl.carousel.min.js"></script>
  <script src="js/baguetteBox.min.js"></script>
  <script src="js/form-validator.min.js"></script>
  <script src="js/contact-form-script.js"></script>
  <script src="js/custom.js"></script>
</body>
</html>
```

Contact-form-script.js

```
$("#contactForm").validator().on("submit", function (event) {
  if (event.isDefaultPrevented()) {
     // handle the invalid form...
     formError();
     submitMSG(false, "Did you fill in the form properly?");
  } else {
     // everything looks good!
     event.preventDefault();
     submitForm();
  }
});
function submitForm(){
  // Initiate Variables With Form Content
  var name = $("#name").val();
  var email = $("#email").val();
  var msg_subject = $("#msg_subject").val();
  var message = $("#message").val();
  $.ajax({
     type: "POST",
     url: "php/form-process.php",
     data: "name=" + name + "&email=" + email + "&msg_subject=" + msg_subject + "&message=" + message,
     success : function(text){
       if (text == "success"){
         formSuccess();
       } else {
         formError();
         submitMSG(false,text);
  });
function formSuccess(){
  $("#contactForm")[0].reset();
  submitMSG(true, "Message Submitted!")
}
function formError(){
  $("#contactForm").removeClass().addClass('shake animated').one('webkitAnimationEnd mozAnimationEnd
MSAnimationEnd oanimationend animationend', function(){
     $(this).removeClass();
  });
}
```

```
function submitMSG(valid, msg){
    if(valid){
      var msgClasses = "h3 text-center tada animated text-success";
    } else {
      var msgClasses = "h3 text-center text-danger";
    }
    $("#msgSubmit").removeClass().addClass(msgClasses).text(msg);
}
```

Style.css

```
body {
   color: #666666;
   font-size: 15px;
   font-family: 'Quattrocento Sans', sans-serif;
   line-height: 1.80857;
}
a {
   color: #1f1f1f;
   text-decoration: none !important;
   outline: none !important;
   -webkit-transition: all .3s ease-in-out;
   -moz-transition: all .3s ease-in-out;
   -ms-transition: all .3s ease-in-out;
   -o-transition: all .3s ease-in-out;
   transition: all .3s ease-in-out;
}
h1, h2, h3, h4, h5, h6 {
   letter-spacing: 0;
   font-weight: normal;
   position: relative;
   padding: 0 0 10px 0;
   font-weight: normal;
   line-height: 120% !important;
   color: #1f1f1f;
   margin: 0
}
h1 {
   font-size: 24px
}
h2 {
   font-size: 22px
}
h3 {
   font-size: 18px
```

```
h4 {
   font-size: 16px
}
h5 {
   font-size: 14px
}
h6 {
   font-size: 13px
}
h1 a, h2 a, h3 a, h4 a, h5 a, h6 a {
   color: #212121;
   text-decoration: none!important;
   opacity: 1
h1 a:hover, h2 a:hover, h3 a:hover, h4 a:hover, h5 a:hover, h6 a:hover {
   opacity: .8
}
a {
   color: #1f1f1f;
   text-decoration: none;
   outline: none;
}
a, .btn {
   text-decoration: none !important;
   outline: none !important;
   -webkit-transition: all .3s ease-in-out;
   -moz-transition: all .3s ease-in-out;
   -ms-transition: all .3s ease-in-out;
   -o-transition: all .3s ease-in-out;
   transition: all .3s ease-in-out;
.btn-custom {
   margin-top: 20px;
   background-color: transparent !important;
   border: 2px solid #ddd;
   padding: 12px 40px;
   font-size: 16px;
.lead {
   font-size: 18px;
   line-height: 30px;
   color: #767676;
   margin: 0;
   padding: 0;
blockquote {
   margin: 20px 0 20px;
   padding: 30px;
```

```
}
ul, li, ol{
  list-style: none;
  margin: 0px;
  padding: 0px;
button:focus{
  outline: none;
  box-shadow: none;
}
:focus {
  outline: 0;
}
p{
  margin: 0px;
.bootstrap-select .dropdown-toggle:focus{
  outline: none !important;
.form-control::-moz-placeholder {
  color: #ffffff;
  opacity: 1;
.bootstrap-select .dropdown-toggle:focus{
  box-shadow: none !important
    ------ LOADER ------
----*/
#back-to-top {
  position: fixed;
  bottom: 40px;
  right: 40px;
  z-index: 9999;
  width: 32px;
  height: 32px;
  text-align: center;
  line-height: 30px;
  background: #d33b33;
  color: #ffffff;
  cursor: pointer;
  border: 0;
  border-radius: 2px;
  text-decoration: none;
  transition: opacity 0.2s ease-out;
  font-size: 30px;
   ------ HEADER -------
----*/
```

```
.main-top{
   background: #010101;
   padding: 10px 0px;
.custom-select-box{
   float: right;
   width: 95px;
   margin-left: 20px;
.custom-select-box .form-control{
   background: none;
   border: none;
.custom-select-box .bootstrap-select .btn-light{
   padding: 4px;
   font-size: 14px;
   background: #d33b33;
   color: #fff;
   border: none;
   border-radius: 0px;
.custom-select-box .bootstrap-select .btn-light span{
   padding: 2px;
   line-height: 15px;
.dropdown-toggle::after{
   margin-left: -24px;
.custom-select-box .dropdown-toggle::after {
   display: inline-block;
   width: 0;
   height: 0;
   margin-left: .255em;
   vertical-align: .255em;
   content: "";
   border-top: .3em solid;
   border-right: .3em solid transparent;
   border-bottom: 0;
   border-left: .3em solid transparent;
   position: absolute;
   top: 13px;
   right: 10px;
.bootstrap-select.btn-group .dropdown-toggle .filter-option{
   overflow: inherit;
}
. bootstrap-select. btn-group\ . dropdown-menu \{
   border: none:
```

```
padding: 0px;
   border-radius: 0px;
}
.right-phone-box{
   float: right;
   margin-left: 10px;
.right-phone-box p{
   margin: 0px;
   color: #ffffff;
   font-size: 14px;
   line-height: 30px;
.right-phone-box p a{
   color: #ffffff;
.right-phone-box p a:hover{
   color: #d33b33;
.offer-box,.slide {
   color: #FFFFF;
   font-size: 13px;
   padding: 2px 15px;
   font-family: 'Montserrat', sans-serif;
.offer-box li {
   font-weight: 600;
.offer-box li i{
   margin-right: 15px;
   color: #d33b33;
   font-size: 20px;
}
.our-link{
   float: right;
.our-link ul li{
   display: inline-block;
   border-right: 1px solid #ffffff;
   padding: 0px 10px;
   line-height: 14px;
.our-link ul{
   line-height: 30px;
.our-link ul li a{
   color: #ffffff;
   font-weight: 700;
```

```
text-transform: uppercase;
   font-size: 14px;
}
.our-link ul li a:hover{
   color: #d33b33;
.our-link ul li:last-child{
   border: none;
.main-header{
.search a{
   color: #d33b33;
.attr-nav > ul > li > a:hover{}
   color: #d33b33;
nav.navbar.bootsnav\ ul.nav > li > a\{
   margin: 0px;
/* Navbar Adjusment ======== */
/* Navbar Atribute -----*/
.attr-nav > ul > li > a{
   padding: 28px 15px;
ul.cart-list > li.total > .btn{
   border-bottom: solid 1px #cfcfcf !important;
   color: #010101;
   padding: 10px 15px;
   border: none;
   font-weight: 700;
   color: #ffffff;
@media (min-width: 1024px) {
  /* Navbar General ----*/
   nav.navbar\ ul.nav > li > a\{
     padding: 30px 15px;
     font-weight: 600;
   nav.navbar .navbar-brand{
     margin-top: 0;
   nav.navbar .navbar-brand{
     margin-top: 0;
   nav.navbar li.dropdown ul.dropdown-menu{
     border-top: solid 5px;
```

```
/* Navbar Center -----*/
   nav.navbar-center .navbar-brand{
     margin: 0 !important;
  }
  /* Navbar Brand Top ----*/
   nav.navbar-brand-top .navbar-brand{
     margin: 10px !important;
  /* Navbar Full -----*/
   nav.navbar-full .navbar-brand{
     position: relative;
     top: -15px;
  }
  /* Navbar Sidebar -----*/
   nav.navbar-sidebar ul.nav, nav.navbar-sidebar .navbar-brand{
     margin-bottom: 50px;
   nav.navbar-sidebar\ ul.nav > li > a{
     padding: 10px 15px;
     font-weight: bold;
  /* Navbar Transparent & Fixed -----*/
   nav.navbar.bootsnav.navbar-transparent.white{
     background-color: rgba(255,255,255,0.3);
     border-bottom: solid 1px #bbb;
  }
   nav.navbar.navbar-inverse.bootsnav.navbar-transparent.dark, nav.navbar.bootsnav.navbar-transparent.dark{
     background-color: rgba(0,0,0,0.3);
     border-bottom: solid 1px #555;
   nav.navbar.bootsnav.navbar-transparent.white .attr-nav{
     border-left: solid 1px #bbb;
  }
   nav.navbar.navbar-inverse.bootsnav.navbar-transparent.dark .attr-nav, nav.navbar.bootsnav.navbar-transparent.dark
.attr-nav{
     border-left: solid 1px #555;
  }
   nav.navbar.bootsnav.no-background.white .attr-nav > ul > li > a, nav.navbar.bootsnav.navbar-transparent.white .attr-
\text{nav} > \text{ul} > \text{li} > \text{a}, \text{nav.navbar.bootsnav.navbar-transparent.white ul.nav} > \text{li} > \text{a}, \text{nav.navbar.bootsnav.no-}
background.white ul.nav > li > a
     color: #fff:
  }
   nav.navbar.bootsnav.navbar-transparent.dark. attr-nav > ul > li > a, nav.navbar.bootsnav.navbar-transparent.dark
ul.nav > li > a{
     color: #eee;
  }
@media (max-width: 992px) {
```

```
/* Navbar General -----*/
  nav.navbar .navbar-brand{
     margin-top: 0;
     position: relative;
     top: -2px;
  nav.navbar .navbar-brand img.logo{
     width: 160px;
  }
  .attr-nav > ul > li > a{
     padding: 16px 15px 15px;
  }
  /* Navbar Mobile slide -----*/
  nav.navbar.navbar-mobile\ ul.nav > li > a\{
     padding: 15px 15px;
  nav.navbar.navbar-mobile ul.nav ul.dropdown-menu > li > a{
     padding-right: 15px !important;
     padding-top: 15px !important;
     padding-bottom: 15px !important;
  nav.navbar.navbar-mobile ul.nav ul.dropdown-menu .col-menu .title{
     padding-right: 30px !important;
     padding-top: 13px !important;
     padding-bottom: 13px !important;
  nav.navbar.navbar-mobile ul.nav ul.dropdown-menu .col-menu ul.menu-col li a{
     padding-top: 13px !important;
     padding-bottom: 13px !important;
  /* Navbar Full -----*/
  nav.navbar-full .navbar-brand{
     top: 0;
     padding-top: 10px;
}
nav.navbar.navbar-inverse{
  background-color: #222;
  border-bottom: solid 1px #303030;
nav.navbar.navbar-inverse ul.cart-list > li.total > .btn{
  border-bottom: solid 1px #222 !important;
nav.navbar.navbar-inverse ul.cart-list > li.total .pull-right{
  color: #fff:
}
```

```
nav.navbar.navbar-inverse.megamenu ul.dropdown-menu.megamenu-content .content ul.menu-col li a,
nav.navbar.navbar-inverse\ ul.nav > li > a
  color: #eee:
nav.navbar.navbar-inverse ul.nav > li.dropdown > a{
  background-color: #222;
nav.navbar.navbar-inverse li.dropdown ul.dropdown-menu > li > a{
  color: #999;
nav.navbar.navbar-inverse ul.nav .dropdown-menu h1, nav.navbar.navbar-inverse ul.nav .dropdown-menu h2,
nav.navbar.navbar-inverse ul.nav .dropdown-menu h3, nav.navbar.navbar-inverse ul.nav .dropdown-menu h4,
nav.navbar.navbar-inverse ul.nav .dropdown-menu h5, nav.navbar.navbar-inverse ul.nav .dropdown-menu h6{
  color: #fff:
}
nav.navbar.navbar-inverse .form-control{
  background-color: #333;
  border-color: #303030;
  color: #fff:
nav.navbar.navbar-inverse .attr-nav > ul > li > a{
  color: #eee;
nav.navbar.navbar-inverse .attr-nav > ul > li.dropdown ul.dropdown-menu{
  background-color: #222;
  border-left: solid 1px #303030;
  border-bottom: solid 1px #303030;
  border-right: solid 1px #303030;
nav.navbar.navbar-inverse ul.cart-list > li{
  border-bottom: solid 1px #303030;
  color: #eee;
nav.navbar.navbar-inverse ul.cart-list > li img{
  border: solid 1px #303030;
nav.navbar.navbar-inverse ul.cart-list > li.total{
  background-color: #333;
nav.navbar.navbar-inverse .share ul > li > a
  background-color: #555;
nav.navbar.navbar-inverse .dropdown-tabs .tab-menu{
  border-right: solid 1px #303030;
nav.navbar.navbar-inverse.dropdown-tabs.tab-menu > ul > li > a\{
  border-bottom: solid 1px #303030;
```

```
nav.navbar.navbar-inverse .dropdown-tabs .tab-content{
  border-left: solid 1px #303030;
}
nav.navbar.navbar-inverse. dropdown-tabs .tab-menu > ul > li > a:hover, nav.navbar.navbar-inverse. dropdown-tabs
.tab-menu > ul > li > a:focus, nav.navbar.navbar-inverse .dropdown-tabs .tab-menu > ul > li.active > a{
  background-color: #333 !important;
nav.navbar-inverse.navbar-full ul.nav > li > a{
  border:none:
nav.navbar-inverse.navbar-full .navbar-collapse .wrap-full-menu{
  background-color: #222;
nav.navbar-inverse.navbar-full .navbar-toggle{
  background-color: #222 !important;
  color: #6f6f6f;
nav.navbar.bootsnav ul.nav > li > a{
  position: relative;
  font-weight: 700;
  font-size: 16px;
  color: #010101;
  padding-top: 30px;
  padding-bottom: 30px;
  padding-left: 10px;
  padding-right: 30px;
nav.navbar.bootsnav ul.nav li.active > a{
  color: #d33b33;
nav.navbar.bootsnav ul.nav li.active > a:hover{
  color: #d33b33;
nav.navbar.bootsnav ul.nav li > a:hover{
  color: #d33b33;
nav.navbar.bootsnav ul.nav li.megamenu-fw > a:hover{
  color: #d33b33;
@media (min-width: 1024px) {
  nav.navbar.navbar-inverse ul.nav .dropdown-menu{
     background-color: #222 !important;
     border-left: solid 1px #303030 !important;
     border-bottom: solid 1px #303030 !important;
     border-right: solid 1px #303030 !important;
  nav.navbar.navbar-inverse li.dropdown ul.dropdown-menu > li > a{
     border-bottom: solid 1px #303030;
```

```
nav.navbar.navbar-inverse ul.dropdown-menu.megamenu-content .col-menu{
     border-left: solid 1px #303030;
     border-right: solid 1px #303030;
  nav.navbar.navbar-inverse.navbar-transparent.dark{
     background-color: rgba(0,0,0,0.3);
     border-bottom: solid 1px #999;
  }
  nav.navbar.navbar-inverse.navbar-transparent.dark .attr-nav{
     border-left: solid 1px #999;
  }
  nav.navbar.navbar-inverse.no-background.white .attr-nav > ul > li > a, nav.navbar.navbar-inverse.navbar-
transparent.dark .attr-nav > ul > li > a, nav.navbar.navbar-inverse.navbar-transparent.dark ul.nav > li > a,
nav.navbar.navbar-inverse.no-background.white ul.nav > li > a
     color: #fff:
  }
  nav.navbar.navbar-inverse.no-background.dark .attr-nav > ul > li > a, nav.navbar.navbar-inverse.no-
background.dark .attr-nav > ul > li > a, nav.navbar.navbar-inverse.no-background.dark ul.nav > li > a,
nav.navbar.navbar-inverse.no-background.dark ul.nav > li > a{
     color: #3f3f3f:
  }
}
@media (max-width: 992px) {
   nav.navbar.navbar-inverse .navbar-toggle{
     color: #eee;
     background-color: #222 !important;
  nav.navbar.navbar-inverse .navbar-nav > li > a{
     border-top: solid 1px #303030;
     border-bottom: solid 1px #303030;
  nav.navbar.navbar-inverse ul.nav li.dropdown ul.dropdown-menu > li > a{
     color: #999;
     border-bottom: solid 1px #303030;
  nav.navbar.navbar-inverse .dropdown .megamenu-content .col-menu .title{
     border-bottom: solid 1px #303030;
     color: #eee;
  nav.navbar.navbar-inverse .dropdown .megamenu-content .col-menu ul > li > a{
     border-bottom: solid 1px #303030;
     color: #999 !important;
   nav.navbar.navbar-inverse .dropdown .megamenu-content .col-menu.on:last-child .title{
     border-bottom: solid 1px #303030;
  nav.navbar.navbar-inverse .dropdown-tabs .tab-menu > ul{
```

```
border-top: solid 1px #303030;
  }
   nav.navbar.navbar-inverse.navbar-mobile .navbar-collapse{
     background-color: #222;
  }
}
@media (max-width: 767px) {
   nav.navbar.navbar-inverse.navbar-mobile ul.nav{
     border-top: solid 1px #222;
  }
}
.arrow::before{
   font-family: 'FontAwesome';
   content: "\f0d7";
   margin-left: 5px;
   margin-top: 2px;
   border: none;
   display: inline-block;
   vertical-align: inherit;
   position: absolute;
   right: 10px;
   top: 28px;
.dropdown-toggle::after{
   display: none;
nav.navbar.bootsnav ul.navbar-nav li.dropdown ul.dropdown-menu li a{
   display: block;
nav.navbar.bootsnav li.dropdown ul.dropdown-menu{
   border: solid 1px #e0e0e0;
   left: auto;
}
.btn-cart{
.cart-list h6 a{
   font-size: 16px;
   font-weight: 700;
.cart-list h6 a:hover{
   color: #d33b33;
ul.cart-list p .price{
   font-weight: normal;
.col-menu .title{
   font-size: 20px;
   font-weight: 700;
```

```
text-transform: uppercase;
}
.hvr-hover{
  display: inline-block;
  vertical-align: middle;
  -webkit-transform: perspective(1px) translateZ(0);
  transform: perspective(1px) translateZ(0);
  box-shadow: 0 0 1px rgba(0, 0, 0, 0);
  position: relative;
  background: #d33b33;
  -webkit-transition-property: color;
  transition-property: color;
  -webkit-transition-duration: 0.3s;
  transition-duration: 0.3s;
  border-radius: 0;
  box-shadow: none;
.hvr-hover::after {
  content: "";
  position: absolute;
  z-index: -1;
  top: 0;
  bottom: 0;
  left: 0;
  right: 0;
  background: #010101;
  -webkit-transform: scaleY(0);
  transform: scaleY(0);
  -webkit-transform-origin: 50%;
  transform-origin: 50%;
  -webkit-transition-property: transform;
  transition-property: transform;
  -webkit-transition-duration: 0.3s;
  transition-duration: 0.3s;
  -webkit-transition-timing-function: ease-out;
  transition-timing-function: ease-out;
.hvr-hover:hover::after{
  -webkit-transform: scaleY(1);
  transform: scaleY(1);
  color: #ffffff;
.hvr-hover{
ul.cart-list > li.total > .btn:hover{
  color: #ffffff;
}
.cart-box{
```

```
margin-top: 40px;
  background: #ffffff;
}
.main-header.fixed-menu {
  position: fixed;
  visibility: hidden;
  left: 0px;
  top: 0px;
  width: 100%;
  padding: 0px 0px;
  background: #ffffff;
  z-index: 0;
  transition: all 500ms ease;
  -moz-transition: all 500ms ease;
  -webkit-transition: all 500ms ease;
  -ms-transition: all 500ms ease;
  -o-transition: all 500ms ease;
  z-index: 999;
  opacity: 1;
  visibility: visible;
  -ms-animation-name: fadeInDown;
  -moz-animation-name: fadeInDown;
  -op-animation-name: fadeInDown;
  -webkit-animation-name: fadeInDown;
  animation-name: fadeInDown;
  -ms-animation-duration: 500ms:
  -moz-animation-duration: 500ms;
  -op-animation-duration: 500ms;
  -webkit-animation-duration: 500ms;
  animation-duration: 500ms;
  -ms-animation-timing-function: linear;
  -moz-animation-timing-function: linear;
  -op-animation-timing-function: linear;
  -webkit-animation-timing-function: linear;
  animation-timing-function: linear;
  -ms-animation-iteration-count: 1;
  -moz-animation-iteration-count: 1;
  -op-animation-iteration-count: 1;
  -webkit-animation-iteration-count: 1;
  animation-iteration-count: 1;
.main-header.fixed-menu {
  padding: 0px;
  box-shadow: 0 0 8px 0 rgba(0,0,0,.12);
  border-radius: 0;
.top-search .input-group-addon{
  line-height: 40px;
```

```
.top-search input.form-control{
  color: #ffffff;
    ------ Slider -------
.cover-slides{
  height: 100vh;
}
.slides-navigation a {
  background: #d33b33;
  position: absolute;
  height: 70px;
  width: 70px;
  top: 50%;
  font-size: 20px;
  display: block;
  color: #fff;
  line-height: 90px;
  text-align: center;
  transition: all .3s ease-in-out;
.slides-navigation a i{
  font-size: 40px;
.slides-navigation a:hover {
  background: #010101;
.cover-slides .container{
  height: 100%;
  position: relative;
  z-index: 2;
.cover-slides .container > .row {
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
.cover-slides .container > .row {
  height: 100%;
.overlay-background {
  background: #333;
  position: absolute;
  height: 100%;
  width: 100%;
  left: 0;
  top: 0;
```

```
opacity: 0.5;
}
.cover-slides h1{
  font-family: 'Montserrat', sans-serif;
  font-weight: 500;
  font-size: 64px;
  color: #fff;
.cover-slides p{
  font-size: 18px;
  color: #fff;
  padding-bottom: 30px;
.slides-pagination a{
  border: 2px solid #ffffff;
.slides-pagination a.current{
  background: #d33b33;
  border: 2px solid #d33b33;
}
.cover-slides p a{
  font-size: 24px;
  color: #ffffff;
  border: none;
  text-transform: uppercase;
  padding: 10px 20px;
/*------ Categories Shop ------
*/
.categories-shop{
  padding: 70px 0px;
.shop-cat-box{
  height: 500px;
  margin-bottom: 30px;
  position: relative;
  padding: 3px;
  overflow: hidden;
  border: 1px solid #010101;
  -webkit-transition: background 0.4s 0.5s;
  transition: background 0.4s 0.5s;
.shop-cat-box img{
  margin: -10px 0 0 -10px;
  max-width: none;
  width: -webkit-calc(100\% + 10px);
  width: calc(100\% + 10px);
  opacity: 0.9;
```

```
-webkit-transition: opacity 0.35s, -webkit-transform 0.35s;
  transition: opacity 0.35s, transform 0.35s;
  -webkit-transform: translate3d(10px,10px,0);
  transform: translate3d(10px,10px,0);
  -webkit-backface-visibility: hidden;
  backface-visibility: hidden;
.shop-cat-box:hover img{
  opacity: 0.6;
  -webkit-transform: translate3d(0,0,0);
  transform: translate3d(0,0,0);
.shop-cat-box a{
  position: absolute;
  z-index: 2;
  bottom: 0px;
  left: 0px;
  right: 0;
  margin: 0 auto;
  text-align: center;
  border: none;
  color: #ffffff;
  font-size: 18px;
  font-weight: 700;
  padding: 8px 0px;
     ------ Products ------
---*/
.title-all{
  margin-bottom: 30px;
}
.title-all h1{
  font-size: 32px;
  font-weight: 700;
  color: #010101;
.title-all p{
  color: #999999;
  font-size: 16px;
.products-box{
  padding: 70px 0px;
.special-menu{
  margin-bottom: 40px;
}
.filter-button-group{
  display: inline-block;
```

```
.filter-button-group button{
   background: #d33b33;
   color: #ffffff;
   border: none;
   cursor: pointer;
   padding: 5px 30px;
   font-size: 18px;
.filter-button-group button.active{
   background: #010101;
.filter-button-group button{
.products-single {
   overflow: hidden;
   position: relative;
   margin-bottom: 30px;
.products-single .box-img-hover{
   overflow: hidden;
   position: relative;
   height: 300px;
}
.box-img-hover img{
   margin: 0 auto;
   text-align: center;
   display: block;
.type-lb{
   position: absolute;
   top: 0px;
   right: 0px;
   z-index:8;
.type-lb .sale{
   background: red;
   color: #ffffff;
   padding: 2px 10px;
   font-weight: 700;
   text-transform: uppercase;
.type-lb .new{
   background: #010101;
   color: #ffffff;
   padding: 2px 10px;
   font-weight: 700;
   text-transform: uppercase;
```

```
.why-text{
  background: #f5f5f5;
  padding: 15px;
.why-text h4{
  font-size: 16px;
  font-weight: 700;
  padding-bottom: 15px;
.why-text h5{
  font-size: 18px;
  font-family: 'Montserrat', sans-serif;
  padding: 0px;
  font-weight: 600;
.mask-icon{
  width: 100%;
  height: 100%;
  position: absolute;
  overflow: hidden;
  top: 0;
  left: 0;
}
.mask-icon ul{
  display: inline-block;
}
.mask-icon ul li{
  background: #d33b33;
.mask-icon ul li a{
  color: #ffffff;
  padding: 5px 10px;
  display: block;
.mask-icon a.cart{
  background: #d33b33;
  position: absolute;
  bottom: 0;
  right: 0px;
  padding: 10px 20px;
  font-weight: 700;
  color: #ffffff;
.mask-icon a.cart:hover{
  background: #010101;
  color: #ffffff;
```

```
.mask-icon ul li a:hover{
  background: #010101;
  color: #ffffff;
.products-single .mask-icon{
  background: rgba(1,1,1,0.5);
  top: -100%;
  -ms-filter: "progid: DXImageTransform.Microsoft.Alpha(Opacity=0)";
  filter: alpha(opacity=0);
  opacity: 0;
  -webkit-transition: all 0.3s ease-out 0.5s;
  -moz-transition: all 0.3s ease-out 0.5s;
  -o-transition: all 0.3s ease-out 0.5s;
  -ms-transition: all 0.3s ease-out 0.5s;
  transition: all 0.3s ease-out 0.5s;
.products-single:hover .mask-icon{
  -ms-filter: "progid: DXImageTransform.Microsoft.Alpha(Opacity=100)";
  filter: alpha(opacity=100);
  opacity: 1;
  top: 0px;
  -webkit-transition-delay: 0s;
  -moz-transition-delay: 0s;
  -o-transition-delay: 0s;
  -ms-transition-delay: 0s;
  transition-delay: 0s;
  -webkit-animation: bounceY 0.9s linear;
  -moz-animation: bounceY 0.9s linear:
  -ms-animation: bounceY 0.9s linear;
  animation: bounceY 0.9s linear;
@keyframes bounceY {
  0% {
    transform: translateY(-205px);
 }
  40% {
    transform: translateY(-100px);
 }
  65% {
    transform: translateY(-52px);
 }
  82% {
    transform: translateY(-25px);
 }
  92% {
    transform: translateY(-12px);
  55%, 75%, 87%, 97%, 100% {
```

```
transform: translateY(0px);
  }
}
@-moz-keyframes bounceY {
  0% {
     -moz-transform: translateY(-205px);
  }
  40% {
     -moz-transform: translateY(-100px);
  }
  65% {
     -moz-transform: translateY(-52px);
  }
  82% {
     -moz-transform: translateY(-25px);
  92% {
     -moz-transform: translateY(-12px);
  55%, 75%, 87%, 97%, 100% {
     -moz-transform: translateY(0px);
@-webkit-keyframes bounceY {
     -webkit-transform: translateY(-205px);
  }
  40% {
     -webkit-transform: translateY(-100px);
  }
  65% {
     -webkit-transform: translateY(-52px);
  82% {
     -webkit-transform: translateY(-25px);
  92% {
     -webkit-transform: translateY(-12px);
  55%, 75%, 87%, 97%, 100% {
     -webkit-transform: translateY(0px);
  }
.latest-blog{
  padding: 70px 0px;
  background: #f5f5f5;
.blog-box{
```

```
-webkit-box-shadow: 0px 5px 35px 0px rgba(148, 146, 245, 0.15);
   box-shadow: 0px 5px 35px 0px rgba(148, 146, 245, 0.15);
   background: #ffffff;
   margin-bottom: 30px;
.blog-content{
   position: relative;
.title-blog{
   padding: 30px 15px 30px 45px;
.title-blog h3{
   font-size: 20px;
   font-weight: 700;
   color: #010101;
.title-blog p{
   margin: 0px;
.option-blog {
   position: absolute;
   top: 0px;
   left: 0px;
   top: 50%;
   transform: translate(0%,-50%);
.option-blog li a{
   background: #010101;
   display: inline-block;
   font-size: 18px;
   color: #ffffff;
   width: 34px;
   height: 34px;
   text-align: center;
   line-height: 34px;
.option-blog li a:hover{
   background: #d33b33;
   color: #ffffff;
}
.tooltip-inner {
   background-color: #d33b33;
}
.tooltip.bs-tooltip-right .arrow:before {
   border-right-color: #d33b33 !important;
   padding-top: 0px !important;
   top: 0px !important;
```

```
.tooltip.bs-tooltip-left .arrow:before {
  border-right-color: #d33b33 !important;
}
.tooltip.bs-tooltip-bottom .arrow:before {
  border-right-color: #d33b33 !important;
}
.tooltip.bs-tooltip-top .arrow:before {
  border-right-color: #d33b33 !important;
}
/*----- Instagram Feed ------
*/
.instagram-box{
  padding: 70px 0px;
  background: url(../images/ins-bg.jpg) no-repeat center center;
  background-size: auto auto;
  -webkit-background-size: cover;
  -moz-background-size: cover;
  -ms-background-size: cover;
  -o-background-size: cover;
  background-size: cover;
  position: relative;
.instagram-box::before{
  background: rgba(0,0,0,0.9);
  width: 100%;
  height: 100%;
  left: 0px;
  top: 0px;
  content: "";
  position: absolute;
  z-index: 0;
.main-instagram.owl-carousel .owl-nav button.owl-prev{
  background: #010101;
  position: absolute;
  z-index: 1;
  display: block;
  height: 100%;
  width: 50px;
  line-height: 0px;
  font-size: 24px;
  cursor: pointer;
  color: #ffffff;
  top: 0;
  padding: 0;
  margin-top: 0;
  opacity: 1;
  left: 0px;
```

```
-webkit-transition: all 0.3s ease;
   -o-transition: all 0.3s ease;
   transition: all 0.3s ease;
.main-instagram.owl-carousel .owl-nav button.owl-next{
   background: #010101;
   position: absolute;
   z-index: 1;
   display: block;
   height: 100%;
   width: 50px;
   line-height: 0px;
   font-size: 24px;
   cursor: pointer;
   color: #ffffff;
   top: 0;
   padding: 0;
   margin-top: 0;
   opacity: 1;
   right: 0px;
   -webkit-transition: all 0.3s ease;
   -o-transition: all 0.3s ease;
   transition: all 0.3s ease;
}
.main-instagram.owl-carousel .owl-nav button.owl-next:hover, .main-instagram.owl-carousel .owl-nav button.owl-
prev:hover{
   background: #d33b33;
.ins-inner-box{
   position: relative;
}
.hov-in{
   opacity: 0;
   background: rgba(211,59,51, 0.5);
   bottom: -100%;
   position: absolute;
   width: 100%;
   height: 100%;
   -webkit-transition: all 0.3s ease-out 0.5s;
   -moz-transition: all 0.3s ease-out 0.5s;
   -o-transition: all 0.3s ease-out 0.5s:
   -ms-transition: all 0.3s ease-out 0.5s;
   transition: all 0.3s ease-out 0.5s;
   text-align: center;
   display: table;
}
.hov-in a{
   display: table-cell;
```

```
vertical-align: middle;
  height: 100%;
}
.hov-in i{
  color: #010101;
  font-size: 48px;
  position: relative;
  z-index: 2;
}
.hov-in a i:hover{
  color: #ffffff;
}
.ins-inner-box:hover .hov-in{
  bottom: 0;
  opacity: 1;
/*------ Footer Main ------
*/
.footer-main{
  padding: 70px 0px;
  background: #202020;
.footer-widget h4 {
  color: #ffffff;
  font-size: 16px;
  text-transform: uppercase;
  letter-spacing: 2px;
  margin-bottom: 20px;
  position: relative;
  font-weight: 700;
.footer-widget h4::before {
  border-bottom: 3px solid #d33b33;
  content: "";
  height: 3px;
  width: 100%;
  position: absolute;
  bottom: 3px;
  left: 0px;
.footer-widget p {
  color: #ccccc;
  font-weight: 400;
  font-size: 14px;
  padding-bottom: 20px;
.footer-widget ul{
  display: inline-block;
```

```
.footer-widget ul li {
  float: left;
  margin-right: 5px;
.footer-widget ul li a {
  color: #ffffff;
  display: inline-block;
  width: 36px;
  height: 36px;
  border: 2px solid #ffffff;
  text-align: center;
  line-height: 32px;
.footer-widget ul li a:hover {
  color: #d33b33;
  border-color: #d33b33;
.footer-link{
.footer-link h4{
  color: #ffffff;
  font-size: 16px;
  text-transform: uppercase;
  letter-spacing: 2px;
  margin-bottom: 20px;
  position: relative;
  font-weight: 700;
.footer-link h4::before {
  border-bottom: 3px solid #d33b33;
  content: "";
  height: 3px;
  width: 100%;
  position: absolute;
  bottom: 3px;
  left: 0px;
.footer-link ul li {
  margin-right: 5px;
.footer-link ul li a {
  color: #ffffff;
  text-align: left;
  display: block;
  line-height: 32px;
  position: relative;
  padding-left: 15px;
```

```
transition: all .3s ease-in-out;
  -webkit-transition: all .3s ease-in-out;
  -moz-transition: all .3s ease-in-out;
  -o-transition: all .3s ease-in-out;
  -ms-transition: all .3s ease-in-out;
.footer-link ul li a::before {
  font-family: FontAwesome;
  content: "\f105";
  position: absolute;
  left: 5px;
  line-height: 30px;
  font-size: 16px;
  transition: all .3s ease-in-out;
  -webkit-transition: all .3s ease-in-out;
  -moz-transition: all .3s ease-in-out;
  -o-transition: all .3s ease-in-out;
  -ms-transition: all .3s ease-in-out;
.footer-link ul li a:hover::before {
  left: 5px;
.footer-link ul li a:hover {
  color: #d33b33:
  border-color: #d33b33;
  padding-left: 20px;
.footer-link-contact h4{
  color: #ffffff;
  font-size: 16px;
  text-transform: uppercase;
  letter-spacing: 2px;
  margin-bottom: 20px;
  position: relative;
  font-weight: 700;
.footer-link-contact h4::before {
  border-bottom: 3px solid #d33b33;
  content: "";
  height: 3px;
  width: 100%;
  position: absolute;
  bottom: 3px;
  left: 0px;
.footer-link-contact ul li{
  margin-bottom: 12px;
```

```
.footer-link-contact ul li i{
  position: absolute;
  left: 0;
  top: 5px;
  padding-right: 6px;
.footer-link-contact ul li p{
  padding-left: 25px;
  color: #ccccc;
  position: relative;
.footer-link-contact ul li p{
  font-size: 16px;
  color: #ccccc;
  font-weight: 300;
  padding-right: 16px;
  line-height: 24px;
.footer-link-contact ul li p a{
  color: #ccccc;
}
.footer-link-contact ul li p a:hover{
  color: #d33b33;
}
.footer-copyright{
  background: #2c2c2c;
  padding: 20px 0px;
  position: relative;
.footer-copyright p {
  text-align: center;
  color: #ffffff;
  font-size: 16px;
.footer-copyright p a{
  color: #ffffff;
.footer-copyright p a:hover{
  color: #d33b33;
   ------ All Pages -------
----*/
.all-title-box{
  background: url("../images/all-bg-title.jpg") no-repeat center center;
  -webkit-background-size: cover;
  -moz-background-size: cover;
  -ms-background-size: cover;
  -o-background-size: cover;
```

```
background-size: cover;
   text-align: center;
   background-attachment: fixed;
   padding: 70px 0px;
   position: relative;
}
.all-title-box::before{
   background: rgba(0,0,0,0.6);
   content: "";
   position: absolute;
   z-index: 0;
   width: 100%;
   height: 100%;
   left: 0px;
   top: 0px;
.all-title-box h2{
   font-size: 28px;
   font-weight: 700;
   color: #ffffff;
   padding-bottom: 30px;
.all-title-box .breadcrumb{
   background: #d33b33;
   margin: 0px;
   display: inline-block;
   border-radius: 0px;
.all-title-box .breadcrumb li{
   display: inline-block;
   color: #010101;
   font-size: 16px;
.all-title-box .breadcrumb li a{
   color: #ffffff;
   font-size: 16px;
.all-title-box .breadcrumb-item + .breadcrumb-item::before{
   color: #010101;
}
.about-box-main{
   padding: 70px 0px;
}
.noo-sh-title{
   font-size: 28px;
   text-transform: uppercase;
   font-style: italic;
   font-weight: 700;
```

```
.about-box-main p{
  padding-bottom: 20px;
.service-block-inner {
  padding: 15px 20px;
  position: relative;
  margin-bottom: 30px;
.service-block-inner::before {
  content: "";
  width: 5px;
  height: 100%;
  border-radius: 0px;
  background: #010101;
  position: absolute;
  top: 0;
  left: 0;
  transition: all 0.5s ease 0s;
.service-block-inner::after {
  content: "";
  width: 5px;
  height: 0;
  border-radius: 0px;
  background: #d33b33;
  position: absolute;
  top: 0;
  left: 0;
  transition: all 0.5s ease 0s;
.service-block-inner h3 {
  font-size: 24px;
  text-transform: uppercase;
  font-weight: 600;
.service-block-inner p {
  margin: 0px;
  font-size: 16px;
  font-weight: 300;
  padding-bottom: 0px;
.service-block-inner:hover::after {
  height: 100%;
.our-team{
  box-shadow: 0 0 0 rgba(0, 0, 0, 0.3);
  overflow: hidden:
```

```
position: relative;
   transition: all 0.3s ease 0s;
}
.our-team:hover{
   box-shadow: 0 0 10px rgba(0, 0, 0, 0.2);
}
.our-team img{
   width: 100%;
   height: auto;
   transition: all 0.3s ease-in-out 0s;
.our-team:hover img{
   opacity: 0.5;
.our-team .team-content{
   color: #000;
   opacity: 0;
   position: absolute;
   bottom: 30px;
   left: 40px;
   transform: translate(-10px, 0px);
   transition: all 0.3s ease 0s;
.our-team:hover .team-content{
   opacity: 1;
   transform: translate(20px, 0px);
   transition-delay: 0.2s;
.our-team .title{
   display: block;
   font-size: 20px;
   font-weight: 700;
   margin: 0 0 7px 0;
}
.our-team .post{
   display: block;
   font-size: 15px;
.our-team .social{
   list-style: none;
   padding: 0;
   margin: 0;
   width: 35px;
   text-align: center;
   opacity: 0;
   position: absolute;
   bottom: 35px;
   transition: all 0.3s ease 0s;
```

```
.our-team:hover .social{
  opacity: 1;
.our-team .social li{
  display: block;
.our-team .social li a{
  display: inline-block;
  width: 35px;
  height: 35px;
  line-height: 35px;
  background: #010101;
  font-size: 17px;
  color: #fff;
  opacity: 0.9;
  position: relative;
  transform: translate(-35px, 35px);
  transition: all 0.3s ease-in-out 0s
.our-team .social li a:hover{
  width: 40px;
  background: #d33b33;
  transition-delay: 0s;
.our-team .icon{
  width: 35px;
  height: 35px;
  line-height: 35px;
  background: #d33b33;
  text-align: center;
  color: #fff;
  position: absolute;
  bottom: 0;
.team-description{
  padding: 20px 0px;
.team-description p{
  font-size: 14px;
  margin: 0px;
.hover-team:hover .team-content{
  opacity: 1;
  transform: translate(20px, 0px);
  transition-delay: 0.2s;
.hover-team:hover .social{
```

```
opacity: 1;
.hover-team:hover .social li:nth-child(1) a{
  transition-delay: 0.3s;
.hover-team:hover .social li:nth-child(2) a{
  transition-delay: 0.2s;
.hover-team:hover .social li:nth-child(3) a{
   transition-delay: 0.1s;
.hover-team:hover .social li:nth-child(4) a{
  transition-delay: 0.0s;
.hover-team:hover .social li a{
  transform: translate(0, 0)
.hover-team:hover img{
  opacity: 0.5;
.hover-team .team-content .title{
  border-bottom: 2px solid #d33b33;
}
.shop-box-inner{
  padding: 70px 0px;
.search-product {
  position: relative;
.search-product input[type="text"] {
  background: #f6f6f6;
  border: 0;
  box-shadow: none;
  border-radius: 0;
  color: #000;
  height: 50px;
  font-weight: 300;
  font-size: 16px;
  margin-bottom: 15px;
  padding: 0 20px;
  -webkit-transition: all .5s ease;
  -moz-transition: all .5s ease;
  transition: all .5s ease;
  width: 100%;
  outline: 0;
.search-product .form-control::-moz-placeholder {
  color: #000000;
```

```
opacity: 1;
}
.search-product button {
   background: #010101;
   color: #ffffff;
   font-size: 18px;
   position: absolute;
   right: 0px;
   padding: 12px 15px;
   top: 0;
   line-height: 27px;
   border: none;
   cursor: pointer;
   height: 100%;
.search-product button:hover{
   background: #d33b33;
}
.filter-sidebar-left{
   margin-bottom: 20px;
}
.title-left{
   font-size: 16px;
   border-bottom: 3px solid #010101;
   margin-bottom: 20px;
.title-left h3{
   font-weight: 700;
.list-group-item {
   border: none;
   padding: 5px 20px;
   font-size: 14px;
}
.text-muted {
   padding: 10px 0px;
.list-group-item[data-toggle="collapse"]::after {
   width: 0;
   height: 0;
   position: absolute;
   top: calc(50% - 12px);
   right: 10px;
   content: ";
   -webkit-transition: top .2s,-webkit-transform .2s;
   transition: top .2s,-webkit-transform .2s;
   transition: transform .2s,top .2s;
   transition: transform .2s,top .2s,-webkit-transform .2s;
```

```
font-family: FontAwesome;
  content: "\f105";
}
.list-group-tree .list-group-collapse .list-group {
  margin-left: 25px;
  border-left: 1px solid #ced4da;
.list-group-tree .list-group-item.active {
  color: #d33b33;
  background-color: #fff;
  font-weight: 700;
.list-group-tree .list-group-collapse .list-group > .list-group-item::before {
  position: absolute;
  top: 14px;
  left: 0;
  content: ";
  width: 8px;
  height: 1px;
  background-color: #ced4da;
.list-group-tree .list-group-item:hover {
  color: #d33b33;
  background-color: #fff;
  outline: 0;
  font-weight: 700;
}
.filter-price-left{
  margin-bottom: 20px;
}
#slider-range .ui-slider-handle {
  background-color: #d33b33;
  border: 2px solid #fff;
  border-radius: 50%;
  cursor: pointer;
  height: 21px;
  top: -6px;
  transition: none 0s ease 0s;
  width: 21px;
  box-shadow: 0px 0px 6.65px 0.35px rgba(0,0,0,0.15);
#slider-range .ui-slider-range {
  background-color: #d33b33;
  border-radius: 0;
#slider-range {
  background: #010101;
  border: medium none;
```

```
border-radius: 50px;
  float: left;
  height: 10px;
  margin-top: 14px;
  width: 100%;
.price-box-slider p{
  clear: both;
  margin-top: 20px;
  display: inline-block;
  width: 100%;
.price-box-slider p input{
  margin-top: 5px;
.price-box-slider p button{
  border: none;
  color: #ffffff;
  float: right;
.brand-box {
  display: inline-block;
  width: 100%;
  height: 259px;
  position: relative;
.product-item-filter{
  border-bottom: 1px solid #010101;
  border-top: 1px solid #010101;
  display: -webkit-box;
  display: -ms-flexbox;
  display: -webkit-flex;
  display: flex;
  -webkit-box-pack: justify;
  -ms-flex-pack: justify;
  -webkit-justify-content: space-between;
  justify-content: space-between;
  padding: 5px 0;
.nice-select.wide{
  width: 75%;
.product-item-filter .toolbar-sorter-right span{
  line-height: 42px;
  padding-right: 15px;
  float: left;
.product-item-filter .toolbar-sorter-right{
```

```
width: 65%;
}
.toolbar-sorter-right{
   float: left;
.toolbar-sorter-right .bootstrap-select.form-control:not([class*="col-"]){
   width: 77%;
   float: right;
. to olbar-sorter-right\ . bootstrap-select. btn-group > . dropdown-toggle \{
   padding: 0px;
   border-radius: 0px;
   border: none;
.toolbar-sorter-right .bootstrap-select.btn-group .dropdown-toggle .filter-option{
   padding-left: 15px;
. to olbar-sorter-right \ . btn-light \{
   background: #010101;
   color: #ffffff;
}
.toolbar-sorter-right .btn-light:hover{
   background: #d33b33;
   border-radius: 0px;
   border: none;
.toolbar-sorter-right .show > .btn-light.dropdown-toggle{
   background-color: #d33b33;
.toolbar-sorter-right .bootstrap-select .dropdown-toggle:focus{
   background: #d33b33;
.toolbar-sorter-right .dropup .dropdown-toggle::after{
   position: absolute;
   right: 15px;
   top: 18px;
.product-item-filter p{
   float: right;
   line-height: 42px;
.product-item-filter .nav-tabs{
   border: none;
   float: right;
.nav > li {
   position: inherit;
   display: inline-block;
```

```
vertical-align: middle;
}
.product-item-filter li .nav-link {
   border: none;
   border-radius: 0px;
   color: #111111;
   font-size: 18px;
   padding: 4px 12px;
.product-item-filter li .nav-link.active {
   background: #d33b33;
   border: none;
   color: #ffffff;
.product-item-filter li .nav-link:hover {
   background: #010101;
   border: none;
   color: #ffffff;
.product-categori{
   margin-bottom: 30px;
.product-categorie-box{
   margin-top: 20px;
.tab-content, .tab-pane{
   width: 100%;
.why-text.full-width h4 {
   font-size: 24px;
   font-weight: 700;
   padding-bottom: 15px;
.why-text.full-width h5 del{
   font-size: 13px;
   color: #666;
.why-text.full-width h5{
   color: #d33b33;
   font-weight: 700;
.why-text.full-width p{
   padding-bottom: 20px;
.why-text.full-width a{
   padding: 10px 20px;
   font-weight: 700;
   color: #ffffff;
```

```
border: none;
}
.list-view-box{
  margin-bottom: 30px;
.list-view-box:hover .mask-icon{
  -ms-filter: "progid: DXImageTransform.Microsoft.Alpha(Opacity=100)";
  filter: alpha(opacity=100);
  opacity: 1;
  top: 0px;
  -webkit-transition-delay: 0s;
  -moz-transition-delay: 0s;
  -o-transition-delay: 0s;
  -ms-transition-delay: 0s;
  transition-delay: 0s;
  -webkit-animation: bounceY 0.9s linear;
  -moz-animation: bounceY 0.9s linear;
  -ms-animation: bounceY 0.9s linear;
  animation: bounceY 0.9s linear;
.cart-box-main{
  padding: 70px 0px;
.table-main table thead{
  background: #d33b33;
  color: #ffffff;
}
.table-main .table thead th{
  font-size: 18px;
.table-main table td.thumbnail-img{
  width: 120px;
.table-main table td{
  vertical-align: middle;
  font-size: 16px;
.quantity-box input{
  width: 60px;
  border: 2px solid #010101;
  text-align: center;
.quantity-box input:focus{
  border-color: #d33b33;
.name-pr a{
  font-weight: 700;
  font-size: 18px;
```

```
color: #010101;
}
. remove‐pr\{\\
  text-align: center;
.coupon-box .input-group .form-control {
  min-height: 50px;
  border-radius: 0px;
  font-weight: 400;
  border: 1px solid #e8e8e8;
  box-shadow: none !important;
.coupon-box .input-group .form-control::-moz-placeholder{
  color: #010101;
}
.coupon-box .input-group .input-group-append .btn-theme {
  background: #010101;
  color: #ffffff;
  border: none:
  border-radius: 0px;
  font-size: 16px;
  padding: 0px 20px;
.coupon-box .input-group .input-group-append .btn-theme:hover {
  background: #d33b33;
.update-box input[type="submit"]{
  background: #010101;
  border: medium none;
  border-radius: 0;
  -webkit-box-shadow: none;
  box-shadow: none;
  color: #fff;
  display: inline-block;
  float: right;
  cursor: pointer;
  font-size: 16px;
  font-weight: 500;
  height: 50px;
  line-height: 40px;
  margin-right: 15px;
  padding: 0 20px;
  text-shadow: none;
  text-transform: uppercase;
  -webkit-transition: all 0.3s ease 0s;
  transition: all 0.3s ease 0s;
  white-space: nowrap;
  width: inherit:
```

```
.update-box input[type="submit"]:hover{
  background: #d33b33;
}
.order-box h3{
  font-size: 16px;
  color: #222222;
  font-weight: 700;
.order-box h4 {
  font-size: 16px;
  padding: 0px;
  line-height: 35px !important;
.order-box .font-weight-bold{
  font-size: 18px;
.gr-total h5 {
  font-weight: 700;
  color: #d33b33;
  font-size: 18px;
  margin: 0px;
  padding: 0px;
  line-height: 35px !important;
.gr-total .h5{
  margin: 0px;
  font-weight: 700;
  line-height: 35px;
.my-account-box-main{
  padding: 70px 0px;
.shopping-box a{
  font-size: 18px;
  color: #ffffff;
  border: none;
  padding: 10px 20px;
.payment-icon {
  display: inline-block;
  padding: 10px 0px;
.payment-icon ul li {
  width: 20%;
  float: left;
.needs-validation label {
```

```
font-size: 16px;
  margin-bottom: 0px;
  line-height: 24px;
.needs-validation .form-control {
  min-height: 40px;
  border-radius: 0px;
  border: 1px solid #e8e8e8;
  box-shadow: none !important;
  font-size: 14px;
.needs-validation .form-control:focus {
  border: 1px solid #d33b33 !important;
.review-form-box .form-control{
  min-height: 40px;
  border-radius: 0px;
  border: 1px solid #e8e8e8;
  box-shadow: none !important;
  font-size: 14px;
}
. custom\text{-}checkbox \ . custom\text{-}control\text{-}input\text{:}checked \sim . custom\text{-}control\text{-}label\text{:}:before \ \{
  background-color: #d33b33;
  box-shadow: none;
.custom-radio .custom-control-input:checked ~ .custom-control-label::before {
  background-color: #d33b33;
  box-shadow: none:
.new-account-login h5 {
  font-size: 18px;
  color: #1111111;
  font-weight: 600;
}
.new-account-login h5 a:hover{
  color: #d33b33;
.review-form-box button{
  padding: 10px 20px;
  color: #ffffff;
  font-size: 18px;
  border: none;
}
.wide.w-100{
  min-height: 40px;
  border: 1px solid #e8e8e8;
.wide.w-100 option{
```

```
min-height: 40px;
.custom-control-input:focus ~ .custom-control-label::before{
  box-shadow: none;
.odr-box a {
  font-size: 18px;
  color: #111111;
  font-weight: 700;
.account-box{
  text-align: center;
  background: #ffffff;
  padding: 30px;
  border: 1px solid #010101;
.bottom-box {
  border-top: 1px solid #eee;
  margin-bottom: 30px;
  margin-top: 30px;
  padding-top: 15px;
.bottom-box .account-box {
  min-height: 205px;
.account-box {
  border: 2px solid #010101;
  margin-top: 15px;
.my-account-page a{
  color: #010101;
.my-account-page a:hover{
  color: #d33b33;
.service-icon i{
  font-size: 34px;
.my-account-page a:hover i{
.service-desc p{
  font-size: 16px;
}
.service-desc h4{
  text-decoration: underline;
  font-size: 18px;
  font-weight: 700;
```

```
.service-icon a{
  background: rgba(0, 53, 68, 0.9);
  -webkit-transition: -webkit-transform ease-out 0.1s, background 0.2s;
  -moz-transition: -moz-transform ease-out 0.1s, background 0.2s;
  transition: transform ease-out 0.1s, background 0.2s;
}
.service-icon a{
  display: inline-block;
  font-size: 0px;
  cursor: pointer;
  margin: 15px 0px;
  width: 90px;
  height: 90px;
  line-height: 110px;
  border-radius: 50%;
  text-align: center;
  position: relative;
  z-index: 1;
  color: #ffffff;
.service-icon a::after {
  pointer-events: none;
  position: absolute;
  width: 100%;
  height: 100%;
  border-radius: 50%;
  content: ";
  -webkit-box-sizing: content-box;
  -moz-box-sizing: content-box;
  box-sizing: content-box;
  content: "";
  top: 0;
  left: 0;
  padding: 0;
  z-index: -1;
  box-shadow: 0 0 0 2px rgba(255,255,255,0.1);
  opacity: 0;
  -webkit-transform: scale(0.9);
  -moz-transform: scale(0.9);
  -ms-transform: scale(0.9);
  transform: scale(0.9);
.service-icon a:hover::after{
  -webkit-animation: sonarEffect 1.3s ease-out 75ms;
  -moz-animation: sonarEffect 1.3s ease-out 75ms;
  animation: sonarEffect 1.3s ease-out 75ms:
.service-icon a:hover{
```

```
background: rgba(251, 183, 20, 1);
  -webkit-transform: scale(0.93);
  -moz-transform: scale(0.93);
  -ms-transform: scale(0.93);
  transform: scale(0.93);
  color: #fff;
@-webkit-keyframes sonarEffect {
  0% {
    opacity: 0.3;
 }
  40% {
    opacity: 0.5;
    box-shadow: 0 0 0 2px rgba(0, 53, 68, 0.1), 0 0 10px 10px #d33b33, 0 0 0 10px rgba(0, 53, 68, 0.5);
 }
  100% {
    box-shadow: 0 0 0 2px rgba(0, 53, 68, 0.1), 0 0 10px 10px #d33b33, 0 0 0 10px rgba(0, 53, 68, 0.5);
    -webkit-transform: scale(1.5);
    opacity: 0;
 }
@-moz-keyframes sonarEffect {
  0% {
    opacity: 0.3;
  40% {
    opacity: 0.5;
    box-shadow: 0 0 0 2px rgba(0, 53, 68, 0.1), 0 0 10px 10px #d33b33, 0 0 0 10px rgba(0, 53, 68, 0.5);
 }
  100% {
    box-shadow: 0 0 0 2px rgba(0, 53, 68, 0.1), 0 0 10px 10px #d33b33, 0 0 0 10px rgba(0, 53, 68, 0.5);
    -moz-transform: scale(1.5);
    opacity: 0;
 }
@keyframes sonarEffect {
  0% {
    opacity: 0.3;
 }
  40% {
    opacity: 0.5;
    box-shadow: 0 0 0 2px rgba(0, 53, 68, 0.1), 0 0 10px 10px #d33b33, 0 0 0 10px rgba(0, 53, 68, 0.5);
 }
  100% {
    box-shadow: 0 0 0 2px rgba(0, 53, 68, 0.1), 0 0 10px 10px #3851bc, 0 0 0 10px rgba(0, 53, 68, 0.5);
    transform: scale(1.5);
    opacity: 0;
```

```
.add-pr a{
   padding: 10px 20px;
   font-weight: 700;
   color: #ffffff;
   border: none;
.wishlist-box-main{
   padding: 70px 0px;
.services-box-main{
   padding: 70px 0px;
.contact-box-main{
   padding: 70px 0px;
.contact-info-left{
   padding: 20px;
   background: rgba(0, 53, 68, 0.1);
.contact-info-left h2{
   font-size: 22px;
   font-weight: 700;
}
.contact-info-left p{
   margin-bottom: 15px;
}
.contact-info-left ul li{
   margin-bottom: 12px;
.contact-info-left ul li p{
   font-size: 16px;
   color: #222222;
   font-weight: 300;
   padding-right: 16px;
   padding-left: 25px;
   line-height: 24px;
   position: relative;
.contact-info-left ul li p i{
   position: absolute;
   left: 0;
   top: 5px;
   padding-right: 6px;
   color: #d33b33;
.contact-info-left ul li p a:hover{
   color: #d33b33;
```

```
}
.contact-form-right{
  padding: 20px;
.contact-form-right h2{
  font-size: 24px;
  font-weight: 700;
.contact-form-right p{
  margin-bottom: 15px;
.contact-form-right .form-group .form-control::-moz-placeholder{
  color: #999999;
.contact-form-right .form-group .form-control{
  border-radius: 0px;
  min-height: 40px;
}
.contact-form-right .form-group {
  margin-bottom: 30px;
  position: relative;
.contact-form-right .form-group .form-control:focus{
  border: 1px solid #d33b33;
  box-shadow: none;
.submit-button button{
  padding: 10px 20px;
  font-weight: 700;
  color: #ffffff;
  border: none;
.help-block.with-errors{
  position: absolute;
  right: 0;
  background: red;
  color: #fff;
  padding: 0px 15px;
.help-block ul li{
  color: #fff;
.shop-detail-box-main{
  padding: 70px 0px;
.single-product-slider .carousel-control-prev {
  bottom: auto;
  background: #111111;
```

```
width: 6%;
   padding: 10px 0;
   background-image: none;
   top: 40%;
.single-product-slider .carousel-control-next {
   bottom: auto;
   background: #111111;
   width: 6%;
   padding: 10px 0;
   background-image: none;
   top: 40%;
.single-product-slider .carousel-indicators li img {
   opacity: 0.5;
.single-product-slider .carousel-indicators li.active img {
   opacity: 1;
.carousel-indicators{
   position: relative;
   bottom: 0;
   background: #010101;
}
.carousel-indicators li{
   width: 30%;
   height: 100%;
   cursor: pointer;
.single-product-details h2{
   color: #010101;
   font-weight: 700;
   font-size: 24px;
.single-product-details h5 {
   color: #d33b33;
   font-weight: 700;
   font-size: 18px;
.single-product-details h5 del {
   font-size: 13px;
   color: #666;
}
.available-stock span {
   font-size: 15px;
}
.available-stock span a {
   color: #d33b33;
```

```
.single-product-details h4{
   font-size: 18px;
   font-weight: 700;
   margin-top: 20px;
.single-product-details p{
   font-size: 16px;
   margin-bottom: 20px;
.single-product-details ul{
   display: inline-block;
   width: 100%;
   border: 1px #010101 dashed;
   margin-bottom: 30px;
.single-product-details ul li{
   width: 50%;
   float: left;
   padding: 0px 15px;
.size-st .bootstrap-select > .dropdown-toggle.btn-light{
   background: #010101;
   border: none;
   border-radius: 0px;
   color: #ffffff;
}
.quantity-box input{
   width: 100%;
.price-box-bar{
   margin-bottom: 30px;
.price-box-bar a{
   padding: 10px 20px;
   font-weight: 700;
   color: #ffffff;
   border: none;
.add-to-btn .add-comp {
   float: left;
. add\text{-to-btn }. share\text{-bar } \{
   float: right;
.add-comp a{
   padding: 10px 20px;
   font-weight: 700;
```

```
color: #ffffff;
  border: none;
}
.share-bar{
.share-bar a {
  background: #d33b33;
  color: #ffffff;
  padding: 5px 10px;
  display: inline-block;
  width: 34px;
  text-align: center;
.share-bar a {
.featured-products-box{
. featured\text{-}products\text{-}box \ .owl\text{-}nav\{
  position: absolute;
  margin: 0 auto;
  left: 0;
  right: 0;
  bottom: -20px;
  text-align: center;
.featured-products-box .owl-nav button.owl-prev{
  background: #010101;
  color: #ffffff;
  width: 38px;
  height: 38px;
  text-align: center;
.featured-products-box .owl-nav button.owl-next{
  background: #010101;
  color: #ffffff;
  width: 38px;
  height: 38px;
  text-align: center;
.featured-products-box .owl-nav button.owl-prev:hover, .featured-products-box .owl-nav button.owl-next:hover{
  background: #d33b33;
.table-responsive .table td, .table-responsive .table th {
  vertical-align: middle;
  white-space: nowrap;
}
```

Form-process.php

```
<?php
$errorMSG = "";
// NAME
if (empty($_POST["name"])) {
  $errorMSG = "Name is required ";
} else {
  $name = $_POST["name"];
}
// EMAIL
if (empty($_POST["email"])) {
  $errorMSG .= "Email is required ";
} else {
  $email = $_POST["email"];
}
// Subject
if (empty($_POST["subject"])) {
  $errorMSG .= "Subject is required ";
} else {
  $subject = $_POST["guest"];
// MESSAGE
if (empty($_POST["message"])) {
  $errorMSG .= "Message is required ";
} else {
  $message = $_POST["message"];
$EmailTo = "armanmia7@gmail.com";
$Subject = "New Message Received";
// prepare email body text
$Body = "";
$Body .= "Name: ";
$Body .= $name;
Body := "\n";
$Body .= "Email: ";
$Body .= $email;
Body := "\n";
$Body .= "guest: ";
$Body .= $guest;
```

```
Body := "\n";
$Body .= "event: ";
$Body .= $event;
Body := "\n";
$Body .= "Message: ";
$Body .= $message;
Body := "\n";
// send email
$success = mail($EmailTo, $Subject, $Body, "From:".$email);
// redirect to success page
if ($success && $errorMSG == ""){
 echo "success";
}else{
  if($errorMSG == ""){
     echo "Something went wrong:(";
  } else {
     echo $errorMSG;
}
?>
```

Contact-us.html

```
<!DOCTYPE html>
<html lang="en">
<!-- Basic -->
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <!-- Mobile Metas -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!-- Site Metas -->
  <title>Book Hub</title>
  <meta name="keywords" content="">
  <meta name="description" content="">
  <meta name="author" content="">
  <!-- Site Icons -->
  k rel="shortcut icon" href="images/favicon.ico" type="image/x-icon">
  k rel="apple-touch-icon" href="images/apple-touch-icon.png">
```

```
<!-- Bootstrap CSS -->
  <link rel="stylesheet" href="css/bootstrap.min.css">
  <!-- Site CSS -->
  <link rel="stylesheet" href="css/style.css">
  <!-- Responsive CSS -->
  <link rel="stylesheet" href="css/responsive.css">
  <!-- Custom CSS -->
  <link rel="stylesheet" href="css/custom.css">
  <!--[if lt IE 9]>
   <script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
   <script src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>
  <![endif]-->
</head>
<body>
  <!-- Start Main Top -->
  <div class="main-top">
    <div class="container-fluid">
       <div class="row">
         <div class="col-lg-6 col-md-6 col-sm-12 col-xs-12">
            <div class="text-slid-box">
              <div id="offer-box" class="carouselTicker">
                 >
                      <i class="fab fa-opencart"></i> Off 10%! Shop Now Man
                   \langle li \rangle
                      <i class="fab fa-opencart"></i> 50% - 80% off on Fashion
                   \langle li \rangle
                      <i class="fab fa-opencart"></i> 20% off Entire Purchase Promo code: offT20
                   \langle li \rangle
                      <i class="fab fa-opencart"></i> Off 50%! Shop Now
                   \langle li \rangle
                      <i class="fab fa-opencart"></i> Off 10%! Shop Now Man
                   <i class="fab fa-opencart"></i> 50% - 80% off on Fashion
                   \langle li \rangle
                      <i class="fab fa-opencart"></i> 20% off Entire Purchase Promo code: offT20
                   \langle li \rangle
```

```
<i class="fab fa-opencart"></i> Off 50%! Shop Now
                  </div>
           </div>
         </div>
         <div class="col-lg-6 col-md-6 col-sm-12 col-xs-12">
           <div class="custom-select-box">
             <select id="basic" class="selectpicker show-tick form-control" data-placeholder="₹ IND">
             <option>₹ IND</option>
             <option>$ USD</option>
             <option>€ EUR</option>
           </select>
           </div>
           <div class="right-phone-box">
             Call US :- <a href="#"> +9619961580 </a>
           </div>
           <div class="our-link">
             \langle ul \rangle
               <a href="#">My Account</a>
               <
href="https://www.google.com/maps/d/u/0/viewer?msa=0\&ie=UTF8\&t=h\&vpsrc=6\&ll=19.165924000000018\%2C77.
71728500000002&spn=11.50114%2C21.621094&z=6&source=embed&mid=1DfFcv3jAM8NAeioBjW_CHwtKL3A"
>Our location</a>
               <a href="#">Contact Us</a>
             </111>
           </div>
         </div>
      </div>
    </div>
  </div>
  <!-- End Main Top -->
  <!-- Start Main Top -->
  <header class="main-header ">
    <!-- Start Navigation -->
    <nav class="navbar navbar-expand-lg navbar-light bg-light navbar-default bootsnav">
      <div class="container">
         <!-- Start Header Navigation -->
         <div class="navbar-header">
           <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbar-menu" aria-
controls="navbars-rs-food" aria-expanded="false" aria-label="Toggle navigation">
           <i class="fa fa-bars "></i>
         </button>
           <a class="navbar-brand" href="index.html"><img src="images/logo.jpg" width="120" height="70"
class="logo " alt=" "></a>
         </div>
```

```
<!-- End Header Navigation -->
     <!-- Collect the nav links, forms, and other content for toggling -->
     <div class="collapse navbar-collapse " id="navbar-menu ">
       class="nav-item"><a class="nav-link" href="index.html">Home</a>
         <!-- end col-3 -->
     </div>
     <!-- end row -->
     </11/>
     <a class="nav-link " href="#">Our Service</a>
     class="nav-item active "><a class="nav-link " href="contact-us.html ">Contact Us</a>
     </div>
   <!--/.navbar-collapse -->
   <!-- Start Atribute Navigation -->
   <div class="attr-nav">
     <111>
       cli class="search"><a href="#"><i class="fa fa-search"></i></a>
       cli class="side-menu">
         <a href="# ">
           <i class="fa fa-shopping-bag "></i>
           <span class="badge ">0</span>
         </a>
       </div>
   <!-- End Atribute Navigation -->
   </div>
   <!-- Start Side Menu -->
   <div class="side ">
     <a href="#" class="close-side"><i class="fa fa-times"></i></a>
     cli class="cart-box">
       </div>
   <!-- End Side Menu -->
 </nav>
 <!-- End Navigation -->
</header>
```

```
<!-- End Main Top -->
  <!-- Start Top Search -->
  <div class="top-search">
    <div class="container">
      <div class="input-group ">
         <span class="input-group-addon "><i class="fa fa-search "></i></span>
         <input type="text " class="form-control " placeholder="Search ">
         <span class="input-group-addon close-search "><i class="fa fa-times "></i></span>
      </div>
    </div>
  </div>
  <!-- End Top Search -->
  <!-- Start All Title Box -->
  <div class="all-title-box ">
    <div class="container">
      <div class="row ">
         <div class="col-lg-12">
           <h2>Contact Us</h2>
           <a href="#">Home</a>
             cli class="breadcrumb-item active"> Contact Us 
           </11/>
         </div>
      </div>
    </div>
  </div>
  <!-- End All Title Box -->
  <!-- Start Contact Us -->
  <div class="contact-box-main">
    <div class="container">
      <div class="row ">
         <div class="col-lg-4 col-sm-12">
           <div class="contact-info-left">
             <h2>CONTACT INFO</h2>
             When it comes to searching for books, there is only one place to turn to – Book Hub.We have a
veritable collection of books that span categories as diverse as you could possibly expect. From segments like
accountancy, to parenting
               and pregnancy, to banking and finance, to even topics on yoga and meditation – almost any category
you seek – you will find with us
             ul>
               i>
                  <i class="fas fa-map-marker-alt"></i>Address: A/303 Street: A/10, East West Indl Estate,
Andheri Kurla Rd., Mumbai <br/> Pin 400053 
               i>
```


```
<i class="fas fa-phone-square"></i>Phone: <a href="tel:+9619961580"></i>
">+9619961580</a>
                <
                  <i class="fas fa-envelope"></i>Email: <a href="pratiksha6037@gmail.com"></i>
">bookhub@gmail.com</a>
                </111>
           </div>
         </div>
         <div class="col-lg-8 col-sm-12">
           <div class="contact-form-right">
              <h2>GET IN TOUCH</h2>
             <form id="contactForm ">
                <div class="row ">
                  <div class="col-md-12">
                    <div class="form-group ">
                       <input type="text " class="form-control " id="name " name="name " placeholder="Your</pre>
Name "required data-error="Please enter your name ">
                       <div class="help-block with-errors "></div>
                    </div>
                  </div>
                  <div class="col-md-12">
                     <div class="form-group">
                       <input type="text " placeholder="Your Email " id="email " class="form-control "</pre>
name="name" required data-error="Please enter your email ">
                       <div class="help-block with-errors "></div>
                    </div>
                  </div>
                  <div class="col-md-12">
                    <div class="form-group ">
                       <input type="text " class="form-control " id="subject " name="name " placeholder="Subject "</pre>
required data-error="Please enter your Subject ">
                       <div class="help-block with-errors "></div>
                    </div>
                  </div>
                  <div class="col-md-12">
                    <div class="form-group ">
                       <textarea class="form-control" id="message" placeholder="Your Message " rows="4" data-
error="Write your message " required></textarea>
                       <div class="help-block with-errors "></div>
                    </div>
                     <div class="submit-button text-center">
                       <button class="btn hvr-hover" id="submit" type="submit">Send Message</button>
                       <div id="msgSubmit" class="h3 text-center hidden "></div>
                       <div class="clearfix "></div>
                     </div>
```


```
</div>
              </div>
           </form>
         </div>
      </div>
    </div>
  </div>
</div>
<!-- End Cart -->
<!-- Start Instagram Feed -->
<div class="instagram-box ">
  <div class="main-instagram owl-carousel owl-theme">
    <div class="item ">
       <div class="ins-inner-box ">
         <img src="images/instagram-img-01.jpg" alt=""/>
         <div class="hov-in">
           <a href="#"><i class="fab fa-instagram"></i></a>
         </div>
      </div>
    </div>
    <div class="item ">
      <div class="ins-inner-box ">
         <img src="images/instagram-img-02.jpg" alt=""/>
         <div class="hov-in">
           <a href="#"><i class="fab fa-instagram"></i></a>
         </div>
      </div>
    </div>
    <div class="item ">
      <div class="ins-inner-box ">
         <img src="images/instagram-img-03.jpg" alt=""/>
         <div class="hov-in ">
           <a href="#"><i class="fab fa-instagram"></i></a>
         </div>
      </div>
    </div>
    <div class="item ">
      <div class="ins-inner-box ">
         <img src="images/instagram-img-04.jpg" alt=""/>
         <div class="hov-in">
           <a href="#"><i class="fab fa-instagram"></i></a>
         </div>
      </div>
    </div>
    <div class="item ">
      <div class="ins-inner-box ">
         <img src="images/instagram-img-05.jpg" alt=""/>
```


```
<div class="hov-in">
           <a href="#"><i class="fab fa-instagram"></i></a>
         </div>
      </div>
    </div>
    <div class="item ">
      <div class="ins-inner-box ">
         <img src="images/instagram-img-06.jpg" alt=""/>
         <div class="hov-in">
           <a href="#"><i class="fab fa-instagram"></i></a>
         </div>
      </div>
    </div>
    <div class="item ">
      <div class="ins-inner-box ">
         <img src="images/instagram-img-07.jpg" alt=""/>
         <div class="hov-in">
           <a href="#"><i class="fab fa-instagram"></i></a>
         </div>
      </div>
    </div>
    <div class="item ">
      <div class="ins-inner-box ">
         <img src="images/instagram-img-08.jpg" alt=""/>
         <div class="hov-in">
           <a href="#"><i class="fab fa-instagram"></i></a>
         </div>
      </div>
    </div>
    <div class="item">
      <div class="ins-inner-box ">
         <img src="images/instagram-img-09.jpg" alt=""/>
         <div class="hov-in ">
           <a href="#"><i class="fab fa-instagram"></i></a>
         </div>
      </div>
    </div>
    <div class="item ">
      <div class="ins-inner-box ">
         <img src="images/instagram-img-05.jpg" alt=""/>
         <div class="hov-in">
           <a href="#"><i class="fab fa-instagram"></i></a>
         </div>
      </div>
    </div>
  </div>
</div>
<!-- End Instagram Feed -->
```


```
<!-- Start Footer -->
  <footer>
    <div class="footer-main">
      <footer>
         <div class="footer-main">
           <div class="container">
             <div class="row ">
               <div class="col-lg-4 col-md-12 col-sm-12">
                  <div class="footer-widget">
                    <h4>About Book Hub</h4>
                    When it comes to searching for books, there is only one place to turn to – Book Hub.We
have a veritable collection of books that span categories as diverse as you could possibly expect. From segments like
accountancy,
                      to parenting and pregnancy, to banking and finance, to even topics on yoga and meditation -
almost any category you seek – you will find with us
                    \langle ul \rangle
                      <a href="#"><i class="fab fa-facebook" aria-hidden="true"></i></a>
                      <a href="#"><i class="fab fa-twitter" aria-hidden="true"></i></a>
                      <a href="#"><i class="fab fa-linkedin" aria-hidden="true"></i></a>
                      <a href="#"><i class="fab fa-google-plus" aria-hidden="true"></i></a>
                      <a href="#"><i class="fa fa-rss" aria-hidden="true"></i></a>
                      <a href="#"><i class="fab fa-pinterest-p" aria-hidden="true"></i></a>
                      <a href="#"><i class="fab fa-whatsapp" aria-hidden="true"></i></a>
                    </div>
               </div>
               <div class="col-lg-4 col-md-12 col-sm-12">
                  <div class="footer-link ">
                    <h4>Information</h4>
                    ul>
                      <a href="https://www.indiabookstore.net/">Details</a>
                    </div>
               </div>
               <div class="col-lg-4 col-md-12 col-sm-12">
                  <div class="footer-link-contact">
                    <h4>Contact Us</h4>
                    <111>
                      >
                         <i class="fas fa-map-marker-alt"></i>Address: A/303 Street: A/10, East West Indl
Estate, Andheri Kurla Rd, <br/> Sh>Mumbai<br/> Pin 400053 
                      \langle 1i \rangle
                         <i class="fas fa-phone-square"></i>Phone: <a href="tel:+9619961580">+9619961580
</a>
```


```
<i class="fas fa-envelope "></i>Email: <a href="pratiksha6037@gmail.com"
">bookhub@gmail.com</a>
                    </11/>
                  </div>
                </div>
             </div>
           </div>
         </div>
      </footer>
       <!-- End Footer -->
      <!-- Start copyright -->
      <div class="footer-copyright">
         All Rights Reserved. © 2021 <a href="#">BOOK HUB</a>
</div>
    </div>
    </div>
  </footer>
  <!-- End Footer -->
  <a href="#" id="back-to-top" title="Back to top" style="display: none; ">&uarr;</a>
  <!-- ALL JS FILES -->
  <script src="js/jquery-3.2.1.min.js "></script>
  <script src="js/popper.min.js "></script>
  <script src="js/bootstrap.min.js "></script>
  <!-- ALL PLUGINS -->
  <script src="js/jquery.superslides.min.js "></script>
  <script src="js/bootstrap-select.js "></script>
  <script src="js/inewsticker.js "></script>
  <script src="js/bootsnav.js."></script>
  <script src="js/images-loded.min.js "></script>
  <script src="js/isotope.min.js "></script>
  <script src="js/owl.carousel.min.js "></script>
  <script src="js/baguetteBox.min.js "></script>
  <script src="js/form-validator.min.js "></script>
  <script src="js/contact-form-script.js "></script>
  <script src="js/custom.js "></script>
</body>
</html>
```





















4.3Database Connectivity

```
<?php
$server = "localhost";
$username = "root";
$password = "";
$dbname = "login form";
$con = mysqli_connect($server, $username, $password, $dbname);
if(!$con)
 {
          echo "not connected";
$username = $_POST['username'];
$password = $_POST['password'];
$sql = "INSERT INTO `login`(`username`, `password`) VALUES ('$username', '$password')";
$result = mysqli_query($con , $sql);
if($result)
 {
          echo "data submitted";
el
 se
          echo "query failed.....!";
?>
G acceptance testing in X 😨 Online shopping Repc x | 🚱 What is Test Methodo X | 🚯 Boundary Value Analy x | 🔯 localhost/RINI FASHIC x 🕍 localhost/127.00.1 / X 🕂
🗶 Course | Computin... 💁 powerwall 🕠 Search - html websi... 🎏 Hindustan Institute... † iTrack Dashboard 💶 Introducing Google... 🗧 Bolt Cloud 🦇 Bolt IoT 🖳 hari 🔓 Online shopping Re...
                     ← 📑 Server: 127.0.0.1 » 🧻 Database: login form » 腸 Table: login
  phpMyAdmin 
                       1 0 0 0 0 C
Recent Favorites
                        🛕 Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available. 🔞
 - New
                         Showing rows 0 - 1 (2 total, Query took 0.0007 seconds.)
 information_schema
 login form
                        SELECT * FROM `login`
   - New
New login
                        ☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]
 mysql
                         ☐ Show all Number of rows: 25 ✔ Filter rows: Search this table
 - performance schema
+- performance_
+- phpmyadmin
+- test
                        Extra options
                       username password
                       Dharinisri 1qazXSW@
                         ☐ Show all Number of rows: 25 ∨ Filter rows: Search this table
                         Query results operations
```

Save the Data base:



5. System Testing:

System Testing is a level of testing that validates the complete and fully integrated software product. The purpose of a system test is to evaluate the end-to-end system specifications. Usually, the software is only one element of a larger computer-based system. Ultimately, the software is interfaced with other software/hardware systems. System Testing is defined as a series of different tests whose sole purpose is to exercise the full computer-based system.

System Testing is a type of software testing that is performed on a complete integrated system to evaluate the compliance of the system with the corresponding requirements. In system testing, integration testing passed components are taken as input. The goal of integration testing is to detect any irregularity between the units that are integrated together. System testing detects defects within both the integrated units and the whole system. The result of system testing is the observed behavior of a component or a system when it is tested. System Testing is carried out on the whole system in the context of either system requirement specifications or functional requirement specifications or in the context of both. System testing tests the design and behavior of the system and also the expectations of the customer.

It is performed to test the system beyond the bounds mentioned in the software requirements specification (SRS). System Testing is basically performed by a testing team that is independent of the development team that helps to test the quality of the system impartial. It has both functional and non-functional testing. System Testing is a black-box testing. System Testing is performed after the integration testing and before the acceptance testing.


5.1 Software Testing Methodologies:

Software testing methodologies are the various strategies or approaches used to test an application to ensure it behaves and looks as expected. These encompass everything from front to back-end testing, including unit and system testing.

Functional vs. Non-functional Testing

The goal of utilizing numerous testing methodologies in your development process is to make sure your software can successfully operate in multiple environments and across different platforms. These can typically be broken down between functional and non-functional testing. Functional testing involves testing the application against the business requirements. It incorporates all test types designed

to guarantee each part of a piece of software behaves as expected by using uses cases provided by the design team or business analyst. These testing methods are usually conducted in order and include:



System Testing Process: System Testing is performed in the following steps:

Test Environment Setup: Create testing environment for the better quality testing.

Create Test Case: Generate test case for the testing process.

Create Test Data: Generate the data that is to be tested.

Execute Test Case: After the generation of the test case and the test data, test cases are executed.


Defect Reporting: Defects in the system are detected.

Regression Testing: It is carried out to test the side effects of the testing process.

Log Defects: Defects are fixed in this step.

Retest: If the test is not successful then again test is performed.

5.2 Different Types of Software Testing



TESTING PROCEDURES

- Unit Testing: A Unit corresponds to a form/class in the package. Unit testing focuses on verification of the corresponding form or class. In this level we have tested all our forms/classes individually. This testing includes testing of control paths, interfaces, local data structures, logical decisions, boundary conditions, and error handling. From this testing we were able to save, retrieve, update, delete and the search records on a table.
- **Integration Testing:** Integration testing is used to verify the combination of the software modules. In this level, we have tested by combining all unit tested forms into a subsystem. Here we found that the subsystems are performing well.
- **System Testing:** System testing is used to verify, whether the developed system meets the requirements.
- Acceptance Testing: Acceptance is the part of the project by which the customer accepts the product. The system under consideration is tested for user acceptance by constantly keeping in touch with the system users at time of developing and making changes whenever required.

We hope that after the acceptance testing the system will perform the best result for the organization.

When modification will be made, we will use regression testing during the maintenance of the system.

The Software System delivered to the customer may undergo changes. Changes may be due to addition of new functional modules or performance enhancement .For this purpose proper maintenance of the system is must.

Performance Testing: Performance Testing is a type of software testing that is carried out to test the speed, scalability, stability and reliability of the software product or application.

Load Testing: Load Testing is a type of software testing which is carried out to determine the behavior of a system or software product under extreme load.

Stress Testing: Stress Testing is a type of software testing performed to check the robustness of the system under the varying loads.

Scalability Testing: Scalability Testing is a type of software testing which is carried out to check the performance of a software application or system in terms of its capability to scale up or scale down the number of user request load.

Tools used for System Testing:

- □ JMeter
- □ Gallen Framework
- □ Selenium

Advantages of System Testing:

- > The testers do not require more knowledge of programming to carry out this testing.
- It will test the entire product or software so that we will easily detect the errors or defects which cannot be identified during the unit testing and integration testing.
- The testing environment is similar to that of the real time production or business environment.
- > It checks the entire functionality of the system with different test scripts and also it covers the technical and business requirements of clients.
- After this testing, the product will almost cover all the possible bugs or errors and hence the development team will confidently go ahead with acceptance testing.

Disadvantages of System Testing:

- This testing is time consuming process than another testing techniques since it checks the entire product or software.
- > The cost for the testing will be high since it covers the testing of entire software.
- > It needs good debugging tool otherwise the hidden errors will not be found.


5.3 Boundary Value Analysis and Equivalence Partitioning:

Practically, due to time and budget considerations, it is not possible to perform exhausting testing for each set of test data, especially when there is a large pool of input combinations.

We need an easy way or special techniques that can select test cases intelligently from the pool of testcase, such that all test scenarios are covered. We use two techniques – Equivalence Partitioning &

Boundary Value Analysis testing techniques to achieve this. Boundary testing is the process of testing between extreme ends or boundaries between partitions of the input values.

- So, these extreme ends like Start- End, Lower- Upper, Maximum-Minimum, Just Inside-Just Outside values are called boundary values and the testing is called "boundary testing".
- The basic idea in normal boundary value testing is to select input variable values at their:
 - 1. Minimum
 - 2. Just above the minimum
 - 3. A nominal value
 - 4. Just below the maximum
 - 5. Maximum



5.4TEST REPORT

Test case

Project Name-Book Hub Reference:Youtube/google Created by:Pratiksha Maurya

On date: 11/01/2023

Test scenario 001 website verify

T	Test case	Test case	Description	steps	Pre	Actual	Expected	Result
Т	C_wv_01	verify the website	Check the website	Navigate to the website	1. Internet connectivity.	AS EXPECTED	Site should be open	Pass

Test scenario 002 Registration

Test case id	Test case	Description	steps	Pre	Actual	Expected	Result
TC_Reg_01	User Registration	User enters all the details successfully	1. Enter valid username 2. Enter all details and password. 3. Click on Registration	user should enter all correct details	AS EXPECTED	User account created	Pass
TC_Reg_02	User Registration	User enters different password in password confirm field	1. Enter valid username 2. Enter incorrect password in confirm field. 3. Click on Registration	user should enter username& Password	AS EXPECTED	Display message that Password and Confirm Password fields don't match	Pass

Test	scenario	003	Login
I CBU	occiiai io	$\mathbf{v}\mathbf{v}$	LUCIN

Test case id	Test case	Description	steps	Pre	Actual	Expected	Result
TC_Log_01	User Login	Check When passing a correct username and valid password	1. Enter valid username 2. Enter correct password 3. Click on Login Button	user should enter username& Password	AS EXPECTED	User should login	Pass
TC_Log_02	User Login	Check When passing a correct username and invalid password	1. Enter valid username 2. Enter incorrect password 3. Click on Login Button	user should enter username& Password	AS EXPECTED	User should not log in and should show proper error message	pass

Test scenario 004 Features

Test case id	Test case	Description	steps	Pre	Actual	Expected	Result
TC_F_01	Feature	Checking the Features functionality	1.open login page 2.enter valid Email-id 3.enter password 4.Click on Features functionali ty	1.Internet connection should be present 2.user should have account	AS EXPECTED	User should be able to click on Feature s functio nality	Pass

Test scenario 005 Add Cart

Test case id	Test case	Description	steps	Pre	Actual	Expected	Result
TC_AC_01	User	User selects a book and clicks add to cart button	Check the all books	user should enter username& Password	AS EXPECTED	Book is added to the shopping cart	Pass
TC_AC_02	User Registration	Guest selects a book and clicks add to cart button	Check the all books	User should have the account.	AS EXPECTED	User should create an account.	Pass

Test scenario 006 Reviews

Test case id	Test case	Description	steps	Pre	Actual	Expected	Result
TC_R_01	Reviews	Checking the Reviews functionality	1.open login page 2.enter valid Email-id 3.enter password 4.Click on reviews functionali ty	1.Internet connection should be present 2.user should have account	AS EXPECTED	Successfully opened the reviews page	Pass

Test scenario 007 Blogs	5
-------------------------	---

Test case id	Test case	Description	steps	Pre	Actual	Expected	Result
TC_B_01	Blogs	Checking the Blog functionality	1.open login page 2.enter valid Email-id 3.enter password 4.Click on Blogs functionali ty	1.Internet connection should be present 2.user should have account	AS EXPECTED	Successfully opened the blogs page	Pass

Automation Testing (Selenium) Code for Book Hub Website project:


```
package Selenium_Project;
import org.openqa.selenium.By;
import
org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;
public class MyProject {
public static void main(String[] args) throws InterruptedException {
        System.setProperty("Webdriver.chrome.driver",
                            "C:\\Users\\Pratiksha\\Desktop\\chromedriver win32\\chromedriver.exe");
 WebDriver driver = new ChromeDriver();
 driver.manage().window().maximize();
 // Open Grocery website
 driver.get("file:///C:/Users/Pratiksha/Desktop/Project/index.html#products");
System.out.println(driver.getTitle());
 driver.findElement(By.id("search-btn")).click();
Thread.sleep(1000);
 driver.findElement(By.xpath("/html/body/header/form[1]/input")).sendKeys("Fresh orange");
Thread.sleep(1000);
 driver.findElement(By.id("cart-btn")).click();
Thread.sleep(1000);
 driver.findElement(By.xpath("//*[@id=\"login-btn\"]")).click();
Thread.sleep(1000);
driver.findElement(By.xpath("/html/body/header/form[2]/input[1]")).sendKeys("pra
tiksha 6037@gmai l.com");
driver.findElement(By.xpath("/html/body/header/form[2]/input[2]")).sendKeys("Ed
ubridge@#1234");
 driver.findElement(By.xpath("/html/body/header/form[2]/input[3]")).click();
Thread.sleep(1000);
 driver.findElement(By.xpath("/html/body/header/nav/a[1]")).click();//Home
Thread.sleep(1000);
 driver.findElement(By.xpath("/html/body/header/nav/a[2]")).click();//for features
Thread.sleep(1000); driver.findElement(By.xpath("/html/body/header/nav/a[3]")).click(); // for
products Thread.sleep(1000);
```

```
driver.findElement(By.xpath("/html/body/header/nav/a[4]")).click(); // for Categories
Thread.sleep(1000);
    driver.findElement(By.xpath("/html/body/header/nav/a[5]")).click();//for Review
Thread.sleep(1000);
    driver.findElement(By.xpath("/html/body/header/nav/a[6]")).click();//for Blogs
Thread.sleep(1000);


driver.findElement(By.xpath("/html/body/section[7]/div[1]/div[4]/input[1]")).sendKeys("pratiksha6037@gmail.com");
    Thread.sleep(2000);
    //driver.findElement(By.xpath("/html/body/section[7]/div[1]/div[4]/input[2]")).click();
    driver.quit();
    }
}
```

Screenshots of Automation Testing:

Launch Website



Open Home page:



Automation Testing (Selenium) Code for Amazon Website:

```
package Selenium_Project;
import org.openqa.selenium.By; import
org.openqa.selenium.WebDriver; import
org.openqa.selenium.chrome.ChromeDriver;
import org.openqa.selenium.support.ui.Select;
public class Amazon {
public static void main(String[] args) throws InterruptedException
       System.setProperty("Webdriver.chrome.driver",
                 "C:\\Users\\Pratiksha Maurya\\Desktop\\chromedriver_win32\\chromedriver.exe");
WebDriver driver=new ChromeDriver();
driver.get("http://www.amazon.in/");//Open Amazon
driver.manage().window().maximize(); System.out.println(driver.getTitle());
driver.findElement(By.xpath("//*[@id=\"twotabsearchtextbox\"]")).sendKeys("Mobile"
); driver.findElement(By.xpath("//*[@id=\"nav-search-submit-button\"]")).click();
Thread.sleep(1000); driver.findElement(By.linkText("EN")).click();
Thread.sleep(1000);
driver.findElement(By.className("a-button-text")).click(); //cancel
Thread.sleep(1000);
driver.findElement(By.cssSelector("#nav-link-accountList")).click(); //Sign-in
Thread.sleep(1000);
driver.findElement(By.id("ap_email")).sendKeys("pratiksha6037@gmail.com");
Thread.sleep(1000);
driver.findElement(By.id("continue")).click();
Thread.sleep(1000);
driver.findElement(By.cssSelector("#continue")).click();
Thread.sleep(1000);
driver.findElement(By.id("createAccountSubmit")).click();
Thread.sleep(1000);
driver.findElement(By.className("a-input-text")).sendKeys("Pratiksha Maurya ");
Thread.sleep(1000); driver.findElement(By.id("ap phone number")).sendKeys("9619961580");
driver.findElement(By.name("secondaryLoginClaim")).sendKeys("pratiksha6037@gmail.com");
driver.findElement(By.id("ap_password")).sendKeys("pm@1234");
driver.findElement(By.className("a-button-input")).click();
```

```
//Navigate to facebook sign up page
driver.navigate().to("https://www.facebook.com/campaign/landing.php?campaign_id=14884913640&ex
ra_1=s%7Cc%7C589460569870%7Cb%7Cfb%20create%20account%7C&placement=&creative=5894
0569870&keyword=fb%20create%20account&partner_id=googlesem&extra_2=campaignid%3D14884
13640%26adgroupid%3D128696221432%26matchtype%3Db%26network%3Dg%26source%3Dnotmo
ile%26search_or_content%3Ds%26device%3Dc%26devicemodel%3D%26adposition%3D%26target%3
D%26targetid%3Dkwd-
332264388364%26loc_physical_ms%3D1007786%26loc_interest_ms%3D%26feeditemid%3D%26para
m1%3D%26param2%3D&gclid=Cj0KCQiA14WdBhD8ARIsANao07gCwXFda4ohrrPZF6UHfiSK6C_
zOeWVyC3DwkA7VfLvWh0x05IQeGoaAoy6EALw_wcB");
driver.findElement(By.name("firstname")).sendKeys("Pratiksha");
driver.findElement(By.name("lastname")).sendKeys("Maurya");
driver.findElement(By.name("reg_email__")).sendKeys("9619961580");
driver.findElement(By.name("reg_passwd__")).sendKeys("pm@1234");
//Dropdown list
Select se = new Select(driver.findElement(By.xpath("//*[@id=\"day\"]")));
se.selectByValue("7");
Select se1 = new Select(driver.findElement(By.xpath("//*[@id=\"month\"]")));
se1.selectByVisibleText("May");
Select seYr = new Select(driver.findElement(By.id("year")));
seYr.selectByIndex(25);
driver.findElement(By.name("sex")).click();//for selecting
female driver.findElement(By.name("websubmit")).click();
driver.quit();
//Drag and Drop Code
package Selenium_code;
import org.openqa.selenium.By; import
org.openqa.selenium.WebDriver; import
org.openqa.selenium.WebElement; import
org.openqa.selenium.chrome.ChromeDriver;
import org.openqa.selenium.interactions.Actions;
public class DragAndDrop {
```

```
public static void main(String[] args) throws InterruptedException {
              //Set the path of executable Browser Driver
              System.setProperty("Webdriver.chrome.driver",
                                                 "C:\\Users\\ Pratiksha Maurya
\\Desktop\\chromedriver_win32\\chromedriver.exe");
 WebDriver driver=new ChromeDriver(); //Parent p=new Child (webdriver is Parent & ChromeDriver is
Child)
              driver.manage().window().maximize();
              driver.get("https://jqueryui.com/droppable/");
              //WebElement iframe = driver.findElement(By.tagName("iframe"));
              WebElement iframe = driver.findElement(By.xpath("//*[@id=\"content\"]/iframe"));
driver.switchTo().frame(iframe);
              WebElement draggableitem=driver.findElement(By.id("draggable"));
              WebElement droppableitem=driver.findElement(By.id("droppable"));
              Thread.sleep(2000);
              Actions action = new Actions(driver);
              action.dragAndDrop(draggableitem, droppableitem).build().perform();}}
```

Automation ++testing of Cucumber:

```
package StepsUser;
        import
        io.cucumber.java.en.And;
        import
        io.cucumber.java.en.Give
        n; import
        io.cucumber.java.en.Then
        ; import
        io.cucumber.java.en.Whe
        n; public class
        LoginUser {
        @Given("user is on login
        page") public void
        user_is_on_login_page()
System.out.println("Inside Steps - user is on login page");
}
@When("user enters username and password")
public void user_enters_username_and_password() {
System.out.println("Inside Steps - user enters username and
password");
@And("clicks on login button")
public void clicks_on_login_button() {
System.out.println("Inside Steps - clicks on login
button");
}
@Then("user is navigated to the home page")
public void user_is_navigated_to_the_home_page() {
System.out.println("Inside Steps - user is navigated to the
home page"); }}
```

Features of Cucumber:

Feature: features to Amazon functionality

Scenario: Check Amazon with selenium

credentials

Given user is on visit page


When user enters correct values And

clicks on button

Then user is directed to the homepage

Screenshots of Cucumber:

Login Page:



6.CONCLUSION

The project entitled **Book Hub Website** was completed successfully. The system has been developed with much care and free of errors and at the same time it is efficient and less time consuming. The purpose of this project was to develop a web application and an android application for purchasing items from a shop This project helped us in gaining valuable information and practical knowledge on several topics like designing web pages using html CSS, and JavaScript. The project helped us understanding about the development phases of a project and software development life cycle.

We learned how to test different features of a project It is hoped that this project will help the future developers to modify and implement the system. After modifying some techniques of the programs, it will give us the best performance as our requirements. The project will be very useful for the users