

Cucumber Report

Nov 7, 2025, 11:00:40 AM

Start : Nov 07, 11:00:18.801 AM

End : Nov 07, 11:00:37.920 AM

Duration : 19.119 s

Features





PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 1
SKIPPED - 0

Steps

PASSED - 7
FAILED - 1
SKIPPED - 0




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>Add Product to the swag application</u>		19.119 s		1	0	1	0	8	7	1	0

#	Feature Name	Scenario Name
1	<u>Add Product to the swag application</u>	<u>Product add to cart successfully and perform transaction.</u>

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
<code>@SwagAddProductToCart</code>		1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Add Product to the swag application</u>	1	0	1	0	19.119 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Add Product to the swag application</u>	<u>Product add to cart successfully and perform transaction.</u>	8	7	1	0	19.115 s

Add Product to the swag application



Product add to cart successfully and perform transaction.



#	Step / Hook Details	Status	Duration
1	Given user select the product	PASSED	3.977 s
2	When product available add the product to cart	PASSED	0.567 s
3	And click on add to cart button	PASSED	0.079 s
4	Then Checkout the Product	PASSED	0.069 s
5	Then Enter Your Checkout Information	PASSED	7.588 s
6	Then Continue to the Checkout	PASSED	0.615 s
7	And Finish the Checkout Process	PASSED	0.589 s
8	Then Back to Home java.lang.IllegalArgumentException: Cannot find elements when id is null. at org.openqa.selenium.internal.Require\$ArgumentChecker.nonNull(Require.java:207) at org.openqa.selenium.By\$Byld.<init>(By.java:188) at org.openqa.selenium.By.id(By.java:49) at StepDefinitions.SwagAddProductToCart_StepDef.Back_to_Home(SwagAddProductToCart_StepDef.java:104) at ?.Back to Home(classpath:features/TC002_SwagAddProductToCart.feature:15)	FAILED	0.013 s
	* Not displayable characters are replaced by '?'.		