

## Array related problems (total 21 questions)

| SL | Problem statement   | Difficulty levels |               |               |                           |           |                                       |             |
|----|---|-------------------|---------------|---------------|---------------------------|-----------|---------------------------------------|-------------|
| 1. | WAP that will take n integer numbers into an array, and then print all the integers into reverse order (from the last valid index to index 0).  | *                 |               |               |                           |           |                                       |             |
|    | <table><tr><th>Sample input</th><th>Sample output</th></tr><tr><td>5<br/>1 2 3 4 5</td><td>5 4 3 2 1</td></tr><tr><td>6<br/>2 8 3 9 0 1</td><td>1 0 9 3 8 2</td></tr></table>                     |                   | Sample input  | Sample output | 5<br>1 2 3 4 5            | 5 4 3 2 1 | 6<br>2 8 3 9 0 1                      | 1 0 9 3 8 2 |
|    | Sample input  |                   | Sample output |               |                           |           |                                       |             |
|    | 5<br>1 2 3 4 5  |                   | 5 4 3 2 1     |               |                           |           |                                       |             |
|    | 6<br>2 8 3 9 0 1  |                   | 1 0 9 3 8 2   |               |                           |           |                                       |             |
|    |   |                   |               |               |                           |           |                                       |             |
|    |   |                   |               |               |                           |           |                                       |             |
| 2. | WAP that will take n integer numbers into an array, and then sum up all the integers in that array.   | *                 |               |               |                           |           |                                       |             |
|    | <table><tr><th>Sample input</th><th>Sample output</th></tr><tr><td>5<br/>1 2 3 4 5</td><td>15</td></tr><tr><td>6<br/>2 8 3 9 0 1</td><td>23</td></tr></table>                                     |                   | Sample input  | Sample output | 5<br>1 2 3 4 5            | 15        | 6<br>2 8 3 9 0 1                      | 23          |
|    | Sample input  |                   | Sample output |               |                           |           |                                       |             |
|    | 5<br>1 2 3 4 5  |                   | 15            |               |                           |           |                                       |             |
|    | 6<br>2 8 3 9 0 1  |                   | 23            |               |                           |           |                                       |             |
|    |   |                   |               |               |                           |           |                                       |             |
|    |   |                   |               |               |                           |           |                                       |             |
|    |   |                   |               |               |                           |           |                                       |             |
| 3. | WAP that will take n integer numbers into an array, and then sum up all the even integers in that array.  | *                 |               |               |                           |           |                                       |             |
|    | <table><tr><th>Sample input</th><th>Sample output</th></tr><tr><td>5<br/>1 2 3 4 5</td><td>6</td></tr><tr><td>6<br/>2 8 3 9 0 1</td><td>10</td></tr></table>                                      |                   | Sample input  | Sample output | 5<br>1 2 3 4 5            | 6         | 6<br>2 8 3 9 0 1                      | 10          |
|    | Sample input  |                   | Sample output |               |                           |           |                                       |             |
|    | 5<br>1 2 3 4 5  |                   | 6             |               |                           |           |                                       |             |
|    | 6<br>2 8 3 9 0 1  |                   | 10            |               |                           |           |                                       |             |
|    |   |                   |               |               |                           |           |                                       |             |
|    |   |                   |               |               |                           |           |                                       |             |
|    |   |                   |               |               |                           |           |                                       |             |
| 4. | WAP that will take n floating point numbers into an array, and then find the average of those numbers.  | *                 |               |               |                           |           |                                       |             |
|    | <table><tr><th>Sample input</th><th>Sample output</th></tr><tr><td>5<br/>1.2 5.6 10.3 4.5 5.2</td><td>5.36</td></tr><tr><td>8<br/>2.1 8.3 3.7 9.2 0.6 1.5 6.4 10.1</td><td>8.38</td></tr></table> |                   | Sample input  | Sample output | 5<br>1.2 5.6 10.3 4.5 5.2 | 5.36      | 8<br>2.1 8.3 3.7 9.2 0.6 1.5 6.4 10.1 | 8.38        |
|    | Sample input  |                   | Sample output |               |                           |           |                                       |             |
|    | 5<br>1.2 5.6 10.3 4.5 5.2   |                   | 5.36          |               |                           |           |                                       |             |
|    | 8<br>2.1 8.3 3.7 9.2 0.6 1.5 6.4 10.1   |                   | 8.38          |               |                           |           |                                       |             |
|    |   |                   |               |               |                           |           |                                       |             |
|    |   |                   |               |               |                           |           |                                       |             |
|    |   |                   |               |               |                           |           |                                       |             |
| 5. | WAP that will take n integer numbers into an array, and then sum up all the even indexed integers in that array.  | *                 |               |               |                           |           |                                       |             |

|  | <table><tr><th>Sample input</th><th>Sample output</th></tr><tr><td>5<br/>1 2 3 4 5</td><td>9</td></tr><tr><td>6<br/>2 8 3 9 0 1</td><td>5</td></tr></table>   | Sample input | Sample output | 5<br>1 2 3 4 5              | 9           | 6<br>2 8 3 9 0 1                         | 5                 |  |
|--|---|--------------|---------------|-----------------------------|-------------|--|-------------------|--|
| Sample input                             | Sample output   |              |               |                             |             |  |                   |  |
| 5<br>1 2 3 4 5                           | 9   |              |               |                             |             |  |                   |  |
| 6<br>2 8 3 9 0 1                         | 5   |              |               |                             |             |  |                   |  |
| 6.                                       | <p>Wap that will take n integer numbers in an array, n different integer numbers in a second array and put the sum of the same indexed numbers from the two arrays in a third array.</p> <table><tr><th>Sample input</th><th>Sample output</th></tr><tr><td>5<br/>1 2 3 4 5<br/>2 8 3 4 8</td><td>3 10 6 8 13</td></tr><tr><td>8<br/>2 8 3 9 0 1 6 10<br/>5 1 4 8 9 3 1 5</td><td>7 9 7 17 9 4 7 15</td></tr></table> | Sample input | Sample output | 5<br>1 2 3 4 5<br>2 8 3 4 8 | 3 10 6 8 13 | 8<br>2 8 3 9 0 1 6 10<br>5 1 4 8 9 3 1 5 | 7 9 7 17 9 4 7 15 |  |
| Sample input                             | Sample output   |              |               |                             |             |  |                   |  |
| 5<br>1 2 3 4 5<br>2 8 3 4 8              | 3 10 6 8 13   |              |               |                             |             |  |                   |  |
| 8<br>2 8 3 9 0 1 6 10<br>5 1 4 8 9 3 1 5 | 7 9 7 17 9 4 7 15   |              |               |                             |             |  |                   |  |

| 7.  | WAP that will take n integer numbers into an array, and then reverse all the integers within that array. Finally print them all from 0 index to last valid index. | **           |               |                |                                      |                  |                                      |  |
|---|---|--------------|---------------|----------------|--------------------------------------|------------------|--------------------------------------|--|
| <table><tr><th>Sample input</th><th>Sample output</th></tr><tr><td>5<br/>1 2 3 4 5</td><td>5 4 3 2 1</td></tr><tr><td>6<br/>2 8 3 9 0 1</td><td>1 0 9 3 8 2</td></tr></table>   |   | Sample input | Sample output | 5<br>1 2 3 4 5 | 5 4 3 2 1                            | 6<br>2 8 3 9 0 1 | 1 0 9 3 8 2                          |  |
| Sample input  | Sample output   |              |               |                |                                      |                  |                                      |  |
| 5<br>1 2 3 4 5  | 5 4 3 2 1   |              |               |                |                                      |                  |                                      |  |
| 6<br>2 8 3 9 0 1  | 1 0 9 3 8 2   |              |               |                |                                      |                  |                                      |  |
| 8.  | WAP that will take n integer numbers into an array, and then find the maximum - minimum among them with its index position.                                       | **           |               |                |                                      |                  |                                      |  |
| <table><tr><th>Sample input</th><th>Sample output</th></tr><tr><td>5<br/>1 2 3 4 5</td><td>Max: 5, Index: 4<br/>Min: 1, Index: 0</td></tr><tr><td>6<br/>2 8 3 9 0 1</td><td>Max: 9, Index: 3<br/>Min: 0, Index: 4</td></tr></table> |   | Sample input | Sample output | 5<br>1 2 3 4 5 | Max: 5, Index: 4<br>Min: 1, Index: 0 | 6<br>2 8 3 9 0 1 | Max: 9, Index: 3<br>Min: 0, Index: 4 |  |
| Sample input  | Sample output   |              |               |                |                                      |                  |                                      |  |
| 5<br>1 2 3 4 5  | Max: 5, Index: 4<br>Min: 1, Index: 0  |              |               |                |                                      |                  |                                      |  |
| 6<br>2 8 3 9 0 1  | Max: 9, Index: 3<br>Min: 0, Index: 4  |              |               |                |                                      |                  |                                      |  |
| 9.  | WAP that will take n alphabets into an array, and then count number of vowels in that array.  | *            |               |                |                                      |                  |                                      |  |

|            |  |                               |   |
|------------|--|-------------------------------|---|
|            | <b>Sample input</b>  | <b>Sample output</b>          |   |
|            | 7<br>AKIOUEH   | Count: 5                      |   |
|            | 29<br>UNITEDINTERNATIONALUNIVERSITY  | Count: 13                     |   |
|            |  |                               |   |
| <b>10.</b> | WAP that will take n integers into an array, and then search a number into that array. If found then print its index. If not found then print “NOT FOUND”. |                               | * |
|            | <b>Sample input</b>  | <b>Sample output</b>          |   |
|            | 8<br>7 8 1 3 2 6 4 3<br>3  | FOUND at index position: 3, 7 |   |
|            | 8<br>7 8 1 3 2 6 4 3<br>5  | NOT FOUND                     |   |
|            |  |                               |   |
|            |  |                               |   |

| 11.   | <p>WAP that will take n integers into an array A, and then copy all numbers in reverse order from array A to another array B. Finally show all elements of both array A and B.</p> <table><tr><th>Sample input</th><th>Sample output</th></tr><tr><td>8<br/>7 8 1 3 2 6 4 3</td><td>Array A : 7 8 1 3 2 6 4 3<br/>Array B : 3 4 6 2 3 1 8 7</td></tr><tr><td>3<br/>3 2 1</td><td>Array A : 3 2 1<br/>Array B : 1 2 3</td></tr></table> | Sample input | Sample output | 8<br>7 8 1 3 2 6 4 3  | Array A : 7 8 1 3 2 6 4 3<br>Array B : 3 4 6 2 3 1 8 7 | 3<br>3 2 1                                  | Array A : 3 2 1<br>Array B : 1 2 3 | *  |
|---|--|--------------|---------------|---|--|---|------------------------------------|----|
| Sample input  | Sample output  |              |               |   |  |   |                                    |    |
| 8<br>7 8 1 3 2 6 4 3  | Array A : 7 8 1 3 2 6 4 3<br>Array B : 3 4 6 2 3 1 8 7   |              |               |   |  |   |                                    |    |
| 3<br>3 2 1  | Array A : 3 2 1<br>Array B : 1 2 3   |              |               |   |  |   |                                    |    |
| 12.   | <p>WAP that will take n integer numbers as input in an array and then insert a number in a position specified by the user in the array.</p> <table><tr><th>Sample input</th><th>Sample output</th></tr><tr><td>10<br/>9 11 34 23 16 15 2 37 89 54<br/>number: 78 position: 4</td><td>9 11 34 23 78 16 15 2 37 89 54</td></tr><tr><td>5<br/>32 14 9 48 6<br/>number: 16 position: 0</td><td>16 32 14 9 48 6</td></tr></table>           | Sample input | Sample output | 10<br>9 11 34 23 16 15 2 37 89 54<br>number: 78 position: 4 | 9 11 34 23 78 16 15 2 37 89 54                         | 5<br>32 14 9 48 6<br>number: 16 position: 0 | 16 32 14 9 48 6                    | ** |
| Sample input  | Sample output  |              |               |   |  |   |                                    |    |
| 10<br>9 11 34 23 16 15 2 37 89 54<br>number: 78 position: 4 | 9 11 34 23 78 16 15 2 37 89 54   |              |               |   |  |   |                                    |    |
| 5<br>32 14 9 48 6<br>number: 16 position: 0                 | 16 32 14 9 48 6  |              |               |   |  |   |                                    |    |
| 13.   | <p>WAP that will take n integer numbers as input in an array and then delete a number from a position specified by the user in the array.</p> <table><tr><th>Sample input</th><th>Sample output</th></tr><tr><td>10<br/>9 11 34 23 16 15 2 37 89 54<br/>position: 4</td><td>9 11 34 23 15 2 37 89 54</td></tr><tr><td>5<br/>32 14 9 48 6<br/>position: 0</td><td>14 9 48 6</td></tr></table>   | Sample input | Sample output | 10<br>9 11 34 23 16 15 2 37 89 54<br>position: 4            | 9 11 34 23 15 2 37 89 54                               | 5<br>32 14 9 48 6<br>position: 0            | 14 9 48 6                          | *  |
| Sample input  | Sample output  |              |               |   |  |   |                                    |    |
| 10<br>9 11 34 23 16 15 2 37 89 54<br>position: 4            | 9 11 34 23 15 2 37 89 54   |              |               |   |  |   |                                    |    |
| 5<br>32 14 9 48 6<br>position: 0                            | 14 9 48 6  |              |               |   |  |   |                                    |    |
| 14.   | <p>WAP that will first take n integers into an array A and then m integers into array B. Now swap all elements between array A and B. Finally show all elements of both array A and B.</p> <table><tr><th>Sample input</th><th>Sample output</th></tr><tr><td>8<br/>7 8 1 3 2 6 4 3<br/>3<br/>3 2 1</td><td>Array A : 3 2 1<br/>Array B : 7 8 1 3 2 6 4 3</td></tr></table>  | Sample input | Sample output | 8<br>7 8 1 3 2 6 4 3<br>3<br>3 2 1                          | Array A : 3 2 1<br>Array B : 7 8 1 3 2 6 4 3           | **  |                                    |    |
| Sample input  | Sample output  |              |               |   |  |   |                                    |    |
| 8<br>7 8 1 3 2 6 4 3<br>3<br>3 2 1                          | Array A : 3 2 1<br>Array B : 7 8 1 3 2 6 4 3   |              |               |   |  |   |                                    |    |
| 15.   | <p>WAP that will take n positive integers into an array A. Now find all the integers that are divisible by 3 and replace them by -1 in array A. Finally show all elements of array A.</p>  | *            |               |   |  |   |                                    |    |

|                      | <table><tr><th>Sample input</th><th>Sample output</th></tr><tr><td>8<br/>7 8 1 3 2 6 4 3</td><td>7 8 1 -1 2 -1 4 -1</td></tr><tr><td>3<br/>3 2 1</td><td>-1 2 1</td></tr></table>  | Sample input | Sample output | 8<br>7 8 1 3 2 6 4 3 | 7 8 1 -1 2 -1 4 -1 | 3<br>3 2 1 | -1 2 1 |     |
|----------------------|--|--------------|---------------|----------------------|--------------------|------------|--------|-----|
| Sample input         | Sample output  |              |               |                      |                    |            |        |     |
| 8<br>7 8 1 3 2 6 4 3 | 7 8 1 -1 2 -1 4 -1   |              |               |                      |                    |            |        |     |
| 3<br>3 2 1           | -1 2 1   |              |               |                      |                    |            |        |     |
| 16.                  | <p>WAP that will take n positive integers into an array A. Now find all the integers that have an odd index and replace them by 0 in array A. Finally show all elements of array A.</p> <table><tr><th>Sample input</th><th>Sample output</th></tr><tr><td>8<br/>7 8 1 3 2 6 4 3</td><td>7 0 1 0 2 0 4 0</td></tr><tr><td>3<br/>3 2 1</td><td>3 0 1</td></tr></table>  | Sample input | Sample output | 8<br>7 8 1 3 2 6 4 3 | 7 0 1 0 2 0 4 0    | 3<br>3 2 1 | 3 0 1  |     |
| Sample input         | Sample output  |              |               |                      |                    |            |        |     |
| 8<br>7 8 1 3 2 6 4 3 | 7 0 1 0 2 0 4 0  |              |               |                      |                    |            |        |     |
| 3<br>3 2 1           | 3 0 1  |              |               |                      |                    |            |        |     |
| 17.                  | <p>WAP that will take n integers into an array A. Now sort them in ascending order within that array. Finally show all elements of array A.<br/>Reference: <a href="http://en.wikipedia.org/wiki/Bubble_sort">http://en.wikipedia.org/wiki/Bubble_sort</a></p> <table><tr><th>Sample input</th><th>Sample output</th></tr><tr><td>8<br/>7 8 1 3 2 6 4 3</td><td>1 2 3 3 4 6 7 8</td></tr><tr><td>3<br/>3 2 1</td><td>1 2 3</td></tr></table> | Sample input | Sample output | 8<br>7 8 1 3 2 6 4 3 | 1 2 3 3 4 6 7 8    | 3<br>3 2 1 | 1 2 3  | *** |
| Sample input         | Sample output  |              |               |                      |                    |            |        |     |
| 8<br>7 8 1 3 2 6 4 3 | 1 2 3 3 4 6 7 8  |              |               |                      |                    |            |        |     |
| 3<br>3 2 1           | 1 2 3  |              |               |                      |                    |            |        |     |

| 18.   | WAP that will take n integers into an array A. Now remove all duplicates numbers from that array. Finally print all elements from that array. | **           |               |  |                     |                        |           |              |         |  |
|---|---|--------------|---------------|--|---------------------|------------------------|-----------|--------------|---------|--|
| <table><tr><th>Sample input</th><th>Sample output</th></tr><tr><td>8<br/>2 8 1 3 2 6 4 3</td><td>2 8 1 3 6 4</td></tr><tr><td>3<br/>3 3 3</td><td>3</td></tr><tr><td>4<br/>6 7 8 9</td><td>6 7 8 9</td></tr></table>      |   | Sample input | Sample output | 8<br>2 8 1 3 2 6 4 3                     | 2 8 1 3 6 4         | 3<br>3 3 3             | 3         | 4<br>6 7 8 9 | 6 7 8 9 |  |
| Sample input  | Sample output   |              |               |  |                     |                        |           |              |         |  |
| 8<br>2 8 1 3 2 6 4 3  | 2 8 1 3 6 4   |              |               |  |                     |                        |           |              |         |  |
| 3<br>3 3 3  | 3   |              |               |  |                     |                        |           |              |         |  |
| 4<br>6 7 8 9  | 6 7 8 9   |              |               |  |                     |                        |           |              |         |  |
| 19.   | WAP that will take n integers into array A and m positive integers into array B. Now find the intersection (set operation) of array A and B.  | **           |               |  |                     |                        |           |              |         |  |
| <table><tr><th>Sample input</th><th>Sample output</th></tr><tr><td>8<br/>7 8 1 5 2 6 4 3<br/>6<br/>1 3 6 0 9 2</td><td>1 2 6 3</td></tr><tr><td>3<br/>1 2 3<br/>2<br/>4 5</td><td>Empty set</td></tr></table>             |   | Sample input | Sample output | 8<br>7 8 1 5 2 6 4 3<br>6<br>1 3 6 0 9 2 | 1 2 6 3             | 3<br>1 2 3<br>2<br>4 5 | Empty set |              |         |  |
| Sample input  | Sample output   |              |               |  |                     |                        |           |              |         |  |
| 8<br>7 8 1 5 2 6 4 3<br>6<br>1 3 6 0 9 2  | 1 2 6 3   |              |               |  |                     |                        |           |              |         |  |
| 3<br>1 2 3<br>2<br>4 5  | Empty set   |              |               |  |                     |                        |           |              |         |  |
| 20.   | WAP that will take n integers into an array A and m positive integers into array B. Now find the union (set operation) of array A and B.      | **           |               |  |                     |                        |           |              |         |  |
| <table><tr><th>Sample input</th><th>Sample output</th></tr><tr><td>8<br/>7 8 1 5 2 6 4 3<br/>6<br/>1 3 6 0 9 2</td><td>7 8 1 5 2 6 4 3 0 9</td></tr><tr><td>3<br/>1 2 3<br/>2<br/>4 5</td><td>1 2 3 4 5</td></tr></table> |   | Sample input | Sample output | 8<br>7 8 1 5 2 6 4 3<br>6<br>1 3 6 0 9 2 | 7 8 1 5 2 6 4 3 0 9 | 3<br>1 2 3<br>2<br>4 5 | 1 2 3 4 5 |              |         |  |
| Sample input  | Sample output   |              |               |  |                     |                        |           |              |         |  |
| 8<br>7 8 1 5 2 6 4 3<br>6<br>1 3 6 0 9 2  | 7 8 1 5 2 6 4 3 0 9   |              |               |  |                     |                        |           |              |         |  |
| 3<br>1 2 3<br>2<br>4 5  | 1 2 3 4 5   |              |               |  |                     |                        |           |              |         |  |

**21.** WAP that will take n integers into an array A and m positive integers into array B. Now find the difference (set operation) of array A and B or (A-B).

\*\*

| Sample input                             | Sample output |
|--|---------------|
| 8<br>7 8 1 5 2 6 4 3<br>6<br>1 3 6 0 9 2 | 7 8 5 4       |
| 3<br>1 2 3<br>2<br>4 5                   | 1 2 3         |

