




WUNOMO AI

DataOps Platform

Platform Design & User Flow Report

Prototype Documentation — June 2026

Version 1.0 | Interactive HTML Prototype

Table of Contents

1.	Platform Overview	What Wunomo AI is and how it works
2.	Architecture & App Shell	Global layout, sidebar, topbar, FAB
3.	Dashboard	Executive overview — metrics, charts, live feed
4.	AI Employees	Hiring AI workers — AXIOM and the roadmap
5.	AXIOM — AI DataOps Agent	The 3-panel chat intelligence interface
6.	Data Sources	Connecting and managing databases
7.	Data Catalog	Metadata, schema, and table discovery
8.	Pipelines	Building, scheduling, and monitoring ETL pipelines
9.	Transformations	SQL, Python, and natural-language data transforms
10.	Data Quality	Rules, scores, violations, and contracts
11.	Incidents	Alert management and root-cause resolution
12.	Governance & Lineage	Data lineage graph, contracts, compliance
13.	Automations	Trigger-condition-action workflow builder
14.	CI / CD	Deployment pipeline and environment promotions
15.	Approvals	Change management and review workflow
16.	Analytics	Executive dashboards, usage, and LLM metrics
17.	Audit Logs	Tamper-proof activity timeline
18.	Team	Members, roles, and permissions
19.	Billing	Plans, credits, invoices, and usage
20.	Settings	Workspace, API keys, models, integrations
21.	Key User Flows	End-to-end workflow walkthroughs
22.	Design System	Colours, typography, and components

01

Platform Overview

What Wunomo AI is and how it works

Wunomo AI is an **AI Employee Platform** — a SaaS product that lets companies hire specialised AI workers to autonomously handle full operational domains. Unlike chatbots or copilots that assist a human, Wunomo AI employees **own their domain**: they connect to data, run pipelines, enforce quality, respond to incidents, and make decisions within defined guardrails.

Product Name	Wunomo AI — DataOps Platform
Current Release	v1.0 — AXIOM (DataOps Engineer) active
Prototype Format	Single self-contained HTML file (153 KB)
Total Pages/Views	20 fully rendered screens
Active AI Agent	AXIOM — DataOps Engineer
Locked Agents	LEDGER (Finance), DEPLOY (DevOps), INSIGHT (Analytics), SENTINEL (Security), PULSE (HR)
Supported Sources	PostgreSQL, MySQL, Snowflake, Redshift, BigQuery, MongoDB, SQL Server, CSV/Excel
User Role Demo	Arjun Mehta — Owner, Growth Plan, DataCompany Ltd

Live Sample Data State

The prototype ships with realistic dummy data to simulate a working production environment. The numbers below appear across Dashboard, Pipelines, Quality, and Incidents pages.

Metric	Value	Trend
System Health	94%	↑ +2% this week
Active Pipelines	13 / 13	1 paused, 2 running live
Quality Score	91 / 100	↑ +3 this week
Today's Pipeline Runs	47 runs	96.8% success rate
Data Sources Online	7 / 8	1 (Legacy SQL Server) failed
Open Incidents	2	↓ down from 5 yesterday
Pending Approvals	3	2 marked Urgent
AI Credit Balance	8,420	\$148.50 used this month

02

Architecture & App Shell

Global layout and persistent chrome

Every page in the platform shares a three-part shell: a fixed left **Sidebar** for navigation, a sticky **Topbar** for global controls, and a scrollable **Page Content** area that each screen renders into. A floating **AXIOM FAB** (Ask AXIOM button) persists on every page.

Sidebar

Width	220 px expanded / 60 px collapsed (toggle via button or Ctrl+I)
Background	Deep navy (#0f1e3d) — always visible
Logo area	Hexagonal Wunomo icon + "Wunomo AI" wordmark
Workspace	Dropdown to switch workspace (Production / Staging / Dev)
Navigation sections	Dashboard Workspace Data Quality & Ops Analytics Admin
Live badges	Pipelines: 13 Incidents: 2 (red) Approvals: 3 (amber) AXIOM: Live (blue)
Footer	User avatar, name, plan badge, collapse toggle
Collapsed mode	Only icons visible; hover tooltip shows label

Topbar

Height	52 px, sticky at top (always visible on scroll)
Hamburger button	Collapses/expands sidebar
Breadcrumb	Dynamically updated on every page navigation
Search / Command	Clickable pill opens the Command Palette (Ctrl+K / Cmd+K)
AXIOM status	Pulsing green dot + "AXIOM Online" label
Environment picker	Production / Staging / Development dropdown
Credits badge	Remaining AI credit balance (8,420 in demo)
Notification bell	Dropdown panel showing 4 notifications (2 unread)
User avatar	"AM" initials circle — shows profile toast on click

Command Palette (Ctrl+K)

A spotlight-style overlay with fuzzy search across all 14 registered actions: navigate to any page, create a new pipeline, ask AXIOM, run quality checks, and more. Dismiss with Escape.

AXIOM Floating Button

A navy pill button pinned to the bottom-right corner of every screen. Single click navigates directly to the AXIOM chat interface. On mobile/small screens the label hides and it becomes a circular icon.

Toast Notification System

Non-blocking notification toasts appear at bottom-right. Four types: Default (navy), Success (green), Warning (amber), Danger (red). Auto-dismiss after 3.5 seconds. Every interactive action in the prototype fires an appropriate toast.

Modal & Drawer System

Modals (sm / md / lg) overlay with blur backdrop and scale-in animation. Click outside or press Escape to dismiss. Used for connection wizards, confirmations, and detail views.

03

Dashboard

Executive overview

Purpose

The default landing page. Gives a real-time pulse of the entire DataOps environment at a glance: system health, active pipelines, quality scores, incidents, approvals, AXIOM activity, and recent runs. Every card is a shortcut into a deeper page.

Key Components

- System Health Alert banner (dismissible) for the failed pipeline
- 8 KPI metric cards each with a 7-day sparkline chart
- Pipeline Run History bar chart (success vs failed, 7 days)
- Quality Score Trend line chart
- Recent Pipeline Runs list with status dots and row counts
- Pending Approvals panel with inline Approve / Reject buttons
- AXIOM Activity feed showing last 5 chat queries

User Actions

- Click "Ask AXIOM" to jump into the chat interface
- Click "Investigate" on the alert banner to navigate to Incidents
- Approve or Reject changes directly from the Pending Approvals card
- Click any AXIOM query to re-open that conversation
- Refresh button reloads all metrics (with toast confirmation)

Navigation Paths from this page

AXIOM — Incidents — Pipelines — Approvals — Analytics

04

AI Employees

Hire AI workers

Purpose

A marketplace-style grid showing all available AI employees. AXIOM is active and fully deployable. Five others (LEDGER, DEPLOY, INSIGHT, SENTINEL, PULSE) are shown locked with a "Coming Soon" state, giving users a preview of the roadmap.

Key Components

- AXIOM card (active): name, role, description, 6 capability tags, price, Deploy/Open buttons
- Locked cards: greyed with lock overlay, "Notify Me" button, pricing preview
- Active badge count in topbar ("1 Active")
- "Browse Marketplace" button in header

User Actions

- Click "Open AXIOM" to navigate to the AXIOM chat page
- Click "Learn More" on any locked card to see full capability list
- Click "Notify Me" on locked agents to register interest
- Click "Browse Marketplace" to explore future agents

Navigation Paths from this page

AXIOM — Dashboard — Billing

05

AXIOM — AI DataOps Agent

The intelligence layer

Purpose

The most complex screen in the platform. A three-panel Cursor-style layout where users interact with their data through natural language. AXIOM connects to live databases, writes and executes SQL, explains errors, runs quality checks, and surfaces results as tables, charts, and code blocks. It is not just a chat window — it is an agent that takes actions and shows its reasoning.

Key Components

- LEFT PANEL: Conversation history, pinned chats, saved prompts, folder organisation
- MIDDLE PANEL: Chat messages with user bubbles and AXIOM responses
- MIDDLE PANEL: Artifact area — rendered SQL results, tables, charts, Python output
- MIDDLE PANEL: Input area with textarea, file attach, context toggle, prompt suggestions
- RIGHT PANEL: Active Source (database, table name, row count, last synced)
- RIGHT PANEL: Agent Memory (current context items)
- RIGHT PANEL: Tool Calls this session (tool name, status, execution time)
- RIGHT PANEL: Confidence meter for last response (94% in demo)
- 5 Quick Prompt buttons: "Show failed runs today", "Run quality check", etc.

User Actions

- Type any natural language question and press Enter or Send
- Messages stream into the chat; AXIOM replies with reasoning + results
- Pin any conversation to the left panel for easy retrieval
- Attach a file (CSV/Excel) to analyse uploaded data
- Click a saved prompt to pre-fill the input with that query
- Switch active source from the right context panel

Navigation Paths from this page

Sources — Pipelines — Quality — Dashboard

06

Data Sources

Connect your data

Purpose

Manage all connected databases and file uploads. Each source is shown as a card displaying type, status, table count, row count, and last sync time. Supports 9 source types out of the box.

Key Components

- Source grid (3 columns) with coloured type badges: PG, MY, SF, RS, MG, BQ, CSV, SQL
- Status indicator: Healthy (green), Warning (amber), Failed (red)
- Per-card stats: tables count, row count, last synced timestamp
- "Profile" and "Drift Check" action buttons per card
- "Connect Source" modal with 9 connector tiles
- Filter bar: search, type dropdown, status dropdown
- "Upload File" button for CSV/Excel ad-hoc uploads

User Actions

- Click "Connect Source" to open the connection wizard modal
- Click "Profile" on any source to scan schema and statistics
- Click "Drift Check" to compare current schema against baseline
- Click the sync icon to trigger a manual refresh
- Click any card to open detailed source view

Navigation Paths from this page

Data Catalog — Pipelines — AXIOM — Governance

07

Data Catalog

Discover your data

Purpose

A searchable, filterable table of all tables across all connected sources. Shows column count, row count, owner, tags (including PII), and last profiling time. The single source of truth for metadata discovery.

Key Components

- Global search input for tables, columns, and descriptions
- Table listing: name (monospace), source, columns, rows, owner avatar, tags, profiled time
- PII/sensitive data tags visible inline
- "Sync Metadata" button to refresh the catalog

User Actions

- Search by table name, column name, or description keyword
- Click a table row to view full schema and column definitions
- Click an owner to filter by their tables
- Click a tag to filter all tables with that classification

Navigation Paths from this page

Data Sources — Governance — Transformations — Quality

08

Pipelines

Orchestrate data movement

Purpose

Build, schedule, monitor, and manage all ETL/ELT pipelines. The page shows a table of all 13 pipelines with live status, schedule, success rate bars, and action controls. A 5-card KPI row summarises the pipeline fleet health.

Key Components

- 5 KPI cards: Total (13), Active (10), Running Now (2), Failed (1), Today Runs (47)
- Pipeline table: name, status badge, source, cron schedule, last run, success rate bar %
- Running pipelines show a pulsing status dot
- Per-row actions: Run (manual trigger), Pause/Activate, arrow to detail
- Tab filter: All / Active / Failed / Paused
- "New Pipeline" and "Import YAML" buttons
- Quality trend chart shown below the table

User Actions

- Click "Run" to manually trigger any pipeline immediately
- Click "Pause" to halt a scheduled pipeline without deleting it
- Click "New Pipeline" to open the visual pipeline builder
- Filter tabs to isolate failed or paused pipelines for triage
- Click the arrow icon to open a detailed pipeline run history view

Navigation Paths from this page

Transformations — Quality — Incidents — CI/CD — Approvals

09

Transformations

Shape your data

Purpose

A three-tab environment for writing and running data transformations. Supports natural language (AXIOM generates the SQL), a raw SQL editor with a results preview table, and a Python (pandas) editor with execution output. All runs are saved to history.

Key Components

- Tab 1 — Natural Language: Plain-English input → AXIOM generates SQL
- Tab 2 — SQL Editor: Textarea with syntax highlighting, source selector, Dry Run / Execute
- Tab 2 — Results preview table rendered inline below the editor
- Tab 3 — Python Editor: Pandas-based code area, Preview / Execute / Explain buttons
- Tab 4 — History: Table of past transforms with type, status, row count, replay button
- "Templates" button for saved transform patterns

User Actions

- Type a plain-English description and click "Generate" to get AXIOM-written SQL
- Edit the generated SQL directly and click "Execute" to run it
- Use "Dry Run" to get an execution plan without running data changes
- Click "Explain" in Python mode to get a line-by-line explanation from AXIOM
- Click "Replay" in History to re-run a previous transformation

Navigation Paths from this page

Pipelines — AXIOM — Data Catalog — Quality

10

Data Quality

Enforce data standards

Purpose

Define quality rules, track violations, and monitor data contract compliance. A quality score (91/100 in demo) aggregates across all active rules. Failing rules surface immediately for investigation.

Key Components

- 4 KPI cards: Overall Score (91/100), Rules Passing (3/5), Violations (847 in 24h), Active Contracts (4)
- Rules table: name, pipeline, column, check type, score bar, pass/fail badge, Run button
- Score Breakdown donut chart (Null Checks, Uniqueness, Range, Regex, Freshness)
- Quality Trend 30-day line chart
- "Run All Checks" button for global quality sweep
- "Add Rule" button to define new quality constraints

User Actions

- Click "Run" on any rule to execute it immediately and see updated score
- Click "Run All Checks" to refresh every rule at once
- Click a failing rule row to open the violation detail drawer
- Add new rules with type: not_null, unique, range, regex, freshness
- Monitor the 30-day trend chart to catch regression patterns

Navigation Paths from this page

Pipelines — Incidents — Governance — Data Catalog

11 Incidents

Respond to problems

Purpose

An incident management system modelled on PagerDuty + Linear. Every pipeline failure, schema drift, or quality threshold breach generates an incident. Incidents have severity (critical/high/medium/low), owner assignment, and resolution workflow.

Key Components

- 4 KPI cards: Open (2), Investigating (1), Resolved 7d (2), Avg. MTTR (47 min)
- Incidents table: ID (INC-XXX), title, severity badge, status badge, pipeline, owner avatar, created, Resolve button
- Click any row to see incident detail (toast in prototype)
- "New Incident" button for manual incident creation

User Actions

- Click "Resolve" on an open incident to close it (updates status + fires success toast)
- Click an incident row to view full timeline, root cause, and comments
- Filter by severity (Critical / High / Medium / Low)
- Click the pipeline name to jump to that pipeline's run history

Navigation Paths from this page

Pipelines — Governance — Quality — Audit Logs

12

Governance & Lineage

Track data provenance

Purpose

Four-tab governance hub. The centrepiece is an interactive SVG data lineage graph showing how data flows from source tables through pipeline transformations to downstream reports, ML feature stores, and dashboards.

Key Components

- Tab 1 — Lineage Graph: SVG DAG showing sources → pipelines → destinations with drift warnings
- Tab 2 — Data Contracts: Table of contracts with source, validation status, last validated date
- Tab 3 — Audit Trail: Timestamped table of all user and system actions
- Tab 4 — Compliance: Placeholder for GDPR/SOC2/HIPAA policy views
- "Export Graph" button, "Add Contract" button

User Actions

- Click any node in the lineage graph to inspect that table or pipeline
- Click "Validate" on any data contract to trigger an immediate check
- Add new contracts defining expected schemas and freshness SLAs
- Export the lineage graph as an image for stakeholder presentations
- Filter the audit trail by user, action type, or resource

Navigation Paths from this page

Data Catalog — Pipelines — Quality — Audit Logs

13

Automations

Build event-driven workflows

Purpose

A Zapier-style visual automation builder. Each automation has a Trigger, an optional Condition, and an Action. Five pre-built automations ship with the demo: pipeline failure alerts, auto-resolve low-sev incidents, quality check on deploy, weekly health report, and backfill on schema fix.

Key Components

- Automation card grid (2 columns)
- Per card: name, active/paused badge, trigger block (blue), action block (green), run count, Edit / Pause buttons
- "New Automation" button opens the automation builder

User Actions

- Toggle any automation between Active and Paused
- Click "Edit" to open the visual automation editor
- Click "New Automation" to define trigger → condition → action chain
- View run history per automation to audit past executions

Navigation Paths from this page

Pipelines — Incidents — CI/CD — Settings

Purpose

A deployment pipeline tracker. Shows every commit, the message, author, target environment (production vs staging), and approval status. Supports one-click Approve, Reject, and Rollback from the table.

Key Components

- 4 KPI cards: Deploy Frequency (3/day), Success Rate (87.5%), Mean Deploy Time (4.2 min), Rollbacks 30d (1)
- Deployments table: commit hash (monospaced), message, author, environment badge, status, timestamp, actions
- Pending deployments show Approve / Reject inline buttons
- Successful deployments show a Rollback button
- "1 awaiting approval" badge in header

User Actions

- Approve a pending deployment to promote it to production
- Reject with reason to send it back to the author
- Rollback any recent deployment to its previous state
- Click the info icon to view full diff and test results

Navigation Paths from this page

Approvals — Pipelines — Audit Logs — Settings

Purpose

A formal review queue for changes that require human sign-off before execution. Four approval types in demo: Deployment, Schema Change, Config Change, Destructive. Each request shows impact level, requester, and urgency flag.

Key Components

- Tab bar: Pending (3) / Approved / Rejected
- Approval cards with left border: red for urgent, grey for normal
- Per card: ID badge, approval type, impact badge, title, requester + role, created time, Reject / Approve buttons
- "3 pending" count badge in page header

User Actions

- Review the impact level and requester before approving
- Click "Approve" to execute the change immediately with a success toast
- Click "Reject" to return it to the requester with reason
- Switch to "Approved" or "Rejected" tabs to view decision history

Navigation Paths from this page

CI/CD — Audit Logs — Team — Dashboard

16

Analytics

Measure everything

Purpose

An executive analytics dashboard covering pipeline health, data quality trends, LLM token usage, API call volumes, and cost. Provides a 30-day view by default with selectable date ranges.

Key Components

- 6 KPI cards: Total Runs (1,847), Avg Success Rate (96.8%), Data Volume (2.4 TB), AXIOM Queries (284), LLM Cost (\$148.50), API Calls (48.2K)
- Pipeline Runs 30-day stacked bar chart (success vs failed)
- Quality Score History 30-day line chart
- LLM Token Usage grouped bar chart (input vs output, by week)
- API Usage by Endpoint donut chart
- Date range selector and Export Report button

User Actions

- Change date range to 7, 30, or 90-day views
- Click "Export Report" to download a data export
- Hover chart bars to see exact values in tooltips
- Use data to justify infrastructure spend and capacity planning

Navigation Paths from this page

Dashboard — Billing — Pipelines — Quality

17

Audit Logs

Full accountability trail

Purpose

An immutable chronological log of every action taken by users and the system. Covers pipeline triggers, quality checks, approval decisions, source updates, schema changes, and automated backups. Essential for compliance and debugging.

Key Components

- Log table: timestamp (monospaced), user avatar + name, action badge (navy), resource (monospaced), detail, IP address
- Export CSV button
- Filter button (opens filter drawer)
- Six sample log entries in demo spanning 6 hours of activity

User Actions

- Export the full log as CSV for compliance reporting
- Filter by user, action type, resource name, or time window
- Click any row to see full event detail and metadata
- Cross-reference with Incidents to build a root-cause timeline

Navigation Paths from this page

Governance — Incidents — Team — Settings

18

Team

Manage members and roles

Purpose

Invite teammates, assign roles, and control access. Shows a member table with status (active vs pending invite), role badge, joined date, and inline role-change dropdown. Five members in the demo: Owner, Admin, Data Engineer, Data Analyst, pending invite.

Key Components

- Member table: avatar, name + email, role badge, status badge, joined date, Change Role dropdown, Remove button
- Role hierarchy: Owner → Admin → Data Engineer → Data Analyst → Viewer
- "Invite Member" button with email input
- Pending invites show a lighter avatar and "Pending" badge

User Actions

- Click "Invite Member" to send an email invite to a new teammate
- Use the "Change Role" dropdown to promote or demote any member
- Click "Remove" to revoke a member's access (with confirmation toast)
- Monitor pending invites and resend if needed

Navigation Paths from this page

Settings — Billing — Audit Logs

19

Billing

Plans, credits, and invoices

Purpose

Shows the current subscription plan (Growth at \$49/month), usage bars for all four quota dimensions, and a full invoice history with PDF download links.

Key Components

- Current Plan card: plan name, renewal date, monthly price, 4 usage progress bars
- Usage bars: AI Credits (84% — warning), Pipeline Runs (37%), Data Sources (53%), Team Members (40%)
- Invoice history table: date, description, amount, status (paid), Download PDF button
- "Upgrade Plan" button in header

User Actions

- Click "Upgrade Plan" to see higher-tier options
- Monitor credit usage to avoid overage charges
- Click "Download PDF" to get any invoice for accounting
- AI Credits bar turning red signals a refill is needed

Navigation Paths from this page

Settings — Analytics — Dashboard

Purpose

A two-column settings layout with a left nav (8 sections) and a right content area. The three visible panels cover Workspace configuration, API Key management, and AI Model selection.

Key Components

- Left nav: Workspace | API Keys | Integrations | Security | Notifications | AI Models | Organisation | Danger Zone
- Workspace panel: name field, timezone selector, description textarea, Save Changes button
- API Keys panel: list of keys with masked values, created/last-used dates, Copy + Revoke buttons, "Create Key" button
- AI Models panel: Primary LLM dropdown (Groq Llama 3.1-8b / Claude / GPT-4o / Gemini), Fallback LLM dropdown

User Actions

- Update workspace name and timezone and click "Save Changes"
- Create a new API key for CI/CD or third-party integrations
- Copy an existing key to use in external tools
- Revoke a compromised key immediately
- Switch the primary LLM model used by AXIOM

Navigation Paths from this page

Team — Billing — Audit Logs — API Documentation

21

Key User Flows

End-to-end workflow walkthroughs

Flow A: New User Onboarding

A brand-new user setting up their DataOps workspace for the first time.

**Flow B: Pipeline Failure → Resolution**

An on-call engineer responds to a pipeline failure at 06:00.

**Flow C: Data Quality Degradation**

A data analyst notices the quality score dropped and investigates.

**Flow D: Deploy Pipeline to Production**

A data engineer deploys a new pipeline version through the approval gate.

**Flow E: Ad-hoc Data Investigation with AXIOM**

A business analyst uses AXIOM to explore revenue data without writing SQL.



22

Design System

Colours, typography, components

The prototype ships a complete internal design system defined in design-system.css (494 lines). Every visual element is derived from the token set below.

Colour Palette

Token	Hex	Usage
--navy	#0f1e3d	Sidebar background, body text
--navy-600	#2351a1	Primary buttons, active nav, links
--navy-100	#ddeafc	Soft accent backgrounds
--navy-50	#f0f5fd	Card hover, tag backgrounds
--success	#16a34a	Healthy status, passing rules, approve
--warning	#d97706	Pending, warning states, approval badges
--danger	#dc2626	Failed states, incidents, errors, reject
--info	#0891b2	Running status, info badges
--teal	#0d9488	Quality scores, secondary success
--purple	#7c3aed	AI/ML features, AXIOM accent
--gray-50	#f4f5f9	Page background
--border	#e4e6ef	Card borders, dividers, table lines
--text-secondary	#4a5068	Subtitles, secondary labels
--text-muted	#8892a8	Hints, timestamps, placeholders

Typography

Display font	Inter (Google Fonts) — weights 300 / 400 / 500 / 600 / 700 / 800
Monospace font	JetBrains Mono — used in code blocks, SQL editors, timestamps, API keys
Base size	14 px root / 13 px body / 12 px secondary / 11 px badges / 10 px labels
Page titles	20 px 700 weight — letter-spacing -0.3 px
Metric values	28 px 700 weight — letter-spacing -0.5 px

Component Library

Component	Variants / Notes
Buttons	Primary (navy) Secondary (white+border) Ghost Danger Success SM/MD/LG Icon-only
Cards	Default Hover (lift + shadow) Active Header/Body/Footer slots
Badges	success danger warning info gray navy purple teal

Status Dots	success danger warning info gray — all support .pulse animation
Inputs	Text Select Textarea Search bar with focus ring (3px navy glow)
Tabs	Horizontal tab bar with active underline in navy-600
Tables	Sticky thead, zebra rows, hover highlight, sortable columns
Toast	default success warning danger — auto-dismiss 3.5s, slide-in from right
Modal	sm (420px) md (560px) lg (760px) — backdrop blur, scale-in animation
Command Palette	Spotlight overlay, fuzzy search, keyboard nav, Escape to close
Progress Bars	success warning danger fill colours, animated width transitions
Skeleton	Shimmer animation for loading states on all pages
Avatar	sm (22px) md (28px) lg (36px) — initials in navy-600
Drawer	480px right-side panel with open/close transition
Tooltip	Hover tooltip above element, navy background, 11px text
Charts	Bar Line Donut via Chart.js 4.4 — sparklines in metric cards
Code Blocks	Dark background (#0a0c10), syntax-coloured keywords, strings, comments
Empty States	Centered icon + title + description + CTA for zero-data screens

Responsive & Accessibility

- Mobile breakpoint at 768px: sidebar collapses to transform(-100%), grid cols reduce 4→2, 3→2
- AXIOM FAB collapses to circular icon on screens < 640px
- Credits badge and AI status indicator hide on small screens to save space
- Scrollbar custom styled: 5px wide, rounded, light gray thumb
- All interactive elements have visible hover and focus states
- Keyboard shortcut: Ctrl+K / Cmd+K opens Command Palette from anywhere

Document Summary

Wunomo AI v1.0

Category	Count	Details
Total Pages / Views	20	All fully rendered with interactive dummy data
Navigation Items	18	Sidebar items each with data-page attribute and click handler
Page Renderers	19	JavaScript functions (renderDashboard, renderAxiom, etc.)
Charts	10+	Bar, line, donut, sparklines via Chart.js 4.4
User Actions	80+	Buttons, forms, tabs, modals triggering real interactions
Toast Notifications	50+	Every action fires a contextual success / warning / error toast
Design Tokens	40+	CSS custom properties for colour, shadow, radius, transition
Source File	153 KB	Single self-contained HTML (CSS + JS + markup embedded)
JS Files	2	core.js (342 lines) + pages.js (1,583 lines)
CSS File	1	design-system.css (494 lines)
AI Agent Active	1	AXIOM — DataOps Engineer
AI Agents Locked	5	LEDGER, DEPLOY, INSIGHT, SENTINEL, PULSE
User Flows Documented	5	Onboarding, Incident, Quality, Deploy, AXIOM Query

This report was auto-generated from the Wunomo AI interactive HTML prototype. All page content, user flows, and design decisions documented here are reflected live in the prototype. Open `wunomo-ai.html` in any modern browser to interact with the full platform.