CSE 2010 SECURE CODING LAB SLOT –L23+L24 NAME-B.PRATYUSH REGISTRATION NUMBER-19BCN7114 LAB EXPERIMENT 1


QUESTION:

Exercise

- All the execution needs to be in cmd. No GUI.
- · Note: Execution should be from any relative path
- Create 10 files (txt, docx or any) and sub folders using your roll number followed by SS and numbering.
- Try to delete all the files in 1 folder (last child)
- Try to delete all the files which are in docx type in 2nd folder (second folder from root)
- Try to delete all the files which are in docx type starting with SS in 3rd folder
- Try to delete all the files starting from SS11 to SS20 in the root folder

OPENING DIRECTORY AND CREATING ROOT FOLDER WITH 3 NESTED CHILD FOLDERS

```
Command Prompt
Microsoft Windows [Version 10.0.18363.1316]
(c) 2019 Microsoft Corporation. All rights reserved.
C:\Users\Lenovo>dir
Volume in drive C has no label.
Volume Serial Number is E416-CA74
Directory of C:\Users\Lenovo
01/28/2021 04:50 PM
                       <DIR>
01/28/2021
           04:50 PM
                        <DIR>
07/25/2020 11:26 PM
                                      .config
                        <DIR>
07/25/2020 11:27 PM
                        <DTR>
                                       .eclipse
12/15/2020 07:28 PM
                        <DIR>
07/25/2020 11:27 PM
                                       .tooling
                        <DIR>
                                       3D Objects
01/28/2021 07:48 PM
                        <DTR>
01/17/2021
           07:16 PM
                        <DIR>
                                       Contacts
01/30/2021 11:42 AM
                        <DIR>
                                      Desktop
01/28/2021 08:16 PM
                        <DTR>
                                      Documents
           12:42 PM
01/30/2021
                        <DIR>
                                      Downloads
07/25/2020 11:19 PM
                        <DIR>
                                      eclipse
12/05/2020 06:12 PM
                        <DIR>
                                      eclipse-workspace
                                      Favorites
01/17/2021 07:16 PM
                        <DIR>
01/17/2021 07:16 PM
                        <DIR>
                                      Links
01/17/2021 07:16 PM
                        <DIR>
                                      Music
01/30/2021 08:57 AM
                                      OneDrive
                        <DIR>
01/28/2021 04:51 PM
                        <DIR>
                                      Oracle
01/17/2021 07:16 PM
                        <DIR>
                                      Pictures
                                      Saved Games
01/17/2021 07:16 PM
                        <DIR>
01/17/2021 07:16 PM
                        <DIR>
                                       Searches
01/17/2021 07:16 PM
                        <DIR>
                                      Videos
              0 File(s)
                                     0 bytes
              22 Dir(s) 412,523,913,216 bytes free
C:\Users\Lenovo>cd desktop
C:\Users\Lenovo\Desktop>Mkdir root\sub1\sub2\sub3
C:\Users\Lenovo\Desktop>cd root
C:\Users\Lenovo\Desktop\root>for %A in (1 2 3 4 5) do echo.>"19BCN7114SS%A.txt"
C:\Users\Lenovo\Desktop\root>echo.1>"19BCN7114SS1.txt"
       Type here to search
                                                                     0
                                                        äŧ
```



ADDING FILES TO ROOT FOLDER OF .txt and .docx FORMAT

ADDING FILES TO CHILD FOLDER "SUB1" OF ROOT FOLDER AND ALSO ADDING FILES STARTING WITH "SS"

Command Prompt :\Users\Lenovo\Desktop\root>cd sub1 :\Users\Lenovo\Desktop\root\sub1>for %A in (11 12 13 14 15) do echo.>"19BCN7114SS%A.txt" C:\Users\Lenovo\Desktop\root\sub1>echo.1>"19BCN71145511.txt" C:\Users\Lenovo\Desktop\root\sub1>echo.1>"19BCN71145512.txt" C:\Users\Lenovo\Desktop\root\sub1>echo.1>"19BCN71145513.txt" C:\Users\Lenovo\Desktop\root\sub1>echo.1>"19BCN71145514.txt" C:\Users\Lenovo\Desktop\root\sub1>echo.1>"19BCN71145515.txt" C:\Users\Lenovo\Desktop\root\sub1>for %A in (16 17 18 19 20) do echo.>"19BCN71145S%A.txt" C:\Users\Lenovo\Desktop\root\sub1>echo.1>"19BCN71145516.txt" C:\Users\Lenovo\Desktop\root\sub1>echo.1>"19BCN71145517.txt" :\Users\Lenovo\Desktop\root\sub1>echo.1>"198CN71145518.txt" C:\Users\Lenovo\Desktop\root\sub1>echo.1>"19BCN71145519.txt" :\Users\Lenovo\Desktop\root\sub1>echo.1>"19BCN71145520.txt" C:\Users\Lenovo\Desktop\root\sub1>for %A in (11 12 13 14 15) do echo.>"SS%A.txt" C:\Users\Lenovo\Desktop\root\sub1>echo.1>"SS11.txt" C:\Users\Lenovo\Desktop\root\sub1>echo.1>"SS12.txt" C:\Users\Lenovo\Desktop\root\sub1>echo.1>"SS13.txt" C:\Users\Lenovo\Desktop\root\sub1>echo.1>"SS14.txt" C:\Users\Lenovo\Desktop\root\sub1>echo.1>"SS15.txt" C:\Users\Lenovo\Desktop\root\sub1>for %A in (16 17 18 19 20) do echo.>"SS%A.docx" C:\Users\Lenovo\Desktop\root\sub1>echo.1>"SS16.docx" C:\Users\Lenovo\Desktop\root\sub1>echo.1>"SS17.docx" C:\Users\Lenovo\Desktop\root\sub1>echo.1>"SS18.docx" C:\Users\Lenovo\Desktop\root\sub1>echo.1>"SS19.docx" C:\Users\Lenovo\Desktop\root\sub1>echo.1>"SS20.docx"

ADDING FILES TO CHILD FOLDER OF SUB1 WHICH IS "SUB2" OF BOTH TXT AND DOCX FORMAT

C:\Users\Lenovo\Desktop\root\sub1\sub2>echo.1>"198CN711455%A.txt" C:\Users\Lenovo\Desktop\root\sub1\sub2>echo.1>"198CN71145521.txt" C:\Users\Lenovo\Desktop\root\sub1\sub2>echo.1>"198CN71145521.txt" C:\Users\Lenovo\Desktop\root\sub1\sub2>echo.1>"198CN71145522.txt" C:\Users\Lenovo\Desktop\root\sub1\sub2>echo.1>"198CN71145523.txt" C:\Users\Lenovo\Desktop\root\sub1\sub2>echo.1>"198CN71145523.txt" C:\Users\Lenovo\Desktop\root\sub1\sub2>echo.1>"198CN71145523.txt" C:\Users\Lenovo\Desktop\root\sub1\sub2>echo.1>"198CN71145525.txt" C:\Users\Lenovo\Desktop\root\sub1\sub2>echo.1>"198CN71145525.txt" C:\Users\Lenovo\Desktop\root\sub1\sub2>echo.1>"198CN71145525.txt" C:\Users\Lenovo\Desktop\root\sub1\sub2>echo.1>"198CN71145526.docx" C:\Users\Lenovo\Desktop\root\sub1\sub2>echo.1>"198CN71145527.docx" C:\Users\Lenovo\Desktop\root\sub1\sub2>echo.1>"198CN71145528.docx" C:\Users\Lenovo\Desktop\root\sub1\sub2>echo.1>"198CN71145529.docx" C:\Users\Lenovo\Desktop\root\sub1\sub1\sub2>echo.1>"198CN71145529.docx" C:\Users\Lenovo\Desktop\root\sub1\sub1\sub2>echo.1>"198CN71145529.docx" C:\Users\Lenovo\Desktop\root\sub1\sub1\sub2>echo.1>"198CN71145529.docx" C:\Users\Lenovo\Desktop\root\sub1\sub1\sub2>echo.1>"198CN71145529.docx" C:\Users\Lenovo\Desktop\root\sub1\sub1\sub2>echo.1>"198CN71145529.docx"

ADDING FILES TO CHILD FOLDER OF SUB2 WHICH IS "SUB3" WHICH HAS BOTH TXT AND DOCX FORMAT FILES

```
C:\Users\Lenovo\Desktop\root\sub1\sub2\sub3>ccd sub3

C:\Users\Lenovo\Desktop\root\sub1\sub2\sub3>ccd sub3

C:\Users\Lenovo\Desktop\root\sub1\sub2\sub3>ccho.1>"19BCN71145531.txt"

C:\Users\Lenovo\Desktop\root\sub1\sub2\sub3>echo.1>"19BCN71145532.txt"

C:\Users\Lenovo\Desktop\root\sub1\sub2\sub3>echo.1>"19BCN71145532.txt"

C:\Users\Lenovo\Desktop\root\sub1\sub2\sub3>echo.1>"19BCN71145533.txt"

C:\Users\Lenovo\Desktop\root\sub1\sub2\sub3>echo.1>"19BCN71145534.txt"

C:\Users\Lenovo\Desktop\root\sub1\sub2\sub3>echo.1>"19BCN71145535.txt"

C:\Users\Lenovo\Desktop\root\sub1\sub2\sub3>echo.1>"19BCN71145535.txt"

C:\Users\Lenovo\Desktop\root\sub1\sub2\sub3>echo.1>"19BCN71145536.docx"

C:\Users\Lenovo\Desktop\root\sub1\sub2\sub3>echo.1>"19BCN71145536.docx"

C:\Users\Lenovo\Desktop\root\sub1\sub2\sub3>echo.1>"19BCN71145537.docx"

C:\Users\Lenovo\Desktop\root\sub1\sub2\sub3>echo.1>"19BCN71145538.docx"

C:\Users\Lenovo\Desktop\root\sub1\sub2\sub3>echo.1>"19BCN71145539.docx"

C:\Users\Lenovo\Desktop\root\sub1\sub2\sub3>echo.1>"19BCN71145539.docx"

C:\Users\Lenovo\Desktop\root\sub1\sub2\sub3>echo.1>"19BCN71145539.docx"

C:\Users\Lenovo\Desktop\root\sub1\sub2\sub3>echo.1>"19BCN71145539.docx"

C:\Users\Lenovo\Desktop\root\sub1\sub2\sub3>echo.1>"19BCN71145540.docx"
```

DELETING ALL FILES OF LAST CHILD FOLDER "SUB3" AND DIRECTING TO PARENT DIRECTORY OF SUB3 WHICH IS SUB2

```
C:\Users\Lenovo\Desktop\root\sub1\sub2\sub3>del f/q/s *.* > NUL
```

C:\Users\Lenovo\Desktop\root\sub1\sub2\sub3>cd..

DELETING ALL FILES OF DOCX FORMAT IN SUB2 AND DIRECTING TO PARENT FOLDER SUB1

Command Prompt

```
C:\Users\Lenovo\Desktop\root\sub1\sub2>del /5 /Q /F C:\Users\Lenovo\Desktop\root\sub1\sub2\*.docx
Deleted file - C:\Users\Lenovo\Desktop\root\sub1\sub2\19BCN7114SS26.docx
Deleted file - C:\Users\Lenovo\Desktop\root\sub1\sub2\19BCN7114SS27.docx
Deleted file - C:\Users\Lenovo\Desktop\root\sub1\sub2\19BCN7114SS28.docx
Deleted file - C:\Users\Lenovo\Desktop\root\sub1\sub2\19BCN7114SS29.docx
Deleted file - C:\Users\Lenovo\Desktop\root\sub1\sub2\19BCN7114SS30.docx
C:\Users\Lenovo\Desktop\root\sub1\sub2\19BCN7114SS30.docx
```

<u>DELETING ALL FILES HAVING "SS" AS ITS STARTING NAME IN SUB1 FOLDER AND DIRECTING LATER TO ROOT FOLDER</u>

```
C:\Users\Lenovo\Desktop\root\sub1\sub2>cd..
C:\Users\Lenovo\Desktop\root\sub1>del /5 /Q /F C:\Users\Lenovo\Desktop\root\sub1\*55*.docx
Deleted file - C:\Users\Lenovo\Desktop\root\sub1\SS16.docx
Deleted file - C:\Users\Lenovo\Desktop\root\sub1\SS17.docx
Deleted file - C:\Users\Lenovo\Desktop\root\sub1\SS18.docx
Deleted file - C:\Users\Lenovo\Desktop\root\sub1\SS19.docx
Deleted file - C:\Users\Lenovo\Desktop\root\sub1\SS19.docx
Deleted file - C:\Users\Lenovo\Desktop\root\sub1\SS20.docx
C:\Users\Lenovo\Desktop\root\sub1>cd..
```

ADDING FILES SS11 TO SS20 TO ROOT FOLDER

```
:\lisers\Lenovo\Desktop\root>for %A in (11-12-13-14-15-) do echo.>"55%A,docx"
 :\Users\Lenovo\Desktop\root>echo.i>"SS11.docx"
 \Users\Lenovo\Desktop\root>echa.1)*$$12.docx*
 :\Users\Lenovo\Desktop\root>echo.1>"SS14.docx"
 :\Users\Lenovo\Desktop\root>echo.1>"5515.docx"
 :\Users\Lenovo\Desktop\root>for %A in (16 17 18 19 20) do echo.>"SS%A.txt"
C:\Wsers\Lenovo\Desktop\root>echo.1>"SS16.txt"
 :\lisers\Lenovo\Desktop\root>echo.1>"SS17.txt"
 :\Users\Lenovo\Desktop\root>echo.1>"SS18.txt"
                                                                                                       Activate Windows
 :\Users\Lenovo\Desktop\root>echo.1>"SS20.txt"
C:\Users\Lenovo\Desktop\root>for %A in (11 12 13 14 15 ) do echo.>"55%A.docx"
C:\Users\Lenovo\Desktop\root>echo.1>"SS11.docx"
C:\Users\Lenovo\Desktop\root>echo.1>"SS12.docx"
C:\Users\Lenovo\Desktop\root>echo.1>"SS13.docx"
C:\Users\Lenovo\Desktop\root>echo.1>"SS14.docx"
C:\Users\Lenovo\Desktop\root>echo.1>"SS15.docx"
C:\Users\Lenovo\Desktop\root>for %A in (16 17 18 19 20) do echo.>"SS%A.txt"
C:\Users\Lenovo\Desktop\root>echo.1>"SS16.txt"
C:\Users\Lenovo\Desktop\root>echo.1>"SS17.txt"
C:\Users\Lenovo\Desktop\root>echo.1>"SS18.txt"
C:\Users\Lenovo\Desktop\root>echo.1>"SS19.txt"
C:\Users\Lenovo\Desktop\root>echo.1>"SS20.txt"
```

DELETING ALL FILES STARTING FROM SS11 TO SS20 IN ROOT FOLDER

Command Prompt

```
C:\Users\Lenovo\Desktop\root>del "*SS11*"

C:\Users\Lenovo\Desktop\root>del "*SS11*"

C:\Users\Lenovo\Desktop\root>del "*SS12*"

C:\Users\Lenovo\Desktop\root>del "*SS13*"

C:\Users\Lenovo\Desktop\root>del "*SS14*"

C:\Users\Lenovo\Desktop\root>del "*SS14*"

C:\Users\Lenovo\Desktop\root>del "*SS16*"

C:\Users\Lenovo\Desktop\root>del "*SS16*"

C:\Users\Lenovo\Desktop\root>del "*SS16*"

C:\Users\Lenovo\Desktop\root>del "*SS17*"

C:\Users\Lenovo\Desktop\root>del "*SS18*"

C:\Users\Lenovo\Desktop\root>del "*SS18*"

C:\Users\Lenovo\Desktop\root>del "*SS19*"

C:\Users\Lenovo\Desktop\root>del "*SS20*"

C:\Users\Lenovo\Desktop\root>del "*SS20*"
```