

Presentation on "Preparation of MEMU trains in view of Upcoming Festival Seasons.

MEMU CAR SHED,
Jhajha.

AGENDA

□Action taken to ensure safe working of electrical equipments and passenger amenity items.

□Sensitizing maintenance staff, escorting staff and train passing staff.

□Action taken to ensure fire safety.

□Necessary coordination with other departments.

ACTION TAKEN TO ENSURE SAFE WORKING OF ELECTRICAL EQUIPMENTS AND PASSENGER AMENITY ITEMS.

Conducting thermography as part of the schedule maintenance of **MEMU** rakes to detect loose connections and hot spots.










THERMAL SCANNING OF ELECTRICAL CONNECTION IN MEMU STOCK







USE OF ANTI TEMPERING MARKER ON POWER CABLE CONNECTIONS AFTER TIGHTNESS













USE OF ANTI TEMPERING MARKER ON POWER CABLE CONNECTIONS AFTER TIGHTNESS














TIGHTNESS CHECKING OF ELECTRICAL CONNECTION IN TRANSFORMER JUNCTION BOX (Completed in 177 MC, 08 at KPA)















Use of Endoscopic Camera: This devise being used at MEMU Shed, JAJ for proper visualization of cables and their terminals where it is not easy to inspect them directly.





OTHER MISCELLEANOUS WORK (ELECT SAFETY)

- > All maintenance schedules are being followed.
- > Working of safety relays e.g. PRV, BUD, TTR, BDV & DGA are being ensured as per respective schedules and parameters of DGA & BDV are analyzed for permissible limits.
- > Drive has been completed for proper size of MCBs and Fuses intact.
- > Irreversible Thermal Strips have been started to paste over Terminals of Power cables to judge the healthiness of these cables at a glance.





PASSENGER AMENITIES SAFETY

- ❖ Regular Maintenance: Schedule regular maintenance checks for passenger amenities, such as coach lighting, fans, passenger seats, toilets to ensure they function properly.
- * Hygiene Protocols: Maintaining cleanliness of washbasin & Bio toilets by bacteria recharge, tanks cleaning & lavatory cleaning.
- **❖ Safety Information: Provide clear safety information and instructions for using amenities, including emergency exit windows.**
- * Mobile Charging points are working is being ensured.
- * Lavatory fittings like gravity cock, flush pipe are intact is being ensured.

Sensitizing maintenance staff, escorting staff and train passing staff.

- Training & Counselling of maintenance staff to maintain extra vigilance during maintenance and avoid taking shortcuts in maintenance practices.
- Train Passing staff are counselled for thorough checking of safety items and ensure cleaning.
- Ensuring proper Night stabling check of MEMU rakes.





Action taken to ensure fire safety.

ACTION TAKEN TO ENSURE FIRE SAFETY.

- *** Ensuring that adequate fire extinguishers are available in each MC, in working condition and with valid certification.**
- **Ensure** that coaches are free from flammable items by conducting dry sweeping in the stabled rakes at the shed/yard.
- Drive has been launched to remove wrappers, Gatta, Pan Masala Gutka Papers from electrical fittings such as fan & lights.
- * Training of operation of Fire extinguisher has been started.

Necessary coordination with other departments.

NECESSARY COORDINATION WITH OTHER DEPARTMENTS.

- ☐ From Security department- Necessary arrangement for deputation of RPF staff in Yard during Night stabling check.
- □ From Operating Department-Stabling of rakes at designated place for ease of night stabling checks and shunting at faster rate for rakes stabled inside shed
- □ Control has been sensitized to coordinate for resolving the enroute complaints fastly also JE has been nominated to monitor RM complaints.

Passengers Awareness

PASSENGERS AWARENESS

Pasting of safety stickers inside and outside coach body to increase passenger awareness about not to travel on roof and footsteps.





PASSENGERS AWARENESS

भारतीय रेल अधिनियम, 1989 की धारा 156, के अधीन छत के उपर तथा फुटबोर्ड पर याता करना दण्डनीय है।

Travelling on Roof Top & FootBoard is Punishable Under Section 156 of Indian Railwaya act. 1989

THANK YOU.