WPT CCEE Practice Quiz

Total points 16/20 ?





Time:30 min

Name * Pratyush Mahajan	
12-DIGIT PNR * 240840320076	
Center * JH KH	
× tag simply jumps to the next line. *	0/1
o <b< td=""><td>×</td></b<>	×
 <	
O	
C : <break></break>	
Correct answer	

★ Which tags are most commonly used by search engines? *	0/1
1. Heading	
2. Title	
3. Paragrah	
4. All of above	×
Correct answer	
1. Heading	
✓ What is the attribute for <image/> tag? *	1/1
1. pt	
2. url	
3. path	
4. src	~
✓ Each list item in an ordered or unordered list has which tag? *	1/1
1. list tag	
2. Is tag	
3. li tag	~
4. ol tag	

✓ Which of the following tags below are used for a multi-line text input control?	*1/1
1. textml tag	
2. text tag	
3. textarea tag	✓
4. Both b and c above	
✓ Which of the following attributes below are used for a font name? *	1/1
1. fontname	
O 2. fn	
3. font	
4. face	✓
✓ Is width="100" and width="100%" the same? *	1/1
yes	
No	✓

✓ What is cell padding? *	1/1
1. Used to separate cell walls from their contents.	✓
2. Used to set space between cells	
3. Both a and b above	
4. Used to provide width to a cell	
✓ What attribute is used to specify number of rows? *	1/1
1. Rownum	
2. Rownumb	
3. rn	
4. Rowspan	✓
✓ For Frames in HTML, how do you specify the rest of the screen? *	1/1
1. Using &	
2. Using \$	
3. Using *	✓
4. Using #	

>	<	To add a plain color background to your web page, use which of the following?	*0/1
(•	a) <body bgcolor="36,24,35"></body>	×
(\supset	b) <body color="# FF000"></body>	
(\bigcirc	c) <body bgcolor="# FF000"></body>	
(\supset	d) All of the above	
Co	orr	ect answer	
(•	c) <body bgcolor="# FF000"></body>	
>	<	Which of the following is correct about the data-animation Data attribute of the Popover Plugin?	*0/1
(\supset	a) Gives the popover a CSS fade transition	
(\supset	b) Inserts the popover with HTML	
(•	c) Indicates how the popover should be positioned	×
(\bigcirc	d) Assigns delegated tasks to the designated targets	
С	orr	ect answer	
(•	a) Gives the popover a CSS fade transition	

~	Which of the following class in Bootstrap is used to provide a responsive fixed width container?	*1/1
•	a) .container-fixed	✓
0	b) .container-fluid	
0	c) .container	
0	d) All of the above	
~	What is the correct HTML for creating a hyperlink? *	1/1
0	a) <a><u>https://w.w.w.gkseries.com</u>	
0	b) Gkseries.com	
0	c) <a <u="" url="<u>https://w.w.w.gkseries.com</u>> Gkseries.com</td><td></td></tr><tr><td>•</td><td>d) https://www.gkseries.com"> Gkseries.com	✓
~	The tag which is used to establish the absolute base for relative URLs used in the documents hypertext links	*1/1
0	a) <body></body>	
0	b) <title></td><td></td></tr><tr><td>•</td><td>c) <BASE></td><td>✓</td></tr><tr><td>0</td><td>d)
</td><td></td></tr><tr><td></td><td></td><td></td></tr></tbody></table></title>	

✓	What is the correct syntax for referring an external CSS? *	1/1
•	<pre><link href="mystyle.css" rel="stylesheet" type="text/css"/></pre>	✓
0	<stylesheet href="mystyle.css" rel="stylesheet" type="text/css"></stylesheet>	
0	<style href="mystyle.css" rel="stylesheet" type="text/css"></td><td></td></tr><tr><td>0</td><td>All of the above</td><td></td></tr><tr><td>✓</td><td>Why font-weight property is used? *</td><td>1/1</td></tr><tr><td>•</td><td>Sets how thick or thin characters in text should be displayed.</td><td>✓</td></tr><tr><td>0</td><td>Sets the size of the font</td><td></td></tr><tr><td>0</td><td>Both A. and B.</td><td></td></tr><tr><td>0</td><td>None of the above</td><td></td></tr><tr><td>✓</td><td>Which of the following is the correct syntax to display the hyperlinks without any underline?</td><td>*1/1</td></tr><tr><td>0</td><td>a {text-decoration : underline;}</td><td></td></tr><tr><td>•</td><td>a {text-decoration : none;}</td><td>✓</td></tr><tr><td></td><td>a {text-decoration : block;}</td><td></td></tr><tr><td>\bigcirc</td><td></td><td></td></tr></tbody></table></style>	

/	Which of the following is the correct syntax to remove the underline on hyperlinks and visited hyperlinks?	*1/1
0	a {text-decoration : underline;}, a:visited {text-decoration : underline;}	
0	a {text-decoration : block;}, a:visited {text-decoration : block;}	
•	a {text-decoration : none;}, a:visited {text-decoration : none;}	✓
0	None of the above	
~	What are the valid values of text-align property? *	1/1
✓ ○	What are the valid values of text-align property? * left, middle, right	1/1
<!--</th--><th></th><th>1/1</th>		1/1
<!--</th--><th>left, middle, right</th><th>1/1</th>	left, middle, right	1/1

This content is neither created nor endorsed by Google. Report Abuse - Terms of Service - Privacy Policy

Google Forms