Search Setup

SETUP
Picklist Value Sets

icklist Value Sets

Help for this

bal picklist value sets let you share the values across objects. Base custom picklist fields on a global value set to inherit its values. The value set is restricted so users can't add unapproved values through the API.

View: [All ∨] Create New View

A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q | R | S | T | U | V | W | X | Y | Z | Other

Global Value Sets

New

Action	Label ↑	Description
Edit | Del	College Name	
Edit | Del	Department	
Edit | Del	paper1	
Edit | Del	paper2	

Deleted Global Value Sets (0)

Global Value Set

« Back to List

Global Value Set Detail

[Edit] [Delete]

Values [4] | Inactive Values [0] | Fields Where Used [1]

▼ Information

Label	paper1	
Name	paper1	
Description		

Picklist Values Used

Active and inactive picklist values   4 (1,000 max)

[Edit] [Delete]

Values

[New] [Reorder] [Replace] [Printable View] [Chart Colors ▼]

Action	Values	API Name	Default	Chart Colors	Modified By
Edit | Del | Deactivate	APEX	APEX		Assigned dynamically	Bommineni Pravalika, 1/11/2022, 4:54 AM
Edit | Del | Deactivate	JAVA	JAVA		Assigned dynamically	Bommineni Pravalika, 1/11/2022, 4:54 AM
Edit | Del | Deactivate	C	C		Assigned dynamically	Bommineni Pravalika, 1/11/2022, 4:54 AM
Edit | Del | Deactivate	C++	C++		Assigned dynamically	Bommineni Pravalika, 1/11/2022, 4:54 AM

Inactive Values

⬦ Help

Global Value Set

« Back to List

Global Value Set Detail

[Edit] [Delete]

▼ Information

Label	paper2
Name	paper2
Description	

Picklist Values Used

Active and inactive picklist values   3 (1,000 max)

Values [3] | Inactive Values [0] | Fields Where Used [1]

[Edit] [Delete]

Values

[New] [Reorder] [Replace] [Printable View] [Chart Colors ▾]

Action	Values	API Name	Default	Chart Colors	Modified By
Edit | Del | Deactivate	MATHEMATICS	MATHEMATICS	☐	Assigned dynamically	Bommineni Pravalika, 1/11/2022, 5:04 AM
Edit | Del | Deactivate	STATISTICS	STATISTICS	☐	Assigned dynamically	Bommineni Pravalika, 1/11/2022, 5:04 AM
Edit | Del | Deactivate	ENGLISH	ENGLISH	☐	Assigned dynamically	Bommineni Pravalika, 1/11/2022, 5:04 AM

Inactive Values

No Inactive Values values defined.

Apex Classes

Apex Code is an object oriented programming language that allows developers to develop on-demand business applications on the Lightning Platform.

Percent of Apex Used: 0.05%
You are currently using 3,061 characters of Apex Code (excluding comments and @isTest annotated classes) in your organization, out of an allowed limit of 6,000,000 characters. Note that the amount in use includes both Apex Classes and Triggers defined in your organization.

Estimate your organization's code coverage

Compile all classes

View: All ∨ | Create New View

Developer Console | New | Generate from WSDL | Run All Tests | Schedule Apex

A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q | R | S | T | U | V | W | X | Y | Z | Other | All

Action	Name ↑	Namespace Prefix	Api Version	Status	Size Without Comments	Last Modified By	Has Trace Flags
Edit | Del | Security	ApplicationBatchTest		53.0	Active	622	Bommineni Pravalika, 1/13/2022, 2:32 AM	
Edit | Del | Security	ApplicationSchedule		53.0	Active	221	Bommineni Pravalika, 1/13/2022, 3:08 AM	
Edit | Del | Security	College_c		53.0	Active	27	Bommineni Pravalika, 1/12/2022, 4:23 AM	
Edit | Security	DashboardPalCtrl	Dashboard_Pal	41.0	Active	3,252	Bommineni Pravalika, 10/28/2021, 11:15 PM	
Edit	DashboardPalTest	Dashboard_Pal	41.0	Active	1,206	Bommineni Pravalika, 10/28/2021, 11:15 PM	
Edit | Del | Security	database		53.0	Active	26	Bommineni Pravalika, 1/17/2022, 6:47 AM	
Edit | Del | Security	datatable		53.0	Active	27	Bommineni Pravalika, 1/17/2022, 6:50 AM	
Edit | Del | Security	formhelper1		53.0	Active	973	Bommineni Pravalika, 1/13/2022, 7:13 AM	
Edit | Del	formhelpertest		53.0	Active	690	Bommineni Pravalika, 1/13/2022, 7:42 AM	

29°C Sunny

16:23

New | Import | Printable View

15 items • Sorted by Account Name • Filtered by All accounts • Updated a few seconds ago

Q Search this list...

	Account Name ↑ ⌄	Account Site ⌄	Billing State/Province ⌄	Phone ⌄	Type ⌄	Account Owner Alias ⌄
1	Burlington Textiles Corp of America		NC	(336) 222-7000	Customer - Direct	BPrav
2	Dickenson plc					BPrav
3	Dickenson plc		KS	(785) 241-6200	Customer - Channel	BPrav
4	Edge Communications		TX	(512) 757-6000	Customer - Direct	BPrav
5	Express Logistics and Transport		OR	(503) 421-7800	Customer - Channel	BPrav
6	GenePoint		CA	(650) 867-3450	Customer - Channel	BPrav
7	Grand Hotels & Resorts Ltd		IL	(312) 596-1000	Customer - Direct	BPrav
8	Pyramid Construction Inc.			(014) 427-4427	Customer - Channel	BPrav
9	ram					BPrav
10	Sample Account for Entitlements					autoproc
11	sForce		CA	(415) 901-7000		BPrav
12	United Oil & Gas Corp.		NY	(212) 842-5500	Customer - Direct	BPrav
13	United Oil & Gas, Singapore		Singapore	(650) 450-8810	Customer - Direct	BPrav
14	United Oil & Gas, UK		UK	+44 191 4956203	Customer - Direct	BPrav
15	University of Arizona		AZ	(520) 773-9050	Customer - Direct	BPrav

Type here to search

29°C Sunny

nds-On Orgs.   × | Student | Salesforce   ×   Home | Salesforce   ×   Student Dashboard   × | +

C   mindful-otter-afhsd9-dev-ed.lightning.force.com/lightning/page/home

:: Sales   Home   Opportunities ∨   Leads ∨   Tasks ∨   Files ∨   Accounts ∨   Contacts ∨   Campaigns ∨   Dashboards ∨   Reports ∨

All ▾   Q Search...

inside template 1

gate to the corp

Assistant

As of Today 2:57 AM   ↻

Nothing

Quarterly Performance

CLOSED $0   OPEN (>70%) $0   GOAL -- ✏

Add the opportunities you're working on, then come back here to view your performance.

600k

500k

400k

300k

200k

100k

0

    Feb   Mar   Apr

■ Closed   ■ Goal   ■ Closed + Open (>70%)

Q   lifecycleHoks > lifecycleHoks.js

```
 1  import { LightningElement, api } from 'lwc';
 2  import page1 from './temp1.html';
 3  import page2 from './temp2.html';
 4
 5  export default class lifecycleHoks extends LightningElement {
 6
 7  @api page = 'temp1';
 8
 9  constructor(){
10      super();
11      console.log(' I am inside constructor ');
12  }
13
14  connectedCallback() {
15      console.log(' inside connectedcallback');
16  }
17
18  }
19
20  handClick(){
21      if(this.page == 'temp1'){
22          this.page = 'temp2';
23      }
24      else
        this.page = 'temp1';
```

① Result Panel

1 lifecycleHoks.html successfully deployed source
2 lifecycleHoks.js successfully deployed source

lifecycleHoks › lifecycleHoks.html

```
1    ⟨template⟩
2
3    </template>
```

ⓘ Result Panel

```
1 lifecycleHoks.html successfully deployed source
2 lifecycleHoks.js successfully deployed source
```

Editor

ment...

lifecycleHoks > temp1.html

```
1    <template>
2
3        <div style="background-color: white">
4        <h1> I am inside template 1 </h1>
5
6        <lightning-button variant="base"    label="Navigate to the cmp" title="titleName" onclick={handleclick}></lightning-button
7        </div>
8    </template>
```

hTest

edule

1

Detail

Details

COMPONENTS

le

able.html

able.js

lifecycleHoks.html ✕ ☐ lifecycleHoks.js ✕ ☐ temp1.html

lifecycleHoks > temp2.html

```
1    <template>
2
3        <h1> I am inside template 2. </h1> <br/>
4
5        <h1>     If you want to navigate again to temp1 , please click belw button</h1>
6
7        <lightning-button variant="base"   label="navigate to temp1" title="titleName" onclick={handleClick}></lightning-button>
8
9
10   </template>
```

ⓘ Result Panel

```
1  lifecycleHoks.html successfully deployed source
2  lifecycleHoks.js successfully deployed source
```

listIterator > listIterator.html

```
1    <template>
2
3        <!-- example of for: each-->
4        <lightning-card variant="Narrow" title="This is for-each loop example" icon-name="standard:account">
5        <template for:each={contacts} for:item="con" icon-name = "standard:contacts">
6            <div key={con.id} >
7            id: {con.id} > </br>
8            Name : {con.Name} <br/>
9            Website : {con.Website}    I
10          </div>
11
12          </template>
13          </lightning-card>
14    </template>
```

MPONENTS

ⓘ Result Panel

```
1    listIterator.html successfully deployed source
```

1/21/2022 4:30

```
listIterator > listIterator.js
1   import { LightningElement } from 'lwc';
2   export default class ListIterator extends LightningElement {
3
4       contacts = [
5           {
6               id:'1001',
7               Name :'Dominos',
8               website : 'www.dominos.com'
9           },
10          {
11              id:'1002',
12              Name :'pizzat Hut',
13              website : 'www.pizzahut.com'
14          },
15          {
16              id:'1003',
17              Name :'BurgerKing',
18              website : 'www.BurgerKing.com'
19          },
20          {
21              id:'1004',
22              Name : 'KFC',
23              website : 'www.kfc.com'
24          }
```

LWC Editor

listIterator.html ✕ listIterator.js ✕ listIterator.css ✕

Component.

🔍

listIterator > listIterator.css

```
1   .dummy {
2       color : blue;
3   }
```

SES

on BatchTest
onSchedule

er1
ertest
ertest1
ationDetail
ationDetails

ass

vc

WEB COMPONENTS

tml

s-meta.xml

toks

eHoks.html

html

html

eHoks.js

eHoks.js-meta.xml

or

tor.html

ⓘ Result Panel

1 listIterator.html successfully deployed source

listIterator.html X   listIterator.js

listIterator > listIterator.js-meta.xml

```xml
1  <?xml version="1.0"?>
2  <LightningComponentBundle xmlns="http://soap.sforce.com/2006/04/metadata">
3      <apiversion>51.0</apiversion>
4      <isExposed>true</isExposed>
5      <targets>
6          <target>lightning__RecordPage</target>
7          <target>lightning__AppPage</target>
8          <target>lightning__HomePage</target>
9      </targets>
10 </LightningComponentBundle>
```

MPONENTS

ⓘ Result Panel

1 listIterator.html successfully deployed source

toastMessage > toastMessage.html

```
1   <template>
2
3       <lightning-input  type="number"  variant="standard"  name="name"  label="phone"  onchange={handleChange} value={phnval}></lightning-input>
4       </br>
5
6       <lightning-button variant="base" label="click me" title="titleName" onclick={hsndleClick}></lightning-button>
7
8   </template>
```

ⓘ Result Panel

1 toastMessage.html successfully deployed source   1/21/2022 4:33:04 PM
2 toastMessage.js successfully deployed source   1/21/2022 4:33:04 PM

☐ toastMessage.html ✕   ☐ toastMessage.js ✕

toastMessage > toastMessage.js

```
1    import { LightningElement } from 'lwc';
2    import {ShowToastEvent} from 'lightning/platformShowToastEvent';
3
4    export default class ToastMessage extends LightningElement {
5
6        phnval;
7        handleChange(event){
8            this.phval = event,target.value;
9        }
10
11        handleclick(event){
12
13            if(this.phval.length == 10){
14                console.log(' inside handle click ');
15                this.showSuccessToast();
16            }
17        }
18
19        showSuccessToast(){
20            const evt = new ShowToastEvent({
21                title : 'Success',
22                message : ' entered phone number is correct. ',
23                variant : 'Success',
                 mode . 'dismissable'
```

ⓘ Result Panel

1   toastMessage.html successfully deployed source
2   toastMessage.js successfully deployed source

toastMessage.html X · toastMessage.js X · toastMessage.js-meta.xml X

toastMessage > toastMessage.js-meta.xml

```
1  <?xml version="1.0"?>
2  <LightningComponentBundle xmlns="http://soap.sforce.com/2006/04/metadata">
3      <apiVersion>51.0</apiVersion>
4      <isExposed>true</isExposed>
5      <targets>
6          <target>lightning__RecordPage</target>
7          <target>lightning__AppPage</target>
8          <target>lightning__HomePage</target>
9      </targets>
10 </LightningComponentBundle>
```

ⓘ Result Panel

```
1  toastMessage.html successfully deployed source
2  toastMessage.js successfully deployed source
```

COMPONENTS

Process Builder

← Back To Setup   ? Help

My Processes
2 items

PROCESS ▲	DESCRIPTION	OBJECT	PROCESS TYPE	LAST MODIFIED	STATUS	ACTIONS
∨ Application Form Process master		Application Form	Record Change	1/21/2022	Active	
∨ Process		Account	Record Change	1/12/2022	Inactive	

Process

New

Process Builder   ← Back To Setup   ? Help

My Processes
2 items   New

| PROCESS ▸	DESCRIPTION	OBJECT	PROCESS TYPE	LAST MODIFIED	STATUS	ACTIONS
∨ Application Form Process master						
Version 3: Application Form Process master		Application Form	Record Change	1/21/2022	Active	
Version 2: Application Form Process master		Application Form	Record Change	1/12/2022	Inactive	Delete
Version 1: Application Form Process master		Application Form	Record Change	1/12/2022	Inactive	Delete
∨ Process		Account	Record Change	1/12/2022	Inactive	

Flows | Salesforce

Process Builder | Salesforce

Home | Salesforce

Student Datacard

mindful-otter-afhsd9-dev-ed.lightning.force.com/lightning/setup/ProcessAutomation/home

Setup

Home   Object Manager ∨

Search Setup

Process Builder - Application Form Process master

← Back To Setup   ? Help

Expand All   Collapse All

View All Processes   Clone   View Properties   Deactivate   Read Only ⓘ

START

Application Form

Ready to Join
field is checked

TRUE →

IMMEDIATE ACTIONS

☑ create a student rec...

show more

▼

→ ■ STOP

FALSE

FALSE

TRUE →

IMMEDIATE ACTIONS

Type here to search

29°C Sunny   21-01-202