

## Command Prompt

```
PC>ping 192.168.1.5
```

```
Pinging 192.168.1.5 with 32 bytes of data:
```

```
Reply from 192.168.1.5: bytes=32 time=0ms TTL=128
```

```
Reply from 192.168.1.5: bytes=32 time=0ms TTL=128
```

```
Reply from 192.168.1.5: bytes=32 time=0ms TTL=128
```

```
Reply from 192.168.1.5: bytes=32 time=0ms TTL=128
```

```
Ping statistics for 192.168.1.5:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
```

```
Approximate round trip times in milli-seconds:
```

```
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
PC>ping 192.168.1.6
```

```
Pinging 192.168.1.6 with 32 bytes of data:
```

```
Reply from 192.168.1.6: bytes=32 time=0ms TTL=128
```

```
Reply from 192.168.1.6: bytes=32 time=0ms TTL=128
```

```
Reply from 192.168.1.6: bytes=32 time=0ms TTL=128
```

```
Reply from 192.168.1.6: bytes=32 time=0ms TTL=128
```


```
Ping statistics for 192.168.1.6:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
```

```
Approximate round trip times in milli-seconds:
```

```
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
PC>
```



## Command Prompt

Packet Tracer PC Command Line 1.0

PC>ping 192.168.1.5

Pinging 192.168.1.5 with 32 bytes of data:

Request timed out.

Request timed out.

Request timed out.

Request timed out.

Ping statistics for 192.168.1.5:

Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

PC>ping 192.168.1.6

Pinging 192.168.1.6 with 32 bytes of data:

Request timed out.

Request timed out.

Request timed out.

Request timed out.

Ping statistics for 192.168.1.6:

Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

PC>