```
Microsoft Windows [Version 10.0.22000.2538]
(c) Microsoft Corporation. All rights reserved.
::\Users\STUDENT>mongosh "mongodb+srv://madhank173.xi3rd.mongodb.net/" --apiVersion 1 --username madhank
Enter password: *********
Current Mongosh Log ID: 6746b4c8a4abd96bd3cf234b
                       mongodb+srv://credentials>@madhank173.xi3rd.mongodb.net/?appName=mongosh+2.0.0
Connecting to:
Using MongoD8:
                       8.0.3 (API Version 1)
Using Mongosh:
                       2.0.0
mongosh 2.2.6 is available for download: https://www.mongodb.com/try/download/shell
For mongosh info see: https://docs.mongodb.com/mongodb-shell/
Atlas atlas-12c4ag-shard-0 [primary] test> db.createCollection("Student");
Atlas atlas-12c4ag-shard-0 [primary] test> show dbs
sample mflix 32.59 MiB
test
               8.00 KiB
admin
             336.00 KiB
local
              44.09 GIB
Atlas atlas-12c4ag-shard-0 [primary] test> db.student.insert({roll no:1.age:21.cont:9745831467.name:"XYZ".email:"Prannay@gmail.com"});
DeprecationWarning: Collection.insert() is deprecated. Use insertOne, insertMany, or bulkWrite.
 acknowledged: true,
 insertedIds: { '0': ObjectId("6746b59ea4abd96bd3cf234c") }
Atlas atlas-12c4ag-shard-0 [primary] test> db.student.insert({roll no:2,age:23,cont:9184331672,name:"POR",email:"Sohan@gmail.com"});
 acknowledged: true,
 insertedIds: { '0': ObjectId("6746b854a4abd96bd3cf234d") }
Atlas atlas-12c4ag-shard-0 [primary] test> db.Student.insert({roll no:3.age:25.cont:6392448111.name:"IJK".email:"Sakshi@gmail.com"});
 acknowledged: true,
 insertedIds: { '0': ObjectId("6746b95fa4abd96bd3cf234e") }
Atlas atlas-12c4ag-shard-0 [primary] test> db.Student.insert({roll no:10,age:26,cont:9432998144,name:"MMO",email:"Sanika@gmail.com"}):
 acknowledged: true,
 insertedIds: { '0': ObjectId("6746b9c4a4abd96bd3cf234f") }
Atlas atlas-12c4ag-shard-0 [primary] test> db.Student.insert({roll no:11,age:27,cont:8392413769,name:"ABC",email:"Farhaan@gmail.com"});
 acknowledged: true,
 insertedIds: { '0': ObjectId("6746baa5a4abd96bd3cf2350") }
tlas atlas-12c4ag-shard-0 [primary] test> db.Student.insert({roll no:29,age:29,cont:9281663892,name:"GHI",email:"Rahul@gmail.com"});
 acknowledged: true,
 insertedIds: { '0': ObjectId("6746bb35a4abd96bd3cf2351") }
```

db.Student.find()

```
Atlas atlas-12c4ag-shard-0 [primary] test> db.Student.find();
   id: ObjectId("6746b95fa4abd96bd3cf234e"),
   roll no: 3,
   age: 25,
   cont: 6392448111,
   name: 'IOK',
   email: 'Sakshi@gmail.com'
   id: ObjectId("6746b9c4a4abd96bd3cf234f"),
   roll no: 10,
   age: 26,
   cont: 9432998144,
   name: 'MNO',
   email: 'abhinav@gmail.com'
   id: ObjectId("6746baa5a4abd96bd3cf2350"),
   roll no: 11,
   age: 27,
   cont: 8392413769,
   name: ABC.
   email: 'Farhaan@gmail.com'
   id: ObjectId("6746bb35a4abd96bd3cf2351"),
   roll no: 29,
   age: 29,
   cont: 9281663892,
   name: 'GHI'.
   email: 'Rabul@gmail.com'
```

1. Write query to update Email-Id of a student with rollno 10.

db.Student.update({RollNo:10}, {\$set: {email:"Abhinav@gmail.com"}})

```
[
    _id: ObjectId("6746b9c4a4abd96bd3cf234f"),
    roll_no: 10,
    age: 26,
    cont: 9432998144,
    name: 'MNO',
    email: 'abhinav@gmail.com'
},
```

2. Replace the student name from "ABC" to "FEM" of rollno 11.

db.Student.update({RollNo:11,Name:"ABC"},{\$set:{Name:"FEM"}})

```
{
    _id: ObjectId("6746baa5a4abd96bd3cf2350"),
    roll_no: 11,
    age: 27,
    cont: 8392413769,
    name: 'FEM',
    email: 'Farhaan@gmail.com'
},
```

```
_1d: ObjectId('6746b95fa4abd96bd3cf234e')
roll_no: 3
age: 25
cont: 6392448111
name: "IJK"
email: "Sakshi@gmail.com"
_1d: ObjectId('6746b9c4a4abd96bd3cf234f')
roll_no: 10
age : 26
cont: 9432998144
name: "MNO"
email: "abhinav@gmail.com"
_1d: ObjectId('6746baa5a4abd96bd3cf2350')
roll_no: 11
age: 27
cont: 8392413769
name: "FEM"
email: "Farhaan@gmail.com"
_1d: ObjectId('6746bb35a4abd96bd3cf2351')
roll_no: 29
age : 29
cont: 9281663892
name: "GHI"
email: "Rahul@gmail.com"
```