Project: Build APIs with Node.js and Express.js for Shoppyglobe E-commerce

MongoDB Screenshots



1. Products Collection



2. Cart Collection



3. Users Collection



API TEST FLOW (ThunderClient)

1. REGISTER

POST

http://localhost:5000/api/register

Body (JSON)

```
{
  "email": "test@gmail.com",
  "password": "123456"
}
```



2. LOGIN (GET TOKEN)

POST

http://localhost:5000/api/login

Body

```
{
  "email": "test@gmail.com",
  "password": "123456"
}
```

***Copy **FULL token**

```
{
```

"message": "Login successful",

"token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpZCI6IjY5ZTljNzdmZmMyODc0ZDhkZTNlYjA2NiIsImlhdCI6MTc3Njk0NTQ3MiwiZXhwIjoxNzc3MDMxODcyfQ.THSbW0rCBRSJr_xQBUmjyX2cQqfzizMJuNHQkKxSi-A"

}



3. GET ALL PRODUCTS

GET

http://localhost:5000/api/products
response :

[

{

"_id": "69e9bc387d36016fe5918c82",

"name": "iPhone 15",

"price": 80000,

"description": "Latest Apple smartphone",

"stock": 10

}

]
copy the _id



ADD TOKEN (FOR CART APIs)

Go to **Headers**:

Authorization:
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpZCI6IjY5ZTljNzdmZmMyODc0ZDhkZTNlYjA2NiIsImlhdCI6MTc3Njk0NTQ3MiwiZXhwIjoxNzc3MDMxODcyfQ.THSbW0rCBRSJr_xQBUmjyX2cQqfzizMJuNHQkKxSi-A

4. ADD TO CART

POST

http://localhost:5000/api/cart

Body

```
{
 "productId": "69e9bc387d36016fe5918c82",
 "quantity": 2
}
```

Response:

```
{

 "userId": "69e9c77ffc2874d8de3eb066",

 "productId": "69e9bc387d36016fe5918c82",
```

"quantity": 2,

"_id": "69ea0afbc015a952cbde4dc1",

"createdAt": "2026-04-23T12:05:15.825Z",

"updatedAt": "2026-04-23T12:05:15.825Z",

"__v": 0

}



5. UPDATE CART

Copy above _id (CART ID)

PUT

http://localhost:5000/api/cart/69ea0afbc015a952cbde4dc1

Body

{
"quantity": 5
}

Response:

{

"_id": "69ea0afbc015a952cbde4dc1",

"userId": "69e9c77ffc2874d8de3eb066",

"productId": "69e9bc387d36016fe5918c82",

"quantity": 5,

"createdAt": "2026-04-23T12:05:15.825Z",

"updatedAt": "2026-04-23T12:08:55.414Z",

"__v": 0

}



6. DELETE CART

DELETE

http://localhost:5000/api/cart/69ea0afbc015a952cbde4dc1

Response:

{

"message": "Item removed from cart"

}

File Edit Selection View Go Run Terminal Help

shoppyglobe-backend

Update

THUNDER CLIENT

New Request

Activity Collections Env

filter activity

DEL localhost:5000/api/register
just now

JS authMiddleware.js | JS authController.js | Extension: Thunder Client | TC Release Notes | TC New Request | TC New Request | TC New Request *

DELETE http://localhost:5000/api/cart/69ea0afbc015a952cbde4dc1 Send

Query Headers 3 Auth Body Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

JSON Content Format

```
1
```

Status: 200 OK Size: 36 Bytes Time: 123 ms

Response Headers 7 Cookies Results Docs

Copy

```
1 {
2   "message": "Item removed from cart"
3 }
```

Response Chart

PROBLEMS DEBUG CONSOLE OUTPUT TERMINAL PORTS POSTMAN CONSOLE

node

```
PS C:\Users\prave\Downloads\shoppyglobe-backend> npm run dev
> nodemon server.js

[nodemon] 3.1.14
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node server.js`
(node:134812) [DEP0040] DeprecationWarning: The `punycode` module is deprecated. Please use a userland alternative instead.
(Use `node --trace-deprecation ...` to show where the warning was created)
Server running on port 5000
 MongoDB Connected
```

master* 0 0 Go Live

37°C Partly sunny

Search

ENG IN 17:41 23-04-2026