NAME	**:**	**PRAVEEN BALAJI P**
SECTION	**:**	**G**
SRN	**:**	**PES2UG24CS374**

PRE-CHANGES TO PROCESSOR.PY AND TEST_PROCESSOR.PY

Initial working of processor.py



```
PS D:\Projects\SE_06_event_ticket_tier\Lab 7> python original_processor.py
==== Running decode_promo_voucher ====
Enter voucher (e.g. EARLY-20): EARLY-20
Voucher: Valid EARLY: 20% OFF

==== Running calculate_seat_tier_price ====
Enter tier spec (e.g. VIP@4): VIP@4
Seat Price: $ 158.0

==== Running parse_attendee_badge ====
Enter badge CSV (Name,Age,Seat): Praveen,21,A12
Badge: Praveen [Adult] - Seat A12
PS D:\Projects\SE_06_event_ticket_tier\Lab 7>
```

Original fuzz failures



```
PS D:\Projects\SE_06_event_ticket_tier\Lab 7> python -m pytest -vv --tb=short test_processor.py
============================================================================ test session starts ============================================================================
platform win32 -- Python 3.12.10, pytest-9.1.1, pluggy-1.6.0 -- C:\Users\PRAVEEN\AppData\Local\Microsoft\WindowsApps\PythonSoftwareFoundation.Python.3.12_qbz5n2kfra8p0\python.exe
cachedir: .pytest_cache
hypothesis profile 'default'
rootdir: D:\Projects\SE_06_event_ticket_tier\Lab 7
plugins: anyio-4.15.1, hypothesis-6.170.15, cov-7.1.0
collected 6 items

test_processor.py::test_decode_promo_voucher_no_crash FAILED                                                                                                         [ 16%]
test_processor.py::test_calculate_seat_tier_price_safe FAILED                                                                                                        [ 33%]
test_processor.py::test_parse_attendee_badge_safe FAILED                                                                                                             [ 50%]
test_processor.py::test_valid_promo_voucher PASSED                                                                                                                   [ 66%]
test_processor.py::test_valid_seat_price PASSED                                                                                                                      [ 83%]
test_processor.py::test_valid_attendee_badge PASSED                                                                                                                  [100%]

================================================================================= FAILURES ==================================================================================
____________________________________________________________________ test_decode_promo_voucher_no_crash _____________________________________________________________________
  + Exception Group Traceback (most recent call last):
  |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\test_processor.py", line 10, in test_decode_promo_voucher_no_crash
  |     def test_decode_promo_voucher_no_crash(value):
  |                    ^^^
  |   File "C:\Users\PRAVEEN\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.12_qbz5n2kfra8p0\LocalCache\local-packages\Python312\site-packages\hypothesis\core.py", line 2334, in wrapped_test
  |     raise the_error_hypothesis_found
  | ExceptionGroup: Hypothesis found 2 distinct failures. (2 sub-exceptions)
  +-+---------------- 1 ----------------
    | Traceback (most recent call last):
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\test_processor.py", line 12, in test_decode_promo_voucher_no_crash
    |     decode_promo_voucher(value)
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\processor.py", line 3, in decode_promo_voucher
    |     prefix, pct_str = code.split('-')
    |     ^^^^^^^^^^^^^^^
    | ValueError: not enough values to unpack (expected 2, got 1)
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\test_processor.py", line 14, in test_decode_promo_voucher_no_crash
    |     assert False, f"decode_promo_voucher crashed for {value!r}: {exc}"
    | AssertionError: decode_promo_voucher crashed for '': not enough values to unpack (expected 2, got 1)
    | assert False
    | Failing test case: test_decode_promo_voucher_no_crash(
    |     value='',  # or any other generated value
    | )
    +---------------- 2 ----------------
    | Traceback (most recent call last):
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\test_processor.py", line 12, in test_decode_promo_voucher_no_crash
    |     decode_promo_voucher(value)
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\processor.py", line 2, in decode_promo_voucher
    |     code = voucher_code.strip()
    |            ^^^^^^^^^^^^^^^^^^
    | AttributeError: 'NoneType' object has no attribute 'strip'
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\test_processor.py", line 14, in test_decode_promo_voucher_no_crash
    |     assert False, f"decode_promo_voucher crashed for {value!r}: {exc}"
    | AssertionError: decode_promo_voucher crashed for None: 'NoneType' object has no attribute 'strip'
    | assert False
    | Failing test case: test_decode_promo_voucher_no_crash(
```



```
    | Failing test case: test_decode_promo_voucher_no_crash(
    |     value=None,  # or any other generated value
    | )
    +------------------------------------
___________________________________________________________________ test_calculate_seat_tier_price_safe _____________________________________________________________________
  + Exception Group Traceback (most recent call last):
  |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\test_processor.py", line 18, in test_calculate_seat_tier_price_safe
  |     def test_calculate_seat_tier_price_safe(value):
  |                    ^^^
  |   File "C:\Users\PRAVEEN\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.12_qbz5n2kfra8p0\LocalCache\local-packages\Python312\site-packages\hypothesis\core.py", line 2334, in wrapped_test
  |     raise the_error_hypothesis_found
  | ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
  +-+---------------- 1 ----------------
    | Traceback (most recent call last):
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\test_processor.py", line 20, in test_calculate_seat_tier_price_safe
    |     calculate_seat_tier_price(value)
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\processor.py", line 10, in calculate_seat_tier_price
    |     row = int(parts[1])
    |           ^^^^^^^^^^^^^
    | ValueError: invalid literal for int() with base 10: ''
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\test_processor.py", line 22, in test_calculate_seat_tier_price_safe
    |     assert False, f"calculate_seat_tier_price crashed for {value!r}: {exc}"
    | AssertionError: calculate_seat_tier_price crashed for '@': invalid literal for int() with base 10: ''
    | assert False
    | Failing test case: test_calculate_seat_tier_price_safe(
    |     value='@',
    | )
    +---------------- 2 ----------------
    | Traceback (most recent call last):
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\test_processor.py", line 20, in test_calculate_seat_tier_price_safe
    |     calculate_seat_tier_price(value)
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\processor.py", line 10, in calculate_seat_tier_price
    |     row = int(parts[1])
    |               ~~~~~^^^
    | IndexError: list index out of range
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\test_processor.py", line 22, in test_calculate_seat_tier_price_safe
    |     assert False, f"calculate_seat_tier_price crashed for {value!r}: {exc}"
    | AssertionError: calculate_seat_tier_price crashed for '': list index out of range
    | assert False
    | Failing test case: test_calculate_seat_tier_price_safe(
    |     value='',  # or any other generated value
    | )
    +---------------- 3 ----------------
    | Traceback (most recent call last):
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\test_processor.py", line 20, in test_calculate_seat_tier_price_safe
    |     calculate_seat_tier_price(value)
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\processor.py", line 8, in calculate_seat_tier_price
    |     parts = tier_spec.split('@')
    |             ^^^^^^^^^^^^^^^
    | AttributeError: 'NoneType' object has no attribute 'split'
    |
    | During handling of the above exception, another exception occurred:
    |
```



```
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\processor.py", line 22, in parse_attendee_badge
    |     age = int(tokens[1])
    |           ^^^^^^^^^^^^^^
    | ValueError: invalid literal for int() with base 10: ''
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\test_processor.py", line 30, in test_parse_attendee_badge_safe
    |     assert False, f"parse_attendee_badge crashed for {value!r}: {exc}"
    | AssertionError: parse_attendee_badge crashed for ',': invalid literal for int() with base 10: ''
    | assert False
    | Failing test case: test_parse_attendee_badge_safe(
    |     value=',',
    | )
    +---------------- 2 ----------------
    | Traceback (most recent call last):
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\test_processor.py", line 28, in test_parse_attendee_badge_safe
    |     parse_attendee_badge(value)
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\processor.py", line 22, in parse_attendee_badge
    |     age = int(tokens[1])
    |               ~~~~~~^^^
    | IndexError: list index out of range
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\test_processor.py", line 30, in test_parse_attendee_badge_safe
    |     assert False, f"parse_attendee_badge crashed for {value!r}: {exc}"
    | AssertionError: parse_attendee_badge crashed for '': list index out of range
    | assert False
    | Failing test case: test_parse_attendee_badge_safe(
    |     value='',  # or any other generated value
    | )
    +---------------- 3 ----------------
    | Traceback (most recent call last):
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\test_processor.py", line 28, in test_parse_attendee_badge_safe
    |     parse_attendee_badge(value)
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\processor.py", line 20, in parse_attendee_badge
    |     tokens = badge_csv.split(',')
    |              ^^^^^^^^^^^^^^^
    | AttributeError: 'NoneType' object has no attribute 'split'
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "D:\Projects\SE_06_event_ticket_tier\Lab 7\test_processor.py", line 30, in test_parse_attendee_badge_safe
    |     assert False, f"parse_attendee_badge crashed for {value!r}: {exc}"
    | AssertionError: parse_attendee_badge crashed for None: 'NoneType' object has no attribute 'split'
    | assert False
    | Failing test case: test_parse_attendee_badge_safe(
    |     value=None,  # or any other generated value
    | )
    +------------------------------------
=================================================================== short test summary info ===================================================================
FAILED test_processor.py::test_decode_promo_voucher_no_crash - ExceptionGroup: Hypothesis found 2 distinct failures. (2 sub-exceptions)
FAILED test_processor.py::test_calculate_seat_tier_price_safe - ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
FAILED test_processor.py::test_parse_attendee_badge_safe - ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
================================================================= 3 failed, 3 passed in 5.51s =================================================================
PS D:\Projects\SE_06_event_ticket_tier\Lab 7> |
```

POST-CHANGES TO PROCESSOR.PY AND TEST_PROCESSOR.PY

Working of fixed processor.py



```
PS D:\Projects\SE_06_event_ticket_tier\Lab 7> python processor.py
==== Running decode_promo_voucher ====
Enter voucher (e.g. EARLY-20): EARLY-20
Voucher: Valid EARLY: 20% OFF

==== Running calculate_seat_tier_price ====
Enter tier spec (e.g. VIP@4): VIP@4
Seat Price: $ 158.0

==== Running parse_attendee_badge ====
Enter badge CSV (Name,Age,Seat): Praveen,21,A12
Badge: Praveen [Adult] - Seat A12
PS D:\Projects\SE_06_event_ticket_tier\Lab 7> |
```

All fuzz tests passed



```
PS D:\Projects\SE_06_event_ticket_tier\Lab 7> python -m pytest -vv --tb=short test_processor.py
============================================================================ test session starts ============================================================================
platform win32 -- Python 3.12.10, pytest-9.1.1, pluggy-1.6.0 -- C:\Users\PRAVEEN\AppData\Local\Microsoft\WindowsApps\PythonSoftwareFoundation.Python.3.12_qbz5n2kfra8p0\pyt
hon.exe
cachedir: .pytest_cache
hypothesis profile 'default'
rootdir: D:\Projects\SE_06_event_ticket_tier\Lab 7
plugins: anyio-4.15.1, hypothesis-6.170.15, cov-7.1.0
collected 6 items

test_processor.py::test_decode_promo_voucher_no_crash PASSED                                                                                                       [ 16%]
test_processor.py::test_calculate_seat_tier_price_safe PASSED                                                                                                      [ 33%]
test_processor.py::test_parse_attendee_badge_safe PASSED                                                                                                           [ 50%]
test_processor.py::test_valid_promo_voucher PASSED                                                                                                                 [ 66%]
test_processor.py::test_valid_seat_price PASSED                                                                                                                    [ 83%]
test_processor.py::test_valid_attendee_badge PASSED                                                                                                                [100%]

============================================================================= 6 passed in 5.23s =============================================================================
PS D:\Projects\SE_06_event_ticket_tier\Lab 7> |
```