ZEDPATH

Team Kestrel · IntelliCon '26 Buildathon

ZP-DOC-04

Use Case Model

Actors, use case diagrams, fully dressed use cases and activity flows

Version	2.2
Status	In review
Date	23 October 2026
Classification	Public
Document owner	B.M.P Banneka, Product Owner

© 2026 Team Kestrel. Published under the classification shown above.

Uncontrolled when printed or exported. The controlled version is the Markdown source in the repository: docs/04-use-cases/ZP-DOC-04_Use-Case-Model.md

Document control

Document information

Document ID	ZP-DOC-04
Title	Use Case Model
Version	2.2
Status	In review
Classification	Public
Document owner	B.M.P Banneka, Product Owner
Author	Team Kestrel (drafted with Claude, AI coding partner)
Conforms to	UML 2.5.1 use case and activity diagrams; A. Cockburn fully dressed use case template; ZP-DOC-00
Source file	docs/04-use-cases/ZP-DOC-04_Use-Case-Model.md
Repository	https://github.com/PraveenBanneka/zedpath

Revision history

Version	Date	Author	Description of change
0.9	5 Oct 2026	Team Kestrel	First issue: 18 use cases (7 fully dressed), two use case diagrams, two activity diagrams; submitted for approval
0.9	5 Oct 2026	Team Kestrel	Review update: catalogue extended for FR-113 (O/L requirements) and FR-308 (list limit) added to ZP-DOC-03
1.0	5 Oct 2026	B.M.P Banneka	Approved by the product owner; baselined
2.0 (draft)	11 Oct 2026	Team Kestrel	Under revision for change requests CR-001 to CR-006 and the video review of 11 October 2026 (all approved by the product owner): 15 new use cases UC-19 to UC-33 (four fully dressed: UC-19, UC-25, UC-29, UC-30); revised UC-01, UC-02, UC-03, UC-05, UC-06, UC-07, UC-13, UC-15, UC-16; UC-14 superseded; new actors (Android notification system, moderation model); catalogue re-checked against the revised ZP-DOC-03. The two use case diagrams still show the v1.0 baseline. Scope change, so the next approved version is 2.0. Version 1.0 of 5 October 2026 stays in force until the product owner approves this revision
2.0	14 Oct 2026	B.M.P Banneka	Approved by the product owner; baselined. Supersedes 1.0
2.1 (draft)	15 Oct 2026	Team Kestrel	Under revision for VR2 (14 October 2026) and CR-007 to CR-010 (15 October 2026): two new brief use cases, UC-34 Try the demo and UC-35 End a session; UC-03 revised (university facts, aptitude test); UC-02, UC-06, UC-07, UC-20, UC-22 and UC-29 revised for the new requirements (including the security hardening of CR-010); catalogue re-checked by script against all 148 functional requirement IDs of ZP-DOC-03 v2.1 (draft). No v2.0 use case is withdrawn, so the next approved version is 2.1. Version 2.0 of 14 October 2026 stays in force until the product owner approves this revision

Version	Date	Author	Description of change
2.1	15 Oct 2026	B.M.P Banneka	Approved by the product owner; baselined. Supersedes 2.0. Mahapola/Bursary line removed from University facts before approval
2.2 (draft)	23 Oct 2026	Team Kestrel	Under revision for CR-011: the preference-list use case explains the order and the UGC rules instead of proposing an order; awaiting approval

Review and approval

This document takes effect when the approver signs below. Until then its status is as shown on the cover.

Role	Name	Signature	Date
Reviewer	Claude (AI coding partner), consistency and traceability review		
Approver	B.M.P Banneka, Product Owner	Approved in writing (project channel): v2.1 on 15 Oct 2026, v2.0 on 14 Oct 2026, v1.0 on 5 Oct 2026	15 Oct 2026 (v2.1); 14 Oct 2026 (v2.0); 5 Oct 2026 (v1.0)

Contents

1 Introduction 6
1.1 Purpose 6
1.2 Scope 6
1.3 Intended audience 6
1.4 Relationship to other documents 6
1.5 Conventions 6
2 Actors 7
3 Use case diagrams 8
4 Use case catalogue 10
5 Fully dressed use cases 12
5.1 UC-01 Set up profile 12
5.2 UC-02 Explore eligible courses 13
5.3 UC-04 Build and check preference list 13
5.4 UC-07 Ask a question 16
5.5 UC-11 Extract facts from a source 16
5.6 UC-12 Review queued facts and reports 18
5.7 UC-13 Scan Gazette 19
5.8 UC-19 Create account and give contact details 19
5.9 UC-25 Tick a Journey step 20
5.10 UC-29 Take part in a group 21
5.11 UC-30 Accept group rules 22
6 Brief use cases 23
Appendix A: Traceability: requirements to use cases 27
Appendix B: Glossary 28
Appendix C: References 29

List of figures

Figure 1: Student services: use cases of the student and the systems that support them 8
Figure 2: Data, trust and community services: use cases of the curator, scheduler, teacher and senior 9
Figure 3: Activity flow of UC-04: adding, checking and fixing the preference list 15
Figure 4: Activity flow of UC-11 and UC-12: extraction, two-model check and curator review 18

List of tables

Table 1: Position of this document in the ZedPath document set 6
Table 2: Actors and their goals 7

Table 3: Use case catalogue with level, release and realised requirements 10
Table 4: Brief use cases 23
Table 5: Terms used in this document 28
Table 6: Sources referred to in this document 29

1 Introduction

1.1 Purpose

This document describes how each actor uses ZedPath to reach a goal. Where the user stories (ZP-DOC-02) say *what* a user needs and the SRS (ZP-DOC-03) says *what the system shall do*, the use cases describe the **interaction step by step**, including what happens when things go wrong. They are the basis for the screen flows (ZP-DOC-07), the API design (ZP-DOC-06) and the system tests (ZP-DOC-08).

1.2 Scope

Thirty-five use cases covering Releases R1 and R2: the eighteen of v1.0 (one now superseded), fifteen added by change requests CR-001 to CR-006, and two added in v2.1 by CR-007 and CR-010. Eleven are written in Cockburn's *fully dressed* format because they carry the main risk or value; the rest are given in *brief* format.

1.3 Intended audience

Developers, testers, interface designers and reviewers.

1.4 Relationship to other documents

Table 1: Position of this document in the ZedPath document set

Document	Relationship
ZP-DOC-03 SRS	Parent. Each use case realises a group of functional requirements (listed per use case)
ZP-DOC-05 Data Design	Child. Nouns in the use cases name the entities
ZP-DOC-07 UI/UX Specification	Child. Main scenarios become screen flows
ZP-DOC-08 Test Plan	Child. Main scenarios and extensions become system test cases

1.5 Conventions

- Use case IDs are **UC-nn**. Goal level follows Cockburn: **user goal** (sea level) unless stated; **subfunction** for included steps.
- In scenarios, numbered steps are the main success path; extensions are numbered by the step they branch from (for example *3a*).
- *The system* means ZedPath.
- **Change markers** (since v1.0): *New (CR-nnn)*, *Revised (CR-nnn)* or *Superseded by X (CR-nnn)*. A superseded use case keeps its ID and text for traceability (it is *Deleted* in the sense of ZP-DOC-00). The change requests are listed in ZP-DOC-02 and ZP-DOC-03; "VR" is the product owner's video review of 11 October 2026 and "VR2" the product owner's review and decisions of 14 October 2026. Since VR2 the app shows the bands Safe, Likely and Reach as *Very likely*, *Possible* and *Unlikely*; this document keeps the band codes.

2 Actors

Table 2: Actors and their goals

Actor	Type	Goals
Student (P1, P2)	Primary, human	Find every reachable path, avoid costly mistakes, never miss a deadline; *(CR-001 to CR-006)* keep one account and Journey on every device, talk with peers safely; *(CR-007)* try the app before signing up
Family member (P3)	Secondary, human	Receive a clear summary in their language
Teacher (P4)	Primary, human (R2)	See which students need help
Verified senior (P5)	Primary, human (R1 since CR-002)	Help juniors in a trusted space
Curator (P6)	Primary, human	Keep every published fact correct and sourced; *(CR-002)* issue senior invites
Scheduler	Primary, time	Run weekly Gazette scans and daily reminders. *Revised (CR-002):* reminders are now scheduled on the phone, so the scheduler only scans the Gazette
AI extractor (Gemini via AI Gateway)	Supporting, system	Propose structured facts from documents and photos; draft answers
AI checker (second model)	Supporting, system	Independently agree or disagree with each extracted fact
Push service	Supporting, system. *Superseded by the Android notification system (CR-002).*	Deliver web-push reminders to the student's browser
Android notification system	Supporting, system. *New (CR-002).*	Show the reminders the ZedPath Android app schedules on the phone
Moderation model (Workers AI)	Supporting, system. *New (CR-002).*	Judge each group message safe or unsafe before others see it

3 Use case diagrams




Figure 1: Student services: use cases of the student and the systems that support them




Figure 2: Data, trust and community services: use cases of the curator, scheduler, teacher and senior

> **Note:** The two diagrams above show the v1.0 baseline. Use cases UC-19 to UC-33, added by the change requests, are defined in the catalogue and sections below; the diagrams will be redrawn before this revision is approved.

4 Use case catalogue

Table 3: Use case catalogue with level, release and realised requirements

ID	Use case	Primary actor	Level	Release	Requirements
UC-01	Set up profile	Student	User goal	R1	FR-101 to FR-113, FR-123, FR-124
UC-02	Explore eligible courses	Student	User goal	R1	FR-201 to FR-207, FR-210 to FR-213, FR-215 to FR-217, FR-221
UC-03	View offering details (*revised, CR-008, CR-009*)	Student	User goal	R1; R2 for facts and aptitude card	FR-208, FR-209, FR-214, FR-218 to FR-220
UC-04	Build and check preference list	Student	User goal	R1	FR-301 to FR-308
UC-05	Follow journey and reminders	Student	User goal	R1	FR-401 to FR-408, FR-417
UC-06	Explore other routes	Student	User goal	R1	FR-501 to FR-511
UC-07	Ask a question	Student	User goal	R1	FR-601 to FR-615, FR-913
UC-08	Share summary	Student	User goal	R1	FR-701, FR-702
UC-09	Report a mistake	Student	Subfunction	R1	FR-910, FR-912
UC-10	Register source document	Curator	User goal	R1	FR-901, FR-902
UC-11	Extract facts from a source	Curator, Scheduler	User goal	R1	FR-903 to FR-905
UC-12	Review queued facts and reports	Curator	User goal	R1	FR-906, FR-907, FR-911
UC-13	Scan Gazette	Scheduler	User goal	R1	FR-503, FR-504, FR-908, FR-909
UC-14	Send due reminders (*superseded by UC-28, CR-002*)	Scheduler	User goal	R1	FR-405, FR-406 (both superseded)
UC-15	Verify as senior (*revised, CR-002*)	Verified senior	User goal	R1	FR-704 (superseded), FR-707
UC-16	Answer as senior (*revised, CR-002*)	Verified senior	User goal	R1	FR-703, FR-705
UC-17	View class progress	Teacher	User goal	R2	FR-706
UC-18	Prepare for university	Student	User goal	R2	FR-801 to FR-804
UC-19	Create account and give contact details (*new, CR-001, CR-003*)	Student	User goal	R1	FR-114, FR-116, FR-118, FR-120, FR-121
UC-20	Log in and restore profile (*new, CR-001*)	Student	User goal	R1	FR-115, FR-117, FR-129, FR-130
UC-21	Recover account (*new, CR-001*)	Student	User goal	R1	FR-118
UC-22	Delete account (*new, CR-001*)	Student	User goal	R1	FR-119, FR-132
UC-23	Choose an avatar (*new, CR-006*)	Student	User goal	R1	FR-122

ID	Use case	Primary actor	Level	Release	Requirements
UC-24	Select several courses (*new, VR, CR-006*)	Student	User goal	R1	FR-309 to FR-311
UC-25	Tick a Journey step (*new, CR-006*)	Student	User goal	R1	FR-409 to FR-411
UC-26	Follow a course (*new, CR-006*)	Student	User goal	R1	FR-411, FR-416
UC-27	Follow a notice and record applying (*new, CR-006*)	Student	User goal	R1	FR-411, FR-414, FR-415
UC-28	Get reminders and set them (*new, CR-002, VR*)	Student	User goal	R1	FR-404, FR-412, FR-413
UC-29	Take part in a group (*new, CR-002, CR-005*)	Student, Verified senior	User goal	R1	FR-705, FR-708 to FR-712, FR-715, FR-716, FR-719, FR-720 to FR-723, FR-127
UC-30	Accept group rules (*new, CR-005, CR-006*)	Student, Verified senior	Subfunction	R1	FR-713 (superseded), FR-714
UC-31	View group info and exit (*new, CR-006*)	Student, Verified senior	User goal	R1	FR-717, FR-718
UC-32	Rate an answer (*new, CR-004*)	Student	Subfunction	R1	FR-611
UC-33	Issue a senior invite (*new, CR-002*)	Curator	User goal	R1	FR-707
UC-34	Try the demo (*new, CR-007*)	Student (visitor)	User goal	R2	FR-125 to FR-128
UC-35	End a session (*new, CR-010*)	Student, Verified senior	User goal	R2	FR-914, FR-131

5 Fully dressed use cases

5.1 UC-01 Set up profile

Scope	ZedPath (system)
Level	User goal
Primary actor	Student
Change	*Revised (CR-001, CR-003):* an account now comes first (UC-19), and the profile is kept on the account as well as on the device (FR-117).
Stakeholders and interests	**Student:** quick entry, no mistakes, the same profile on every device. **Product owner:** personal data only with consent (NFR-030).
Preconditions	The student is logged in (UC-19 or UC-20).
Minimal guarantee	An invalid profile is never saved; a results photo is deleted after reading (extension 2b).
Success guarantee	A valid profile is stored on the device and on the account, and every results screen uses it.
Trigger	The student opens ZedPath without a stored profile, or chooses *Edit profile*.

Main success scenario

1. The student chooses a stream.
2. The student chooses the district they sat from.
3. The student enters their Z-score.
4. The student chooses three subjects, searching the list if needed (FR-123), and the grade for each.
5. The system validates the Z-score (BR-005) and the subject combination for the stream (BR-010).
6. The system stores the profile on the device and on the account (FR-117) and shows the student's results (UC-02).

Extensions

- *2a. The student has no results yet:* the student enters expected marks; the system shows an estimated Z-score range (FR-107) and continues at step 4 using the lower bound, marked *Estimate*.
- *2b. The student chooses "Read my results sheet":* the student photographs the results sheet; the system reads the fields (FR-109), highlights low-confidence fields (FR-110), deletes the photo (FR-111), and the student confirms or corrects each field; continue at step 5.
- *5a. The Z-score is invalid:* the system shows an inline message next to the field (FR-102); resume at step 3.
- *5b. The subject combination is not admissible for the stream:* the system names the subject that does not fit (FR-103); resume at step 4.
- **a. At any time the student switches language:* all text changes; entered data is kept (FR-112). In Sinhala or Tamil the app says the text is an AI translation being checked (FR-124).
- *6a. The device is offline:* the profile is stored on the device and sent to the account when the device is online again, without being overwritten by the older copy (FR-117).

Frequency	Once per student, then occasional edits
Open issues	Subject statistics for the estimate need at least three years of published data (DE-2)

5.2 UC-02 Explore eligible courses

Scope	ZedPath (system)
Level	User goal
Primary actor	Student
Stakeholders and interests	**Student:** see every reachable course and an honest chance. **Product owner:** never imply certainty (FR-207).
Preconditions	A valid profile exists (UC-01). Cut-offs and rules for the intake year are published.
Minimal guarantee	Only courses whose rules the student meets are shown as eligible; no band is shown without data.
Success guarantee	The student sees eligible offerings grouped by band, and knows why any course is hidden.
Trigger	The student submits or changes their profile, or opens *Courses*.

Main success scenario

1. The system sends the profile to the server.
2. The server applies the general eligibility rules (BR-001 to BR-004) and each offering's specific rules (BR-020 to BR-024) (*include: Check eligibility*).
3. The server bands each eligible offering against the district's cut-off history (BR-030 to BR-036) (*include: Compute band*).
4. The system shows counts per band and the list for the default band, each item with its gap to the latest cut-off and its trend.
5. The student filters by band, university, field or distance (FR-210).
6. The student opens an offering (UC-03) or adds it to the list (UC-04).

Extensions

- *2a. Some offerings fail a rule:* the system shows "N courses hidden" with a link to the reasons (FR-204).
- *3a. An offering has no numeric cut-off for the district (all NQC or new):* it is shown as *Not enough data*.
- *3b. The offering is selected on all-island merit:* the all-island cut-off is used for every district (BR-035).
- *5a. The student marks an offering as a dream course:* the system shows the gap and up to three nearby open offerings (FR-211, FR-212).
- *5b. Revised (VR): the student searches by name, short form or Uni-Code:* matching offerings from every band are listed (FR-215).
- *6a. Revised (VR): the student taps Compare:* the Compare screen opens with the offering in a swipeable column, and a "+" column adds up to three (FR-213, FR-216, FR-217).
- *6b. New (VR, CR-006): the student presses and holds offerings:* UC-24.
- *1a. The network is unavailable:* the system shows the last results computed on the device, marked with the time computed.

Frequency	Several times per session during the application window

5.3 UC-04 Build and check preference list

Scope	ZedPath (system)
Level	User goal
Primary actor	Student

Stakeholders and interests	**Student:** a list that cannot lock them out of a course they want more (E4).
Preconditions	UC-02 has run; at least one eligible offering exists.
Minimal guarantee	The list never contains an offering the student is not eligible for.
Success guarantee	The student has an ordered list with no unacknowledged ordering warnings, and has copied the uni-codes.
Trigger	The student taps *Add to my list* or opens *My list*.

Main success scenario

1. The student adds an eligible offering; the system appends it with its band and uni-code.
2. The student reorders the list by drag and drop or keyboard.
3. The system re-checks the order after every change (*include: Check list order*) and shows any notes (BR-041, BR-042) as information; it never changes the order (CR-011).
4. The student reads the notes and *What you need to know* (FR-312), and orders the list by their own preference.
5. The student taps *Copy uni-codes*; the system copies them in order, one per line (FR-306).

Extensions

- *1a. The offering is not eligible:* the system refuses and shows the failed rule (FR-302).
- *3a. (Withdrawn by CR-011.)* There is no "Fix order for me": the UGC follows the student's own order (handbook p.112).
- *3b. The list exceeds the maximum number of preferences allowed (BR-043):* the system prevents further additions and explains the limit.

The decision logic of this use case is shown below.




Figure 3: Activity flow of UC-04: adding, checking and fixing the preference list

5.4 UC-07 Ask a question

Scope	ZedPath (system)
Level	User goal
Primary actor	Student
Supporting actors	AI extractor (Gemini via AI Gateway)
Change	*Revised (CR-004, VR):* answers are shown as a card with a verdict, sources, actions, follow-ups and feedback; achievements and interests are used for the answer only.
Stakeholders and interests	**Student:** a correct answer in their language. **Product owner:** no unsupported or predictive answers (FR-604, FR-605); free-plan limits respected (NFR-034); achievements not stored (NFR-074).
Preconditions	None; a profile improves answers.
Minimal guarantee	No answer is shown without a source; rate limits are enforced.
Success guarantee	The student receives an answer in their language with at least one source link.
Trigger	The student submits a question on *Ask*.

Main success scenario

1. The student types a question in Sinhala, Tamil or English; the app sends it with the student's profile, achievements and interests and the app language (FR-612).
2. The system passes the bot check and rate limit (FR-912, FR-913).
3. The system retrieves the stored source passages most relevant to the question (with the special-intake section when BR-080 says it may apply).
4. The system asks the AI model to answer **only** from those passages, using the student's profile and the facts computed by ZedPath's own rules where relevant, in the question's language.
5. The system shows the answer as a card: a verdict chip (FR-607), a lead line and bullets (FR-608), and source chips that open the quote and link to the official document (FR-609).
6. Under the answer, the system lists next-step actions built from its own data (FR-606) and follow-up questions (FR-610); the student may rate the answer (UC-32).

Extensions

- *2a. Rate limit exceeded:* the system asks the student to wait and states when they can ask again.
- *3a. No relevant passage is found:* the system states it does not know and gives the official contact (FR-604).
- *4a. The question asks for a future cut-off or a guarantee:* the system declines and shows the historical pattern instead (FR-605).
- *4b. The AI service is unavailable:* the system says Ask is temporarily unavailable; all other features keep working (NFR-040).
- *5a. The model gave no verdict:* no chip is shown (FR-607).
- *6a. The student taps an action:* the course opens, is added to the list (only when eligible) or to Compare, or the notice is added to the Journey (UC-27).

5.5 UC-11 Extract facts from a source

Scope	ZedPath back office
Level	User goal
Primary actor	Curator (or Scheduler, from UC-13)

Supporting actors	AI extractor; AI checker
Stakeholders and interests	**Students:** correct rules. **Curator:** review only what needs review.
Preconditions	The source is registered and fingerprinted (UC-10).
Minimal guarantee	No fact is published without a source page and either two-model agreement or curator approval.
Success guarantee	Every extractable fact is either published or queued for review; the run is logged.
Trigger	The curator starts extraction, or a new Gazette issue arrives (UC-13).

Main success scenario

1. The system splits the source into sections with page numbers.
2. For each section, the AI extractor proposes structured facts with confidence and page.
3. The AI checker re-reads the page and agrees or disagrees with each fact (*include: Two-model check*).
4. Facts on which both agree with confidence at least 0.90 are published as new versions (FR-905).
5. All other facts enter the review queue (UC-12).
6. The system logs counts of published, queued and rejected facts.

Extensions

- *2a. A section cannot be read (scanned image without text):* the system uses vision extraction; if that fails, the section is queued for manual entry.
- *2b. The AI service fails or a limit is reached:* the step is retried with back-off (NFR-041); after three failures the run pauses and the curator is notified (FR-909).




Figure 4: Activity flow of UC-11 and UC-12: extraction, two-model check and curator review

5.6 UC-12 Review queued facts and reports

Scope	ZedPath back office
Level	User goal
Primary actor	Curator
Preconditions	The curator is signed in (NFR-032).
Success guarantee	Each reviewed item is approved, corrected or rejected, and the decision is recorded (FR-907).
Trigger	Items are waiting in the review queue or a mistake report arrives (UC-09).

Main success scenario

1. The curator opens the queue, ordered by impact (facts used by most students first).
2. The system shows the source page, the proposed fact and both models' verdicts side by side.
3. The curator approves, corrects or rejects the item.

4. The system publishes approved or corrected facts as new versions and keeps the previous version (FR-911).

Extensions

- *2a. The item is a mistake report:* the system shows the reported fact, the student's note and the source; the curator corrects the fact or closes the report with a reason.

5.7 UC-13 Scan Gazette

Scope	ZedPath back office
Level	User goal
Primary actor	Scheduler
Success guarantee	Every new Gazette issue is stored, its relevant notices extracted, and matching students alerted (FR-503).
Trigger	Weekly schedule (every Monday, 06:00 Sri Lanka time).

Main success scenario

1. The scheduler starts the weekly run.
2. The system fetches the list of new Gazette issues and stores each new file as a source (UC-10).
3. The system classifies notices and extracts job-examination details (UC-11).
4. *Revised (CR-002, CR-006):* published notices appear under the Journey's *Open now* tab, where each student's device checks the A/L-pass and age rules (FR-509, NFR-072).

Extensions

- *2a. The Gazette website is unreachable:* the run retries; after three failures it is marked failed and shown to the curator (FR-909).

5.8 UC-19 Create account and give contact details

New (CR-001; contact details and consent added by CR-003).

Scope	ZedPath (system)
Level	User goal
Primary actor	Student
Stakeholders and interests	**Student:** a quick, safe sign-up; knowing why each detail is asked. **Parent or guardian (P3):** agrees for a student under 18. **Product owner:** consent recorded and only the needed data kept (NFR-030, NFR-070).
Preconditions	The student is not logged in.
Minimal guarantee	No account and no detail is stored unless every rule and the consent are met; the password never leaves the device (NFR-036).
Success guarantee	An account exists with a username, a hashed key, contact details and a recorded consent version; the student has seen and confirmed the recovery code, and is logged in.
Trigger	The student opens ZedPath without a session and chooses *Create account*.

Main success scenario

1. The student enters a username and a password.

2. The student enters full name, email address, Sri Lankan mobile number and date of birth; the screen states what each is used for and that email and mobile are not verified yet (FR-121).
3. The student ticks the consent statement, which includes a parent's or guardian's agreement for a student under 18.
4. The device checks every field (BR-050 to BR-055) and derives a key from the password (FR-114).
5. The system checks the same rules again, stores the account, its contact details and the consent version and time (BR-057), and starts a session.
6. The system shows the recovery code once; the student confirms that it is saved (FR-118).
7. The student continues to *About you* (UC-01).

Extensions

- *4a. A field breaks a rule:* the device names the field; resume at the step for that field.
- *5a. The username is taken:* the system says so; resume at step 1.
- *5b. A request reaches the server without consent or with an invalid detail:* the server refuses it and stores nothing (FR-116).
- *5c. Too many attempts from one network:* the system asks the student to wait (NFR-037).
- *1a. The student has a senior invite code:* the student enters it; the system creates a verified senior account for the course on the invite, which keeps no A/L results (UC-15).
- **a. The student's account was made before CR-003:* on the next open the system asks for the contact details and consent before any other screen (FR-120).

Frequency	Once per student

5.9 UC-25 Tick a Journey step

New (CR-006).

Scope	ZedPath (system)
Level	User goal
Primary actor	Student
Stakeholders and interests	**Student:** a Journey that shows what they have really done. **Product owner:** no invented dates; the rule enforced on the server (NFR-038).
Preconditions	The student is logged in.
Minimal guarantee	A step outside its window is never stored as done.
Success guarantee	The step is stored as done on the account, with its time, and shown ticked on every device (FR-411).
Trigger	The student taps a step's tick box in the Journey.

Main success scenario

1. The system shows the Journey steps in order, all unticked for a new account (FR-409).
2. The student taps the tick box of a step whose window is open: a preparation step at any time, or a UGC step on or after the opening date in the UGC press notice (BR-061).
3. The system checks the window again on the server against the same dated data the device shows (FR-410).
4. The system stores the step as done on the account and shows it ticked.

Extensions

- *2a. The step is a UGC step whose date is not announced or not reached:* the tick box is disabled and says why; the use case ends.
- *3a. A tick outside the window reaches the server anyway:* the server refuses it and stores nothing.
- *2b. The student unticks a ticked step:* the system removes the done mark from the account.
- **a. There is no valid session:* the server refuses the request (US-411).

Frequency	A few times per student per admission cycle

5.10 UC-29 Take part in a group

New (CR-002; extended by CR-005 and CR-006).

Scope	ZedPath (system)
Level	User goal
Primary actor	Student or verified senior
Supporting actors	Moderation model (Workers AI)
Stakeholders and interests	**Student, often under 18:** honest answers without harassment or exposure of contact details. **Verified senior:** a badge that others cannot copy. **Product owner:** abuse stopped on the server, within free-plan limits.
Preconditions	The student is logged in. For a batch group, the student's results are saved on the account (BR-071).
Minimal guarantee	No message is shown to others without passing moderation; no real name, contact detail or photograph is shown (NFR-071).
Success guarantee	The student is a member, has accepted the current rules, and can read and post in the room.
Trigger	The student opens *Groups*.

Main success scenario

1. The system lists the groups for the courses on the student's list, the student's batch group, the joined groups and the popular course groups (FR-705, FR-715).
2. The student chooses *Join* on a group.
3. If the account has not accepted the current group rules, the student accepts them (*include: UC-30*).
4. The system adds the student as a member, creating the group if it is the first join (BR-070).
5. The student opens the room; the system checks membership and rules acceptance and connects the room (NFR-038).
6. The room shows labelled sample conversations, if any, and the latest messages (FR-716).
7. The student writes a message; the room checks it (text, length, rate, no phone number or email) and the moderation model judges it safe (FR-708, FR-709, FR-712).
8. The room shows the message, with the student's username, avatar and any senior badge, to every member who has not blocked the student.

Extensions

- *3a. The student does not accept the rules:* the student is not joined; the use case ends.
- *5a. The connection drops:* the app reconnects by itself without showing "Disconnected" (FR-719, NFR-043).

- *7a. The message breaks a rule, or posting is too fast:* the room refuses it and says why; resume at step 7.
- *7b. The moderation model judges it unsafe or cannot judge it:* the message is not posted (NFR-039).
- *8a. The student reports a message with a reason:* the report is recorded once; at three reports from different members the message is hidden for everyone (FR-710).
- *8b. The student blocks a member:* that member's messages are no longer shown to the student (FR-711).
- *8c. The student opens the group's info page or leaves:* UC-31.
- *2a. New (CR-007): the account is a demo account:* the student may join a group that already exists and read it; the server refuses creating a group and reporting, and the room refuses posts (FR-127).
- **b. New (CR-010): the student logs out or leaves the group:* the room's live connection closes (UC-35).
- *7c. New (CR-010): the message disguises a phone number or email, or carries a chat-invite link, or the member has made 20 attempts in 10 minutes:* the room refuses it and says why (FR-721, FR-723).
- *8d. New (CR-010): the reporter's account is under a day old or a demo account:* the report is recorded but does not count toward hiding (FR-720).

Frequency	Daily for active students in the application season

5.11 UC-30 Accept group rules

New (CR-005); revised by CR-006 from once per membership to once per account.

Scope	ZedPath (system)
Level	Subfunction
Primary actor	Student or verified senior
Stakeholders and interests	**Members:** everyone has agreed to the same rules. **Product owner:** acceptance recorded and enforced on the server.
Preconditions	The student is logged in and has asked to join a group (UC-29, step 2).
Minimal guarantee	No live room opens for an account that has not accepted the current rules version.
Success guarantee	The account's acceptance of the current version is recorded with its time (FR-714).
Trigger	A first join of any group, or the first join after a new rules version.

Main success scenario

1. The system shows the six group rules in the student's language (BR-074).
2. The student ticks that they have read the rules and will follow them, and taps *Agree and join*.
3. The system records the acceptance of the current version for the account and completes the join in the same batch.

Extensions

- *1a. The account has already accepted the current version:* the rules are not shown; the join continues.
- *3a. A first join reaches the server without acceptance:* the server refuses the join (FR-714).
- **a. Superseded behaviour (CR-005, FR-713):* acceptance was asked for every group the student joined; CR-006 replaced it with one acceptance per account per version.

6 Brief use cases

Table 4: Brief use cases

ID	Use case	Brief description
UC-03	View offering details	The student opens an offering and sees its district cut-off history with their own Z-score, duration, medium, aptitude-test flag and first-year content, each with its source. *Revised (CR-008, CR-009):* the page also shows a *University facts* card (admitted 2023/24, undergraduates 2024, hostel places and share, graduates 2024, each with its UGC table and page) and, for the 24 offerings that need one, an *Aptitude test* card with the official notice and the last intake's dates marked as past, or the notices of the joint test.
UC-05	Follow journey and reminders	*Revised (CR-002, CR-006).* The student sees the Journey steps in order, the followed courses and notices, and the next dated item first; a UGC date not yet announced shows *Not announced yet* with the official rule and page; aptitude-test steps are added automatically. The *Open now* tab lists open notices, and the Journey tab shows the count of new ones. Steps are ticked in UC-25 and reminders set in UC-28. (v1.0: dates confirmed or estimated; push reminders.)
UC-06	Explore other routes	*Revised (VR).* The student sees six groups of non-UGC routes (the retry group was removed), each marked open or not open with the reason, and opens a route's requirements, cost and timing with sources; open notices show whether the student meets their A/L-pass and age rules, checked on the device. *Revised (CR-009):* the University of Vocational Technology route quotes the official NVQ 5/6 to NVQ 7 (degree) ladder and lists its degree programmes.
UC-08	Share summary	The student generates a card in a chosen language, without name or Z-score unless added, and sends it through the phone's share sheet.
UC-09	Report a mistake	From any fact, the student taps *Report a mistake*, adds an optional note and passes a bot check; the report is queued for the curator.
UC-10	Register source document	The curator uploads an official document with its metadata; the system stores it unchanged, fingerprints it and rejects duplicates.

ID	Use case	Brief description
UC-14	Send due reminders	*Superseded by UC-28 (CR-002): reminders are scheduled on the phone, not sent by the server.* Daily, the scheduler finds deadlines due in 7 days or 1 day for subscribed students and sends web-push reminders; expired subscriptions are deleted.
UC-15	Verify as senior	*Revised (CR-002): R1; invite codes replace Google accounts and proof review.* A university student receives a one-time invite code from the product owner (UC-33), enters it while creating an account (UC-19), and gets a verified senior account for the course, institution and year on the invite; a used or expired code is refused.
UC-16	Answer as senior	*Revised (CR-002): R1, in groups.* A verified senior answers questions in the course groups (UC-29); messages show the badge "Verified senior · course, year".
UC-17	View class progress (R2)	A teacher sees aggregate progress of students who shared with the class code, and names only of those who shared.
UC-18	Prepare for university (R2)	A selected student follows the university's registration checklist, checks Mahapola and bursary eligibility, plans the months before lectures and keeps a documents checklist.
UC-20	Log in and restore profile	*New (CR-001).* The student logs in with username and password on any device; the device derives the key, the server checks it and starts a 30-day session, and the profile, achievements, interests and Journey are restored. The student may log out on this device or on every device. *Revised (VR2):* when the session has expired, the app returns the student to *Log in* (FR-129). *Revised (CR-010):* when a different student logs in on the phone, the previous student's data is cleared from it first (FR-130).
UC-21	Recover account	*New (CR-001).* A student who forgot the password enters username, recovery code and a new password; the password is changed, a new recovery code is shown once, and the old code stops working.
UC-22	Delete account	*New (CR-001).* The student confirms *Delete account*; the server deletes every row stored under the account and its messages in every group, the device is cleared, and the welcome screen is shown. *Revised (CR-010):* the messages are also purged from groups the student opened and later left (FR-132).

ID	Use case	Brief description
UC-23	Choose an avatar	*New (CR-006).* In *Me*, the student picks one of 12 preset avatars or keeps the initials; the server accepts only the presets, and the avatar appears in the app bar, member lists and new group messages.
UC-24	Select several courses	*New (VR, CR-006).* In *Courses* or *My list*, the student presses and holds a course and ticks others; from *Courses* they add all selected courses to the list under the usual rules, and from either screen they open Compare with up to three in the order selected.
UC-26	Follow a course	*New (CR-006).* On a course page the student follows (or unfollows) the course; the server accepts only 2025/26 offerings and saves it on the account, and it appears in the Journey.
UC-27	Follow a notice and record applying	*New (CR-006).* From *Open now* or an other-path page the student follows a notice or path, which appears in the Journey with its closing date; once the notice has opened the student may tick *I applied*; earlier, the tick is refused on the server.
UC-28	Get reminders and set them	*New (CR-002, VR; supersedes UC-14).* In the Android app the phone schedules notifications 7 days and 1 day before each dated item; elsewhere the student downloads a calendar file. In *Me* the student chooses which reminders, 8 am or 6 pm, and whether the new-notice count shows; defaults keep the earlier behaviour.
UC-31	View group info and exit	*New (CR-006).* In a room the student taps the group's name and sees the description, the general and group-specific rules and the member list (usernames, avatars, badges; members only), and may tap *Exit group* at the bottom.
UC-32	Rate an answer	*New (CR-004).* Under an Ask answer the student taps *Helpful*, or *Report a wrong answer* with an optional note after being told the question and answer will be sent; the rating is stored without anything that identifies the student.
UC-33	Issue a senior invite	*New (CR-002).* After checking a university student's enrolment, the product owner creates a one-time invite code for a course, institution and year of study, valid for 14 days, and gives it to the student privately; only its hash is stored.

ID	Use case	Brief description
UC-34	Try the demo	*New (CR-007).* On the Welcome screen a visitor taps *Try the demo*. The server first deletes expired demo accounts, then creates a private demo account holding the sample student, with a random username and no usable password, and logs the visitor in for 24 hours; the visitor goes straight to *Paths*. *Me* says it is a demo. In groups the demo account can join existing groups and read them, but cannot create a group, post or report (UC-29, 2a). Clearing the phone switches demo mode off (FR-128). Extension: too many demo taps from one network are refused with a request to wait (BR-059).
UC-35	End a session	*New (CR-010).* The student logs out on this device, logs out on every device, resets the password with the recovery code (UC-21), or exits a group (UC-31). If the log-out request fails, the app says the student is still logged in (FR-131).
The server ends the session or membership and asks each affected group room to close the live connections opened under it: this device's only on log out; every device's on log out everywhere and recovery; that group's only on exit (FR-914). A room that cannot be reached closes the connection on its next message.		

Appendix A: Traceability: requirements to use cases

Every functional requirement in ZP-DOC-03 is realised by at least one use case, as listed in the use case catalogue above (column *Requirements*); this was checked by script against all 80 requirements of v1.0, against all 128 functional requirement IDs of ZP-DOC-03 v2.0, and again for v2.1 (draft) against all 148 functional requirement IDs of ZP-DOC-03 v2.1 (draft), including the superseded and withdrawn ones, which stay listed against the use case they belonged to.

Appendix B: Glossary

Table 5: Terms used in this document

Term	Meaning
Extension	An alternative path that branches from a step of the main success scenario
Fully dressed	Cockburn's complete use case format with stakeholders, guarantees, scenario and extensions
Include	A UML relationship: the base use case always performs the included use case
Demo account	A private, throwaway account holding the sample student, opened by *Try the demo* and deleted after 24 hours (CR-007)
Extend	A UML relationship: the extending use case optionally adds behaviour to the base use case
Minimal guarantee	What the system promises even when the goal fails
Subfunction	A use case below user-goal level, performed as part of another

Appendix C: References

Table 6: Sources referred to in this document

Ref	Source
[1]	A. Cockburn, *Writing Effective Use Cases*, Addison-Wesley, 2001
[2]	Object Management Group, *Unified Modeling Language*, version 2.5.1, 2017
[3]	ZP-DOC-02 User Stories; ZP-DOC-03 Software Requirements Specification