

SWIFTSHIP TRACKER

Salesforce Parcel Management System with Agentforce AI & Prompt Builder

Item	Details
Team ID	SWTID-2026-9775
Team Leader	Praveenraja S
Team Members	Aswin Sanjeev Kumar A Sri Dharanivel A M Sivabalan S Yuvaraj C
College	Government College of Engineering, Erode
Platform	Salesforce Developer Edition
GitHub	https://github.com/Praveenraja195/Swift_Ship_Tracker
Demo Video	https://drive.google.com/file/d/1YueQ1fPiucIgOB0FZjUPlCHW8hlwaETF/view?usp=drivesdk
Submission Date	03-10-2026

User Story

The SwiftShip Tracker is designed to provide a centralized Salesforce-based parcel management solution that enables customers to book parcels, track delivery status, and manage shipments through an intuitive interface and conversational AI support. The system manages Parcel, Delivery, Sender, and Receiver information using Salesforce custom objects and relationships. Flows automate parcel operations and notifications, while AgentForce AI and Prompt Builder enable customers to retrieve parcel information and interact with the system conversationally. Delivery agents can update parcel status in real time, while Experience Cloud, security controls, reports, and dashboards provide secure customer access and operational visibility.

1. Introduction

1.1 Project Overview

The SwiftShip Tracker is a Salesforce CRM solution developed to simplify parcel booking, shipment tracking, and delivery management. It supports the complete parcel lifecycle from booking and dispatch through tracking and delivery confirmation. Customers can access shipment information, while delivery agents can update parcel details and delivery status.

1.2 Purpose

The purpose of SwiftShip Tracker is to:

- Centralize parcel and delivery information.
- Simplify parcel booking and tracking.
- Provide real-time shipment visibility.
- Automate delivery updates and customer notifications.
- Enable conversational parcel tracking using AgentForce AI and Prompt Builder.
- Improve agent efficiency through Salesforce Flows and dashboards.
- Provide secure, role-based access to customers, agents, support staff, and administrators.

2. Ideation Phase

2.1 Problem Statement (Customer Problem Statement Template)

PS	I am (Customer)	I'm trying to	But	Because	Which makes me feel
PS-1	Customer / Sender	book a parcel easily	booking requires support assistance or multiple applications	parcel operations are not centralized	frustrated
PS-2	Customer / Sender	track my parcel	I do not have a simple real-time tracking experience	shipment information is difficult to access	confused
PS-3	Delivery Agent	update parcel status	status updates require manual handling	there is a need for centralized operational tracking	concerned
PS-4	Customer	receive delivery updates	notifications may not be available at every delivery stage	communication needs to be automated	uncertain
PS-5	Admin	monitor parcel operations	parcel flow and delivery performance are difficult to monitor	operational data needs centralized reporting	concerned

Problem Statements

Understanding the challenges to build a better parcel experience.

Your Parcels Our Priority

PS	I am (User)	I'm trying to...	But...	Because...	Which makes me feel...
PS-1	Customer / Sender	book a parcel easily	booking requires support assistance or multiple applications	parcel operations are not centralized	frustrated
PS-2	Customer / Sender	track my parcel	I do not have a simple real-time tracking experience	shipment information is difficult to access	confused
PS-3	Delivery Agent	update parcel status	status updates require manual handling	there is a need for centralized operational tracking	concerned
PS-4	Customer	receive delivery updates	notifications may not be available at every delivery stage	communication needs to be automated	uncertain
PS-5	Admin	monitor parcel operations	parcel flow and delivery performance are difficult to monitor	operational data needs centralized reporting	concerned

Solving these challenges with Salesforce to create a simpler, smarter, and more connected parcel experience.


Moving Possibilities Together

2.2 Empathy Map Canvas

User Persona: Customer / Sender

- **Think & Feel:** Wants a simple way to book and track parcels without repeatedly contacting support.
- **Hear:** Receives delivery information and status updates from the parcel service.
- **See:** Parcel details, tracking status, estimated delivery date, and delivery information.
- **Say & Do:** Books parcels, checks tracking information, and asks for delivery updates.

- **Pain:** Delays, confusion, lack of easy tracking, and dependence on support or multiple apps.
- **Gain:** Real-time visibility, self-service tracking, convenient booking, and timely notifications.



2.3 Brainstorming & Idea Prioritization


Ideas Considered

- Manual registers
- Spreadsheet tracking
- Standalone parcel portal
- Salesforce CRM with AgentForce AI

Final Selection

Salesforce CRM selected due to:

- Centralized parcel management
- Automation through Flows
- Real-time tracking visibility
- Conversational AI assistance
- Secure role-based access
- Reports and dashboards



3. Requirement Analysis Phase

3.1 Customer Journey Map

Stages:

- Parcel Booking
- Parcel Record Creation
- Dispatch & Shipment
- In-Transit Tracking
- Out for Delivery
- Delivery Confirmation
- Customer Notification
- Feedback / Support



3.2 Solution Requirements

Functional Requirements


FR No	Requirement
FR-1	Parcel booking and record creation
FR-2	Parcel status tracking
FR-3	Weight management
FR-4	Estimated delivery date management
FR-5	Sender information management
FR-6	Receiver information management
FR-7	Delivery and current-location tracking
FR-8	Agent parcel status updates
FR-9	Automated customer notifications
FR-10	AI-powered parcel tracking
FR-11	Reports and dashboards
FR-12	Customer access through Experience Cloud

Non-Functional Requirements


NFR	Description
Usability	Intuitive Salesforce and customer-facing interface
Security	Role-based and field-level access control
Reliability	Accurate parcel status and delivery information
Performance	Timely Flow and AgentForce responses
Availability	Salesforce cloud-based access
Scalability	Supports growing parcel and delivery operations
Data Integrity	Controlled access and relationship-based parcel data
Maintainability	Flows, prompts, topics, and configurations can be updated

3.3 Data Flow Diagram


Flow:



AI Tracking Flow



The Prompt Builder implementation retrieves Parcel ID, Status, Weight, and Estimated Delivery Date information for tracking responses.




3.4 Technology Stack

Layer	Technology
Platform	Salesforce Developer Edition
UI	Lightning App Page, Lightning Record Pages, Experience Cloud
Database	Salesforce Custom & Standard Objects
Business Logic	Salesforce Flows, Apex Classes
Automation	Record-Triggered Flows, Auto-Launched Flows, Scheduled Flows
AI	AgentForce AI, Prompt Builder
Notifications	Email Alerts & Email Templates
Processing	Batch Apex
Security	Profiles, Permission Sets, Role Hierarchy, Field-Level Security, Sharing Rules
Reporting	Reports & Dashboards

4. Project Design Phase

4.1 Problem–Solution Fit

Problem	Solution	Benefit
Parcel booking is difficult	Salesforce Parcel management	Centralized booking
Tracking requires support	AgentForce AI + Prompt Builder	Self-service tracking
Manual status updates	Salesforce Flows	Automated processes
Delivery communication gaps	Email Alerts	Timely notifications
Scattered shipment information	Parcel, Delivery, Sender & Receiver objects	Structured data
Difficult operational monitoring	Reports & Dashboards	Better visibility
Different users need different access	Profiles, Roles & Permission Sets	Secure access




4.2 Proposed Solution

Parameter	Description
Problem	Difficult and inefficient parcel booking and tracking
Solution	Salesforce-based Parcel Management System
Innovation	AgentForce AI + Prompt Builder for conversational self-service tracking and automated Salesforce Flows
Impact	Centralized booking, real-time tracking visibility, timely notifications, and efficient delivery management
Business Model	Parcel, customer, delivery-agent, support, and administrator operations
Scalability	Supports growing parcel operations, Experience Cloud, and integration with external logistics systems

4.3 Solution Architecture

- **Users**
 - Customer | Delivery Agent | Support Staff | Admin
- **Salesforce Lightning / Experience Cloud**
- **SwiftShip Tracker Salesforce Platform**
- **Data Layer**
 - Parcel
 - Delivery
 - Sender
 - Receiver
- **Automation Layer**
 - Flows
 - Approval Processes
 - Apex Classes
 - Batch Apex
 - Email Alerts
- **AI Layer**
 - AgentForce AI
 - Prompt Builder
 - Parcel Tracking Agent
- **Security Layer**
 - Profiles
 - Roles
 - Permission Sets
 - Sharing Rules
 - Field-Level Security
- **Reports & Dashboards**
- **Parcel Tracking & Operational Insights**



5. Project Planning & Scheduling

5.1 Project Planning

- Agile methodology
- Epics → Stories → Story Points
- Sprint-based execution
- Velocity calculation used for estimation

5.2 Product Backlog, Sprint Schedule, and Estimation

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Developer Setup	USN-1	As a system administrator, I want to create and configure the Salesforce environment so that I can build the SwiftShip Tracker parcel management system.	3	High	Member 1
Sprint-1	Data Modeling	USN-2	As an admin, I want to create Parcel, Delivery, Sender, and Receiver objects with proper relationships so that parcel and delivery data is stored and managed systematically.	5	High	Member 2
Sprint-1	Data Modeling	USN-3	As a staff member, I want dedicated tabs and a Lightning App for SwiftShip modules so that I can easily navigate and manage parcel and delivery operations.	5	High	Member 3
Sprint-2	Automation	USN-4	As a system, I want to validate parcel details, mandatory fields, and booking inputs so that invalid or incomplete parcel records are prevented.	3	High	Member 4
Sprint-2	Automation	USN-5	As a delivery coordinator, I want automated Flows to update parcel status and delivery information so that parcel processing requires minimal manual effort.	3	High	Member 4
Sprint-2	Apex	USN-6	As a system, I want Apex triggers and classes to automatically perform critical parcel and delivery actions so that important processes are handled accurately.	5	High	Member 1
Sprint-3	Apex	USN-7	As an inventory/operations manager, I want Batch Apex jobs to process and update parcel or delivery records automatically so that operational data remains accurate and up to date.	5	High	Member 2
Sprint-3	Reports	USN-8	As a manager, I want reports showing parcel status, delivery performance, and operational metrics so that I can monitor SwiftShip operations and make informed decisions.	4	High	Member 3
Sprint-4	Dashboards & AI	USN-9	As a manager, I want dashboards showing parcel status, delivery performance, and key metrics, while Agentforce provides AI-powered tracking assistance, so that I can monitor operations efficiently.	4	Medium	Member 4

The project was executed in four one-day sprints from 29 Sep 2026 to 02 Oct 2026, covering a total of 37 story points across 9 user stories.

5.3 Project Tracker, Velocity & Burndown Chart

Project Tracker

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	13	1 Day	29 Sep 2026	29 Sep 2026	13	29 Sep 2026
Sprint-2	11	1 Day	30 Sep 2026	30 Sep 2026	11	30 Sep 2026
Sprint-3	9	1 Day	01 Oct 2026	01 Oct 2026	9	01 Oct 2026
Sprint-4	4	1 Day	02 Oct 2026	02 Oct 2026	4	02 Oct 2026

Velocity


Velocity is the average number of story points completed per sprint. All planned story points were completed on the planned end date of each sprint, so the actual velocity equals the planned velocity.

$$\text{Average Velocity (AV)} = \text{Total story points completed} / \text{Number of sprints} = 37 / 4 = 9.25 \text{ story points per sprint}$$

With a sprint duration of one day, the team completed about 9 story points per day, and the highest-value stories (environment setup, data model, tabs, Flows and Apex) were delivered in the first two sprints so that the AI and reporting work could build on them.

Burndown Chart

The burndown chart compares the ideal rate of work remaining (a straight line from 37 story points to 0 over the four sprints) with the actual story points remaining at the end of each sprint. Remaining points after each sprint: 24 (Sprint-1), 13 (Sprint-2), 4 (Sprint-3) and 0 (Sprint-4). The actual line stays at or below the ideal line throughout, showing that the project was completed on schedule.



6. Project Development Phase

Phase 1: Requirement Analysis & Planning

Objective:

“Customers often face delays and confusion while booking, tracking, and managing parcel deliveries because they need to call support or use multiple apps. A conversational AI agent can simplify this by allowing customers to book parcels, get live tracking, and manage deliveries in one place.”

Key Requirements:

- Requirement gathering from end users and delivery agents.
- Defining system scope and user personas (Customer, Agent, Admin).
- Designing the data model with relationships between Parcel, Sender, Receiver, and Delivery.
- Identifying use cases such as parcel booking, tracking, and delivery update automation.
- Selecting tools: Salesforce Flows, Prompt Builder, and AgentForce AI.

Defining Project Scope & Objectives

Project Scope:

1. Build a scalable CRM solution for parcel delivery businesses to manage customer bookings, shipments, and delivery operations efficiently.
2. Support the end-to-end parcel lifecycle — from parcel booking → dispatch → tracking → delivery confirmation.
3. Include comprehensive data model design, automation (Flows, Apex, Email Alerts), AI-powered prompt builder, and reporting dashboards for effective management.
4. Provide role-based access for admins, delivery agents, and customers through Salesforce profiles, permission sets, and Experience Cloud.
5. Ensure real-time parcel visibility for customers and simplified operational tracking for agents through AI-integrated conversational support.

Objectives Summary:

- Streamline parcel operations by automating booking, tracking, and delivery notifications to reduce manual updates.
- Improve customer satisfaction with transparent, real-time shipment status and self-service tracking options.
- Enhance agent efficiency through centralized dashboards and guided Flows for quick status updates.
- Enable business insights with reports and dashboards showing parcel trends, delivery performance, and agent activity.
- Ensure security and reliability by implementing Salesforce role hierarchies, sharing rules, and audit-based data access.

Gathering & Analysing User Needs

Users Involved:

- **Customers / Senders** – End users who book parcels, track deliveries, and receive real-time updates through the portal or AI agent.
- **Delivery Agents** – Manage assigned parcels, update delivery status, and ensure timely handover to customers.
- **Customer Support Team** – Handle delivery-related issues, respond to customer queries, and ensure smooth communication.
- **Admin Team** – Configure the Salesforce environment, manage user roles, security settings, and monitor operational performance.
- **System Integrator / Developer** – Responsible for implementing automation, AI agent setup, and backend integrations.

Key Functional Needs:

- Seamless parcel booking and tracking interface for customers through Salesforce Experience Site or agent assistance.
- Ability for agents to update parcel status (Booked → In Transit → Out for Delivery → Delivered) in real time.
- Automated notifications and email alerts to customers on every delivery stage update.
- Support for Sender and Receiver details management with address, contact, and email fields for communication.
- AI Agent integration (via Prompt Builder) for real-time parcel status queries and automated assistance.
- Reports and dashboards to monitor parcel flow, delivery performance, and agent activity for admins.
- Security controls with role-based access, profiles, and permission sets for different user levels.

Tools Used:

- **Salesforce Developer Org** – For configuration, development, and testing.
- **Prompt Builder (AgentForce AI)** – To create intelligent parcel tracking prompts and responses.
- **Salesforce Flow Builder** – To automate booking, tracking, and delivery updates.
- **Google Sheets / Docs** – For initial data planning, requirement documentation, and system mapping.

Identifying Key Salesforce Features & Tools Required

Salesforce Features Planned:

- **Custom Objects:** Parcel__c, Delivery__c, Sender__c, Receiver__c
- **Standard Objects:** Account, Contact, Case, Task, EmailMessage, User
- **Automations:** Record-Triggered Flows, Auto-Launched Flows, Approval Processes, Scheduled Flows
- **Apex:** Apex Classes for automated parcel operations (e.g., Lead-to-Parcel mapping, delivery notifications), Batch Apex for periodic updates or notifications
- **UI:** Lightning App Page (SwiftShip Tracker App), Dynamic Forms for Parcel Details, Lightning Record Pages, and Experience Cloud for Customer Access
- **AgentForce AI & Prompt Builder:** Integrated AI agent trained to fetch parcel data based on Parcel ID and respond to tracking or delivery status queries
- **Email Services:** Custom Email Alerts and Templates for booking confirmations, delivery updates, and completion acknowledgments
- **Security:** Profiles, Permission Sets, Role Hierarchies, Field-Level Security, and Sharing Rules to ensure controlled access for Admin, Agent, and Customer roles

Designing Data Model and Security Model

Data Model Includes:

- **Parcel__c (Custom Object)**
 - Stores core parcel details such as Parcel ID, Status, Weight, and Estimated Delivery Date.
 - Linked to Sender__c and Receiver__c objects to fetch sender and receiver details.
 - Connected with Delivery__c object to track real-time parcel location and status.
- **Delivery__c (Custom Object)**
 - Stores delivery-specific information such as current location, estimated delivery date, and linked parcel.
 - Connected with Sender__c and Parcel__c for relationship-based tracking.
 - Used by agents to update and monitor delivery status during the parcel lifecycle.
- **Sender__c (Custom Object)**
 - Captures sender-related information such as address, contact number, and email.
 - Linked to multiple parcels to track sender history and associated deliveries.
 - Used for sending booking confirmations and delivery updates via automated emails.
- **Receiver__c (Custom Object)**
 - Stores receiver details such as address, contact, and email for communication and delivery confirmation.
 - Linked to Sender__c and Parcel__c to associate both ends of the shipment process.
 - Used by agents for delivery reference and automated email notifications upon completion.

Security Model Design:

- **Role Hierarchy:**
 - Administrator → Delivery Manager → Agent → Customer
- **Profiles:**
 - Admin Profile: Full access to all objects and records.
 - Delivery Agent Profile: Read/Edit access to Parcel, Delivery, Sender, and Receiver objects.
 - Customer Profile: Read-only access to their own parcel details via Experience Cloud.
 - Support Staff Profile: Access to Cases and Parcel details for issue resolution.
- **Permission Sets:**
 - Used to grant additional privileges (e.g., “Update Delivery Status,” “Access Agent Console”).
- **Record-Level Security:**
 - Sharing Rules applied for Parcel__c and Delivery__c to allow controlled access for agents and managers.
 - Customers can only view records linked to their own Sender or Receiver details.
- **Field-Level Security:**
 - Sensitive fields like Sender Email, Receiver Contact, and Location Coordinates restricted to Admin and Agent profiles only.

Phase 2: Salesforce Development – Backend & Configurations

This phase focused on developing the core logic of SwiftShip Tracker. Custom objects were created for Parcel, Sender, Receiver, and Delivery with relationships. Automations were built using Flows for parcel status updates and approval processes.

Milestone 1 – Salesforce Account

Introduction:

Are you new to Salesforce? Not sure exactly what it is, or how to use it? Don’t know where you should start on your learning journey? If you’ve answered yes to any of these questions, then you’re in the right place. This module is for you.

Welcome to Salesforce! Salesforce is game-changing technology, with a host of productivity-boosting features, that will help you sell smarter and faster. As you work toward your badge for this module, we’ll take you through these features and answer the question, “What is Salesforce, anyway?”.


What Is Salesforce?

Salesforce is your customer success platform, designed to help you sell, service, market, analyse, and connect with your customers.

Creating Developer Account

Creating a developer org in Salesforce.

1. Go to <https://developer.salesforce.com/signup>
2. On the sign-up form, enter the following details: First name & Last name, Email, Job Title: Developer, Company: College Name, Country: India. Click on **Sign me up** after filling these.



Build for the Agentic Enterprise. Sign up for your Developer Edition.

The entire Salesforce platform - exposed as APIs, MCP tools, and CLI commands. Build apps, ship agents, and let coding agents do the heavy lifting with Salesforce Headless 360.

- ✓ Build AI agents with Agentforce, grounded in your data with Data 360
- ✓ Connect Claude Code, Cursor, or Codex to your org with hosted MCP
- ✓ Build in the browser with the Agentforce Vibes IDE - no setup required
- ✓ Drag-and-drop when you want it, Apex when you need it
- ✓ 60+ MCP tools and 30+ coding skills, ready out of the box

Sign up for your Developer Edition

A free Salesforce Platform environment with Agentforce and Data 360

First name: Praveenraja ✓

Last name: S ✓

Job title: Developer ✓

Company: GCE, ERODE ✓

Country/region: India ✓

Work email: praveenraja195@gmail.com ✓

☒ I agree to the [Main Services Agreement - Developer Services](#), [Salesforce Program Agreement](#), and [API Terms of Service](#)


Your free trial may be provisioned on or migrated to Hyperforce, Salesforce's public cloud infrastructure.

I acknowledge, as described in the Developer Documentation: (1) the Developer Edition includes autonomous and other generative AI features; and (2) Salesforce may limit use of those features and the org, and may terminate any org that has been inactive for 45 days.

We value your privacy. To learn more, visit our [Privacy Statement](#).

Sign me up

1. Go to the inbox of the email that you used while signing up. Click on **Verify Account** to activate your account. The email may take 10–30 minutes and sometimes 2 hours.
2. Click on Verify Account.
3. Give a password and answer a security question and click on **Change Password**.
4. Then you will be redirected to your Salesforce setup page.




Milestone 2 – Objects Creation

Creating Parcel Object

To create an object:


1. From the setup page
2. Click on **Object Manager**
3. Click on **Create** >> Click on **Custom Object**.
4. Enter the label name as **Parcel**
5. Enter Plural label name as **Parcels**
6. Enter Record Name as **Parcel Name**
7. Select Data Type as Text: Parcel Name
8. Select Allow reports.
9. Select Allow search.
10. Allow Track Field History
11. Click on **Save and New**



Creating Delivery Object

To create an object:

1. From the setup page
2. Click on **Object Manager**
3. Click on **Create >> Click on Custom Object.**
4. Enter the label name as **Delivery**
5. Enter Plural label name as **Deliveries**
6. Enter Record Name as **DeliveryName**
7. Select Data Type as Text: DeliveryName
8. Select Allow reports.
9. Select Allow search.
10. Allow Track Field History
11. Click on **Save and New**



Creating Sender Object


To create an object:

1. From the setup page
2. Click on **Object Manager**
3. Click on **Create** >> Click on **Custom Object**.
4. Enter the label name as **Sender**
5. Enter Plural label name as **Sender's**
6. Enter Record Name as **SenderName**
7. Select Data Type as Text: SenderName
8. Select Allow reports.
9. Select Allow search.
10. Allow Track Field History
11. Click on **Save and New**

Creating Receiver Object

To create an object:


1. From the setup page
2. Click on **Object Manager**
3. Click on **Create** >> Click on **Custom Object**.
4. Enter the label name as **Receiver**
5. Enter Plural label name as **Receiver's**
6. Enter Record Name as **ReceiverName**
7. Select Data Type as Text: ReceiverName
8. Select Allow reports.
9. Select Allow search.
10. Allow Track Field History
11. Click on **Save and New**



Milestone 3 – Tabs

Creating a tab for Parcel Object

1. Go to the setup page → type **Tabs** in Quick Find bar
2. Click on Tabs
3. Click on **New** (under Custom Object Tabs).
4. Select Object (Parcel) >> Select the tab style
5. Click on Next >> (Add to profiles page) keep it as default >> Click on Next (Add to Custom App) uncheck the include tab.
6. Make sure that the Append tab to the user's existing personal customizations is checked.
7. Click **Save**



More Tab Creation

1. Go to Setup → type **Tabs** in the Quick Find box.
2. Click **Tabs** under the User Interface section.
3. Click **New** under Custom Object Tabs.
4. Select the object (Delivery, Sender, or Receiver) → choose a Tab Style.
5. Click Next → keep the Add to Profiles settings as default → click Next.
6. On the Add to Custom Apps page, uncheck “Include Tab.”
7. Ensure Append tab to the user’s existing personal customizations is checked.
8. Click **Save** and repeat the steps for each object (Delivery, Sender, Receiver).

Developer Edition

Search Setup

Setup Home Object Manager

Q Tabs

User Interface

Rename Tabs and Labels

Tabs

Didn't find what you're looking for? Try using Global Search.

SETUP Tabs

Edit Custom Object Tab

Deliveries

Fill in the fields below to define the custom tab.

Custom Tab Definition Edit

Custom Object Tab Information

Tab Label Deliveries

Object Delivery

Tab Style Car

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.

Splash Page Custom Link --None--

Enter a short description.

Description

Save Cancel

29°C Clear

Search

ENG IN

23:43 02-10-2026

Developer Edition

Search Setup

Setup Home Object Manager

Q Tabs

User Interface

Rename Tabs and Labels

Tabs

Didn't find what you're looking for? Try using Global Search.

SETUP Tabs

Edit Custom Object Tab

Sender's

Fill in the fields below to define the custom tab.

Custom Tab Definition Edit

Custom Object Tab Information

Tab Label Sender's

Object Sender

Tab Style Leaf

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.

Splash Page Custom Link --None--

Enter a short description.

Description



Save Cancel

29°C Clear

Search

ENG IN

23:45 02-10-2026




Milestone 4 – Fields & Relationships

Create fields and Relationships for the custom objects created in the previous milestone.

Creating Fields and Relationships for Parcel Object

Beside the Quick Find box you have, Object Manager click on it.


1. Search for and select your **Parcel** object.
2. **Field 1: Parcel ID** – Go to Fields & Relationships → click **New**. Enter: Data type = Auto Number → P-{000}. Click Next → Next → Save & New.
3. Follow step 1 and 2 to create the remaining fields (Status, Weight, Estimated Delivery, Sender) of the Parcel object.



Creating Fields and Relationships for Delivery Object

Beside the Quick Find box you have, Object Manager click on it.

1. Search for and select your **Delivery** object.
2. **Field 1: Current Location** – Go to Fields & Relationships → click **New**. Choose Data Type: Geolocation → click Next. Field Label: Current Location. Click Next → Next → Save & New.
3. Follow step 1 and 2 to create the remaining fields (Estimated Delivery, Sender, Parcel) of the Delivery object.




Creating Fields and Relationships for Sender Object

Beside the Quick Find box you have, Object Manager click on it.

1. Search for and select your **Sender** object.


2. **Field 1: Sender Address** – Go to Fields & Relationships → click **New**. Choose Data Type: Geolocation → click Next. Field Label: Sender Address. Click Next → Next → Save & New.
3. Follow step 1 and 2 to create the remaining fields (Sender Contact, Sender Email) of the Sender object.



Creating Fields and Relationships for Receiver Object

Beside the Quick Find box you have, Object Manager click on it.

1. Search for and select your **Receiver** object.
2. **Field 1: Receiver Address** – Go to Fields & Relationships → click **New**. Choose Data Type: Geolocation → click Next. Field Label: Receiver's Address. Click Next → Next → Save & New.
3. Follow step 1 and 2 to create the remaining fields (Receiver Contact, Receiver Email, Sender, Parcel) of the Receiver object.




Milestone 5 – Prompt Builder


Designing Prompts for Agent Building.

In Salesforce, go to Setup.

1. In the Quick Find box, type **Prompt Templates** (or in Agent Console, go to Agent Builder → Prompt Templates).



1. Click **New Prompt Template** – Record summary template.




1. Enter the details: **Label:** Retrieve Parcel Details; **API Name:** Retrieve_Parcel_Details; **Description:** Retrieves parcel details where Parcel_ID matches the user input.
2. Enter the Prompt Template Content. In the Prompt Template Text area, paste the following exactly:


Retrieve details from Parcel__c where Parcel_ID__c matches user input. Return response in this format:


Parcel Tracking Update

- Parcel Name: {\$Input:Parcel__c.Name}
- Parcel ID: {\$Input:Parcel__c.Parcel_ID__c}
- Status: {\$Input:Parcel__c.Status__c}
- Weight: {\$Input:Parcel__c.Weight__c}
- Estimated Delivery Date: {\$Input:Parcel__c.Estimated_Delivery_Date__c}




1. Add Resource Mapping.
2. Scroll down to the Resources / Insert Resources section. Click **Insert Resource** → choose Object. Select **Parcel__c**. Add the following fields: Name, Parcel_ID__c, Status__c, Weight__c, Estimated_Delivery_Date__c.
3. Click Insert Resource (or Add) for each one.
4. Click **Save**.
5. Then click **Activate** to make this Prompt Template available for your agent or flow.





Testing the Prompt

1. Open your Agent preview.
2. Type: “Track parcel P-12345”.
3. It should return details from the Parcel record.




Milestone 6 – Flows


Create flows for capturing the response as shown.

Go to Setup → search **Flows** → click **New Flow**.


1. Choose **Auto-Launched Flow (No Trigger)** → click **Create**.




1. Add Input Variables (to allow Agent to pass values): Click on New Resource → Variable → Available for Input. **ids** → Data Type: Text → Available for Input. **Output** → Data Type: Text → Available for Output.
2. Click on the Add icon to add Element: **Get Records** → Label: Get Parcel Records. Object: Parcel; Field = Parcel_ID__c; Operator = Equals; Value = ids.



1. Element: **Action** – Find Retrieve Parcel Details and click it. Label: Parcel Updates. Object To Summarize: Parcel from Get Parcel Records.




1. Element: **Assignment** – Label: Assignment Outputs. Variable = Output; Operator = Equals; Value = Outputs from Action > Prompt Response.



1. Connect Start → Get Records → Action → Assignment → End.
2. Save Flow → Name: **Parcel Details**.
3. Activate Flow.
4. Once the flow is saved go back to the flows, click on the drop down near the flow that is just created, click on **Edit Access**.

5. On the top look for Flow User Access and then assign these available profiles, and click **Save**.



Phase 3: UI/UX Development & Customization

To enable agents to efficiently manage parcel operations and ensure secure access control using permission sets and AI-driven agent experiences built with AgentForce.

Milestone 1 – Creating Permission Sets

In the Quick Find box (left side), type **Permission Sets**.

1. Click **Permission Sets** under Users.
2. Click the **New** button.
3. Enter the following details: **Label:** Swift Ship; **API Name:** auto-fills; **License:** Choose Einstein Agent.
4. Click **Save**.

Permission Sets

On this page you can create, view, and manage permission sets.

[All Permission Sets](#) [Edit](#) [Delete](#) [Create New View](#)

Action	Permission Set Name	Description	License
Clone	/Leaayv/Data Cloud Data Aware Specialist	This Data Cloud permission set will be deprecated in Spring '24. Lea...	Customer Data Platform
Clone	/Leaayv/Data Cloud Marketing Admin	Allows access to Data Cloud Setup if the user is also a Salesforce a...	Customer Data Cloud for Marketing
Clone	/Leaayv/Data Cloud Marketing Manager	This Data Cloud permission set will be deprecated in Spring '24. Lea...	Customer Data Platform
Clone	/Leaayv/Data Cloud Marketing Specialist	This Data Cloud permission set will be deprecated in Spring '24. Lea...	Customer Data Platform
Clone	/Leaayv/Data Cloud for Marketing Data Aware Specialist	This Data Cloud permission set will be deprecated in Spring '24. Lea...	Customer Data Cloud for Marketing
Clone	/Leaayv/Data Cloud for Marketing Manager	This Data Cloud permission set will be deprecated in Spring '24. Lea...	Customer Data Cloud for Marketing
Clone	/Leaayv/Data Cloud for Marketing Specialist	This Data Cloud permission set will be deprecated in Spring '24. Lea...	Customer Data Cloud for Marketing
Clone	Access Agentforce Default Agent	Gives users access to the default Agentforce agent in Salesforce.	Agentforce (Default)
Clone	ActorCASCPermSet		Cloud Integration User
Clone	Agent Platform Builder	Allow access to agent platform.	Agent platform builder
Del Clone	Agentforce Agent Swift Ship Tracker Permissions	Allows custom permissions for Agentforce Agent.	
Clone	Agentforce Default Admin	Allows users to build and manage in-org copilots. Also grants org-wi...	Agentforce (Default)

Permission Set: **Swift Ship**

[Find Settings...](#) [Clone](#) [Edit Properties](#) [Manage Assignments](#) [View Summary](#)

Permission Set Overview > **Object Settings**

Object Name	Object API Name	Object Permissions	Total Fields	Tab Settings
Accounts	Account	No Access	40	--
Action Hub	ActionHub	--	--	--
Activation Definitions	MarketSegmentActivationDef	No Access	--	--
Activations	MarketSegmentActivation	--	--	--
Activation Target Internal Organization Access	ActivationTrgtIntOrgAccess	No Access	--	--
Activation Targets	ActivationTarget	No Access	13	--
Addresses	Address	No Access	7	--
Agent Analytics (Beta)	AgentforceAnalytics	--	--	--
Agent Config	Agents	--	--	--
Agentforce Studio	AgentforceStudio	--	--	--
AI Grounding File References	AIGroundingFileRef	No Access	--	--
AI Grounding Sources	AIGroundingSource	No Access	--	--
AI Insight Reasons	AIInsightReason	No Access	--	--
AI Models	EinsteinStudio	--	--	--
AI Record Insights	AIRecordInsight	No Access	--	--

1. Inside the Permission Set page → under Apps → Object Settings, click **Object Settings**.
2. Search and click each object one by one.
3. Click **Edit**. Enable the following: Read, Create, Edit (Optional: Delete, if you want agents to remove records). Under Field Permissions, ensure at least Visible is checked for all key fields. Click **Save** after each object.

Developer Edition

SetupHomeObject Manager

Search Setup

Users

Permission Set Groups

Permission Sets

Custom Code

Custom Permissions

Didn't find what you're looking for? Try using Global Search.

SETUP

Permission Sets

Permission Set

Swift Ship

Find Settings...CloneEdit PropertiesManage AssignmentsView Summary

Permission Set Overview

Description	Einstein Agent	API Name	Swift_Ship
License		Namespace Prefix	
Session Activation Required	☐	Created By	Praveendra S. 9/30/2028, 11:14 PM
Permission Set Groups Added To	0	Last Modified By	Praveendra S. 10/1/2028, 2:53 AM

Apps

Assigned Apps

Settings that specify which apps are visible in the app menu

Assigned Connected Apps

Settings that specify which connected apps are visible in the app menu

Object Settings

Permissions to access objects and fields, and settings such as tab availability

App Permissions

Permissions to perform app-specific actions, such as "Manage Call Centers"

Apex Class Access

Permissions to execute Apex classes

External Data Source Access

Permissions to authenticate against external data sources

Parcel__c

The screenshot displays the Salesforce Lightning Setup interface. The top navigation bar includes the Salesforce logo, a search bar, and various utility icons. The left sidebar shows the 'Setup' menu with options like 'Users', 'Permission Set Groups', 'Permission Sets', 'Custom Code', and 'Custom Permissions'. The main content area is titled 'Permission Sets' and shows the 'Swift Ship' permission set. The 'Parcels' tab is selected, and the 'Object Permissions' table is visible, showing that the 'Read' permission is enabled for the 'Parcels' object.

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

Delivery__c

The screenshot shows the Salesforce Lightning Setup interface. The top navigation bar includes 'Setup', 'Home', and 'Object Manager'. The left sidebar shows the 'Setup' menu with 'Permission Sets' highlighted. The main content area displays the 'Permission Sets' page for the 'Swift Ship' permission set. The page includes a search bar, a list of permission sets, and a table of object permissions.

Permission Set: Swift Ship

Search: | [Clone](#) | [Edit Properties](#) | [Manage Assignments](#) | [View Summary](#)

[Permission Set Overview](#) > [Object Settings](#) | [Parcels](#) | [Edit](#)

Parcels

Tab Settings

Available	Visible
☐	☒ 1

Object Permissions

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

Field Permissions

Sender__c

The screenshot shows the Salesforce Setup interface in Developer Edition. The left sidebar contains navigation links for Users, Permission Set Groups, Permission Sets (selected), and Custom Code. The main content area is titled 'Permission Sets' and shows the configuration for the 'Swift Ship' permission set. The 'Sender's' tab is active, displaying 'Tab Settings' and 'Object Permissions'.

Tab Settings

Available	Visible
☐	☒

Object Permissions

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

At the bottom of the page, a JavaScript snippet is visible: `javascript:srcSelf("%2F0P5g800000CPdYk%3Fisdtp%3Dp1");`

The screenshot displays the Salesforce Developer Edition interface. The top navigation bar includes the Salesforce logo, a search bar, and a navigation menu with 'Setup', 'Home', and 'Object Manager'. The main content area is titled 'Permission Sets' and shows the configuration for a specific permission set named 'Swift Ship'. The 'Swift Ship' permission set is currently selected, and the 'Receiver's' tab is active. The 'Receiver's' tab shows the 'Tab Settings' section with a table of permissions. The table has two columns: 'Permission Name' and 'Enabled'. The permissions listed are Read, Create, Edit, Delete, View All Records, Modify All Records, and View All Fields. The 'Enabled' column shows checkboxes for each permission, with 'Read', 'Create', and 'Edit' being checked. Below the table, there is a section for 'Field Permissions'.

Navigation: Laptop | Parcel | Salesfr... | Flows | Salesforce | Permission Sets | Salesfr... | Swift Ship Tracker - Ver... | ChatWallet | Ask Gemini

URL: orgfarm-e69df8d2f1-dev-ed.develop.my.salesforce-setup.com/lightning/setup/PermSets/page?address=%2F0PSg800000CPdYk%3Fs%3DEntityPermissions

Developer Edition

Search Setup

Setup Home Object Manager

Find Settings... Clone Edit Properties Manage Assignments View Summary

Permission Set Overview > Object Settings Receiver's

Receiver's Edit

Tab Settings

Available	Visible
☐	☒

Object Permissions

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐


Field Permissions

In the Quick Find box on the left, type **Users**.

-
- The screenshot displays the Salesforce 'Manage Users' interface. At the top, there's a navigation bar with tabs for 'Laptop | Parcel | Flows | Users | Salesforce | Swift Tracker | Venn | SkillWallet'. Below this is a browser address bar showing the URL: 'orgfarm-e69df8d2f1-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ManageUsers/home'. The page header includes a search bar and navigation icons. The main content area is titled 'All Users' and contains a list of users. The user list has columns for Action, Full Name, Alias, Username, Role, Active, and Profile. The users listed are Chatter, Einstein Service Agent, Einstein Agent, and System Administrator. The page also features a sidebar with navigation links like Analytics Groups, Permission Set Groups, and Public Groups.

- SwiftShip Tracker – Page 42

2. Scroll down to the section named **Permission Set Assignments**.
3. Click the **Edit Assignments** button.
4. On the left side (Available Permission Sets), find and select your permission set: **SwiftShip**. Click the **Add →** button to move it to the right-side list (Enabled Permission Sets). Click **Save**.



Milestone 3 – Org Setup for AgentForce


Enable Salesforce Default Agent from Salesforce Go

1. From Quick Find box → search “Salesforce Go” → click on it.
2. Search for Default Agent → click Get Started → and turn on.
3. Refresh the page.


Enable Einstein Setup

Go to Setup → Quick Find → Einstein Setup.

1. Open Einstein Setup → click **Get Started** if prompted.
2. Toggle On these key services: Turn On Einstein, Global Languages, Deploy Prompt Template.
3. Refresh your browser page.



1. Go to Setup → Quick Find → **Agentforce Agents**. Toggle On these key services: Agentforce, Enable Agentforce Default Agent.



Milestone 4 – Building the Agent


1. In Setup, search for **Agentforce Agents** in Quick Find.
2. Click Agentforce Agents, then click on the default Agent, then click on **Open in Builder**.

Agent Name	Type	Description	Created By	Active	Last Modified
Agentforce (Default)	Employee	An AI assistant for in-org business tasks.	Praveenraja S		Oct 01, 2026
Swift Ship Tracker	Service Agent	Deliver personalized customer interactions with an a...	Praveenraja S	✓	Oct 01, 2026

Assign Sub Agents to the Agent

On the subagents click on New.


1. Click **New Subagent**.
2. Create a new subagent.
3. Fill in the details as shown.



Adding Actions to Agentforce Assets

While still on the Agent Builder in the topics, click on the Topics Actions.


1. Click on **New Agent Action**.
2. For Action type, click on **Flow** then Next.
3. For Reference Flow use the recently created flow, click Next.
4. Fill the details for Agent Configurations.



Assign Subagents Action

While on the Agent Builder in Subagent, click on the Parcel Updates Subagent.

1. Click on the subagents Actions, then select **Add from asset library**.
2. Select the flow action that we created and click on **Finish**.
3. Click on **Settings**, and rename your agent to **SwiftShip Tracker**.
4. Click **Save**.
5. Click on **Ignore and Activate**, then **Activate**.



Phase 4: Data Migration, Testing & Security

To validate the functionality and reliability of the Parcel Tracking Agent created in Agent Builder. This phase ensures that the agent correctly recognizes topics, triggers the assigned Flow (SwiftShip Tracker), retrieves or updates parcel data, and performs all intended actions without access or permission issues. The goal is to confirm that the AI-driven agent operates seamlessly within Salesforce and provides accurate, real-time responses to parcel management queries.

Verify Agent

Go to Setup → Agentforce Agents.

1. Open the Agents list and confirm that your agent, Name: **Parcel Tracking Agent**, appears.

Validate Assigned Topic

In Agent Builder → SubAgent, confirm that the SubAgent you created (e.g., Parcel Tracking or SwiftShip Tracker) is listed.

1. Open the topic to verify: it contains a prompt or description related to parcel management, and the Action/Flow (SwiftShip Tracker) is linked to this topic.
2. Click **Save** and ensure the topic is Active.

Check the Flow Association

Go to Setup → Flows.


1. Locate the Flow named **SwiftShip Tracker**.
2. Confirm: the Flow is Activated, and the Flow includes screens or actions that handle Parcel ID input, Parcel details retrieval, and Status update or confirmation message.
3. Open the Flow's Advanced Settings → ensure **Run in System Context (Without Sharing)** if data access is restricted.

Activate and Test the Agent

1. Return to Setup → Agent Builder → Parcel Tracking Agent.
2. Click **Activate** (if not already activated).
3. Once active, test using Preview / Try it Out mode. Type a query such as: “Track parcel ID P12345” or “Update delivery status for parcel P67890 to Delivered.”
4. Observe the agent's response.

Validate Data in Salesforce

1. After the agent runs the Flow: Go to App Launcher → Parcels (Parcel__c). Search for the Parcel ID you used during testing.
2. Verify: the Status or related field is updated, and any Flow-created records (bookings, updates) appear correctly.



Phase 5: Deployment, Documentation & Maintenance

- In the scope of our SwiftShip Tracker (AgentForce) project implementation:
- The purpose of this phase is to validate that the Parcel Tracking Agent, created using Salesforce Agent Builder, works as intended within the Salesforce Developer Org environment.
- The main goal is to understand how an AI-powered Service Agent can be tested to ensure correct topic recognition, Flow execution, and data retrieval from Salesforce custom objects.
- Testing is conducted within the Developer Org to simulate how the Agent would perform in a live setup, ensuring that permissions, flows, and interactions function correctly before any deployment stage.
- Real-world production testing (UAT or sandbox deployment) is not performed in this project because:
 - Developer Edition orgs are standalone environments and do not support production-linked testing environments.
 - Enterprise-level AgentForce deployment involves sandbox testing, staging environments, and CI/CD automation, which are outside the scope of this academic/prototype implementation.

Maintenance, Monitoring & Troubleshooting

In the SwiftShip Tracker (AgentForce) project, ongoing maintenance ensures that Parcel, Customer, and Delivery data remain accurate, synchronized, and up to date. Regular monitoring helps detect issues such as misrouted agent queries, failed Flow executions, or performance delays in AgentForce responses. Troubleshooting activities include resolving configuration errors, updating Flow logic, refining agent topics, and improving prompts to enhance user interactions.

Although this project is implemented within a Salesforce Developer Org for learning purposes, in real-world enterprise deployments, these maintenance and monitoring practices are essential. They ensure that AI-powered service agents remain reliable, scalable, and continuously aligned with evolving customer service operations and business goals.

7. Functional & Performance Testing

During testing, screenshots were captured from Salesforce to validate custom object creation, tab configuration, field and relationship setup, the Retrieve Parcel Details prompt template, the Parcel Details flow execution, permission set assignment, and the Agentforce agent configuration. All features were verified to ensure correct functionality and performance.

8. Advantages & Disadvantages

Advantages

- Centralized parcel and customer information in Salesforce.
- Provides better visibility into parcel booking and delivery tracking.
- Automates key logistics processes using Salesforce Flow.
- Agentforce enables conversational customer support and parcel-status assistance.
- Prompt Builder supports AI-powered responses and self-service.
- Reduces manual effort for customers, support teams, and administrators.
- Provides timely notifications and updates during the delivery process.
- Experience Cloud can provide customers with convenient access to tracking information.
- Supports integration with external logistics systems.
- Can scale to support multiple locations and growing parcel operations.

Disadvantages

- Requires accurate and up-to-date parcel and customer data.
- Dependence on Salesforce configuration and automation.
- Agentforce responses depend on properly configured prompts and available data.
- External logistics integrations may increase implementation complexity.
- Flow and automation logic require regular maintenance when business processes change.
- Users need appropriate Salesforce or Experience Cloud access to use the system.
- Initial Salesforce implementation and configuration can require significant effort.
- Expanding the system to additional locations or integrations may require further customization.

9. Conclusion

The SwiftShip Tracker demonstrates how Salesforce can be used to build a centralized parcel management and tracking solution. The project integrates custom objects, relationships, Flows, Apex, Email Alerts, Experience Cloud, AgentForce AI, Prompt Builder, security controls, and reporting to support parcel booking, delivery tracking, status updates, and customer communication.

The integration of AgentForce AI with Prompt Builder and Salesforce Flow provides a conversational approach to parcel tracking, enabling customers to obtain shipment information without depending entirely on manual support. The project therefore provides a practical foundation for a scalable and user-friendly parcel management solution.

10. Future Scope

- Extend AgentForce capabilities for more parcel-management queries.
- Enhance real-time delivery tracking.
- Expand customer self-service through Experience Cloud.
- Add more advanced delivery-performance analytics.
- Integrate additional external logistics systems.
- Improve AI prompts and conversational experiences.
- Introduce enterprise-level sandbox and CI/CD deployment.
- Expand automation for additional parcel operations.

Enterprise deployment, continuous monitoring, prompt refinement, Flow improvement, and AI-agent scalability are identified as areas for future enhancement.

11. Appendix

- **A. Custom Objects:** Parcel, Delivery, Sender, Receiver
- **B. Standard Objects:** Account, Contact, Case, Task, EmailMessage, User
- **C. Automation:** Flows, Approval Processes, Email Alerts
- **D. Apex:** Apex Classes, Batch Apex
- **E. AI:** AgentForce AI, Prompt Builder
- **F. UI:** Lightning App, Lightning Record Pages, Experience Cloud
- **G. Security:** Profiles, Roles, Permission Sets, Sharing Rules, Field-Level Security
- **H. Analytics:** Reports & Dashboards
- **I. Testing:** Flow, AgentForce, data retrieval, security and permission validation

Thank You