

## ASSIGNMENT-1

1> Explain the schema architecture of a relational database.

The three-schema architecture is a design approach to databases that separates the data into three levels: the external level, the conceptual level, and the internal level.

1. External Schema (User View): This level represents the data as seen by the user. It is the highest level of abstraction and is used to define the data requirements of the application.

2. Conceptual Schema (Logical View): This level represents the data as seen by the database designer. It is the middle level of abstraction and is used to define the logical structure of the database.

3. Internal Schema (Physical View): This level represents the data as seen by the database engine. It is the lowest level of abstraction and is used to define the physical structure of the database, including the storage of data and the access methods.

The three-schema architecture is used to separate the data into three levels of abstraction, which allows for a more flexible and efficient database design.

EMPLOYEE

global view

```
EOPNO: Integer ( )
ENAME: String (10)
SALA: S4Sng ( )
```

LPost: String

Aldebey what dat ar to be stbecl the  
latabae Qnd alro olesCSbe what elertionsbib  
Exrtr oong thoie olzta.

TNERVAL pCEMO (PHYSTCAL VIEW) This lerel  
hoanc abereHhe clata istorel anel  
Q Ccessecl.

ISTOREOEMPLOYEE eCONcl length  
160

Tntanal vfeu  
rane: Sting length iSofet 4

TLPot:sAg length li: 3

rfozcgespoce aldtofoss  
sfo exorapiei-BTri:eshing et  
-Access pothu  
fos eranpleiz Specifiatiion o piny and  
feconony ki:sholerespointes anol  
Saaencing  
-Data Corprrsfion ncl phcajfion techniques  
ophaizoRon intaol stuctr  
Representatfon o torcel fields..

Neat oagaom f scheeo Qrchitet

Exteonelel  
Exteonal  
e

Esleonol lconceptuol

Mabpig

Lonebtuo Schema

Conceptual level  
Conceptal lIntrool.

Intconal ScheMa

Iatonaieiel

Explain actox on the scene ance aoshex bthino  
he scee.

The people ahor joby ignole the ca olay  
o8qe catabare Qrr called alotbre acoy Un  
theeone

Theg folloes  
iY Databere Adtroton (onA)  
it Dortcbare Deri nem Co0)

o Crftuor engintezs)

Dac bsse Alaitats ikesbonsible fas  
aolaitetng clotbareCpiraoy rtc)al i%  
tesDUSce).

besponsible o authorizing acLess do the olataba  
o-ondinotng kmonttoang P4k user  
Acqing sotort andl Katcuuare

Alo actable os problens such a bregch

DATAGASE OLSTCNERS

i% Databore Deigne atrpronible tu ioleing  
he olata to be rorecl o the oetbase

k stoh dot-i

i% Responible o cormonicote cth gll clatabgse.Usea  
n osdez to oncles stanol theis regement & to  
CreQte a lesigo that mech there egirerSnts

.Dotabare Dengntos iteat atthallprou )  
UCaS derelos ieso the dotabae hat  
eet the oota. Each e the Qnslysee

anc wres gre thc peojple behore jobe  
regira acest to the clotsb sc fo7 qeayng

There are Seroal categgooies

the olortabese, but the ma nebd d  
i% informationach tia Thye sophicotecl  
olats barequery copuoge to ri%ecifBeo

b) NATVT OR PARAMMETRIC OUSi%RS Theis

fobr to Pto  
he datchese vngsthoLoacg per oquanes  
kupodates csec cann ecl trontocons

Covesics thet corclly progurnaol test  
ErAMPiond delkes ched the0e9acLDUn  
boloni%esection cledhs fos afslfnes hotels  
ett.

c) soPHI STICATRO FMD SerSE l nclueles engines,

se entsts AothsGcho  
toughly farmtoile RHh the fa thes  
ocm Yoaplement, theis ahhications, they  
om he rcqyest Pa clat bare quiy langge.

psertpasoral olodabose bywirg odyade  
pogzar patages that proich ebsytoelse  
LoteaphRs basteh tningpu  
Talty Ccourtiog achagr)

Lorguoge.

DEELopcNS

YV) SYSTM ONOLYS1S bAcPLrATTOn PROGRAMMMERE

-They Oetign **sf** Pepleeet foig%lshat fotheies  
dbtobeie deignyi;½eafotaneenddetabare

connet. trenscotons os.progzoesThen they  
t.st, debug,docuIcnt bbaintafa corne  
trensah

toolr ere Dpiionol bockpges thatert  
puacheseol. sepeaodly anc acleclespasho es  
**den** pototybig iulati;½o  
fos cdertbase  
Onof terd dote grncootion.

Sch systems analystbapplitibiprogoantz

independent sqftor endlon oleselop onl  
Mgthet there tools.

These people Q#s arociotecl aith'theddeitan;lertopres 3y operATDRSk meDV TENANC PRRIONA s  
Ono opeaton the caMsaftuart anolgsten  
enirneent.

Are skonible o the acuol aning  
maintenene of the haxuort onol gftuors

DOGMS tern alesigntor heplementeos  
) Tool delobes  
opeootos h mentaenee peaionel.

DeMs Ryiten deshnes k mplements t

Sely-Desce bing Natr o Database yitt  
Ihseetion btueen brogao sancl Ootoj and  
CotaAectoo

- These ?11 design onol apeet the ocms nodales  
and Pndea, foces asa raftuare package

ton&cSa pracesing

iy ApRonCH -1:'rel-Descaing Natt ya  
Totabare ytm

The clato base ysten contans not only the  
6letabere Ttsely but alro arn erre aletor  
OD destpon q the clatabare phvetr oncl  
Contoits als knoun as mnetacleto ) the  
lotb Ie.

This defiaion isstortol aithin the oR MS catalog  
ahfch cotans foamatonRhe the twcture qf  
ercayfile,the soxt ancl storage fsorat g erea  
data ?temonol afous contansfaules Dn the  
fofametion  
The Tnfamafon stcl a the cota log fs called  
meto olofa k olercbes the statre o oieeoy  
databaie.

aii) APerrAA H-2 Insulotion bî¿%tuueenprogaorn  
Cncl- Oty enel Abstecton i

the  
stucteef olotbere enolealge iler & embedded  
e?thin he applcation proggi,roschang  
to the stctucofile coy qite chnging  
all prgzem that. a cers the file.

i¿% the stn cte Rnouleoge fler storeo 44i  
the oGMS ctalog sepaetely fom thepogooicis  
that acLess het ue call is pepoty kogoam

data ndepenolene.

• The cheootoisfes hat olloS progTon -oott  
focle pedlene anol pgrom-opoot  
independence i¿%r knoun o5 oletc abstrection

the Date

i¿%A someies ho many uresyeabh og  
hon

A vfer coulal also be a sbset ol the dotabase  
o IHS going ho gorrtei¿%n iwol dotathot  
cleaieclBorthe cletabaIe files but fant

ivy APPROCHHAI shai¿%hgO:Rnolesge anal  
Mu-se Tronjacon ocesing

the clotabeie at an cgivelent time odiA

Thcvde con aUrny contolstuors  
Sqe clota clo ro ng contolle mones so  
hat he rult 'gf the ubaatcs R conct

intogfaess

AOGMS

Q0eec Pato a elatabae without the negol  
the quem language.

EoRM-GASEO INTEREAC

i, to can l out all the fozm erthies to insog. The  
hel doay 0 thsy con fl out ony centatn  
erttuore theoms cll netore mthing  
olott ertts

Useo Nane

Depaxtment:

Floox

Block

RoomNO.

Probler Repoxte on

Telephone No

Conbloit

LCSE

1

A-Glock

Su bm: JReset

lfeiteel ofpomation buay alos  
speech fox faptoncl outft

ExAMPE ngioies fo telephone dctor nQoyig  
oz8valdepaotc h bonk acoua

iiyNATRAL LANGOAcE DVTEREACE -

he Qcept cQLert cuten in engliah o Jome  
ohe onguage & they make arn otternpt to  
undes tono ter

H the i: nca nactoton i: successgul, he rtefasc  
geneoates a high lertl queey copon oPag  
tothe netsal onguage anclbnits to the

i: XHMeLLh oice Resog

a schemo totheusc In  
OSPedhe seos hemea ryonihuletng  
the oioom. GUT hemea henur Qnell  
fos.They wre hoitg deRee ihe novre.

phbMyfloeninScavex: Localhast  
PDatabase SOL status Vaaiab le

HlTobot

GaaphialMenu