

Totally Integrated Automation Portal		
PC-System_1 [SIMATIC PC station]		
PC-System_1		
General		
Name	PC-System_1	Computer name identical to PC station name
Author	RAM	Comment
XDB configuration		
S7RTM is installed (for example the SIMATIC NET PC software)	No	Generate XDB file
	No	XDB file storage path

Totally Integrated Automation Portal		
PC-System_1 [SIMATIC PC station]		
HMI_RT_1 [WinCC RT Professional]		
HMI_RT_1		
General		
Name	HMI_RT_1	Symbolic name
Author	RAM	Comment
General\Catalog information		
Short designation	WinCC RT Professional	Description
		Runtime software for PC-based SCADA systems: Standalone (needs WinCC Runtime Professional); Server (needs WinCC Runtime Professional and WinCC Server for Runtime Professional)
Version	15.0.0.0	article number
Information		
Number of used PowerTags	82	Memory requirements in Runtime
Date of last compilation	12/15/2019 6:19 PM	Date of last download
Time synchronization\General\General\Synchronization		
Activate time synchronization	True	
Time synchronization\General\General\Time information		
External Time Source	No external time source	
Time synchronization\General\General\Time information\TimeTelegramsSub		
System events	Emit cyclically	
Time synchronization\General\General\Time information\TimeTelegramsSub\Minutes		
Minutes	1	
Time synchronization\Via Terminal Bus\Via terminal bus (Slave)\Synchronization		
Activate time synchronization via terminal bus	False	Synchronize redundant partners
Time synchronization\Via Terminal Bus\Via terminal bus (Slave)\Use time from		
Server 1		Server 2
Time synchronization\Via System Bus\Via system bus (Master, Slave)\Synchronization		
Activate time synchronization via system bus	False	Show symbolic names of access points
Time synchronization\Via System Bus\Via system bus (Master, Slave)\Synchronization\AccessPoint1Sub		
Access Point 1	CP 1613 (1)	AccessPoint1Master
Time synchronization\Via System Bus\Via system bus (Master, Slave)\Synchronization\AccessPoint2Sub		
Access Point 2	None	AccessPoint2Master
Time information\Time information		
Central time and date formatting	Configure individual	
Time information\Time information\Basis for time information in Runtime		
Basis for time information in Runtime	Local time zone	

Totally Integrated Automation Portal			
--------------------------------------	--	--	--

PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional]

Runtime settings

General

Start screen	Status	Menus & toolbars		Use default design	Checked
Selected design	WinCC Light	Make help available in runtime	Checked	Hide main window	Unchecked
Start Runtime Professional, even if functions are faulty	Unchecked	SmartTags reads PLC value from the cache	Checked	Hide WebUX warnings:	Unchecked
Do not check deleted HMI tags in screens:	Checked				

Screens

Enable background effects in runtime	Checked	Use shadows for screen objects in runtime	Checked	Use WinCC classic design in runtime	Unchecked
Bit selection for appearance analysis	Off	Screen selection buffer	30		

Properties

Title	Unchecked	Border	Unchecked	Maximize	Unchecked
Minimize	Unchecked	Full screen	Unchecked	Slider	Unchecked
Status bar	Unchecked	Adapt screen	Unchecked		

Disable functions

Alt-F4	Unchecked	Resize	Unchecked	Move	Unchecked
Minimize	Unchecked	Maximize	Unchecked	Close	Unchecked
Declutter	Checked	Extended zoom	Checked		

Cursor response in tables

Normal

Keyboard

Use screen keyboard	Unchecked	Disable keyboard commands of the operating system	Unchecked	Log on	None
Log off	None	Hardcopy	None	Toggle window	None
Forward	None	Back	None	Store screen	None
Recall screen	None	Start screen	None	Switch cursor mode	None
Toggle focus display	None	Enable hotkeys during project activation	Unchecked	Up	None
Down	None	Left	None	Right	None

Alarms

Controller alarms

Timeout of alarm display suppression	30	Counter for alarm re-loading	0	Lowest OPC Severity	1
Highest OPC Severity	1000	Enabled	Unchecked	Use OPC areas	Unchecked
OPC event source	<No text block>	OPC event message	<No text block>	Connection	Step7
Display classes	0-16				

Logging

Type of refresh mode	Logging cycle
----------------------	---------------

Fast data log

Time period of all segments	1 Week	Maximum size for all segments	1000 Megabyte	Time period covered by a single element	1 Day
Maximum size of a single segment	100 Megabyte	Time of first segment change	12/6/2019 12:00:00 AM	Signing enabled	Unchecked
Backup	Unchecked	Destination path		Backup to both paths	Unchecked
Alternative destination path		Process-controlled tags	Checked	Measured values with acquisition mode on demand	Checked
Cyclic measured values	Checked	Compressed measured values	Unchecked	Factor for cyclic measured values	1
Factor for cycle for compressed measured values	1	Cycle value for cyclically measured values	1 min	Compressed measured values cycle	1 min

Slow data log


Time period of all segments	1 Week	Maximum size for all segments	1000 Megabyte	Time period covered by a single element	1 Day
Maximum size of a single segment	100 Megabyte	Time of first segment change	12/6/2019 12:00:00 AM	Signing enabled	Unchecked
Backup	Unchecked	Destination path		Backup to both paths	Unchecked
Alternative destination path					

Alarms and events

Time period of all segments	1 Week	Maximum size for all segments	1000 Megabyte	Time period covered by a single element	1 Day
-----------------------------	--------	-------------------------------	---------------	---	-------

Totally Integrated Automation Portal											
Maximum size of a single segment	100 Megabyte	Time of first segment change	12/6/2019 12:00:00 AM	Signing enabled	Unchecked						
Backup	Unchecked	Destination path		Backup to both paths	Unchecked						
Alternative destination path											
OPC settings											
Disable validation of the data during write access for all		Unchecked									
Disable validation of the data during write access for selected users											
Disable validation of the data during write access for selected OPC clients											
OPC UA server port number	4861	OPC UA server URL	opc.tcp://[HostName]:4861	No OPC UA server security	Checked						
No OPC UA server security	Checked	OPC UA server with 128-bit RSA cryptographic system	Checked	OPC UA server with 128-bit RSA cryptographic system without signature	Unchecked						
OPC UA server with 128-bit RSA cryptographic system for signatures	Unchecked	OPC UA server with 128-bit cryptographic system for signatures and encryption	Checked	OPC UA server with 256-bit cryptographic system	Checked						
OPC UA server with 256-bit cryptographic system without signature	Unchecked	OPC UA server with 256-bit cryptographic system for signatures	Checked	OPC UA server with 256-bit cryptographic system for signatures and encryption	Unchecked						
User administration											
SIMATIC Logon		Unchecked									
Language & font											
Preset runtime language	English (United States)	Runtime language for single-language objects	English (United States)	Language for texts with dynamic text output in C scripts	Currently set WinCC Runtime language						
English (United States)											
Runtime language	Checked	Default font	Tahoma, 13 Pixel	Menu font	Tahoma, 13 Pixel						
Web Navigator											
"View only" cursor		Maximum number of competing connections	150	Maximum number of tabs per browser	3						
Disable local groups	Unchecked	Alarm in Windows event display	Unchecked	Use WebNavigator licenses for WebUX	Checked						
Graphic settings											
Name	65908_10151302464936840_1884350756_n.jpg	User-defined	Unchecked	Name	7ZHN_D-W.jpg						
User-defined	Unchecked	Name	Down_Arrow.png	User-defined	Unchecked						
Name	Home.png	User-defined	Unchecked	Name	kisspng-hydroelectricity-hydropower-solar-power-small-hydr-campus-5ac5975be588b2.8709856615228987799402.png						
User-defined	Unchecked	Name	Left_Arrow.png	User-defined	Unchecked						
Name	Right_Arrow.png	User-defined	Unchecked	Name	System2.png						
User-defined	Unchecked	Name	System2_1.png	User-defined	Unchecked						
Name	Untitled.png	User-defined	Unchecked	Name	Untitled_1.png						
User-defined	Unchecked	Name	Up_Arrow.png	User-defined	Unchecked						
Name	wincc_pro_logo_89.jpg	User-defined	Unchecked								
Tag settings											
Replace the separators on each sub-level of the path of the PLC tag:	Checked	Compatibility mode: Set '_' between the PLC tags and the first-level element.	Unchecked	Replace the '.' character if the name of the HMI tag is created from the PLC tag name	Checked						
Use '_' as the replacement character	Checked	Use ';' as the replacement character	Unchecked	Replace the characters '[' and ']' if the name of the HMI tag is created from the PLC tag name	Checked						
Use '{' and '}' as replacement characters	Checked	Use '(' and ')' as replacement characters	Unchecked								
Settings for the prefix 'PLC' in the HMI tag name											
Connection	Step7	PLC name as prefix in the HMI tag name	Unchecked								
Redundancy											
Enable redundancy	Unchecked	Server		Partner server							
Default master	Unchecked	Toggle client in case of connection error	Checked	Number of days	2						
Synchronize data logging when the partner server is back online	Checked	Synchronization of alarm logging when partner server is available again	Checked	Synchronize all logs after communication failure with the PLC	Unchecked						

Totally Integrated Automation Portal		
Online synchroniza- tion for alarm logging	<input checked="" type="checkbox"/>	Synchronize all data <input type="checkbox"/> Unchecked Synchronize only the last data <input checked="" type="checkbox"/>
Process Historian		
Configure redundant PH server	<input type="checkbox"/>	Server
Store and Forward cache	C:\ProgramData\Siemens\SFCache	Redundant partner

Totally Integrated Automation Portal																																																																																																																																																																																																																																			
PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / Screens																																																																																																																																																																																																																																			
Alarms																																																																																																																																																																																																																																			
Hardcopy of Alarms																																																																																																																																																																																																																																			
																																																																																																																																																																																																																																			
General <table border="1"> <tr> <td>Name</td> <td>Alarms</td> <td>Display name</td> <td>Background color</td> <td>255, 255, 255</td> </tr> <tr> <td>Grid color</td> <td>0, 0, 0</td> <td></td> <td></td> <td></td> </tr> </table> Appearance <table border="1"> <tr> <td>Fill-pattern color</td> <td>0, 0, 0</td> <td>Fill pattern</td> <td>Solid</td> <td>Background graphic</td> </tr> <tr> <td>Background graphic alignment</td> <td>Normal</td> <td>Fill style alignment</td> <td>Normal</td> <td></td> </tr> </table> Layout <table border="1"> <tr> <td>Width</td> <td>600</td> <td>Height</td> <td>350</td> <td></td> </tr> </table> Layers <table border="1"> <tr> <td>Active layer</td> <td>0</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Layer_0</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_1</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_2</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_3</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_4</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_5</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_6</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_7</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_8</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_9</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_10</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_11</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_12</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_13</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_14</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_15</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_16</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_17</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_18</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_19</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_20</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_21</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_22</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_23</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_24</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_25</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_26</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_27</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_28</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_29</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_30</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> <tr> <td>Layer_31</td> <td>Checked</td> <td></td> <td></td> <td>Checked</td> </tr> </table> Security <table border="1"> <tr> <td>Authorization</td> <td></td> <td>Operator control enabled</td> <td>Checked</td> <td></td> </tr> </table> Miscellaneous <table border="1"> <tr> <td>Tab sequence</td> <td>Tab sequence</td> <td>Screen cycle</td> <td>2 s</td> <td>Extended zoom</td> <td>Unchecked</td> </tr> <tr> <td>Display</td> <td>Checked</td> <td>Object types in tab sequence</td> <td>AllObjects</td> <td></td> <td></td> </tr> </table> Hide/Show <table border="1"> <tr> <td>Enable layer zoom limits</td> <td>Unchecked</td> <td>Enable object zoom limits</td> <td>Unchecked</td> <td>Minimum object size</td> <td>0</td> </tr> <tr> <td>Maximum object size</td> <td>100000</td> <td></td> <td></td> <td></td> <td></td> </tr> </table> Designs <table border="1"> <tr> <td>Use color settings</td> <td>Unchecked</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>			Name	Alarms	Display name	Background color	255, 255, 255	Grid color	0, 0, 0				Fill-pattern color	0, 0, 0	Fill pattern	Solid	Background graphic	Background graphic alignment	Normal	Fill style alignment	Normal		Width	600	Height	350		Active layer	0				Layer_0	Checked			Checked	Layer_1	Checked			Checked	Layer_2	Checked			Checked	Layer_3	Checked			Checked	Layer_4	Checked			Checked	Layer_5	Checked			Checked	Layer_6	Checked			Checked	Layer_7	Checked			Checked	Layer_8	Checked			Checked	Layer_9	Checked			Checked	Layer_10	Checked			Checked	Layer_11	Checked			Checked	Layer_12	Checked			Checked	Layer_13	Checked			Checked	Layer_14	Checked			Checked	Layer_15	Checked			Checked	Layer_16	Checked			Checked	Layer_17	Checked			Checked	Layer_18	Checked			Checked	Layer_19	Checked			Checked	Layer_20	Checked			Checked	Layer_21	Checked			Checked	Layer_22	Checked			Checked	Layer_23	Checked			Checked	Layer_24	Checked			Checked	Layer_25	Checked			Checked	Layer_26	Checked			Checked	Layer_27	Checked			Checked	Layer_28	Checked			Checked	Layer_29	Checked			Checked	Layer_30	Checked			Checked	Layer_31	Checked			Checked	Authorization		Operator control enabled	Checked		Tab sequence	Tab sequence	Screen cycle	2 s	Extended zoom	Unchecked	Display	Checked	Object types in tab sequence	AllObjects			Enable layer zoom limits	Unchecked	Enable object zoom limits	Unchecked	Minimum object size	0	Maximum object size	100000					Use color settings	Unchecked				
Name	Alarms	Display name	Background color	255, 255, 255																																																																																																																																																																																																																															
Grid color	0, 0, 0																																																																																																																																																																																																																																		
Fill-pattern color	0, 0, 0	Fill pattern	Solid	Background graphic																																																																																																																																																																																																																															
Background graphic alignment	Normal	Fill style alignment	Normal																																																																																																																																																																																																																																
Width	600	Height	350																																																																																																																																																																																																																																
Active layer	0																																																																																																																																																																																																																																		
Layer_0	Checked			Checked																																																																																																																																																																																																																															
Layer_1	Checked			Checked																																																																																																																																																																																																																															
Layer_2	Checked			Checked																																																																																																																																																																																																																															
Layer_3	Checked			Checked																																																																																																																																																																																																																															
Layer_4	Checked			Checked																																																																																																																																																																																																																															
Layer_5	Checked			Checked																																																																																																																																																																																																																															
Layer_6	Checked			Checked																																																																																																																																																																																																																															
Layer_7	Checked			Checked																																																																																																																																																																																																																															
Layer_8	Checked			Checked																																																																																																																																																																																																																															
Layer_9	Checked			Checked																																																																																																																																																																																																																															
Layer_10	Checked			Checked																																																																																																																																																																																																																															
Layer_11	Checked			Checked																																																																																																																																																																																																																															
Layer_12	Checked			Checked																																																																																																																																																																																																																															
Layer_13	Checked			Checked																																																																																																																																																																																																																															
Layer_14	Checked			Checked																																																																																																																																																																																																																															
Layer_15	Checked			Checked																																																																																																																																																																																																																															
Layer_16	Checked			Checked																																																																																																																																																																																																																															
Layer_17	Checked			Checked																																																																																																																																																																																																																															
Layer_18	Checked			Checked																																																																																																																																																																																																																															
Layer_19	Checked			Checked																																																																																																																																																																																																																															
Layer_20	Checked			Checked																																																																																																																																																																																																																															
Layer_21	Checked			Checked																																																																																																																																																																																																																															
Layer_22	Checked			Checked																																																																																																																																																																																																																															
Layer_23	Checked			Checked																																																																																																																																																																																																																															
Layer_24	Checked			Checked																																																																																																																																																																																																																															
Layer_25	Checked			Checked																																																																																																																																																																																																																															
Layer_26	Checked			Checked																																																																																																																																																																																																																															
Layer_27	Checked			Checked																																																																																																																																																																																																																															
Layer_28	Checked			Checked																																																																																																																																																																																																																															
Layer_29	Checked			Checked																																																																																																																																																																																																																															
Layer_30	Checked			Checked																																																																																																																																																																																																																															
Layer_31	Checked			Checked																																																																																																																																																																																																																															
Authorization		Operator control enabled	Checked																																																																																																																																																																																																																																
Tab sequence	Tab sequence	Screen cycle	2 s	Extended zoom	Unchecked																																																																																																																																																																																																																														
Display	Checked	Object types in tab sequence	AllObjects																																																																																																																																																																																																																																
Enable layer zoom limits	Unchecked	Enable object zoom limits	Unchecked	Minimum object size	0																																																																																																																																																																																																																														
Maximum object size	100000																																																																																																																																																																																																																																		
Use color settings	Unchecked																																																																																																																																																																																																																																		

Totally Integrated Automation Portal				
Web access				
Web access	Unchecked	Gadget	Unchecked	WebUX access
User data type				Unchecked
Use user data type	Unchecked	User data type		
Rectangle_1				
Type	Rectangle			
Appearance				
Background color	65, 64, 129	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Border width	1	Line style	Solid	Border style
Border color	255, 255, 255	Border background color	255, 255, 255	Corner style
Line-end shape	Round	Widen border line inwards	Checked	
Layout				
X position	-2	Y position	-2	Width
Height	63	Round corner width	0	Round corner height
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Rectangle_1	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Button_1				
Type	Button			
General				
Mode	Text	Engage	Unchecked	Pressed
Hotkey	None	Text OFF	Status	Graphic OFF
Graphic ON		Graphic alignment	Stretched	
Appearance				
Background color	192, 192, 192	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	1	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Design				
Design settings	Global	Windows style	Checked	3D border width
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state
Layout				
X position	259	Y position	25	Width
Height	30	Auto-size	Unchecked	Fit object to contents
Text format				
Font	Calibri, 15px	Orientation	Horizontal	Horizontal alignment of the text
Vertical alignment of the text	Middle			
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	0, 255, 255			
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Button_1	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Dynamizations\Event				
Event name		Click		

Totally Integrated Automation Portal				
Function list\ActivateScreen				
Screen name	Status	Object number	0	
Button_2				
Type	Button			
General				
Mode	Text	Engage	Unchecked	Pressed
Hotkey	None	Text OFF	Overview	Graphic OFF
Graphic ON		Graphic alignment	Stretched	
Appearance				
Background color	204, 204, 204	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	1	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Design				
Design settings	Global	Windows style	Checked	3D border width
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state
Layout				
X position	344	Y position	25	Width
Height	30	Auto-size	Unchecked	Fit object to contents
Text format				
Font	Calibri, 15px	Orientation	Horizontal	Horizontal alignment of the text
Vertical alignment of the text	Middle			
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	0, 255, 255			
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Button_2	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Dynamizations\Event				
Event name	Click			
Function list\ActivateScreen				
Screen name	Overview	Object number	0	
Button_3				
Type	Button			
General				
Mode	Text	Engage	Unchecked	Pressed
Hotkey	None	Text OFF	Control	Graphic OFF
Graphic ON		Graphic alignment	Stretched	
Appearance				
Background color	204, 204, 204	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	1	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Design				
Design settings	Global	Windows style	Checked	3D border width
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state
Layout				
X position	429	Y position	25	Width
Height	30	Auto-size	Unchecked	Fit object to contents
Text format				
Font	Calibri, 15px	Orientation	Horizontal	Horizontal alignment of the text

Totally Integrated Automation Portal					
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_3	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Event					
Event name	Click				
Function list\ActivateScreen					
Screen name	Control	Object number	0		
Button_4					
Type	Button				
General					
Mode	Text	Engage	Unchecked	Pressed	Unchecked
Hotkey	None	Text OFF	Alarms	Graphic OFF	
Graphic ON		Graphic alignment	Stretched		
Appearance					
Background color	150, 150, 150	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Design					
Design settings	Global	Windows style	Checked	3D border width	0
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state	Unchecked
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state	255, 0, 255
Layout					
X position	514	Y position	25	Width	80
Height	30	Auto-size	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 15px	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_4	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Event					
Event name	Click				
Function list\ActivateScreen					
Screen name	Alarms	Object number	0		
Graphic view_1					
Type	Graphic view				
General					
Graphic	7ZHN_D-W				

Totally Integrated Automation Portal					
Appearance					
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pat- tern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Use transparent color	Unchecked	Transparent color	255, 0, 255	Border width	0
Line style	Solid	Border style	0	Border color	0, 0, 0
Border background color	255, 255, 255	Corner style	Round	Line-end shape	Round
Widen border line in- wards	Checked				
Layout					
X position	7	Y position	6	Width	53
Height	51	Fit embedded graphic object to screen size	Fit graphic to object size	Fit object to contents	Unchecked
Flashing					
Flashing	Disabled	Border flashing ena- bled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Background flashing	Unchecked
Background flash rate	Medium	Background color flashing OFF	0, 255, 0	Background color flashing ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Graphic view_1	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator con- trol	Checked		
Rectangle_3					
Type	Rectangle				
Appearance					
Background color	25, 27, 66	Fill pattern color	0, 255, 0	Background fill pat- tern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Border width	1	Line style	Solid	Border style	0
Border color	0, 0, 0	Border background color	255, 255, 255	Corner style	Round
Line-end shape	Round	Widen border line in- wards	Checked		
Layout					
X position	0	Y position	60	Width	600
Height	23	Round corner width	0	Round corner height	0
Flashing					
Flashing	Disabled	Enable border flash- ing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Rectangle_3	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator con- trol	Checked		
Text field_3					
Type	Text field				
General					
Text	ALARM MANAGEMENT				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pat- tern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	255, 255, 255	Border width	1	Line style	Solid
Border style	0	Border color	25, 27, 66	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line in- wards	Checked
Layout					
X position	6	Y position	60	Width	165
Height	23	Pivot point of X posi- tion	0	Pivot point of Y posi- tion	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 17px, style=Bold	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing ena- bled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0

Totally Integrated Automation Portal				
Background color flashing ON	0, 255, 255			
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Text field_3	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Alarm view_1				
Type	Alarm view			
General				
Alarm type	Pending alarms	Display options	Visible alarms	Action at double-click
Paging layout	Unchecked	Paging layout of the number of alarms	50	Column-dependent action
Time base	Accept device settings	All servers	Checked	Extend log size
Print job		Enabled	Unchecked	Unchecked
Appearance				
Background color	255, 255, 255	Border color	0, 0, 0	Border width
Line color	126, 125, 104	Line width	1	0
Design	Default			Use project settings for style
Layout				
X position	12	Y position	95	Width
Height	243			377
Window				
Show title	No title	Caption	Default value	Moveable
Closable	Checked	Sizeable	Checked	Checked
Horizontal scroll bar	On demand	Autoscroll	Checked	Scroll bar vertical
Table - Header				
Title foreground color	0, 0, 0	Title color	239, 235, 222	Title style
Title light shadow color	255, 255, 255	Title dark shading color	172, 168, 153	Flat
Selection title foreground color	0, 0, 0	Selection title background color	255, 192, 111	Checked
Column alignment title	Left	Change column width	Checked	Table header
Row headers	Checked	Row header alignment	Left	Checked
Table - Body				
Color use alarm	Checked	Table foreground color	0, 0, 0	Table color
Table use color 2	Checked	Table foreground color 2	0, 0, 0	Table color 2
Autocomplete columns	Unchecked	Autocomplete lines	Unchecked	Abbreviate cells
Table - Grid				
Horizontal grid lines	Checked	Vertical gridlines	Checked	Grid line width
Header grid line color	126, 125, 104	Color of the grid lines	176, 176, 176	1
Cell spacing left	3	Cell spacing bottom	0	Cell spacing top
Icon spacing	3			3
Table - Selection				
Selection colors	Cell and row	Selection color automatic	Checked	Selection foreground color
Selection background color	3, 22, 197	Selection rows foreground color	255, 255, 255	255, 255, 255
Selection type	Multiple elements	Selection border	Line	Selection rows background color
Selection frame color automatic	Unchecked	Selection border color	0, 0, 0	Selection border width
Table - Sorting				
Title sorting	Sort on double-click	Sorting order	Up, down, none	Default sorting
Show sorting icon	Checked	Show sorting order	Checked	Descending order
Blocks				
Accept project settings	Checked			Show sorting button
Alarm statistics - General				
Alarm statistics use time range	Unchecked	Alarm statistics time range factor	1	Minute
Alarm statistics data records maximum number	10000	Alarm statistics data records warning	Checked	Descending order
Text format				
Font	Tahoma, 16px	Status bar font	Tahoma, 16px	Status bar font color
Toolbar - General				
Toolbar visible	Unchecked	Toolbar tooltips show	Unchecked	0, 0, 0
Toolbar background color use	Unchecked	Toolbar background color	236, 233, 216	Use hotkeys toolbar
Click toolbar button	0			Unchecked
Status bar - General				
Status bar visible	Unchecked	Status bar tooltips show	Checked	Toolbar alignment
Status bar background color	236, 233, 216	Status bar text	Default value	Top

Totally Integrated Automation Portal					
Data export					
Export file name	@OBJECTNAME	Export directory name	@PROJECTPATH\Export\AlarmControl	Export format	csv
Export selection	Export all data	Separator	;	Export file format	Unicode
Export format name		Export format GUID	{C49C9C51-E2F4-4FB8-BBC1-9299168FB9FE}	Export parameters	
Display export dialog	Checked	Export file name changeable	Checked	Export directory changeable	Checked
Security					
Allow operator control	Checked	Persistence type	No persistence	Persistence authorization	
Persistence to screen change	Discard changes				
Miscellaneous					
Name	Alarm view_1	Layer	0 - Layer_0	Visible	Checked
Blocks\Date					
Alarm text block ID	21	Alarm text block name	Date	Alignment	Left
Automatic rounding	Checked	Label	Date	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	65537
Leading zeros	0	Length	8	Decimal places	2
Selected	Checked	Show date	Checked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format	
Visible	Checked	Visible in the alarm statistics	Unchecked		
Blocks\Time					
Alarm text block ID	22	Alarm text block name	Time	Alignment	Left
Automatic rounding	Checked	Label	Time	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	65538
Leading zeros	0	Length	11	Decimal places	2
Selected	Checked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format	
Visible	Checked	Visible in the alarm statistics	Unchecked		
Blocks\Duration					
Alarm text block ID	23	Alarm text block name	Duration	Alignment	Left
Automatic rounding	Checked	Label	Duration	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	65539
Leading zeros	0	Length	8	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\Daylight saving/standard time					
Alarm text block ID	24	Alarm text block name	Daylight saving time / standard time	Alignment	Left
Automatic rounding	Checked	Label	Daylight saving/Standard time	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	65540
Leading zeros	0	Length	1	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks>Status					
Alarm text block ID	25	Alarm text block name	Status	Alignment	Left
Automatic rounding	Checked	Label	Status	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	65541
Leading zeros	0	Length	1	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\Acknowledgement status					
Alarm text block ID	26	Alarm text block name	Acknowledgment status	Alignment	Left
Automatic rounding	Checked	Label	Acknowledgment status	Column read-only	Unchecked

Totally Integrated Automation Portal					
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	65542
Leading zeros	0	Length	1	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\Number					
Alarm text block ID	27	Alarm text block name	ID	Alignment	Left
Automatic rounding	Checked	Label	ID	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	65543
Leading zeros	0	Length	3	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\Class					
Alarm text block ID	28	Alarm text block name	Alarm class	Alignment	Left
Automatic rounding	Checked	Label	Alarm class	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	65544
Leading zeros	0	Length	8	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\PLC/CPU number					
Alarm text block ID	30	Alarm text block name	CPU number of the PLC	Alignment	Left
Automatic rounding	Checked	Label	Controller/CPU number	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	65546
Leading zeros	0	Length	2	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\Tag					
Alarm text block ID	31	Alarm text block name	Alarm tag	Alignment	Left
Automatic rounding	Checked	Label	Tag	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	65547
Leading zeros	0	Length	1	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\Archiving ID					
Alarm text block ID	32	Alarm text block name	Logging	Alignment	Left
Automatic rounding	Checked	Label	Logging	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	65549
Leading zeros	0	Length	1	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\Comments					
Alarm text block ID	34	Alarm text block name	Comment	Alignment	Left
Automatic rounding	Checked	Label	Comment	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	65551
Leading zeros	0	Length	1	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked

Totally Integrated Automation Portal					
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sort- ing	No sorting
Sorting order	0	Alarm statistics sort- ing order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\Info text					
Alarm text block ID	35	Alarm text block name	Info text	Alignment	Left
Automatic rounding	Checked	Label	Info text	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	65552
Leading zeros	0	Length	1	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sort- ing	No sorting
Sorting order	0	Alarm statistics sort- ing order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\Loop in alarm					
Alarm text block ID	36	Alarm text block name	Loop-In-Alarm	Alignment	Left
Automatic rounding	Checked	Label	Loop-In-Alarm	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	65553
Leading zeros	0	Length	1	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sort- ing	No sorting
Sorting order	0	Alarm statistics sort- ing order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\Computer name					
Alarm text block ID	37	Alarm text block name	Computer name	Alignment	Left
Automatic rounding	Checked	Label	Computer name	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	65554
Leading zeros	0	Length	10	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sort- ing	No sorting
Sorting order	0	Alarm statistics sort- ing order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\User name					
Alarm text block ID	38	Alarm text block name	User name	Alignment	Left
Automatic rounding	Checked	Label	User name	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	65555
Leading zeros	0	Length	10	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sort- ing	No sorting
Sorting order	0	Alarm statistics sort- ing order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\Priority					
Alarm text block ID	39	Alarm text block name	Priority	Alignment	Left
Automatic rounding	Checked	Label	Priority	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	65556
Leading zeros	0	Length	3	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sort- ing	No sorting
Sorting order	0	Alarm statistics sort- ing order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\User text block 1					
Alarm text block ID	1	Alarm text block name	Alarm text	Alignment	Left
Automatic rounding	Checked	Label	Alarm text	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	131073
Leading zeros	0	Length	10	Decimal places	2
Selected	Checked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sort- ing	No sorting
Sorting order	0	Alarm statistics sort- ing order	0	Time format	

Totally Integrated Automation Portal					
Visible	Checked	Visible in the alarm statistics	Unchecked		
Blocks\User text block 2					
Alarm text block ID	2	Alarm text block name	Additional text 1	Alignment	Left
Automatic rounding	Checked	Label	Additional text 1	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	131074
Leading zeros	0	Length	10	Decimal places	2
Selected	Checked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sort-ing order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\User text block 3					
Alarm text block ID	3	Alarm text block name	Additional text 2	Alignment	Left
Automatic rounding	Checked	Label	Additional text 2	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	131075
Leading zeros	0	Length	10	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sort-ing order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\User text block 4					
Alarm text block ID	4	Alarm text block name	Additional text 3	Alignment	Left
Automatic rounding	Checked	Label	Additional text 3	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	131076
Leading zeros	0	Length	10	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sort-ing order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\User text block 5					
Alarm text block ID	5	Alarm text block name	Additional text 4	Alignment	Left
Automatic rounding	Checked	Label	Additional text 4	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	131077
Leading zeros	0	Length	10	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sort-ing order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\User text block 6					
Alarm text block ID	6	Alarm text block name	Additional text 5	Alignment	Left
Automatic rounding	Checked	Label	Additional text 5	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	131078
Leading zeros	0	Length	10	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sort-ing order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\User text block 7					
Alarm text block ID	7	Alarm text block name	Additional text 6	Alignment	Left
Automatic rounding	Checked	Label	Additional text 6	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	131079
Leading zeros	0	Length	10	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sort-ing order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\User text block 8					
Alarm text block ID	8	Alarm text block name	Additional text 7	Alignment	Left

Totally Integrated Automation Portal							
Automatic rounding	Checked	Label	Additional text 7	Column read-only	Unchecked	Flashing on	Unchecked
Data format		Exponential format	Unchecked	ID	131080	Showing	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	Decimal places	2	Show icon	Unchecked
Leading zeros	0	Length	10	Alarm statistics sorting	No sorting	Time format	
Selected	Unchecked	Show date	Unchecked				
Show icon for title	Unchecked	Sorting direction	No sorting				
Sorting order	0	Alarm statistics sorting order	0				
Visible	Unchecked	Visible in the alarm statistics	Unchecked				
Blocks\User text block 9							
Alarm text block ID	9	Alarm text block name	Additional text 8	Alignment	Left	Column read-only	Unchecked
Automatic rounding	Checked	Label	Additional text 8	Flashing on	Unchecked	ID	131081
Data format		Exponential format	Unchecked	Decimal places	2	Show icon	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	Alarm statistics sorting	No sorting	Time format	
Leading zeros	0	Length	10				
Selected	Unchecked	Show date	Unchecked				
Show icon for title	Unchecked	Sorting direction	No sorting				
Sorting order	0	Alarm statistics sorting order	0				
Visible	Unchecked	Visible in the alarm statistics	Unchecked				
Blocks\User text block 10							
Alarm text block ID	10	Alarm text block name	Additional text 9	Alignment	Left	Column read-only	Unchecked
Automatic rounding	Checked	Label	Additional text 9	Flashing on	Unchecked	ID	131082
Data format		Exponential format	Unchecked	Decimal places	2	Show icon	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	Alarm statistics sorting	No sorting	Time format	
Leading zeros	0	Length	10				
Selected	Unchecked	Show date	Unchecked				
Show icon for title	Unchecked	Sorting direction	No sorting				
Sorting order	0	Alarm statistics sorting order	0				
Visible	Unchecked	Visible in the alarm statistics	Unchecked				
Blocks\Parameter 1							
Alarm text block ID	11	Alarm text block name	Parameter 1	Alignment	Left	Column read-only	Unchecked
Automatic rounding	Checked	Label	Parameter: 1	Flashing on	Unchecked	ID	196609
Data format		Exponential format	Unchecked	Decimal places	2	Show icon	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	Alarm statistics sorting	No sorting	Time format	
Leading zeros	0	Length	3				
Selected	Unchecked	Show date	Unchecked				
Show icon for title	Unchecked	Sorting direction	No sorting				
Sorting order	0	Alarm statistics sorting order	0				
Visible	Unchecked	Visible in the alarm statistics	Unchecked				
Blocks\Parameter 2							
Alarm text block ID	12	Alarm text block name	Parameter 2	Alignment	Left	Column read-only	Unchecked
Automatic rounding	Checked	Label	Parameter: 2	Flashing on	Unchecked	ID	196610
Data format		Exponential format	Unchecked	Decimal places	2	Show icon	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	Alarm statistics sorting	No sorting	Time format	
Leading zeros	0	Length	3				
Selected	Unchecked	Show date	Unchecked				
Show icon for title	Unchecked	Sorting direction	No sorting				
Sorting order	0	Alarm statistics sorting order	0				
Visible	Unchecked	Visible in the alarm statistics	Unchecked				
Blocks\Parameter 3							
Alarm text block ID	13	Alarm text block name	Parameter 3	Alignment	Left	Column read-only	Unchecked
Automatic rounding	Checked	Label	Parameter: 3	Flashing on	Unchecked	ID	196611
Data format		Exponential format	Unchecked	Decimal places	2	Show icon	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	Alarm statistics sorting	No sorting	Time format	
Leading zeros	0	Length	3				
Selected	Unchecked	Show date	Unchecked				
Show icon for title	Unchecked	Sorting direction	No sorting				
Sorting order	0	Alarm statistics sorting order	0				
Visible	Unchecked	Visible in the alarm statistics	Unchecked				
Blocks\Parameter 4							
Alarm text block ID	14	Alarm text block name	Parameter 4	Alignment	Left	Column read-only	Unchecked
Automatic rounding	Checked	Label	Parameter: 4	Flashing on	Unchecked	ID	196612
Data format		Exponential format	Unchecked	Decimal places	2	Show icon	Unchecked
Hide text	Unchecked	Hide title text	Unchecked				
Leading zeros	0	Length	3				
Selected	Unchecked	Show date	Unchecked				

Totally Integrated Automation Portal					
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\Parameter 5					
Alarm text block ID	15	Alarm text block name	Parameter 5	Alignment	Left
Automatic rounding	Checked	Label	Parameter: 5	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	196613
Leading zeros	0	Length	3	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\Parameter 6					
Alarm text block ID	16	Alarm text block name	Parameter 6	Alignment	Left
Automatic rounding	Checked	Label	Parameter: 6	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	196614
Leading zeros	0	Length	3	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\Parameter 7					
Alarm text block ID	17	Alarm text block name	Parameter 7	Alignment	Left
Automatic rounding	Checked	Label	Parameter: 7	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	196615
Leading zeros	0	Length	3	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\Parameter 8					
Alarm text block ID	18	Alarm text block name	Parameter 8	Alignment	Left
Automatic rounding	Checked	Label	Parameter: 8	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	196616
Leading zeros	0	Length	3	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\Parameter 9					
Alarm text block ID	19	Alarm text block name	Parameter 9	Alignment	Left
Automatic rounding	Checked	Label	Parameter: 9	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	196617
Leading zeros	0	Length	3	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Blocks\Parameter 10					
Alarm text block ID	20	Alarm text block name	Parameter 10	Alignment	Left
Automatic rounding	Checked	Label	Parameter: 10	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	196618
Leading zeros	0	Length	3	Decimal places	2
Selected	Unchecked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format	

Totally Integrated Automation Portal				
Visible	Unchecked	Visible in the alarm statistics	Unchecked	
Blocks\Frequency				
Alarm text block ID	0	Alarm text block name	Frequency	Alignment Left
Automatic rounding	Checked	Label	Frequency	Column read-only Unchecked
Data format		Exponential format	Unchecked	Flashing on Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID 983041
Leading zeros	0	Length	10	Decimal places 2
Selected	Checked	Show date	Unchecked	Show icon Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format
Visible	Checked	Visible in the alarm statistics	Checked	
Blocks\Sum +/-				
Alarm text block ID	0	Alarm text block name	Sum +/-	Alignment Left
Automatic rounding	Checked	Label	Sum +/-	Column read-only Unchecked
Data format		Exponential format	Unchecked	Flashing on Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID 983042
Leading zeros	0	Length	10	Decimal places 2
Selected	Checked	Show date	Unchecked	Show icon Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format
Visible	Checked	Visible in the alarm statistics	Unchecked	
Blocks\Average +/-				
Alarm text block ID	0	Alarm text block name	Average +/-	Alignment Left
Automatic rounding	Checked	Label	Average +/-	Column read-only Unchecked
Data format		Exponential format	Unchecked	Flashing on Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID 983043
Leading zeros	0	Length	10	Decimal places 2
Selected	Checked	Show date	Unchecked	Show icon Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format
Visible	Checked	Visible in the alarm statistics	Checked	
Blocks\Sum +/*1				
Alarm text block ID	0	Alarm text block name	Sum +/*1	Alignment Left
Automatic rounding	Checked	Label	Sum +/*1	Column read-only Unchecked
Data format		Exponential format	Unchecked	Flashing on Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID 983044
Leading zeros	0	Length	10	Decimal places 2
Selected	Checked	Show date	Unchecked	Show icon Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format
Visible	Checked	Visible in the alarm statistics	Unchecked	
Blocks\Average +/*1				
Alarm text block ID	0	Alarm text block name	Average +/*1	Alignment Left
Automatic rounding	Checked	Label	Average +/*1	Column read-only Unchecked
Data format		Exponential format	Unchecked	Flashing on Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID 983045
Leading zeros	0	Length	10	Decimal places 2
Selected	Checked	Show date	Unchecked	Show icon Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format
Visible	Checked	Visible in the alarm statistics	Checked	
Blocks\Sum +/*2				
Alarm text block ID	0	Alarm text block name	Sum +/*2	Alignment Left
Automatic rounding	Checked	Label	Sum +/*2	Column read-only Unchecked
Data format		Exponential format	Unchecked	Flashing on Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID 983046
Leading zeros	0	Length	10	Decimal places 2
Selected	Checked	Show date	Unchecked	Show icon Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format
Visible	Checked	Visible in the alarm statistics	Unchecked	
Blocks\Average +/*2				
Alarm text block ID	0	Alarm text block name	Average +/*2	Alignment Left

Totally Integrated Automation Portal						
Automatic rounding	Checked	Label	Average +/-2	Column read-only	Unchecked	
Data format		Exponential format	Unchecked	Flashing on	Unchecked	
Hide text	Unchecked	Hide title text	Unchecked	ID	983047	
Leading zeros	0	Length	10	Decimal places	2	
Selected	Checked	Show date	Unchecked	Show icon	Unchecked	
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting	
Sorting order	0	Alarm statistics sorting order	0	Time format		
Visible	Checked	Visible in the alarm statistics	Checked			
Blocks\Sum +/-						
Alarm text block ID	0	Alarm text block name	Sum +/-	Alignment	Left	
Automatic rounding	Checked	Label	Sum +/-	Column read-only	Unchecked	
Data format		Exponential format	Unchecked	Flashing on	Unchecked	
Hide text	Unchecked	Hide title text	Unchecked	ID	983048	
Leading zeros	0	Length	10	Decimal places	2	
Selected	Checked	Show date	Unchecked	Show icon	Unchecked	
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting	
Sorting order	0	Alarm statistics sorting order	0	Time format		
Visible	Checked	Visible in the alarm statistics	Unchecked			
Blocks\Average +/-						
Alarm text block ID	0	Alarm text block name	Average +/-	Alignment	Left	
Automatic rounding	Checked	Label	Average +/-	Column read-only	Unchecked	
Data format		Exponential format	Unchecked	Flashing on	Unchecked	
Hide text	Unchecked	Hide title text	Unchecked	ID	983049	
Leading zeros	0	Length	10	Decimal places	2	
Selected	Checked	Show date	Unchecked	Show icon	Unchecked	
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting	
Sorting order	0	Alarm statistics sorting order	0	Time format		
Visible	Checked	Visible in the alarm statistics	Unchecked			
Columns\Date						
Alarm text block ID	21	Alarm text block name	Date	Alignment	Left	
Automatic rounding	Checked	Label	Date	Column read-only	Unchecked	
Data format		Exponential format	Unchecked	Flashing on	Unchecked	
Hide text	Unchecked	Hide title text	Unchecked	ID	65537	
Leading zeros	0	Length	8	Decimal places	2	
Selected	Checked	Show date	Checked	Show icon	Unchecked	
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting	
Sorting order	0	Alarm statistics sorting order	0	Time format		
Visible	Checked	Visible in the alarm statistics	Unchecked			
Columns\Time						
Alarm text block ID	22	Alarm text block name	Time	Alignment	Left	
Automatic rounding	Checked	Label	Time	Column read-only	Unchecked	
Data format		Exponential format	Unchecked	Flashing on	Unchecked	
Hide text	Unchecked	Hide title text	Unchecked	ID	65538	
Leading zeros	0	Length	11	Decimal places	2	
Selected	Checked	Show date	Unchecked	Show icon	Unchecked	
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting	
Sorting order	0	Alarm statistics sorting order	0	Time format		
Visible	Checked	Visible in the alarm statistics	Unchecked			
Columns\User text block 1						
Alarm text block ID	1	Alarm text block name	Alarm text	Alignment	Left	
Automatic rounding	Checked	Label	Alarm text	Column read-only	Unchecked	
Data format		Exponential format	Unchecked	Flashing on	Unchecked	
Hide text	Unchecked	Hide title text	Unchecked	ID	131073	
Leading zeros	0	Length	10	Decimal places	2	
Selected	Checked	Show date	Unchecked	Show icon	Unchecked	
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting	No sorting	
Sorting order	0	Alarm statistics sorting order	0	Time format		
Visible	Checked	Visible in the alarm statistics	Unchecked			
Columns\User text block 2						
Alarm text block ID	2	Alarm text block name	Additional text 1	Alignment	Left	
Automatic rounding	Checked	Label	Additional text 1	Column read-only	Unchecked	
Data format		Exponential format	Unchecked	Flashing on	Unchecked	
Hide text	Unchecked	Hide title text	Unchecked	ID	131074	
Leading zeros	0	Length	10	Decimal places	2	
Selected	Checked	Show date	Unchecked	Show icon	Unchecked	

Totally Integrated Automation Portal					
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sort- ing	No sorting
Sorting order	0	Alarm statistics sort- ing order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Alarm statistics\Date					
Alarm text block ID	21	Alarm text block name	Date	Alignment	Left
Automatic rounding	Checked	Label	Date	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	65537
Leading zeros	0	Length	8	Decimal places	2
Selected	Checked	Show date	Checked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sort- ing	No sorting
Sorting order	0	Alarm statistics sort- ing order	0	Time format	
Visible	Checked	Visible in the alarm statistics	Unchecked		
Alarm statistics\Time					
Alarm text block ID	22	Alarm text block name	Time	Alignment	Left
Automatic rounding	Checked	Label	Time	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	65538
Leading zeros	0	Length	11	Decimal places	2
Selected	Checked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sort- ing	No sorting
Sorting order	0	Alarm statistics sort- ing order	0	Time format	
Visible	Checked	Visible in the alarm statistics	Unchecked		
Alarm statistics\User text block 1					
Alarm text block ID	1	Alarm text block name	Alarm text	Alignment	Left
Automatic rounding	Checked	Label	Alarm text	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	131073
Leading zeros	0	Length	10	Decimal places	2
Selected	Checked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sort- ing	No sorting
Sorting order	0	Alarm statistics sort- ing order	0	Time format	
Visible	Checked	Visible in the alarm statistics	Unchecked		
Alarm statistics\User text block 2					
Alarm text block ID	2	Alarm text block name	Additional text 1	Alignment	Left
Automatic rounding	Checked	Label	Additional text 1	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	131074
Leading zeros	0	Length	10	Decimal places	2
Selected	Checked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sort- ing	No sorting
Sorting order	0	Alarm statistics sort- ing order	0	Time format	
Visible	Unchecked	Visible in the alarm statistics	Unchecked		
Alarm statistics\Frequency					
Alarm text block ID	0	Alarm text block name	Frequency	Alignment	Left
Automatic rounding	Checked	Label	Frequency	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	983041
Leading zeros	0	Length	10	Decimal places	2
Selected	Checked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sort- ing	No sorting
Sorting order	0	Alarm statistics sort- ing order	0	Time format	
Visible	Checked	Visible in the alarm statistics	Checked		
Alarm statistics\Sum +/-					
Alarm text block ID	0	Alarm text block name	Sum +/-	Alignment	Left
Automatic rounding	Checked	Label	Sum +/-	Column read-only	Unchecked
Data format		Exponential format	Unchecked	Flashing on	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID	983042
Leading zeros	0	Length	10	Decimal places	2
Selected	Checked	Show date	Unchecked	Show icon	Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sort- ing	No sorting
Sorting order	0	Alarm statistics sort- ing order	0	Time format	

Totally Integrated Automation Portal				
Visible	Checked	Visible in the alarm statistics	Unchecked	
Alarm statistics\Average +/-				
Alarm text block ID	0	Alarm text block name	Average +/-	Alignment Left
Automatic rounding	Checked	Label	Average +/-	Column read-only Unchecked
Data format		Exponential format	Unchecked	Flashing on Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID 983043
Leading zeros	0	Length	10	Decimal places 2
Selected	Checked	Show date	Unchecked	Show icon Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format
Visible	Checked	Visible in the alarm statistics	Checked	
Alarm statistics\Sum /*1				
Alarm text block ID	0	Alarm text block name	Sum /*1	Alignment Left
Automatic rounding	Checked	Label	Sum /*1	Column read-only Unchecked
Data format		Exponential format	Unchecked	Flashing on Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID 983044
Leading zeros	0	Length	10	Decimal places 2
Selected	Checked	Show date	Unchecked	Show icon Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format
Visible	Checked	Visible in the alarm statistics	Unchecked	
Alarm statistics\Average /*1				
Alarm text block ID	0	Alarm text block name	Average /*1	Alignment Left
Automatic rounding	Checked	Label	Average /*1	Column read-only Unchecked
Data format		Exponential format	Unchecked	Flashing on Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID 983045
Leading zeros	0	Length	10	Decimal places 2
Selected	Checked	Show date	Unchecked	Show icon Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format
Visible	Checked	Visible in the alarm statistics	Checked	
Alarm statistics\Sum /*2				
Alarm text block ID	0	Alarm text block name	Sum /*2	Alignment Left
Automatic rounding	Checked	Label	Sum /*2	Column read-only Unchecked
Data format		Exponential format	Unchecked	Flashing on Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID 983046
Leading zeros	0	Length	10	Decimal places 2
Selected	Checked	Show date	Unchecked	Show icon Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format
Visible	Checked	Visible in the alarm statistics	Unchecked	
Alarm statistics\Average /*2				
Alarm text block ID	0	Alarm text block name	Average /*2	Alignment Left
Automatic rounding	Checked	Label	Average /*2	Column read-only Unchecked
Data format		Exponential format	Unchecked	Flashing on Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID 983047
Leading zeros	0	Length	10	Decimal places 2
Selected	Checked	Show date	Unchecked	Show icon Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format
Visible	Checked	Visible in the alarm statistics	Checked	
Alarm statistics\Sum +-				
Alarm text block ID	0	Alarm text block name	Sum +-	Alignment Left
Automatic rounding	Checked	Label	Sum +-	Column read-only Unchecked
Data format		Exponential format	Unchecked	Flashing on Unchecked
Hide text	Unchecked	Hide title text	Unchecked	ID 983048
Leading zeros	0	Length	10	Decimal places 2
Selected	Checked	Show date	Unchecked	Show icon Unchecked
Show icon for title	Unchecked	Sorting direction	No sorting	Alarm statistics sorting No sorting
Sorting order	0	Alarm statistics sorting order	0	Time format
Visible	Checked	Visible in the alarm statistics	Unchecked	
Alarm statistics\Average +-				
Alarm text block ID	0	Alarm text block name	Average +-	Alignment Left

Totally Integrated Automation Portal				
Automatic rounding	Checked	Label	Average +/-	Column read-only
Data format		Exponential format	Unchecked	Unchecked
Hide text	Unchecked	Hide title text	Unchecked	Flashing on
Leading zeros	0	Length	10	ID
Selected	Checked	Show date	Unchecked	983049
Show icon for title	Unchecked	Sorting direction	No sorting	Decimal places
Sorting order	0	Alarm statistics sort- ing order	0	Show icon
Visible	Checked	Visible in the alarm statistics	Unchecked	Alarm statistics sort- ing
Operator input alarms\Locked				
Alarm number	1003099	Label	Locked	Selected
Operator input alarms\Locked\Process value_1				
Control block	Text	Transfer as	User text block 2	
Operator input alarms\Locked\Process value_2				
Control block	Text	Transfer as		
Operator input alarms\Locked\Process value_3				
Control block	Text	Transfer as		
Operator input alarms\Locked\Process value_4				
Control block	Text	Transfer as		
Operator input alarms\Locked\Process value_5				
Control block	Text	Transfer as		
Operator input alarms\Locked\Process value_6				
Control block	Text	Transfer as		
Operator input alarms\Locked\Process value_7				
Control block	Text	Transfer as		
Operator input alarms\Locked\Process value_8				
Control block	Text	Transfer as		
Operator input alarms\Locked\Process value_9				
Control block	Text	Transfer as	Unchecked	
Operator input alarms\Release				
Alarm number	1003100	Label	Release	Selected
Operator input alarms\Release\Process value_1				
Control block	Text	Transfer as	User text block 2	
Operator input alarms\Release\Process value_2				
Control block	Text	Transfer as		
Operator input alarms\Release\Process value_3				
Control block	Text	Transfer as		
Operator input alarms\Release\Process value_4				
Control block	Text	Transfer as		
Operator input alarms\Release\Process value_5				
Control block	Text	Transfer as		
Operator input alarms\Release\Process value_6				
Control block	Text	Transfer as		
Operator input alarms\Release\Process value_7				
Control block	Text	Transfer as		
Operator input alarms\Release\Process value_8				
Control block	Text	Transfer as		
Operator input alarms\Release\Process value_9				
Control block	Text	Transfer as	Unchecked	
Operator input alarms\Hide				
Alarm number	1003107	Label	Hide	Selected
Operator input alarms\Hide\Process value_1				
Control block	Text	Transfer as	User text block 2	
Operator input alarms\Hide\Process value_2				
Control block	Text	Transfer as		
Operator input alarms\Hide\Process value_3				
Control block	Text	Transfer as		
Operator input alarms\Hide\Process value_4				
Control block	Text	Transfer as		
Operator input alarms\Hide\Process value_5				
Control block	Text	Transfer as		
Operator input alarms\Hide\Process value_6				
Control block	Text	Transfer as		
Operator input alarms\Hide\Process value_7				
Control block	Text	Transfer as		
Operator input alarms\Hide\Process value_8				
Control block	Text	Transfer as		
Operator input alarms\Hide\Process value_9				
Control block	Text	Transfer as	Unchecked	
Operator input alarms>Show				
Alarm number	1003108	Label	Show	Selected
Operator input alarms>Show\Process value_1				
Control block	Text	Transfer as	User text block 2	
Operator input alarms>Show\Process value_2				
Control block	Text	Transfer as		
Operator input alarms>Show\Process value_3				
Control block	Text	Transfer as		
Operator input alarms>Show\Process value_4				
Control block	Text	Transfer as		
Operator input alarms>Show\Process value_5				
Control block	Text	Transfer as		
Operator input alarms>Show\Process value_6				
Control block	Text	Transfer as		
Operator input alarms>Show\Process value_7				
Control block	Text	Transfer as		

Totally Integrated Automation Portal					
Operator input alarms\Show\Process value_8					
Control block	Text	Transfer as			
Operator input alarms\Show\Process value_9					
Control block	Text	Transfer as	Unchecked		
Operator input alarms\Acknowledge					
Alarm number	1003101	Label	Acknowledge	Selected	User text block 1
Operator input alarms\Acknowledge\Process value_1					
Control block	Text	Transfer as	User text block 2		
Operator input alarms\Acknowledge\Process value_2					
Control block	Text	Transfer as			
Operator input alarms\Acknowledge\Process value_3					
Control block	Text	Transfer as			
Operator input alarms\Acknowledge\Process value_4					
Control block	Text	Transfer as			
Operator input alarms\Acknowledge\Process value_5					
Control block	Text	Transfer as			
Operator input alarms\Acknowledge\Process value_6					
Control block	Text	Transfer as			
Operator input alarms\Acknowledge\Process value_7					
Control block	Text	Transfer as			
Operator input alarms\Acknowledge\Process value_8					
Control block	Text	Transfer as			
Operator input alarms\Acknowledge\Process value_9					
Control block	Text	Transfer as	Unchecked		
Toolbar buttons\Tooltip					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Tooltip	Comment		Hotkey	F1
ID	1	Index	0	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Configuration dialog					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Configuration dialog	Comment		Hotkey	F10
ID	2	Index	1	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Alarm list					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Alarm list	Comment		Hotkey	None
ID	3	Index	2	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Historical alarm list (short-term)					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Historical alarm list (short-term)	Comment		Hotkey	None
ID	4	Index	3	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Historical alarm list (long-term)					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Historical alarm list (long-term)	Comment		Hotkey	None
ID	5	Index	4	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Lock list					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Lock list	Comment		Hotkey	None
ID	6	Index	5	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Alarm statistics					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Alarm statistics	Comment		Hotkey	None
ID	7	Index	6	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons>List of hidden alarms.					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	List of hidden alarms.	Comment		Hotkey	None
ID	8	Index	7	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Unchecked
Toolbar buttons\Alarm annunciator acknowledgment					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Alarm annunciator acknowledgment	Comment		Hotkey	None
ID	9	Index	8	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Single acknowledgment					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Single acknowledgment	Comment		Hotkey	None
ID	10	Index	9	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Group acknowledgment					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked

Totally Integrated Automation Portal					
Name	Group acknowledgment	Comment		Hotkey	None
ID	11	Index	10	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Emergency acknowledgment					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Emergency acknowledgment	Comment		Hotkey	None
ID	18	Index	11	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Filter alarms					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Filter alarms	Comment		Hotkey	None
ID	13	Index	12	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Opens a dialog to modify the display options					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Opens a dialog to modify the display options	Comment		Hotkey	None
ID	14	Index	13	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Unchecked
Toolbar buttons\Lock dialog					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Lock dialog	Comment		Hotkey	None
ID	15	Index	14	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Print					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Print	Comment		Hotkey	Ctrl + P
ID	17	Index	15	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Export data					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Export data	Comment		Hotkey	None
ID	35	Index	16	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Unchecked
Toolbar buttons\Deactivate automatic scrolling					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Deactivate automatic scrolling	Comment		Hotkey	None
ID	12	Index	17	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\First alarm					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	First alarm	Comment		Hotkey	None
ID	19	Index	18	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Previous alarm					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Previous alarm	Comment	Display the symbol area of the network.	Hotkey	None
ID	20	Index	19	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Next alarm					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Next alarm	Comment	Navigate to the previous network.	Hotkey	None
ID	21	Index	20	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons>Last alarm					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Last alarm	Comment	Navigate to the next network.	Hotkey	None
ID	22	Index	21	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Info text dialog					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Info text dialog	Comment	Zoom into the network area.	Hotkey	None
ID	23	Index	22	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Enter comment.					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Enter comment.	Comment	Zoom out of the network area.	Hotkey	None
ID	24	Index	23	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Unchecked
Toolbar buttons\Loop-In-Alarm					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Loop-In-Alarm	Comment	Display the detail view.	Hotkey	None
ID	25	Index	24	Separator	Unchecked

Totally Integrated Automation Portal					
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Lock alarm					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Lock alarm	Comment	Switch between manual step selection and automatic selection of the active step.	Hotkey	None
ID	26	Index	25	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Enable alarm					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Enable alarm	Comment	Switch between the network presentation of the transition and interlock.	Hotkey	None
ID	27	Index	26	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Hide alarm					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Hide alarm	Comment	Switch between the actual value view and initial value view.	Hotkey	None
ID	28	Index	27	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Unchecked
Toolbar buttons>Show alarms					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Show alarms	Comment		Hotkey	None
ID	29	Index	28	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Unchecked
Toolbar buttons\Sorting					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Sorting	Comment		Hotkey	None
ID	30	Index	29	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Set time base					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Set time base	Comment		Hotkey	None
ID	31	Index	30	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Checked
Toolbar buttons\Copy lines					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Copy lines	Comment		Hotkey	Ctrl + Alt + C
ID	32	Index	31	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Unchecked
Toolbar buttons\Connect backup					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Connect backup	Comment		Hotkey	None
ID	33	Index	32	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Unchecked
Toolbar buttons\Disconnect backup					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Disconnect backup	Comment		Hotkey	None
ID	34	Index	33	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Unchecked
Toolbar buttons\First page					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	First page	Comment		Hotkey	None
ID	36	Index	34	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Unchecked
Toolbar buttons\Previous page					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Previous page	Comment		Hotkey	None
ID	37	Index	35	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Unchecked
Toolbar buttons\Next page					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Next page	Comment		Hotkey	None
ID	38	Index	36	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Unchecked
Toolbar buttons>Last page					
Active	Checked	Authorization	<Undefined>	Allow operator control	Checked
Name	Last page.	Comment		Hotkey	None
ID	39	Index	37	Separator	Unchecked
Locked	Unchecked	Tooltip text		Visible	Unchecked
Status bar elements\Pending alarms					
Auto-size	Checked	Symbol ID	0	ID	1
Index	0	Text		Tooltip text	
Visible	Checked	Width	10		

Totally Integrated Automation Portal				
Status bar elements\Pending acknowledgeable alarms				
Auto-size	Checked	Symbol ID	0	ID 3
Index	1	Text		Tooltip text
Visible	Checked	Width	10	
Status bar elements\Number of pending hidden alarms				
Auto-size	Checked	Symbol ID	0	ID 4
Index	2	Text		Tooltip text
Visible	Checked	Width	10	
Status bar elements\Alarms in the list				
Auto-size	Checked	Symbol ID	0	ID 2
Index	3	Text		Tooltip text
Visible	Checked	Width	10	
Status bar elements\Selection				
Auto-size	Checked	Symbol ID	0	ID 5
Index	4	Text		Tooltip text
Visible	Checked	Width	10	
Status bar elements\Display options				
Auto-size	Checked	Symbol ID	0	ID 6
Index	5	Text		Tooltip text
Visible	Checked	Width	10	
Status bar elements\Locked				
Auto-size	Checked	Symbol ID	0	ID 7
Index	6	Text		Tooltip text
Visible	Checked	Width	10	
Status bar elements\Pending hidden alarms				
Auto-size	Checked	Symbol ID	0	ID 8
Index	7	Text		Tooltip text
Visible	Checked	Width	10	
Status bar elements\Connection status				
Auto-size	Checked	Symbol ID	0	ID 9
Index	8	Text		Tooltip text
Visible	Checked	Width	10	
Status bar elements\Date				
Auto-size	Checked	Symbol ID	0	ID -2
Index	9	Text		Tooltip text
Visible	Unchecked	Width	10	
Status bar elements\Time				
Auto-size	Checked	Symbol ID	0	ID -1
Index	10	Text		Tooltip text
Visible	Checked	Width	10	
Status bar elements\Time base				
Auto-size	Checked	Symbol ID	0	ID -3
Index	11	Text		Tooltip text
Visible	Unchecked	Width	10	
Group				
Type	Group			
Layout				
X position	411	Y position	95	Width 45
Height	45			
Miscellaneous				
Name	Group	Layer	0 - Layer_0	Visible Checked
Tooltip text				
Security				
Authorization		Allow operator control	Checked	
Circle_2				
Type	Circle			
Appearance				
Background color	0, 128, 0	Fill pattern color	0, 255, 0	Background fill pattern Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction Bottom to top
Border width	0	Line style	Solid	Border style 0
Border color	0, 0, 0	Border background color	255, 255, 255	Line-end shape Round
Widen border line inwards	Checked			
Layout				
X position	411	Y position	95	Width 45
Height	45	Radius	22	
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing Unchecked
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON 0, 255, 255
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency 0
Miscellaneous				
Name	Circle_2	Layer	0 - Layer_0	Visible Checked
Tooltip text				
Security				
Authorization		Allow operator control	Checked	

Totally Integrated Automation Portal					
Dynamizations\Appearance					
Tag - Cycle	AlarmBrakeFailure -	Data type	Range	Range	1.1
Foreground color	0, 0, 0	Background color	255, 0, 0	Flashing	Fast
Text field_10					
Type	Text field				
General					
Text	BRAKE				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	255, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	416	Y position	110	Width	34
Height	15	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_10	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Group_1					
Type	Group				
Layout					
X position	469	Y position	95	Width	45
Height	45				
Miscellaneous					
Name	Group_1	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Circle_3					
Type	Circle				
Appearance					
Background color	0, 128, 0	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Border width	0	Line style	Solid	Border style	0
Border color	0, 0, 0	Border background color	255, 255, 255	Line-end shape	Round
Widen border line inwards	Checked				
Layout					
X position	469	Y position	95	Width	45
Height	45	Radius	22		
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Circle_3	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Appearance					
Tag - Cycle	AlarmOilFlowLow -	Data type	Range	Range	1.1

Totally Integrated Automation Portal					
Foreground color	0, 0, 0	Background color	255, 0, 0	Flashing	Fast
Text field_11					
Type	Text field				
General					
Text	LOW FLOW				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	255, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	476	Y position	102	Width	32
Height	30	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color	0, 255, 0
Background color flashing ON	0, 255, 255			flashing OFF	
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_11	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Group_2					
Type	Group				
Layout					
X position	529	Y position	95	Width	45
Height	45				
Miscellaneous					
Name	Group_2	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Circle_4					
Type	Circle				
Appearance					
Background color	0, 128, 0	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Border width	0	Line style	Solid	Border style	0
Border color	0, 0, 0	Border background color	255, 255, 255	Line-end shape	Round
Widen border line inwards	Checked				
Layout					
X position	529	Y position	95	Width	45
Height	45	Radius	22		
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Circle_4	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Appearance					
Tag - Cycle	AlarmOilFlowHigh -	Data type	Range	Range	1..1
Foreground color	0, 0, 0	Background color	255, 0, 0	Flashing	Fast

Totally Integrated Automation Portal					
Text field_12					
Type	Text field				
General					
Text	HIGH FLOW				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	255, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	535	Y position	102	Width	32
Height	30	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_12	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Group_4					
Type	Group				
Layout					
X position	471	Y position	160	Width	45
Height	45				
Miscellaneous					
Name	Group_4	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Circle_1					
Type	Circle				
Appearance					
Background color	0, 128, 0	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Border width	0	Line style	Solid	Border style	0
Border color	0, 0, 0	Border background color	255, 255, 255	Line-end shape	Round
Widen border line inwards	Checked				
Layout					
X position	471	Y position	160	Width	45
Height	45	Radius	22		
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Circle_1	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Appearance					
Tag - Cycle	AlarmRotorOverSpeed -	Data type	Range	Range	1..1
Foreground color	0, 0, 0	Background color	255, 0, 0	Flashing	Fast

Totally Integrated Automation Portal				
Text field_1				
Type	Text field			
General				
Text	ROTOR			
Appearance				
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	0	Line style
Border style	0	Border color	255, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Layout				
X position	474	Y position	175	Width
Height	15	Pivot point of X position	0	Pivot point of Y position
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Top	Line break	Unchecked	
Flashing				
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	0, 255, 255			
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Text field_1	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Group_5				
Type	Group			
Layout				
X position	531	Y position	160	Width
Height	45			45
Miscellaneous				
Name	Group_5	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Circle_6				
Type	Circle			
Appearance				
Background color	0, 128, 0	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Border width	0	Line style	Solid	Border style
Border color	0, 0, 0	Border background color	255, 255, 255	Line-end shape
Widen border line inwards	Checked			
Layout				
X position	531	Y position	160	Width
Height	45	Radius	22	
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Circle_6	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Dynamizations\Appearance				
Tag - Cycle	AlarmOverCur -	Data type	Range	Range
Foreground color	0, 0, 0	Background color	255, 0, 0	Flashing

Totally Integrated Automation Portal					
Text field_14					
Type	Text field				
General					
Text	OVER CURR				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	255, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	538	Y position	167	Width	29
Height	30	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_14	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Group_6					
Type	Group				
Layout					
X position	472	Y position	226	Width	45
Height	45				
Miscellaneous					
Name	Group_6	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Circle_7					
Type	Circle				
Appearance					
Background color	0, 128, 0	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Border width	0	Line style	Solid	Border style	0
Border color	0, 0, 0	Border background color	255, 255, 255	Line-end shape	Round
Widen border line inwards	Checked				
Layout					
X position	472	Y position	226	Width	45
Height	45	Radius	22		
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Circle_7	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Appearance					
Tag - Cycle	AlarmEmerStop -	Data type	Range	Range	1..1
Foreground color	0, 0, 0	Background color	255, 0, 0	Flashing	Fast

Totally Integrated Automation Portal				
Text field_15				
Type	Text field			
General				
Text	EMERG			
Appearance				
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	0	Line style
Border style	0	Border color	255, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Layout				
X position	475	Y position	241	Width
Height	15	Pivot point of X position	0	Pivot point of Y position
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Top	Line break	Unchecked	
Flashing				
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	0, 255, 255			
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Text field_15	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Group_3				
Type	Group			
Layout				
X position	411	Y position	160	Width
Height	45			45
Miscellaneous				
Name	Group_3	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Circle_5				
Type	Circle			
Appearance				
Background color	0, 128, 0	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Border width	0	Line style	Solid	Border style
Border color	0, 0, 0	Border background color	255, 255, 255	Line-end shape
Widen border line inwards	Checked			
Layout				
X position	411	Y position	160	Width
Height	45	Radius	22	
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Circle_5	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Dynamizations\Appearance				
Tag - Cycle	AlarmOilTempHigh -	Data type	Range	Range
Foreground color	0, 0, 0	Background color	255, 0, 0	Flashing


Totally Integrated Automation Portal					
Text field_13					
Type	Text field				
General					
Text	HIGH TEMP				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	255, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	419	Y position	168	Width	30
Height	30	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_13	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Button_5					
Type	Button				
General					
Mode	Text	Engage	Unchecked	Pressed	Unchecked
Hotkey	None	Text OFF	ALARM RESET	Graphic OFF	
Graphic ON		Graphic alignment	Stretched		
Appearance					
Background color	43, 129, 86	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Design					
Design settings	Global	Windows style	Checked	3D border width	9
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state	Unchecked
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state	255, 0, 255
Layout					
X position	413	Y position	296	Width	163
Height	41	Auto-size	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 17px, style=Bold	Orientation	Horizontal	Horizontal alignment	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_5	Layer	0 - Layer_0	Visible	Checked
Tooltip text					

Totally Integrated Automation Portal		
Security		
Authorization	Allow operator con- trol	Checked
Dynamizations\Event		
Event name	Press left mouse button	
Function list\SetBit		
Tag	Alarm_Reset	
Dynamizations\Event		
Event name	Release left mouse button	
Function list\ResetBit		
Tag	Alarm_Reset	

PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / Screens

Control

Hardcopy of Control



General

Name	Control	Display name	Background color	255, 255, 255
Grid color	0, 0, 0			
Appearance				
Fill-pattern color	0, 0, 0	Fill pattern	Solid	Background graphic
Background graphic alignment	Normal	Fill style alignment	Normal	
Layout				
Width	600	Height	350	
Layers				
Active layer	0			
Layer_0	Checked		Checked	
Layer_1	Checked		Checked	
Layer_2	Checked		Checked	
Layer_3	Checked		Checked	
Layer_4	Checked		Checked	
Layer_5	Checked		Checked	
Layer_6	Checked		Checked	
Layer_7	Checked		Checked	
Layer_8	Checked		Checked	
Layer_9	Checked		Checked	
Layer_10	Checked		Checked	
Layer_11	Checked		Checked	
Layer_12	Checked		Checked	
Layer_13	Checked		Checked	
Layer_14	Checked		Checked	
Layer_15	Checked		Checked	
Layer_16	Checked		Checked	
Layer_17	Checked		Checked	
Layer_18	Checked		Checked	
Layer_19	Checked		Checked	
Layer_20	Checked		Checked	
Layer_21	Checked		Checked	
Layer_22	Checked		Checked	
Layer_23	Checked		Checked	
Layer_24	Checked		Checked	
Layer_25	Checked		Checked	
Layer_26	Checked		Checked	
Layer_27	Checked		Checked	
Layer_28	Checked		Checked	
Layer_29	Checked		Checked	
Layer_30	Checked		Checked	
Layer_31	Checked		Checked	

Security

Authorization		Operator control enabled	Checked	
---------------	--	--------------------------	---------	--

Miscellaneous

Tab sequence	Tab sequence	Screen cycle	2 s	Extended zoom	Unchecked
Display	Checked	Object types in tab sequence	AllObjects		

Hide/Show

Enable layer zoom limits	Unchecked	Enable object zoom limits	Unchecked	Minimum object size	0
Maximum object size	100000				

Designs

Use color settings	Unchecked			
--------------------	-----------	--	--	--

Totally Integrated Automation Portal				
Web access				
Web access	Unchecked	Gadget	Unchecked	WebUX access
User data type				Unchecked
Use user data type	Unchecked	User data type		
Rectangle_1				
Type	Rectangle			
Appearance				
Background color	65, 64, 129	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Border width	1	Line style	Solid	Border style
Border color	255, 255, 255	Border background color	255, 255, 255	Corner style
Line-end shape	Round	Widen border line inwards	Checked	
Layout				
X position	-2	Y position	-2	Width
Height	63	Round corner width	0	Round corner height
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Rectangle_1	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Button_1				
Type	Button			
General				
Mode	Text	Engage	Unchecked	Pressed
Hotkey	None	Text OFF	Status	Graphic OFF
Graphic ON		Graphic alignment	Stretched	
Appearance				
Background color	192, 192, 192	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	1	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Design				
Design settings	Global	Windows style	Checked	3D border width
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state
Layout				
X position	259	Y position	25	Width
Height	30	Auto-size	Unchecked	Fit object to contents
Text format				
Font	Calibri, 15px	Orientation	Horizontal	Horizontal alignment of the text
Vertical alignment of the text	Middle			
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	0, 255, 255			
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Button_1	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Dynamizations\Event				
Event name		Click		

Totally Integrated Automation Portal				
Function list\ActivateScreen				
Screen name	Status	Object number	0	
Button_2				
Type	Button			
General				
Mode	Text	Engage	Unchecked	Pressed
Hotkey	None	Text OFF	Overview	Graphic OFF
Graphic ON		Graphic alignment	Stretched	
Appearance				
Background color	204, 204, 204	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	1	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Design				
Design settings	Global	Windows style	Checked	3D border width
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state
Layout				
X position	344	Y position	25	Width
Height	30	Auto-size	Unchecked	Fit object to contents
Text format				
Font	Calibri, 15px	Orientation	Horizontal	Horizontal alignment of the text
Vertical alignment of the text	Middle			
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	0, 255, 255			
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Button_2	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Dynamizations\Event				
Event name	Click			
Function list\ActivateScreen				
Screen name	Overview	Object number	0	
Button_3				
Type	Button			
General				
Mode	Text	Engage	Unchecked	Pressed
Hotkey	None	Text OFF	Control	Graphic OFF
Graphic ON		Graphic alignment	Stretched	
Appearance				
Background color	150, 150, 150	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	1	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Design				
Design settings	Global	Windows style	Checked	3D border width
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state
Layout				
X position	429	Y position	25	Width
Height	30	Auto-size	Unchecked	Fit object to contents
Text format				
Font	Calibri, 15px	Orientation	Horizontal	Horizontal alignment of the text

Totally Integrated Automation Portal					
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_3	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Event					
Event name	Click				
Function list\ActivateScreen					
Screen name	Control	Object number	0		
Button_4					
Type	Button				
General					
Mode	Text	Engage	Unchecked	Pressed	Unchecked
Hotkey	None	Text OFF	Alarms	Graphic OFF	
Graphic ON		Graphic alignment	Stretched		
Appearance					
Background color	204, 204, 204	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Design					
Design settings	Global	Windows style	Checked	3D border width	0
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state	Unchecked
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state	255, 0, 255
Layout					
X position	514	Y position	25	Width	80
Height	30	Auto-size	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 15px	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_4	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Event					
Event name	Click				
Function list\ActivateScreen					
Screen name	Alarms	Object number	0		
Graphic view_1					
Type	Graphic view				
General					
Graphic	7ZHN_D-W				

Totally Integrated Automation Portal					
Appearance					
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Use transparent color	Unchecked	Transparent color	255, 0, 255	Border width	0
Line style	Solid	Border style	0	Border color	0, 0, 0
Border background color	255, 255, 255	Corner style	Round	Line-end shape	Round
Widen border line inwards	Checked				
Layout					
X position	7	Y position	6	Width	53
Height	51	Fit embedded graphic object to screen size	Fit graphic to object size	Fit object to contents	Unchecked
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Background flashing	Unchecked
Background flash rate	Medium	Background color flashing OFF	0, 255, 0	Background color flashing ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Graphic view_1	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Group					
Type	Group				
Layout					
X position	545	Y position	299	Width	45
Height	45				
Miscellaneous					
Name	Group	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Visibility					
Tag - Cycle	FaultMode_HMI -	Data type	Bit	Specifies the bit to monitor.	0
Visibility	Visible				
Circle_1					
Type	Circle				
Appearance					
Background color	255, 0, 0	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Border width	1	Line style	Solid	Border style	0
Border color	0, 0, 0	Border background color	255, 255, 255	Line-end shape	Round
Widen border line inwards	Checked				
Layout					
X position	545	Y position	299	Width	45
Height	45	Radius	22		
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Circle_1	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Text field_1					
Type	Text field				
General					
Text	ALARM				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	255, 0, 0	Border background color	255, 255, 255

Totally Integrated Automation Portal							
Corner style	Round	Line-end shape	Round	Widen border line in-wards	Checked		
Layout							
X position	548	Y position	314	Width	39		
Height	17	Pivot point of X position	0	Pivot point of Y position	0		
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked		
Text format							
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment	Left		
Vertical alignment	Top	Line break	Unchecked				
Flashing							
Flashing	Disabled	Border flashing ena-bled	Unchecked	Border flash rate	Medium		
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked		
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0		
Background flashing	Unchecked	Background flash rate	Medium	Background color	0, 255, 0		
Background color flashing ON	0, 255, 255						
Styles/Designs							
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0		
Miscellaneous							
Name	Text field_1	Layer	0 - Layer_0	Visible	Checked		
Tooltip text							
Security							
Authorization		Allow operator control	Checked				
Rectangle_3							
Type	Rectangle						
Appearance							
Background color	25, 27, 66	Fill pattern color	0, 255, 0	Background fill pat-tern	Solid		
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top		
Border width	1	Line style	Solid	Border style	0		
Border color	0, 0, 0	Border background color	255, 255, 255	Corner style	Round		
Line-end shape	Round	Widen border line in-wards	Checked				
Layout							
X position	0	Y position	60	Width	600		
Height	23	Round corner width	0	Round corner height	0		
Flashing							
Flashing	Disabled	Enable border flash-ing	Unchecked	Border flash rate	Medium		
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked		
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON	0, 255, 255		
Styles/Designs							
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0		
Miscellaneous							
Name	Rectangle_3	Layer	0 - Layer_0	Visible	Checked		
Tooltip text							
Security							
Authorization		Allow operator control	Checked				
Text field_3							
Type	Text field						
General							
Text	PROCESS CONFIGURATION & CON-TROL						
Appearance							
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pat-tern	Transparent		
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top		
Foreground color	255, 255, 255	Border width	1	Line style	Solid		
Border style	0	Border color	25, 27, 66	Border background color	255, 255, 255		
Corner style	Round	Line-end shape	Round	Widen border line in-wards	Checked		
Layout							
X position	6	Y position	60	Width	281		
Height	23	Pivot point of X position	0	Pivot point of Y position	0		
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked		
Text format							
Font	Calibri, 17px, style=Bold	Orientation	Horizontal	Horizontal alignment	Left		
Vertical alignment	Top	Line break	Unchecked				
Flashing							
Flashing	Disabled	Border flashing ena-bled	Unchecked	Border flash rate	Medium		
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked		
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0		
Background flashing	Unchecked	Background flash rate	Medium	Background color	0, 255, 0		
Background color flashing OFF							

Totally Integrated Automation Portal					
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_3	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Button_14					
Type	Button				
General					
Mode	Text	Engage	Unchecked	Pressed	Unchecked
Hotkey	None	Text OFF	EMERG STOP	Graphic OFF	
Graphic ON		Graphic alignment	Stretched		
Appearance					
Background color	235, 0, 0	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Design					
Design settings	Global	Windows style	Checked	3D border width	2
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state	Unchecked
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state	255, 0, 255
Layout					
X position	321	Y position	296	Width	119
Height	22	Auto-size	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 19px	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_14	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Event					
Event name		Press left mouse button			
Function list\SetBit					
Tag		Emerg_Stop			
Button_15					
Type	Button				
General					
Mode	Text	Engage	Unchecked	Pressed	Unchecked
Hotkey	None	Text OFF	EMERG RESET	Graphic OFF	
Graphic ON		Graphic alignment	Stretched		
Appearance					
Background color	235, 0, 0	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Design					
Design settings	Global	Windows style	Checked	3D border width	2
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state	Unchecked

Totally Integrated Automation Portal					
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state	255, 0, 255
Layout					
X position	321	Y position	320	Width	119
Height	22	Auto-size	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 19px	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_15	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Event					
Event name		Press left mouse button			
Function list\ResetBit					
Tag		Emerg_Stop			
Rectangle_4					
Type	Rectangle				
Appearance					
Background color	192, 192, 192	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Border width	1	Line style	Solid	Border style	0
Border color	0, 0, 0	Border background color	255, 255, 255	Corner style	Round
Line-end shape	Round	Widen border line inwards	Checked		
Layout					
X position	321	Y position	85	Width	276
Height	208	Round corner width	0	Round corner height	0
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Rectangle_4	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Text field_10					
Type	Text field				
General					
Text	Alarm Horn				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	338	Y position	165	Width	83
Height	22	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 18px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		

Totally Integrated Automation Portal					
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_10	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Text field_12					
Type	Text field				
General					
Text	Rotor Brake				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	338	Y position	191	Width	87
Height	22	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 18px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_12	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Text field_13					
Type	Text field				
General					
Text	System Interlock				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	338	Y position	215	Width	146
Height	27	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 18px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0

Totally Integrated Automation Portal					
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_13	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator con- trol	Checked		
Text field_14					
Type	Text field				
General					
Text	Oil Pump VFD				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pat- tern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line in- wards	Checked
Layout					
X position	338	Y position	236	Width	98
Height	22	Pivot point of X posi- tion	0	Pivot point of Y posi- tion	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 18px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing ena- bled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_14	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator con- trol	Checked		
Text field_15					
Type	Text field				
General					
Text	Baffle				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pat- tern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line in- wards	Checked
Layout					
X position	338	Y position	262	Width	43
Height	22	Pivot point of X posi- tion	0	Pivot point of Y posi- tion	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 18px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing ena- bled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_15	Layer	0 - Layer_0	Visible	Checked
Tooltip text					

Totally Integrated Automation Portal				
Security				
Authorization		Allow operator control	Checked	
I/O field_20				
Type	I/O field			
General				
Process value		Input value		Mode
Display format	Decimal	Field length	3	Input/output
Format pattern	999			Show leading zeros
Appearance				
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern
Foreground color	0, 0, 0	Unit		Border width
Line style	Solid	Border style	0	Border color
Border background color	255, 255, 255	Corner style	Round	Line-end shape
Characteristics				
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input
Clear on focus	Checked	Cursor control	Unchecked	Click and edit
Hidden input	Unchecked			
Layout				
X position	470	Y position	240	Width
Height	25	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Middle	Line break	Unchecked	Centered
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	255, 0, 0			0, 255, 0
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	Unchecked
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	I/O field_20	Layer	0 - Layer_0	Visible
Tooltip text		Show bad tag status	Checked	Checked
Security				
Authorization		Allow operator control	Checked	Operator input log
Request reason for operation	Unchecked			Unchecked
Dynamizations\Tag connection				
Property name	Process value	Tag	OilPumpVFD_Manual_Setpoint	
I/O field_22				
Type	I/O field			
General				
Process value		Input value		Mode
Display format	Decimal	Field length	3	Input/output
Format pattern	999			Show leading zeros
Appearance				
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern
Foreground color	0, 0, 0	Unit		Border width
Line style	Solid	Border style	0	Border color
Border background color	255, 255, 255	Corner style	Round	Line-end shape
Characteristics				
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input
Clear on focus	Checked	Cursor control	Unchecked	Click and edit
Hidden input	Unchecked			
Layout				
X position	470	Y position	266	Width
Height	25	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Middle	Line break	Unchecked	Centered
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	255, 0, 0			0, 255, 0

Totally Integrated Automation Portal				
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors <input type="checkbox"/> Unchecked
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	
Styles/Designs				
Use shadow settings	<input type="checkbox"/> Unchecked	Use style/design	<input type="checkbox"/> Unchecked	Transparency 0
Miscellaneous				
Name	I/O field_22	Layer	0 - Layer_0	Visible <input checked="" type="checkbox"/>
Tooltip text		Show bad tag status	<input checked="" type="checkbox"/> Checked	
Security				
Authorization		Allow operator control	<input checked="" type="checkbox"/> Checked	Operator input log <input type="checkbox"/> Unchecked
Request reason for operation	<input type="checkbox"/> Unchecked			
Dynamizations\Tag connection				
Property name	Process value	Tag	Baffle_Manual_Setpoint	
Button_5				
Type	Button			
General				
Mode	Text	Engage	<input type="checkbox"/> Unchecked	Pressed <input type="checkbox"/> Unchecked
Hotkey	None	Text OFF	OFF	Graphic OFF <input type="checkbox"/>
Graphic ON		Graphic alignment	Stretched	
Appearance				
Background color	150, 150, 150	Fill pattern color	0, 255, 0	Background fill pattern Solid
Show fill level	<input type="checkbox"/> Unchecked	Relative fill level	0	Fill direction Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style Solid
Border style	0	Border color	0, 0, 0	Border background color 255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards <input checked="" type="checkbox"/>
Design				
Design settings	Global	Windows style	<input checked="" type="checkbox"/> Checked	3D border width 2
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state <input type="checkbox"/> Unchecked
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	<input type="checkbox"/> Unchecked	Transparent color graphic in the "ON" state 255, 0, 255
Layout				
X position	469	Y position	163	Width 37
Height	25	Auto-size	<input type="checkbox"/> Unchecked	Fit object to contents <input type="checkbox"/> Unchecked
Text format				
Font	Tahoma, 12px	Orientation	Horizontal	Horizontal alignment of the text Centered
Vertical alignment of the text	Middle			
Flashing				
Flashing	Disabled	Enable border flashing	<input type="checkbox"/> Unchecked	Border flash rate Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing <input type="checkbox"/> Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON 255, 255, 0
Enable background flashing	<input type="checkbox"/> Unchecked	Background flash rate	Medium	Background color 0, 255, 0 flashing OFF
Background color flashing ON	0, 255, 255			
Styles/Designs				
Use shadow settings	<input type="checkbox"/> Unchecked	Use style/design	<input type="checkbox"/> Unchecked	Transparency 0
Miscellaneous				
Name	Button_5	Layer	0 - Layer_0	Visible <input checked="" type="checkbox"/>
Tooltip text				
Security				
Authorization		Allow operator control	<input checked="" type="checkbox"/> Checked	
Dynamizations\Event				
Event name		Press left mouse button		
Function list\SetBit				
Tag		AlarmHorn_OffPB		
Dynamizations\Event				
Event name		Release left mouse button		
Function list\ResetBit				
Tag		AlarmHorn_OffPB		
Button_6				
Type	Button			
General				
Mode	Text	Engage	<input type="checkbox"/> Unchecked	Pressed <input type="checkbox"/> Unchecked
Hotkey	None	Text OFF	LOC	Graphic OFF <input type="checkbox"/>
Graphic ON		Graphic alignment	Stretched	

Totally Integrated Automation Portal					
Appearance					
Background color	150, 150, 150	Fill pattern color	0, 255, 0	Background fill pat- tern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line in- wards	Checked
Design					
Design settings	Global	Windows style	Checked	3D border width	2
3D border color lit	255, 255, 255	3D color border shad- ow	128, 128, 128	Use transparent color graphic in "OFF" state	Unchecked
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state	255, 0, 255
Layout					
X position	507	Y position	163	Width	37
Height	25	Auto-size	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Tahoma, 12px	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flash- ing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_6	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator con- trol	Checked		
Dynamizations\Event					
Event name		Press left mouse button			
Function list\SetBit					
Tag		AlarmHorn_LocalPB			
Dynamizations\Event					
Event name		Release left mouse button			
Function list\ResetBit					
Tag		AlarmHorn_LocalPB			
Button_7					
Type	Button				
General					
Mode	Text	Engage	Unchecked	Pressed	Unchecked
Hotkey	None	Text OFF	REM	Graphic OFF	
Graphic ON		Graphic alignment	Stretched		
Appearance					
Background color	150, 150, 150	Fill pattern color	0, 255, 0	Background fill pat- tern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line in- wards	Checked
Design					
Design settings	Global	Windows style	Checked	3D border width	2
3D border color lit	255, 255, 255	3D color border shad- ow	128, 128, 128	Use transparent color graphic in "OFF" state	Unchecked
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state	255, 0, 255
Layout					
X position	545	Y position	163	Width	37
Height	25	Auto-size	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Tahoma, 12px	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flash- ing	Unchecked	Border flash rate	Medium

Totally Integrated Automation Portal					
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_7	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Event					
Event name		Press left mouse button			
Function list\SetBit					
Tag		AlarmHorn_RemotePB			
Dynamizations\Event					
Event name		Release left mouse button			
Function list\ResetBit					
Tag		AlarmHorn_RemotePB			
Button_8					
Type	Button				
General					
Mode	Text	Engage	Unchecked	Pressed	Unchecked
Hotkey	None	Text OFF	OFF	Graphic OFF	
Graphic ON		Graphic alignment	Stretched		
Appearance					
Background color	150, 150, 150	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Design					
Design settings	Global	Windows style	Checked	3D border width	2
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state	Unchecked
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state	255, 0, 255
Layout					
X position	469	Y position	188	Width	37
Height	25	Auto-size	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Tahoma, 12px	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_8	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Event					
Event name		Press left mouse button			
Function list\SetBit					
Tag		Brake_OffPB			
Dynamizations\Event					
Event name		Release left mouse button			

Totally Integrated Automation Portal				
Function list\ResetBit				
Tag		Brake_OffPB		
Button_9				
Type	Button			
General				
Mode	Text	Engage	Unchecked	Pressed
Hotkey	None	Text OFF	LOC	Graphic OFF
Graphic ON		Graphic alignment	Stretched	
Appearance				
Background color	150, 150, 150	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	1	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Design				
Design settings	Global	Windows style	Checked	3D border width
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state
Layout				
X position	507	Y position	188	Width
Height	25	Auto-size	Unchecked	Fit object to contents
Text format				
Font	Tahoma, 12px	Orientation	Horizontal	Horizontal alignment of the text
Vertical alignment of the text	Middle			
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	0, 255, 255			
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Button_9	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Dynamizations\Event				
Event name		Release left mouse button		
Function list\ResetBit				
Tag		Brake_LocalPB		
Dynamizations\Event				
Event name		Press left mouse button		
Function list\SetBit				
Tag		Brake_LocalPB		
Button_10				
Type	Button			
General				
Mode	Text	Engage	Unchecked	Pressed
Hotkey	None	Text OFF	REM	Graphic OFF
Graphic ON		Graphic alignment	Stretched	
Appearance				
Background color	150, 150, 150	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	1	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Design				
Design settings	Global	Windows style	Checked	3D border width
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state

Totally Integrated Automation Portal					
Layout					
X position	545	Y position	188	Width	37
Height	25	Auto-size	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Tahoma, 12px	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_10	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Event					
Event name		Press left mouse button			
Function list\SetBit					
Tag		Brake_RemotePB			
Dynamizations\Event					
Event name		Release left mouse button			
Function list\ResetBit					
Tag		Brake_RemotePB			
Button_11					
Type	Button				
General					
Mode	Text	Engage	Unchecked	Pressed	Unchecked
Hotkey	None	Text OFF	OFF	Graphic OFF	
Graphic ON		Graphic alignment	Stretched		
Appearance					
Background color	150, 150, 150	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Design					
Design settings	Global	Windows style	Checked	3D border width	2
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state	Unchecked
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state	255, 0, 255
Layout					
X position	469	Y position	213	Width	37
Height	25	Auto-size	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Tahoma, 12px	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_11	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		

Totally Integrated Automation Portal					
Dynamizations\Event					
Event name		Press left mouse button			
Function list\SetBit					
Tag		StationInterlock_OffPB			
Dynamizations\Event					
Event name		Release left mouse button			
Function list\ResetBit					
Tag		StationInterlock_OffPB			
Button_12					
Type	Button				
General					
Mode	Text	Engage	Unchecked	Pressed	Unchecked
Hotkey	None	Text OFF	LOC	Graphic OFF	
Graphic ON		Graphic alignment	Stretched		
Appearance					
Background color	150, 150, 150	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Design					
Design settings	Global	Windows style	Checked	3D border width	2
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state	Unchecked
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state	255, 0, 255
Layout					
X position	507	Y position	213	Width	37
Height	25	Auto-size	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Tahoma, 12px	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_12	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Event					
Event name		Press left mouse button			
Function list\SetBit					
Tag		StationInterlock_LocalPB			
Dynamizations\Event					
Event name		Release left mouse button			
Function list\ResetBit					
Tag		StationInterlock_LocalPB			
Button_13					
Type	Button				
General					
Mode	Text	Engage	Unchecked	Pressed	Unchecked
Hotkey	None	Text OFF	REM	Graphic OFF	
Graphic ON		Graphic alignment	Stretched		
Appearance					
Background color	150, 150, 150	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid

Totally Integrated Automation Portal					
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line in- wards	Checked
Design					
Design settings	Global	Windows style	Checked	3D border width	2
3D border color lit	255, 255, 255	3D color border shad- ow	128, 128, 128	Use transparent color graphic in "OFF" state	Unchecked
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state	255, 0, 255
Layout					
X position	545	Y position	213	Width	37
Height	25	Auto-size	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Tahoma, 12px	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flash- ing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_13	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator con- trol	Checked		
Dynamizations\Event					
Event name		Press left mouse button			
Function list\SetBit					
Tag		StationInterlock_RemotePB			
Dynamizations\Event					
Event name		Release left mouse button			
Function list\ResetBit					
Tag		StationInterlock_RemotePB			
Text field_16					
Type	Text field				
General					
Text	(Manual SP)				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pat- tern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line in- wards	Checked
Layout					
X position	338	Y position	254	Width	55
Height	13	Pivot point of X posi- tion	0	Pivot point of Y posi- tion	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 11px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing ena- bled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_16	Layer	0 - Layer_0	Visible	Checked
Tooltip text					

Totally Integrated Automation Portal				
Security				
Authorization		Allow operator control	Checked	
Text field_17				
Type	Text field			
General				
Text	(Manual SP)			
Appearance				
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	0	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Layout				
X position	338	Y position	279	Width
Height	13	Pivot point of X position	0	Pivot point of Y position
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 11px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Top	Line break	Unchecked	
Flashing				
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	0, 255, 255			0, 255, 0
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Text field_17	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Rectangle_5				
Type	Rectangle			
Appearance				
Background color	128, 128, 128	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Border width	1	Line style	Solid	Border style
Border color	0, 0, 0	Border background color	255, 255, 255	Corner style
Line-end shape	Round	Widen border line inwards	Checked	
Layout				
X position	322	Y position	85	Width
Height	28	Round corner width	0	Round corner height
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Rectangle_5	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Text field_9				
Type	Text field			
General				
Text	HOA CONTROLS			
Appearance				
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	0	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards

Totally Integrated Automation Portal					
Layout					
X position	337	Y position	88	Width	122
Height	22	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 18px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_9	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Button_16					
Type	Button				
General					
Mode	Text	Engage	Unchecked	Pressed	Unchecked
Hotkey	None	Text OFF	OFF	Graphic OFF	
Graphic ON		Graphic alignment	Stretched		
Appearance					
Background color	150, 150, 150	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Design					
Design settings	Global	Windows style	Checked	3D border width	2
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state	Unchecked
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state	255, 0, 255
Layout					
X position	469	Y position	113	Width	37
Height	25	Auto-size	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Tahoma, 12px	Orientation	Horizontal	Horizontal alignment	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_16	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Event					
Event name		Press left mouse button			
Function list\SetBit					
Tag		OilPumpVFD_OffPB			
Dynamizations\Event					
Event name		Release left mouse button			
Function list\ResetBit					
Tag		OilPumpVFD_OffPB			

Totally Integrated Automation Portal					
Button_17					
Type	Button				
General					
Mode	Text	Engage	Unchecked	Pressed	Unchecked
Hotkey	None	Text OFF	LOC	Graphic OFF	
Graphic ON		Graphic alignment	Stretched		
Appearance					
Background color	150, 150, 150	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Design					
Design settings	Global	Windows style	Checked	3D border width	2
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state	Unchecked
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state	255, 0, 255
Layout					
X position	507	Y position	113	Width	37
Height	25	Auto-size	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Tahoma, 12px	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_17	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Event					
Event name		Press left mouse button			
Function list\SetBit					
Tag		OilPumpVFD_LocalPB			
Dynamizations\Event					
Event name		Release left mouse button			
Function list\ResetBit					
Tag		OilPumpVFD_LocalPB			
Button_18					
Type	Button				
General					
Mode	Text	Engage	Unchecked	Pressed	Unchecked
Hotkey	None	Text OFF	REM	Graphic OFF	
Graphic ON		Graphic alignment	Stretched		
Appearance					
Background color	150, 150, 150	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Design					
Design settings	Global	Windows style	Checked	3D border width	2
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state	Unchecked
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state	255, 0, 255
Layout					
X position	545	Y position	113	Width	37
Height	25	Auto-size	Unchecked	Fit object to contents	Unchecked

Totally Integrated Automation Portal					
Text format					
Font	Tahoma, 12px	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_18	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Event					
Event name		Press left mouse button			
Function list\SetBit					
Tag		OilPumpVFD_RemotePB			
Dynamizations\Event					
Event name		Release left mouse button			
Function list\ResetBit					
Tag		OilPumpVFD_RemotePB			
Button_19					
Type	Button				
General					
Mode	Text	Engage	Unchecked	Pressed	Unchecked
Hotkey	None	Text OFF	OFF	Graphic OFF	
Graphic ON		Graphic alignment	Stretched		
Appearance					
Background color	150, 150, 150	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Design					
Design settings	Global	Windows style	Checked	3D border width	2
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state	Unchecked
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state	255, 0, 255
Layout					
X position	469	Y position	138	Width	37
Height	25	Auto-size	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Tahoma, 12px	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_19	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Event					
Event name		Press left mouse button			

Totally Integrated Automation Portal			
Function list\SetBit			
Tag	Baffle_OffPB		
Dynamizations\Event			
Event name	Release left mouse button		
Function list\ResetBit			
Tag	Baffle_OffPP		
Button_20			
Type	Button		
General			
Mode	Text	Engage	Unchecked
Hotkey	None	Text OFF	LOC
Graphic ON		Graphic alignment	Stretched
Appearance			
Background color	150, 150, 150	Fill pattern color	0, 255, 0
Show fill level	Unchecked	Relative fill level	0
Foreground color	0, 0, 0	Border width	1
Border style	0	Border color	0, 0, 0
Corner style	Round	Line-end shape	Round
			Widen border line in-wards
Design			
Design settings	Global	Windows style	Checked
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked
			Transparent color graphic in the "ON" state
Layout			
X position	507	Y position	138
Height	25	Auto-size	Unchecked
Text format			
Font	Tahoma, 12px	Orientation	Horizontal
Vertical alignment of the text	Middle		
Flashing			
Flashing	Disabled	Enable border flashing	Unchecked
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0
Flash rate	Medium	Flash color OFF	255, 0, 0
Enable background flashing	Unchecked	Background flash rate	Medium
Background color flashing ON	0, 255, 255		
Styles/Designs			
Use shadow settings	Unchecked	Use style/design	Unchecked
Miscellaneous			
Name	Button_20	Layer	0 - Layer_0
Tooltip text			
Security			
Authorization		Allow operator control	Checked
Dynamizations\Event			
Event name	Release left mouse button		
Function list\ResetBit			
Tag	Baffle_LocalPB		
Dynamizations\Event			
Event name	Press left mouse button		
Function list\SetBit			
Tag	Baffle_LocalPB		
Button_21			
Type	Button		
General			
Mode	Text	Engage	Unchecked
Hotkey	None	Text OFF	REM
Graphic ON		Graphic alignment	Stretched
Appearance			
Background color	150, 150, 150	Fill pattern color	0, 255, 0
Show fill level	Unchecked	Relative fill level	0
Foreground color	0, 0, 0	Border width	1
Border style	0	Border color	0, 0, 0
Corner style	Round	Line-end shape	Round
			Widen border line in-wards

Totally Integrated Automation Portal					
Design					
Design settings	Global	Windows style	Checked	3D border width	2
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state	Unchecked
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state	255, 0, 255
Layout					
X position	545	Y position	138	Width	37
Height	25	Auto-size	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Tahoma, 12px	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_21	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Event					
Event name		Press left mouse button			
Function list\SetBit					
Tag		Baffle_RemotePB			
Dynamizations\Event					
Event name		Release left mouse button			
Function list\ResetBit					
Tag		Baffle_RemotePB			
Text field_22					
Type	Text field				
General					
Text	Oil Pump VFD				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	338	Y position	115	Width	98
Height	22	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 18px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_22	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		

Totally Integrated Automation Portal				
Text field_23				
Type	Text field			
General				
Text	Baffle			
Appearance				
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	0	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Layout				
X position	338	Y position	140	Width
Height	22	Pivot point of X position	0	Pivot point of Y position
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 18px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Top	Line break	Unchecked	
Flashing				
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	0, 255, 255			0, 255, 0
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Text field_23	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Rectangle_2				
Type	Rectangle			
Appearance				
Background color	192, 192, 192	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Border width	1	Line style	Solid	Border style
Border color	0, 0, 0	Border background color	255, 255, 255	Corner style
Line-end shape	Round	Widen border line inwards	Checked	
Layout				
X position	4	Y position	85	Width
Height	151	Round corner width	0	Round corner height
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Rectangle_2	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Text field_4				
Type	Text field			
General				
Text	Low Oil Flow SP / Delay			
Appearance				
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	0	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Layout				
X position	14	Y position	114	Width
Height	19	Pivot point of X position	0	Pivot point of Y position

Totally Integrated Automation Portal					
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_4	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Text field_5					
Type	Text field				
General					
Text	High Oil Flow SP / Delay				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	14	Y position	134	Width	157
Height	19	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_5	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Text field_6					
Type	Text field				
General					
Text	High Oil Temp SP / Delay				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	14	Y position	154	Width	179
Height	19	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium

Totally Integrated Automation Portal					
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_6	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Text field_7					
Type	Text field				
General					
Text	Over Current SP / Delay				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	14	Y position	173	Width	153
Height	19	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_7	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Text field_8					
Type	Text field				
General					
Text	Rotor Overspeed SP / Delay				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	14	Y position	193	Width	179
Height	19	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				

Totally Integrated Automation Portal				
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				0
Name	Text field_8	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Text field_11				
Type	Text field			
General				
Text	Brake Failure Delay			
Appearance				
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	0	Solid
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Layout				
X position	14	Y position	214	Width
Height	19	Pivot point of X position	0	Pivot point of Y position
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Top	Line break	Unchecked	Left
Flashing				
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	0, 255, 255			0, 255, 0
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				0
Name	Text field_11	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
I/O field_1				
Type	I/O field			
General				
Process value		Input value		Mode
Display format	Decimal	Field length	3	Input/output
Format pattern	s999			Show leading zeros
Miscellaneous				Unchecked
Appearance				
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern
Foreground color	0, 0, 0	Unit		Border width
Line style	Solid	Border style	0	Border color
Border background color	255, 255, 255	Corner style	Round	Line-end shape
Characteristics				
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input
Clear on focus	Checked	Cursor control	Unchecked	Click and edit
Hidden input	Unchecked			Unchecked
Layout				
X position	225	Y position	114	Width
Height	17	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Middle	Line break	Unchecked	Centered
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	255, 0, 0			0, 255, 0
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	Unchecked

Totally Integrated Automation Portal					
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	I/O field_1	Layer	0 - Layer_0	Visible	Checked
Tooltip text		Show bad tag status	Checked		
Security					
Authorization		Allow operator control	Checked	Operator input log	Unchecked
Request reason for operation	Unchecked				
Dynamizations\Tag connection					
Property name	Process value	Tag	OilFlowLow_Setpoint		
I/O field_2					
Type	I/O field				
General					
Process value		Input value		Mode	Input/output
Display format	Decimal	Field length	2	Show leading zeros	Unchecked
Format pattern	99				
Appearance					
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Foreground color	0, 0, 0	Unit		Border width	1
Line style	Solid	Border style	0	Border color	0, 0, 0
Border background color	255, 255, 255	Corner style	Round	Line-end shape	Round
Characteristics					
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input	Unchecked
Clear on focus	Checked	Cursor control	Unchecked	Click and edit	Unchecked
Hidden input	Unchecked				
Layout					
X position	274	Y position	114	Width	39
Height	17	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment	Centered
Vertical alignment	Middle	Line break	Unchecked		
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	0, 255, 255
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	255, 0, 0				
Limits					
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors	Unchecked
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308		
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	I/O field_2	Layer	0 - Layer_0	Visible	Checked
Tooltip text		Show bad tag status	Checked		
Security					
Authorization		Allow operator control	Checked	Operator input log	Unchecked
Request reason for operation	Unchecked				
Dynamizations\Tag connection					
Property name	Process value	Tag	OilFlowLow_Delay		
I/O field_3					
Type	I/O field				
General					
Process value		Input value		Mode	Input/output
Display format	Decimal	Field length	3	Show leading zeros	Unchecked
Format pattern	s999				
Appearance					
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Foreground color	0, 0, 0	Unit		Border width	1
Line style	Solid	Border style	0	Border color	0, 0, 0
Border background color	255, 255, 255	Corner style	Round	Line-end shape	Round
Characteristics					
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input	Unchecked
Clear on focus	Checked	Cursor control	Unchecked	Click and edit	Unchecked
Hidden input	Unchecked				
Layout					
X position	225	Y position	134	Width	46
Height	17	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment	Centered
Vertical alignment	Middle	Line break	Unchecked		

Totally Integrated Automation Portal					
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	0, 255, 255
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	255, 0, 0				
Limits					
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors	Unchecked
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308		
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	I/O field_3	Layer	0 - Layer_0	Visible	Checked
Tooltip text		Show bad tag status	Checked		
Security					
Authorization		Allow operator control	Checked	Operator input log	Unchecked
Request reason for operation	Unchecked				
Dynamizations\Tag connection					
Property name	Process value	Tag	OilFlowHigh_Setpoint		
I/O field_4					
Type	I/O field				
General					
Process value		Input value		Mode	Input/output
Display format	Decimal	Field length	2	Show leading zeros	Unchecked
Format pattern	99				
Appearance					
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Foreground color	0, 0, 0	Unit		Border width	1
Line style	Solid	Border style	0	Border color	0, 0, 0
Border background color	255, 255, 255	Corner style	Round	Line-end shape	Round
Characteristics					
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input	Unchecked
Clear on focus	Checked	Cursor control	Unchecked	Click and edit	Unchecked
Hidden input	Unchecked				
Layout					
X position	274	Y position	134	Width	39
Height	17	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment	Centered
Vertical alignment	Middle	Line break	Unchecked		
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	0, 255, 255
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	255, 0, 0				
Limits					
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors	Unchecked
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308		
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	I/O field_4	Layer	0 - Layer_0	Visible	Checked
Tooltip text		Show bad tag status	Checked		
Security					
Authorization		Allow operator control	Checked	Operator input log	Unchecked
Request reason for operation	Unchecked				
Dynamizations\Tag connection					
Property name	Process value	Tag	OilFlowHigh_Delay		
I/O field_5					
Type	I/O field				
General					
Process value		Input value		Mode	Input/output
Display format	Decimal	Field length	3	Show leading zeros	Unchecked
Format pattern	s999				
Appearance					
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Foreground color	0, 0, 0	Unit		Border width	1

Totally Integrated Automation Portal					
Line style	Solid	Border style	0	Border color	0, 0, 0
Border background color	255, 255, 255	Corner style	Round	Line-end shape	Round
Characteristics					
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input	Unchecked
Clear on focus	Checked	Cursor control	Unchecked	Click and edit	Unchecked
Hidden input	Unchecked				
Layout					
X position	225	Y position	154	Width	46
Height	17	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment	Centered
Vertical alignment	Middle	Line break	Unchecked		
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	0, 255, 255
Enable background flashing	Unchecked	Background flash rate	Medium	Background color	0, 255, 0
Background color flashing ON	255, 0, 0			Background color flashing OFF	
Limits					
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors	Unchecked
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308		
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	I/O field_5	Layer	0 - Layer_0	Visible	Checked
Tooltip text		Show bad tag status	Checked		
Security					
Authorization		Allow operator control	Checked	Operator input log	Unchecked
Request reason for operation	Unchecked				
Dynamizations\Tag connection					
Property name	Process value	Tag	OilTempHigh_Setpoint		
I/O field_6					
Type	I/O field				
General					
Process value		Input value		Mode	Input/output
Display format	Decimal	Field length	2	Show leading zeros	Unchecked
Format pattern	99				
Appearance					
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Foreground color	0, 0, 0	Unit		Border width	1
Line style	Solid	Border style	0	Border color	0, 0, 0
Border background color	255, 255, 255	Corner style	Round	Line-end shape	Round
Characteristics					
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input	Unchecked
Clear on focus	Checked	Cursor control	Unchecked	Click and edit	Unchecked
Hidden input	Unchecked				
Layout					
X position	274	Y position	154	Width	39
Height	17	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment	Centered
Vertical alignment	Middle	Line break	Unchecked		
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	0, 255, 255
Enable background flashing	Unchecked	Background flash rate	Medium	Background color	0, 255, 0
Background color flashing ON	255, 0, 0			Background color flashing OFF	
Limits					
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors	Unchecked
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308		
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	I/O field_6	Layer	0 - Layer_0	Visible	Checked
Tooltip text		Show bad tag status	Checked		
Security					
Authorization		Allow operator control	Checked	Operator input log	Unchecked
Request reason for operation	Unchecked				

Totally Integrated Automation Portal				
Dynamizations\Tag connection				
Property name	Process value	Tag	OilTempHigh_Delay	
I/O field_7				
Type	I/O field			
General				
Process value		Input value		Mode
Display format	Decimal	Field length	3	Input/output
Format pattern	s999			Show leading zeros
Appearance				
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern
Foreground color	0, 0, 0	Unit		Border width
Line style	Solid	Border style	0	Border color
Border background color	255, 255, 255	Corner style	Round	Line-end shape
Characteristics				
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input
Clear on focus	Checked	Cursor control	Unchecked	Click and edit
Hidden input	Unchecked			
Layout				
X position	225	Y position	175	Width
Height	17	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Middle	Line break	Unchecked	Centered
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	255, 0, 0			0, 255, 255
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	Unchecked
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	I/O field_7	Layer	0 - Layer_0	Visible
Tooltip text		Show bad tag status	Checked	Checked
Security				
Authorization		Allow operator control	Checked	Operator input log
Request reason for operation	Unchecked			Unchecked
Dynamizations\Tag connection				
Property name	Process value	Tag	OverCur_Setpoint	
I/O field_8				
Type	I/O field			
General				
Process value		Input value		Mode
Display format	Decimal	Field length	2	Input/output
Format pattern	99			Show leading zeros
Appearance				
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern
Foreground color	0, 0, 0	Unit		Border width
Line style	Solid	Border style	0	Border color
Border background color	255, 255, 255	Corner style	Round	Line-end shape
Characteristics				
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input
Clear on focus	Checked	Cursor control	Unchecked	Click and edit
Hidden input	Unchecked			
Layout				
X position	274	Y position	175	Width
Height	17	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Middle	Line break	Unchecked	Centered
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	255, 0, 0			0, 255, 255

Totally Integrated Automation Portal				
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors <input type="checkbox"/> Unchecked
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	
Styles/Designs				
Use shadow settings	<input type="checkbox"/> Unchecked	Use style/design	<input type="checkbox"/> Unchecked	Transparency 0
Miscellaneous				
Name	I/O field_8	Layer	0 - Layer_0	Visible <input checked="" type="checkbox"/>
Tooltip text		Show bad tag status	<input checked="" type="checkbox"/> Checked	
Security				
Authorization		Allow operator control	<input checked="" type="checkbox"/> Checked	Operator input log <input type="checkbox"/> Unchecked
Request reason for operation	<input type="checkbox"/> Unchecked			
Dynamizations\Tag connection				
Property name	Process value	Tag	OverCur_Delay	
I/O field_9				
Type	I/O field			
General				
Process value		Input value		Mode Input/output
Display format	Decimal	Field length	3	Show leading zeros <input type="checkbox"/> Unchecked
Format pattern	s999			
Appearance				
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern Solid
Foreground color	0, 0, 0	Unit		Border width 1
Line style	Solid	Border style	0	Border color 0, 0, 0
Border background color	255, 255, 255	Corner style	Round	Line-end shape Round
Characteristics				
Accept on full input	<input type="checkbox"/> Unchecked	Apply on exit	<input type="checkbox"/> Unchecked	Clear on invalid input <input type="checkbox"/> Unchecked
Clear on focus	<input checked="" type="checkbox"/> Checked	Cursor control	<input type="checkbox"/> Unchecked	Click and edit <input type="checkbox"/> Unchecked
Hidden input	<input type="checkbox"/> Unchecked			
Layout				
X position	225	Y position	194	Width 46
Height	17	Adapt border	<input type="checkbox"/> Unchecked	Fit object to contents <input type="checkbox"/> Unchecked
Text format				
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment Centered
Vertical alignment	Middle	Line break	<input type="checkbox"/> Unchecked	
Flashing				
Flashing	Disabled	Enable border flashing	<input type="checkbox"/> Unchecked	Border flash rate Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing <input type="checkbox"/> Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON 0, 255, 255
Enable background flashing	<input type="checkbox"/> Unchecked	Background flash rate	Medium	Background color 0, 255, 0 flashing OFF
Background color flashing ON	255, 0, 0			
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors <input type="checkbox"/> Unchecked
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	
Styles/Designs				
Use shadow settings	<input type="checkbox"/> Unchecked	Use style/design	<input type="checkbox"/> Unchecked	Transparency 0
Miscellaneous				
Name	I/O field_9	Layer	0 - Layer_0	Visible <input checked="" type="checkbox"/>
Tooltip text		Show bad tag status	<input checked="" type="checkbox"/> Checked	
Security				
Authorization		Allow operator control	<input checked="" type="checkbox"/> Checked	Operator input log <input type="checkbox"/> Unchecked
Request reason for operation	<input type="checkbox"/> Unchecked			
Dynamizations\Tag connection				
Property name	Process value	Tag	RotorOverSpeed_Setpoint	
I/O field_10				
Type	I/O field			
General				
Process value		Input value		Mode Input/output
Display format	Decimal	Field length	2	Show leading zeros <input type="checkbox"/> Unchecked
Format pattern	99			
Appearance				
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern Solid
Foreground color	0, 0, 0	Unit		Border width 1
Line style	Solid	Border style	0	Border color 0, 0, 0
Border background color	255, 255, 255	Corner style	Round	Line-end shape Round
Characteristics				
Accept on full input	<input type="checkbox"/> Unchecked	Apply on exit	<input type="checkbox"/> Unchecked	Clear on invalid input <input type="checkbox"/> Unchecked
Clear on focus	<input checked="" type="checkbox"/> Checked	Cursor control	<input type="checkbox"/> Unchecked	Click and edit <input type="checkbox"/> Unchecked
Hidden input	<input type="checkbox"/> Unchecked			
Layout				
X position	274	Y position	194	Width 39
Height	17	Adapt border	<input type="checkbox"/> Unchecked	Fit object to contents <input type="checkbox"/> Unchecked

Totally Integrated Automation Portal				
Text format				
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Middle	Line break	Unchecked	Centered
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	255, 0, 0			
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	Unchecked
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	I/O field_10	Layer	0 - Layer_0	Visible
Tooltip text		Show bad tag status	Checked	
Security				
Authorization		Allow operator control	Checked	Operator input log
Request reason for operation	Unchecked			
Dynamizations\Tag connection				
Property name	Process value	Tag	RotorOverSpeed_Delay	
I/O field_12				
Type	I/O field			
General				
Process value		Input value		Mode
Display format	Decimal	Field length	2	Input/output
Format pattern	99			Show leading zeros
Appearance				
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern
Foreground color	0, 0, 0	Unit		Border width
Line style	Solid	Border style	0	Border color
Border background color	255, 255, 255	Corner style	Round	Line-end shape
Characteristics				
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input
Clear on focus	Checked	Cursor control	Unchecked	Click and edit
Hidden input	Unchecked			
Layout				
X position	225	Y position	215	Width
Height	17	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Middle	Line break	Unchecked	Centered
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	255, 0, 0			
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	Unchecked
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	I/O field_12	Layer	0 - Layer_0	Visible
Tooltip text		Show bad tag status	Checked	
Security				
Authorization		Allow operator control	Checked	Operator input log
Request reason for operation	Unchecked			
Dynamizations\Tag connection				
Property name	Process value	Tag	BrakeFailure_Delay	
Rectangle_6				
Type	Rectangle			
Appearance				
Background color	128, 128, 128	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Border style
Border width	1	Line style	Solid	Bottom to top

Totally Integrated Automation Portal					
Border color	0, 0, 0	Border background color	255, 255, 255	Corner style	Round
Line-end shape	Round	Widen border line inwards	Checked		
Layout					
X position	3	Y position	85	Width	314
Height	24	Round corner width	0	Round corner height	0
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Rectangle_6	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Text field_2					
Type	Text field				
General					
Text	ALARM VALUES				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	14	Y position	86	Width	113
Height	22	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 18px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color	0, 255, 0
Background color flashing ON	0, 255, 255			flashing OFF	
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_2	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Rectangle_7					
Type	Rectangle				
Appearance					
Background color	192, 192, 192	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Border width	1	Line style	Solid	Border style	0
Border color	0, 0, 0	Border background color	255, 255, 255	Corner style	Round
Line-end shape	Round	Widen border line inwards	Checked		
Layout					
X position	4	Y position	239	Width	314
Height	108	Round corner width	0	Round corner height	0
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Rectangle_7	Layer	0 - Layer_0	Visible	Checked
Tooltip text					

Totally Integrated Automation Portal				
Security				
Authorization		Allow operator control	Checked	
Text field_19				
Type	Text field			
General				
Text	Warmup Oil Temp SP / Delay			
Appearance				
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	0	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Layout				
X position	16	Y position	265	Width
Height	19	Pivot point of X position	0	Pivot point of Y position
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Top	Line break	Unchecked	
Flashing				
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	0, 255, 255			
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Text field_19	Layer	0 - Layer_0	Visible
Tooltip text				
Security				
Authorization		Allow operator control	Checked	
Text field_20				
Type	Text field			
General				
Text	Cooldown Oil Temp SP / Delay			
Appearance				
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	0	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Layout				
X position	16	Y position	304	Width
Height	19	Pivot point of X position	0	Pivot point of Y position
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Top	Line break	Unchecked	
Flashing				
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	0, 255, 255			
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Text field_20	Layer	0 - Layer_0	Visible
Tooltip text				
Security				
Authorization		Allow operator control	Checked	
Text field_21				
Type	Text field			

Totally Integrated Automation Portal					
General					
Text Stabilize Current SP / Delay					
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	16	Y position	285	Width	179
Height	19	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_21	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Text field_24					
Type	Text field				
General					
Text	Pump VFD SP Warm / Cool				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	16	Y position	324	Width	225
Height	19	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_24	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
I/O field_11					
Type	I/O field				
General					
Process value		Input value		Mode	Input/output
Display format	Decimal	Field length	3	Show leading zeros	Unchecked
Format pattern	s999				
Appearance					
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern	Solid

Totally Integrated Automation Portal					
Foreground color	0, 0, 0	Unit		Border width	1
Line style	Solid	Border style	0	Border color	0, 0, 0
Border background color	255, 255, 255	Corner style	Round	Line-end shape	Round
Characteristics					
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input	Unchecked
Clear on focus	Checked	Cursor control	Unchecked	Click and edit	Unchecked
Hidden input	Unchecked				
Layout					
X position	224	Y position	265	Width	46
Height	17	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment	Centered
Vertical alignment	Middle	Line break	Unchecked		
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	0, 255, 255
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	255, 0, 0				
Limits					
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors	Unchecked
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308		
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	I/O field_11	Layer	0 - Layer_0	Visible	Checked
Tooltip text		Show bad tag status	Checked		
Security					
Authorization		Allow operator control	Checked	Operator input log	Unchecked
Request reason for operation	Unchecked				
Dynamizations\Tag connection					
Property name	Process value	Tag	OilTempWarmup_Setpoint		
I/O field_13					
Type	I/O field				
General					
Process value		Input value		Mode	Input/output
Display format	Decimal	Field length	2	Show leading zeros	Unchecked
Format pattern	99				
Appearance					
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Foreground color	0, 0, 0	Unit		Border width	1
Line style	Solid	Border style	0	Border color	0, 0, 0
Border background color	255, 255, 255	Corner style	Round	Line-end shape	Round
Characteristics					
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input	Unchecked
Clear on focus	Checked	Cursor control	Unchecked	Click and edit	Unchecked
Hidden input	Unchecked				
Layout					
X position	273	Y position	265	Width	39
Height	17	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment	Centered
Vertical alignment	Middle	Line break	Unchecked		
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	0, 255, 255
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	255, 0, 0				
Limits					
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors	Unchecked
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308		
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	I/O field_13	Layer	0 - Layer_0	Visible	Checked
Tooltip text		Show bad tag status	Checked		
Security					
Authorization		Allow operator control	Checked	Operator input log	Unchecked
Request reason for operation	Unchecked				

Totally Integrated Automation Portal				
Dynamizations\Tag connection				
Property name	Process value	Tag	OilTempWarmup_Delay	
I/O field_14				
Type	I/O field			
General				
Process value		Input value		Mode
Display format	Decimal	Field length	3	Input/output
Format pattern	s999			Show leading zeros
Appearance				
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern
Foreground color	0, 0, 0	Unit		Border width
Line style	Solid	Border style	0	Border color
Border background color	255, 255, 255	Corner style	Round	Line-end shape
Characteristics				
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input
Clear on focus	Checked	Cursor control	Unchecked	Click and edit
Hidden input	Unchecked			
Layout				
X position	224	Y position	285	Width
Height	17	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Middle	Line break	Unchecked	Centered
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	255, 0, 0			0, 255, 255
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	Unchecked
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	I/O field_14	Layer	0 - Layer_0	Visible
Tooltip text		Show bad tag status	Checked	Checked
Security				
Authorization		Allow operator control	Checked	Operator input log
Request reason for operation	Unchecked			Unchecked
Dynamizations\Tag connection				
Property name	Process value	Tag	CurrentStable_Setpoint	
I/O field_15				
Type	I/O field			
General				
Process value		Input value		Mode
Display format	Decimal	Field length	2	Input/output
Format pattern	99			Show leading zeros
Appearance				
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern
Foreground color	0, 0, 0	Unit		Border width
Line style	Solid	Border style	0	Border color
Border background color	255, 255, 255	Corner style	Round	Line-end shape
Characteristics				
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input
Clear on focus	Checked	Cursor control	Unchecked	Click and edit
Hidden input	Unchecked			
Layout				
X position	273	Y position	285	Width
Height	17	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Middle	Line break	Unchecked	Centered
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	255, 0, 0			0, 255, 255

Totally Integrated Automation Portal				
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors <input type="checkbox"/> Unchecked
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	
Styles/Designs				
Use shadow settings	<input type="checkbox"/> Unchecked	Use style/design	<input type="checkbox"/> Unchecked	Transparency 0
Miscellaneous				
Name	I/O field_15	Layer	0 - Layer_0	Visible <input checked="" type="checkbox"/>
Tooltip text		Show bad tag status	<input checked="" type="checkbox"/> Checked	
Security				
Authorization		Allow operator control	<input checked="" type="checkbox"/> Checked	Operator input log <input type="checkbox"/> Unchecked
Request reason for operation	<input type="checkbox"/> Unchecked			
Dynamizations\Tag connection				
Property name	Process value	Tag	StablePower_Delay	
I/O field_16				
Type	I/O field			
General				
Process value		Input value		Mode Input/output
Display format	Decimal	Field length	3	Show leading zeros <input type="checkbox"/> Unchecked
Format pattern	s999			
Appearance				
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern Solid
Foreground color	0, 0, 0	Unit		Border width 1
Line style	Solid	Border style	0	Border color 0, 0, 0
Border background color	255, 255, 255	Corner style	Round	Line-end shape Round
Characteristics				
Accept on full input	<input type="checkbox"/> Unchecked	Apply on exit	<input type="checkbox"/> Unchecked	Clear on invalid input <input type="checkbox"/> Unchecked
Clear on focus	<input checked="" type="checkbox"/> Checked	Cursor control	<input type="checkbox"/> Unchecked	Click and edit <input type="checkbox"/> Unchecked
Hidden input	<input type="checkbox"/> Unchecked			
Layout				
X position	224	Y position	305	Width 46
Height	17	Adapt border	<input type="checkbox"/> Unchecked	Fit object to contents <input type="checkbox"/> Unchecked
Text format				
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment Centered
Vertical alignment	Middle	Line break	<input type="checkbox"/> Unchecked	
Flashing				
Flashing	Disabled	Enable border flashing	<input type="checkbox"/> Unchecked	Border flash rate Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing <input type="checkbox"/> Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON 0, 255, 255
Enable background flashing	<input type="checkbox"/> Unchecked	Background flash rate	Medium	Background color 0, 255, 0 flashing OFF
Background color flashing ON	255, 0, 0			
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors <input type="checkbox"/> Unchecked
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	
Styles/Designs				
Use shadow settings	<input type="checkbox"/> Unchecked	Use style/design	<input type="checkbox"/> Unchecked	Transparency 0
Miscellaneous				
Name	I/O field_16	Layer	0 - Layer_0	Visible <input checked="" type="checkbox"/>
Tooltip text		Show bad tag status	<input checked="" type="checkbox"/> Checked	
Security				
Authorization		Allow operator control	<input checked="" type="checkbox"/> Checked	Operator input log <input type="checkbox"/> Unchecked
Request reason for operation	<input type="checkbox"/> Unchecked			
Dynamizations\Tag connection				
Property name	Process value	Tag	OilTempCooldown_Setpoint	
I/O field_17				
Type	I/O field			
General				
Process value		Input value		Mode Input/output
Display format	Decimal	Field length	2	Show leading zeros <input type="checkbox"/> Unchecked
Format pattern	99			
Appearance				
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern Solid
Foreground color	0, 0, 0	Unit		Border width 1
Line style	Solid	Border style	0	Border color 0, 0, 0
Border background color	255, 255, 255	Corner style	Round	Line-end shape Round
Characteristics				
Accept on full input	<input type="checkbox"/> Unchecked	Apply on exit	<input type="checkbox"/> Unchecked	Clear on invalid input <input type="checkbox"/> Unchecked
Clear on focus	<input checked="" type="checkbox"/> Checked	Cursor control	<input type="checkbox"/> Unchecked	Click and edit <input type="checkbox"/> Unchecked
Hidden input	<input type="checkbox"/> Unchecked			
Layout				
X position	273	Y position	305	Width 39
Height	17	Adapt border	<input type="checkbox"/> Unchecked	Fit object to contents <input type="checkbox"/> Unchecked

Totally Integrated Automation Portal				
Text format				
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Middle	Line break	Unchecked	Centered
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	255, 0, 0			
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	Unchecked
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	I/O field_17	Layer	0 - Layer_0	Visible
Tooltip text		Show bad tag status	Checked	
Security				
Authorization		Allow operator control	Checked	Operator input log
Request reason for operation	Unchecked			
Dynamizations\Tag connection				
Property name	Process value	Tag	OilTempCooldown_Delay	
I/O field_18				
Type	I/O field			
General				
Process value		Input value		Mode
Display format	Decimal	Field length	3	Input/output
Format pattern	s999			Show leading zeros
Appearance				
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern
Foreground color	0, 0, 0	Unit		Border width
Line style	Solid	Border style	0	Border color
Border background color	255, 255, 255	Corner style	Round	Line-end shape
Characteristics				
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input
Clear on focus	Checked	Cursor control	Unchecked	Click and edit
Hidden input	Unchecked			
Layout				
X position	224	Y position	326	Width
Height	17	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Middle	Line break	Unchecked	Centered
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	255, 0, 0			
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	Unchecked
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	I/O field_18	Layer	0 - Layer_0	Visible
Tooltip text		Show bad tag status	Checked	
Security				
Authorization		Allow operator control	Checked	Operator input log
Request reason for operation	Unchecked			
Dynamizations\Tag connection				
Property name	Process value	Tag	OilPumpVFDWarmup_Setpoint	
I/O field_19				
Type	I/O field			
General				
Process value		Input value		Mode
Display format	Decimal	Field length	2	Input/output
Format pattern	99			Show leading zeros

Totally Integrated Automation Portal					
Appearance					
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Foreground color	0, 0, 0	Unit		Border width	1
Line style	Solid	Border style	0	Border color	0, 0, 0
Border background color	255, 255, 255	Corner style	Round	Line-end shape	Round
Characteristics					
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input	Unchecked
Clear on focus	Checked	Cursor control	Unchecked	Click and edit	Unchecked
Hidden input	Unchecked				
Layout					
X position	273	Y position	326	Width	39
Height	17	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment	Centered
Vertical alignment	Middle	Line break	Unchecked		
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	0, 255, 255
Enable background flashing	Unchecked	Background flash rate	Medium	Background color	0, 255, 0
Background color flashing ON	255, 0, 0			Background color flashing OFF	
Limits					
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors	Unchecked
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308		
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	I/O field_19	Layer	0 - Layer_0	Visible	Checked
Tooltip text		Show bad tag status	Checked		
Security					
Authorization		Allow operator control	Checked	Operator input log	Unchecked
Request reason for operation	Unchecked				
Dynamizations\Tag connection					
Property name	Process value	Tag	OilPumpVFDCooldown_Setpoint		
Rectangle_8					
Type	Rectangle				
Appearance					
Background color	128, 128, 128	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Border width	1	Line style	Solid	Border style	0
Border color	0, 0, 0	Border background color	255, 255, 255	Corner style	Round
Line-end shape	Round	Widen border line inwards	Checked		
Layout					
X position	5	Y position	239	Width	312
Height	24	Round corner width	0	Round corner height	0
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Rectangle_8	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Text field_18					
Type	Text field				
General					
Text	PROCESS VALUES				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked

Totally Integrated Automation Portal					
Layout					
X position	15	Y position	240	Width	126
Height	22	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 18px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_18	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Rectangle_9					
Type	Rectangle				
Appearance					
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Border width	0	Line style	Solid	Border style	0
Border color	0, 0, 0	Border background color	255, 255, 255	Corner style	Round
Line-end shape	Round	Widen border line inwards	Checked		
Layout					
X position	333	Y position	167	Width	93
Height	19	Round corner width	0	Round corner height	0
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Rectangle_9	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Appearance					
Tag - Cycle	AlarmHorn_HOA_HMI -	Data type	Range	Range	0..0
Foreground color	0, 0, 0	Background color	255, 102, 0	Flashing	No
Range	1..1	Foreground color	0, 0, 0	Background color	255, 204, 0
Flashing	No	Range	2..2	Foreground color	0, 0, 0
Background color	0, 128, 0	Flashing	No		
Rectangle_10					
Type	Rectangle				
Appearance					
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Border width	0	Line style	Solid	Border style	0
Border color	0, 0, 0	Border background color	255, 255, 255	Corner style	Round
Line-end shape	Round	Widen border line inwards	Checked		
Layout					
X position	334	Y position	193	Width	93
Height	19	Round corner width	0	Round corner height	0
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Rectangle_10	Layer	0 - Layer_0	Visible	Checked
Tooltip text					


Totally Integrated Automation Portal				
Security				
Authorization		Allow operator control	Checked	
Dynamizations\Appearance				
Tag - Cycle	Brake_HOA_HMI -	Data type	Range	Range 0..0.0
Foreground color	0, 0, 0	Background color	255, 102, 0	Flashing No
Range	1..1	Foreground color	0, 0, 0	Background color 255, 204, 0
Flashing	No	Range	2..2	Foreground color 0, 0, 0
Background color	0, 128, 0	Flashing	No	
Rectangle_11				
Type	Rectangle			
Appearance				
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction Bottom to top
Border width	0	Line style	Solid	Border style 0
Border color	0, 0, 0	Border background color	255, 255, 255	Corner style Round
Line-end shape	Round	Widen border line inwards	Checked	
Layout				
X position	333	Y position	118	Width 106
Height	19	Round corner width	0	Round corner height 0
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing Unchecked
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON 0, 255, 255
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency 0
Miscellaneous				
Name	Rectangle_11	Layer	0 - Layer_0	Visible Checked
Tooltip text				
Security				
Authorization		Allow operator control	Checked	
Dynamizations\Appearance				
Tag - Cycle	OilPumpVFD_HOA_HMI -	Data type	Range	Range 0..0.0
Foreground color	0, 0, 0	Background color	255, 102, 0	Flashing No
Range	1..1	Foreground color	0, 0, 0	Background color 255, 204, 0
Flashing	No	Range	2..2	Foreground color 0, 0, 0
Background color	0, 128, 0	Flashing	No	
Rectangle_12				
Type	Rectangle			
Appearance				
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction Bottom to top
Border width	0	Line style	Solid	Border style 0
Border color	0, 0, 0	Border background color	255, 255, 255	Corner style Round
Line-end shape	Round	Widen border line inwards	Checked	
Layout				
X position	333	Y position	142	Width 52
Height	19	Round corner width	0	Round corner height 0
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing Unchecked
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON 0, 255, 255
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency 0
Miscellaneous				
Name	Rectangle_12	Layer	0 - Layer_0	Visible Checked
Tooltip text				
Security				
Authorization		Allow operator control	Checked	
Dynamizations\Appearance				
Tag - Cycle	Baffle_HOA_HMI -	Data type	Range	Range 0..0.0
Foreground color	0, 0, 0	Background color	255, 102, 0	Flashing No
Range	1..1	Foreground color	0, 0, 0	Background color 255, 204, 0
Flashing	No	Range	2..2	Foreground color 0, 0, 0
Background color	0, 128, 0	Flashing	No	
Rectangle_13				
Type	Rectangle			
Appearance				
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction Bottom to top

Totally Integrated Automation Portal					
Border width	0	Line style	Solid	Border style	0
Border color	0, 0, 0	Border background color	255, 255, 255	Corner style	Round
Line-end shape	Round	Widen border line in- wards	Checked		
Layout					
X position	334	Y position	218	Width	127
Height	19	Round corner width	0	Round corner height	0
Flashing					
Flashing	Disabled	Enable border flash- ing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Rectangle_13	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator con- trol	Checked		
Dynamizations\Appearance					
Tag - Cycle	StationInterlock_HOA_HMI -	Data type	Range	Range	0..0
Foreground color	0, 0, 0	Background color	255, 102, 0	Flashing	No
Range	1..1	Foreground color	0, 0, 0	Background color	255, 204, 0
Flashing	No	Range	2..2	Foreground color	0, 0, 0
Background color	0, 128, 0	Flashing	No		

PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / Screens

Overview

Hardcopy of Overview



General

Name	Overview	Display name	Background color	255, 255, 255
Grid color	0, 0, 0			

Appearance

Fill-pattern color	0, 0, 0	Fill pattern	Solid	Background graphic
Background graphic alignment	Normal	Fill style alignment	Normal	

Layout

Width	600	Height	350
-------	-----	--------	-----

Layers

Active layer	0
--------------	---

Layer_0	Checked	Checked
Layer_1	Checked	Checked
Layer_2	Checked	Checked
Layer_3	Checked	Checked
Layer_4	Checked	Checked
Layer_5	Checked	Checked
Layer_6	Checked	Checked
Layer_7	Checked	Checked
Layer_8	Checked	Checked
Layer_9	Checked	Checked
Layer_10	Checked	Checked
Layer_11	Checked	Checked
Layer_12	Checked	Checked
Layer_13	Checked	Checked
Layer_14	Checked	Checked
Layer_15	Checked	Checked
Layer_16	Checked	Checked
Layer_17	Checked	Checked
Layer_18	Checked	Checked
Layer_19	Checked	Checked
Layer_20	Checked	Checked
Layer_21	Checked	Checked
Layer_22	Checked	Checked
Layer_23	Checked	Checked
Layer_24	Checked	Checked
Layer_25	Checked	Checked
Layer_26	Checked	Checked
Layer_27	Checked	Checked
Layer_28	Checked	Checked
Layer_29	Checked	Checked
Layer_30	Checked	Checked
Layer_31	Checked	Checked

Security

Authorization		Operator control enabled	Checked
---------------	--	--------------------------	---------

Miscellaneous

Tab sequence	Tab sequence	Screen cycle	2 s	Extended zoom	Unchecked
Display	Checked	Object types in tab sequence	AllObjects		

Hide/Show

Enable layer zoom limits	Unchecked	Enable object zoom limits	Unchecked	Minimum object size	0
--------------------------	-----------	---------------------------	-----------	---------------------	---

Designs

Use color settings	Unchecked
--------------------	-----------

Totally Integrated Automation Portal				
Web access				
Web access	Unchecked	Gadget	Unchecked	WebUX access
User data type				Unchecked
Use user data type	Unchecked	User data type		
Rectangle_1				
Type	Rectangle			
Appearance				
Background color	65, 64, 129	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Border width	1	Line style	Solid	Border style
Border color	255, 255, 255	Border background color	255, 255, 255	Corner style
Line-end shape	Round	Widen border line inwards	Checked	
Layout				
X position	-2	Y position	-2	Width
Height	63	Round corner width	0	Round corner height
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Rectangle_1	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Button_1				
Type	Button			
General				
Mode	Text	Engage	Unchecked	Pressed
Hotkey	None	Text OFF	Status	Graphic OFF
Graphic ON		Graphic alignment	Stretched	
Appearance				
Background color	192, 192, 192	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	1	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Design				
Design settings	Global	Windows style	Checked	3D border width
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state
Layout				
X position	259	Y position	25	Width
Height	30	Auto-size	Unchecked	Fit object to contents
Text format				
Font	Calibri, 15px	Orientation	Horizontal	Horizontal alignment of the text
Vertical alignment of the text	Middle			
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	0, 255, 255			
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Button_1	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Dynamizations\Event				
Event name		Click		

Totally Integrated Automation Portal				
Function list\ActivateScreen				
Screen name	Status	Object number	0	
Button_2				
Type	Button			
General				
Mode	Text	Engage	Unchecked	Pressed
Hotkey	None	Text OFF	Overview	Graphic OFF
Graphic ON		Graphic alignment	Stretched	
Appearance				
Background color	150, 150, 150	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	1	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Design				
Design settings	Global	Windows style	Checked	3D border width
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state
Layout				
X position	344	Y position	25	Width
Height	30	Auto-size	Unchecked	Fit object to contents
Text format				
Font	Calibri, 15px	Orientation	Horizontal	Horizontal alignment of the text
Vertical alignment of the text	Middle			
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	0, 255, 255			
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Button_2	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Dynamizations\Event				
Event name	Click			
Function list\ActivateScreen				
Screen name	Overview	Object number	0	
Button_3				
Type	Button			
General				
Mode	Text	Engage	Unchecked	Pressed
Hotkey	None	Text OFF	Control	Graphic OFF
Graphic ON		Graphic alignment	Stretched	
Appearance				
Background color	204, 204, 204	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	1	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Design				
Design settings	Global	Windows style	Checked	3D border width
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state
Layout				
X position	429	Y position	25	Width
Height	30	Auto-size	Unchecked	Fit object to contents
Text format				
Font	Calibri, 15px	Orientation	Horizontal	Horizontal alignment of the text

Totally Integrated Automation Portal					
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_3	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Event					
Event name	Click				
Function list\ActivateScreen					
Screen name	Control	Object number	0		
Button_4					
Type	Button				
General					
Mode	Text	Engage	Unchecked	Pressed	Unchecked
Hotkey	None	Text OFF	Alarms	Graphic OFF	
Graphic ON		Graphic alignment	Stretched		
Appearance					
Background color	204, 204, 204	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Design					
Design settings	Global	Windows style	Checked	3D border width	0
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state	Unchecked
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state	255, 0, 255
Layout					
X position	514	Y position	25	Width	80
Height	30	Auto-size	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 15px	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_4	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Event					
Event name	Click				
Function list\ActivateScreen					
Screen name	Alarms	Object number	0		
Graphic view_1					
Type	Graphic view				
General					
Graphic	7ZHN_D-W				

Totally Integrated Automation Portal					
Appearance					
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Use transparent color	Unchecked	Transparent color	255, 0, 255	Border width	0
Line style	Solid	Border style	0	Border color	0, 0, 0
Border background color	255, 255, 255	Corner style	Round	Line-end shape	Round
Widen border line inwards	Checked				
Layout					
X position	7	Y position	6	Width	53
Height	51	Fit embedded graphic object to screen size	Fit graphic to object size	Fit object to contents	Unchecked
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Background flashing	Unchecked
Background flash rate	Medium	Background color flashing OFF	0, 255, 0	Background color flashing ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Graphic view_1	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Text field_2					
Type	Text field				
General					
Text	PROCESS OVERVIEW				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	255, 255, 255	Border width	1	Line style	Solid
Border style	0	Border color	25, 27, 66	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	6	Y position	60	Width	148
Height	23	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 17px, style=Bold	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_2	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Group					
Type	Group				
Layout					
X position	546	Y position	298	Width	45
Height	45				
Miscellaneous					
Name	Group	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Visibility					
Tag - Cycle	FaultMode_HMI -	Data type	Bit	Specifies the bit to monitor.	0
Visibility	Visible				

Totally Integrated Automation Portal								
Circle_1								
Type	Circle							
Appearance								
Background color	255, 0, 0	Fill pattern color	0, 255, 0	Background fill pat- tern	Solid			
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top			
Border width	1	Line style	Solid	Border style	0			
Border color	0, 0, 0	Border background color	255, 255, 255	Line-end shape	Round			
Widen border line in- wards	Checked							
Layout								
X position	546	Y position	298	Width	45			
Height	45	Radius	22					
Flashing								
Flashing	Disabled	Enable border flash- ing	Unchecked	Border flash rate	Medium			
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked			
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON	0, 255, 255			
Styles/Designs								
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0			
Miscellaneous								
Name	Circle_1	Layer	0 - Layer_0	Visible	Checked			
Tooltip text								
Security								
Authorization		Allow operator con- trol	Checked					
Text field_1								
Type	Text field							
General								
Text	ALARM							
Appearance								
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pat- tern	Transparent			
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top			
Foreground color	0, 0, 0	Border width	1	Line style	Solid			
Border style	0	Border color	255, 0, 0	Border background color	255, 255, 255			
Corner style	Round	Line-end shape	Round	Widen border line in- wards	Checked			
Layout								
X position	549	Y position	313	Width	39			
Height	17	Pivot point of X posi- tion	0	Pivot point of Y posi- tion	0			
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked			
Text format								
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment	Left			
Vertical alignment	Top	Line break	Unchecked					
Flashing								
Flashing	Disabled	Border flashing ena- bled	Unchecked	Border flash rate	Medium			
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked			
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0			
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0			
Background color flashing ON	0, 255, 255							
Styles/Designs								
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0			
Miscellaneous								
Name	Text field_1	Layer	0 - Layer_0	Visible	Checked			
Tooltip text								
Security								
Authorization		Allow operator con- trol	Checked					
Rectangle_2								
Type	Rectangle							
Appearance								
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pat- tern	Solid			
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top			
Border width	1	Line style	Solid	Border style	0			
Border color	0, 0, 0	Border background color	255, 255, 255	Corner style	Round			
Line-end shape	Round	Widen border line in- wards	Checked					
Layout								
X position	3	Y position	81	Width	590			
Height	0	Round corner width	0	Round corner height	0			
Flashing								
Flashing	Disabled	Enable border flash- ing	Unchecked	Border flash rate	Medium			

Totally Integrated Automation Portal					
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Rectangle_2	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator con- trol	Checked		
Rectangle_3					
Type	Rectangle				
Appearance					
Background color	25, 27, 66	Fill pattern color	0, 255, 0	Background fill pat- tern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Border width	1	Line style	Solid	Border style	0
Border color	0, 0, 0	Border background color	255, 255, 255	Corner style	Round
Line-end shape	Round	Widen border line in- wards	Checked		
Layout					
X position	0	Y position	60	Width	600
Height	23	Round corner width	0	Round corner height	0
Flashing					
Flashing	Disabled	Enable border flash- ing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Rectangle_3	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator con- trol	Checked		
Graphic view_2					
Type	Graphic view				
General					
Graphic	Untitled_1				
Appearance					
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pat- tern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Use transparent color	Unchecked	Transparent color	255, 0, 255	Border width	0
Line style	Solid	Border style	0	Border color	0, 0, 0
Border background color	255, 255, 255	Corner style	Round	Line-end shape	Round
Widen border line in- wards	Checked				
Layout					
X position	2	Y position	56	Width	597
Height	293	Fit embedded graphic object to screen size	Fit graphic to object size	Fit object to contents	Unchecked
Flashing					
Flashing	Disabled	Border flashing ena- bled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Background flashing	Unchecked
Background flash rate	Medium	Background color flashing OFF	0, 255, 0	Background color flashing ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Graphic view_2	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator con- trol	Checked		
I/O field_1					
Type	I/O field				
General					
Process value		Input value		Mode	Input/output
Display format	Decimal	Field length	3	Show leading zeros	Unchecked
Format pattern	999				
Appearance					
Background color	25, 27, 66	Fill pattern color	0, 255, 0	Background fill pat- tern	Solid
Foreground color	255, 255, 255	Unit		Border width	1
Line style	Solid	Border style	0	Border color	0, 0, 0

Totally Integrated Automation Portal					
Border background color	255, 255, 255	Corner style	Round	Line-end shape	Round
Characteristics					
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input	Unchecked
Clear on focus	Checked	Cursor control	Unchecked	Click and edit	Unchecked
Hidden input	Unchecked				
Layout					
X position	554	Y position	102	Width	38
Height	19	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment	Centered
Vertical alignment	Middle	Line break	Unchecked		
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	0, 255, 255
Enable background flashing	Unchecked	Background flash rate	Medium	Background color	0, 255, 0
Background color flashing ON	255, 0, 0			flashing OFF	
Limits					
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors	Unchecked
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308		
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	I/O field_1	Layer	0 - Layer_0	Visible	Checked
Tooltip text		Show bad tag status	Checked		
Security					
Authorization		Allow operator control	Checked	Operator input log	Unchecked
Request reason for operation	Unchecked				
Dynamizations\Tag connection					
Property name	Process value	Tag	Baffle_Manual_Setpoint		
Text field_3					
Type	Text field				
General					
Text	Baffle (%)				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	481	Y position	102	Width	65
Height	19	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color	0, 255, 0
Background color flashing ON	0, 255, 255			flashing OFF	
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_3	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Text field_8					
Type	Text field				
General					
Text	Brake Engaged				
Appearance					
Background color	235, 0, 0	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top

Totally Integrated Automation Portal					
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	150	Y position	328	Width	104
Height	19	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color	0, 255, 0
Background color flashing ON	0, 255, 255			flashing OFF	
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_8	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Visibility					
Tag - Cycle	Brake_EnOut -	Data type	Bit	Specifies the bit to monitor.	0
Visibility	Visible				
Text field_9					
Type	Text field				
General					
Text	Brake Released				
Appearance					
Background color	43, 129, 86	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	150	Y position	328	Width	104
Height	19	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color	0, 255, 0
Background color flashing ON	0, 255, 255			flashing OFF	
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_9	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Text field_10					
Type	Text field				
General					
Text	Interlock Engaged				
Appearance					
Background color	43, 129, 86	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255

Totally Integrated Automation Portal					
Corner style	Round	Line-end shape	Round	Widen border line in-wards	Checked
Layout					
X position	10	Y position	229	Width	122
Height	19	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_10	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Visibility					
Tag - Cycle	StationInterlock_EnOut -	Data type	Bit	Specifies the bit to monitor.	0
Visibility	Visible				
Text field_11					
Type	Text field				
General					
Text	Interlock Released				
Appearance					
Background color	235, 0, 0	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line in-wards	Checked
Layout					
X position	10	Y position	229	Width	121
Height	19	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_11	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
I/O field_2					
Type	I/O field				
General					
Process value		Input value		Mode	Input/output
Display format	Decimal	Field length	3	Show leading zeros	Unchecked
Format pattern	999				
Appearance					
Background color	25, 27, 66	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Foreground color	255, 255, 255	Unit		Border width	1
Line style	Solid	Border style	0	Border color	0, 0, 0
Border background color	255, 255, 255	Corner style	Round	Line-end shape	Round

Totally Integrated Automation Portal				
Characteristics				
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input
Clear on focus	Checked	Cursor control	Unchecked	Click and edit
Hidden input	Unchecked			Unchecked
Layout				
X position	223	Y position	152	Width
Height	19	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Middle	Line break	Unchecked	Centered
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	255, 0, 0			0, 255, 255
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	Unchecked
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	I/O field_2	Layer	0 - Layer_0	Visible
Tooltip text		Show bad tag status	Checked	Checked
Security				
Authorization		Allow operator control	Checked	Operator input log
Request reason for operation	Unchecked			Unchecked
Dynamizations\Tag connection				
Property name	Process value	Tag	OilTemp_HMI	
I/O field_3				
Type	I/O field			
General				
Process value		Input value		Mode
Display format	Decimal	Field length	3	Input/output
Format pattern	999			Show leading zeros
Appearance				
Background color	25, 27, 66	Fill pattern color	0, 255, 0	Background fill pattern
Foreground color	255, 255, 255	Unit		Solid
Line style	Solid	Border style	0	Border width
Border background color	255, 255, 255	Corner style	Round	Border color
				0, 0, 0
Characteristics				
Accept on full input	Unchecked	Apply on exit	Unchecked	Background fill pattern
Clear on focus	Checked	Cursor control	Unchecked	Solid
Hidden input	Unchecked			Border width
Layout				
X position	223	Y position	129	1
Height	19	Adapt border	Unchecked	Border color
Text format				
Font	Calibri, 13px	Orientation	Horizontal	0, 0, 0
Vertical alignment	Middle	Line break	Unchecked	Line-end shape
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Round
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	255, 0, 0			0, 255, 0
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	Unchecked
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	I/O field_3	Layer	0 - Layer_0	Visible
Tooltip text		Show bad tag status	Checked	Checked
Security				
Authorization		Allow operator control	Checked	Operator input log
Request reason for operation	Unchecked			Unchecked
Dynamizations\Tag connection				
Property name	Process value	Tag	OilFlow_HMI	

Totally Integrated Automation Portal				
I/O field_4				
Type	I/O field			
General				
Process value		Input value		Mode
Display format	Decimal	Field length	3	Input/output
Format pattern	999			Show leading zeros
Appearance				
Background color	25, 27, 66	Fill pattern color	0, 255, 0	Background fill pattern
Foreground color	255, 255, 255	Unit		Border width
Line style	Solid	Border style	0	Border color
Border background color	255, 255, 255	Corner style	Round	Line-end shape
Characteristics				
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input
Clear on focus	Checked	Cursor control	Unchecked	Click and edit
Hidden input	Unchecked			
Layout				
X position	223	Y position	106	Width
Height	19	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Middle	Line break	Unchecked	Centered
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color
Background color flashing ON	255, 0, 0			flashing OFF
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	Unchecked
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	I/O field_4	Layer	0 - Layer_0	Visible
Tooltip text		Show bad tag status	Checked	Checked
Security				
Authorization		Allow operator control	Checked	Operator input log
Request reason for operation	Unchecked			Unchecked
Dynamizations\Tag connection				
Property name	Process value	Tag	RPM_HMI	
I/O field_5				
Type	I/O field			
General				
Process value		Input value		Mode
Display format	Decimal	Field length	4	Input/output
Format pattern	9999			Show leading zeros
Appearance				
Background color	25, 27, 66	Fill pattern color	0, 255, 0	Background fill pattern
Foreground color	255, 255, 255	Unit		Border width
Line style	Solid	Border style	0	Border color
Border background color	255, 255, 255	Corner style	Round	Line-end shape
Characteristics				
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input
Clear on focus	Checked	Cursor control	Unchecked	Click and edit
Hidden input	Unchecked			
Layout				
X position	84	Y position	257	Width
Height	19	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 12px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Middle	Line break	Unchecked	Centered
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color
Background color flashing ON	255, 0, 0			flashing OFF
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	Unchecked

Totally Integrated Automation Portal				
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
	0			
Miscellaneous				
Name	I/O field_5	Layer	0 - Layer_0	Visible
Tooltip text		Show bad tag status	Checked	
Security				
Authorization		Allow operator con- trol	Checked	Operator input log
				Unchecked
Request reason for operation	Unchecked			
Dynamizations\Tag connection				
Property name	Process value	Tag	Power_HMI	
Text field_4				
Type	Text field			
General				
Text	Power (kW)			
Appearance				
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pat- tern
				Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction
				Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style
				Solid
Border style	0	Border color	0, 0, 0	Border background
				255, 255, 255
Corner style	Round	Line-end shape	Round	Color
				Widen border line in- wards
Layout				
X position	7	Y position	256	Width
Height	19	Pivot point of X posi- tion	0	Pivot point of Y posi- tion
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Top	Line break	Unchecked	Left
Flashing				
Flashing	Disabled	Border flashing ena- bled	Unchecked	Border flash rate
				Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled
				Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
				255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color
				0, 255, 0
Background color flashing ON	0, 255, 255			flashing OFF
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
	0			
Miscellaneous				
Name	Text field_4	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator con- trol	Checked	
Text field_5				
Type	Text field			
General				
Text	Oil Flow (GPM)			
Appearance				
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pat- tern
				Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction
				Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style
				Solid
Border style	0	Border color	0, 0, 0	Border background
				255, 255, 255
Corner style	Round	Line-end shape	Round	Color
				Widen border line in- wards
Layout				
X position	118	Y position	128	Width
Height	19	Pivot point of X posi- tion	0	Pivot point of Y posi- tion
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Top	Line break	Unchecked	Left
Flashing				
Flashing	Disabled	Border flashing ena- bled	Unchecked	Border flash rate
				Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled
				Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
				255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color
				0, 255, 0
Background color flashing ON	0, 255, 255			flashing OFF
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
	0			

Totally Integrated Automation Portal					
Miscellaneous					
Name	Text field_5	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Text field_6					
Type	Text field				
General					
Text	Oil Temp (°C)				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	129	Y position	150	Width	86
Height	19	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_6	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Text field_7					
Type	Text field				
General					
Text	Rotor RPM				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	145	Y position	105	Width	86
Height	19	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_7	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		

Totally Integrated Automation Portal				
I/O field_6				
Type	I/O field			
General				
Process value		Input value		Mode
Display format	Decimal	Field length	3	Input/output
Format pattern	999	Show leading zeros	Unchecked	
Appearance				
Background color	25, 27, 66	Fill pattern color	0, 255, 0	Background fill pattern
Foreground color	255, 255, 255	Unit		Border width
Line style	Solid	Border style	0	Border color
Border background color	255, 255, 255	Corner style	Round	Line-end shape
Characteristics				
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input
Clear on focus	Checked	Cursor control	Unchecked	Click and edit
Hidden input	Unchecked			
Layout				
X position	223	Y position	175	Width
Height	19	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Middle	Line break	Unchecked	Centered
Flashing				
Flashing	Disabled	Enable border flash- ing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color
Background color flashing ON	255, 0, 0			flashing OFF
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	Unchecked
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	I/O field_6	Layer	0 - Layer_0	Visible
Tooltip text		Show bad tag status	Checked	Checked
Security				
Authorization		Allow operator con- trol	Checked	Operator input log
Request reason for operation	Unchecked			Unchecked
Dynamizations\Tag connection				
Property name	Process value	Tag	OilPumpVFD_Manual_Setpoint	
Text field_12				
Type	Text field			
General				
Text	Pump VFD (%)			
Appearance				
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pat- tern
Show fill level	Unchecked	Relative fill level	0	Transparent
Foreground color	0, 0, 0	Border width	0	Fill direction
Border style	0	Border color	0, 0, 0	Bottom to top
Corner style	Round	Line-end shape	Round	Line style
				Solid
Layout				
X position	125	Y position	173	Border background color
Height	19	Pivot point of X posi- tion	0	255, 255, 255
Angle of rotation	0	Adapt border	Unchecked	Widen border line in- wards
Text format				
Font	Calibri, 16px	Orientation	Horizontal	Checked
Vertical alignment	Top	Line break	Unchecked	Unchecked
Flashing				
Flashing	Disabled	Border flashing ena- bled	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Medium
Flash rate	Medium	Flash color OFF	255, 0, 0	Flashing enabled
Background flashing	Unchecked	Background flash rate	Medium	Unchecked
Background color flashing ON	0, 255, 255			Flash color ON
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Background color
Miscellaneous				
Name	Text field_12	Layer	0 - Layer_0	flashing OFF
Tooltip text				0, 255, 0

Totally Integrated Automation Portal		
Security Authorization	Allow operator con- trol	Checked

Totally Integrated Automation Portal																																																																																																																																																													
PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / Screens																																																																																																																																																													
Status																																																																																																																																																													
Hardcopy of Status																																																																																																																																																													
General <table border="1"> <tr> <td>Name</td> <td>Status</td> <td>Display name</td> <td>Background color</td> <td>255, 255, 255</td> </tr> <tr> <td>Grid color</td> <td>0, 0, 0</td> <td></td> <td></td> <td></td> </tr> </table> Appearance <table border="1"> <tr> <td>Fill-pattern color</td> <td>0, 0, 0</td> <td>Fill pattern</td> <td>Solid</td> <td>Background graphic</td> </tr> <tr> <td>Background graphic alignment</td> <td>Normal</td> <td>Fill style alignment</td> <td>Normal</td> <td></td> </tr> </table> Layout <table border="1"> <tr> <td>Width</td> <td>600</td> <td>Height</td> <td>350</td> <td></td> </tr> </table> Layers <table border="1"> <tr> <td>Active layer</td> <td>0</td> <td></td> <td></td> <td></td> </tr> </table> <table border="1"> <tr><td>Layer_0</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_1</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_2</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_3</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_4</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_5</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_6</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_7</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_8</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_9</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_10</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_11</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_12</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_13</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_14</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_15</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_16</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_17</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_18</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_19</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_20</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_21</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_22</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_23</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_24</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_25</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_26</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_27</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_28</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_29</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_30</td><td>Checked</td><td>Checked</td></tr> <tr><td>Layer_31</td><td>Checked</td><td>Checked</td></tr> </table> Security <table border="1"> <tr> <td>Authorization</td> <td>Operator control enabled</td> <td>Checked</td> </tr> </table> Miscellaneous <table border="1"> <tr> <td>Tab sequence</td> <td>Tab sequence</td> <td>Screen cycle</td> <td>2 s</td> <td>Extended zoom</td> <td>Unchecked</td> </tr> <tr> <td>Display</td> <td>Checked</td> <td>Object types in tab sequence</td> <td>AllObjects</td> <td></td> <td></td> </tr> </table> Hide/Show <table border="1"> <tr> <td>Enable layer zoom limits</td> <td>Unchecked</td> <td>Enable object zoom limits</td> <td>Unchecked</td> <td>Minimum object size</td> <td>0</td> </tr> <tr> <td>Maximum object size</td> <td>100000</td> <td></td> <td></td> <td></td> <td></td> </tr> </table> Designs <table border="1"> <tr> <td>Use color settings</td> <td>Unchecked</td> </tr> </table>			Name	Status	Display name	Background color	255, 255, 255	Grid color	0, 0, 0				Fill-pattern color	0, 0, 0	Fill pattern	Solid	Background graphic	Background graphic alignment	Normal	Fill style alignment	Normal		Width	600	Height	350		Active layer	0				Layer_0	Checked	Checked	Layer_1	Checked	Checked	Layer_2	Checked	Checked	Layer_3	Checked	Checked	Layer_4	Checked	Checked	Layer_5	Checked	Checked	Layer_6	Checked	Checked	Layer_7	Checked	Checked	Layer_8	Checked	Checked	Layer_9	Checked	Checked	Layer_10	Checked	Checked	Layer_11	Checked	Checked	Layer_12	Checked	Checked	Layer_13	Checked	Checked	Layer_14	Checked	Checked	Layer_15	Checked	Checked	Layer_16	Checked	Checked	Layer_17	Checked	Checked	Layer_18	Checked	Checked	Layer_19	Checked	Checked	Layer_20	Checked	Checked	Layer_21	Checked	Checked	Layer_22	Checked	Checked	Layer_23	Checked	Checked	Layer_24	Checked	Checked	Layer_25	Checked	Checked	Layer_26	Checked	Checked	Layer_27	Checked	Checked	Layer_28	Checked	Checked	Layer_29	Checked	Checked	Layer_30	Checked	Checked	Layer_31	Checked	Checked	Authorization	Operator control enabled	Checked	Tab sequence	Tab sequence	Screen cycle	2 s	Extended zoom	Unchecked	Display	Checked	Object types in tab sequence	AllObjects			Enable layer zoom limits	Unchecked	Enable object zoom limits	Unchecked	Minimum object size	0	Maximum object size	100000					Use color settings	Unchecked
Name	Status	Display name	Background color	255, 255, 255																																																																																																																																																									
Grid color	0, 0, 0																																																																																																																																																												
Fill-pattern color	0, 0, 0	Fill pattern	Solid	Background graphic																																																																																																																																																									
Background graphic alignment	Normal	Fill style alignment	Normal																																																																																																																																																										
Width	600	Height	350																																																																																																																																																										
Active layer	0																																																																																																																																																												
Layer_0	Checked	Checked																																																																																																																																																											
Layer_1	Checked	Checked																																																																																																																																																											
Layer_2	Checked	Checked																																																																																																																																																											
Layer_3	Checked	Checked																																																																																																																																																											
Layer_4	Checked	Checked																																																																																																																																																											
Layer_5	Checked	Checked																																																																																																																																																											
Layer_6	Checked	Checked																																																																																																																																																											
Layer_7	Checked	Checked																																																																																																																																																											
Layer_8	Checked	Checked																																																																																																																																																											
Layer_9	Checked	Checked																																																																																																																																																											
Layer_10	Checked	Checked																																																																																																																																																											
Layer_11	Checked	Checked																																																																																																																																																											
Layer_12	Checked	Checked																																																																																																																																																											
Layer_13	Checked	Checked																																																																																																																																																											
Layer_14	Checked	Checked																																																																																																																																																											
Layer_15	Checked	Checked																																																																																																																																																											
Layer_16	Checked	Checked																																																																																																																																																											
Layer_17	Checked	Checked																																																																																																																																																											
Layer_18	Checked	Checked																																																																																																																																																											
Layer_19	Checked	Checked																																																																																																																																																											
Layer_20	Checked	Checked																																																																																																																																																											
Layer_21	Checked	Checked																																																																																																																																																											
Layer_22	Checked	Checked																																																																																																																																																											
Layer_23	Checked	Checked																																																																																																																																																											
Layer_24	Checked	Checked																																																																																																																																																											
Layer_25	Checked	Checked																																																																																																																																																											
Layer_26	Checked	Checked																																																																																																																																																											
Layer_27	Checked	Checked																																																																																																																																																											
Layer_28	Checked	Checked																																																																																																																																																											
Layer_29	Checked	Checked																																																																																																																																																											
Layer_30	Checked	Checked																																																																																																																																																											
Layer_31	Checked	Checked																																																																																																																																																											
Authorization	Operator control enabled	Checked																																																																																																																																																											
Tab sequence	Tab sequence	Screen cycle	2 s	Extended zoom	Unchecked																																																																																																																																																								
Display	Checked	Object types in tab sequence	AllObjects																																																																																																																																																										
Enable layer zoom limits	Unchecked	Enable object zoom limits	Unchecked	Minimum object size	0																																																																																																																																																								
Maximum object size	100000																																																																																																																																																												
Use color settings	Unchecked																																																																																																																																																												

Totally Integrated Automation Portal				
Web access				
Web access	Unchecked	Gadget	Unchecked	WebUX access
User data type				Unchecked
Use user data type	Unchecked	User data type		
Rectangle_1				
Type	Rectangle			
Appearance				
Background color	65, 64, 129	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Border width	1	Line style	Solid	Border style
Border color	255, 255, 255	Border background color	255, 255, 255	Corner style
Line-end shape	Round	Widen border line inwards	Checked	
Layout				
X position	-2	Y position	-2	Width
Height	63	Round corner width	0	Round corner height
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Rectangle_1	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Button_1				
Type	Button			
General				
Mode	Text	Engage	Unchecked	Pressed
Hotkey	None	Text OFF	Status	Graphic OFF
Graphic ON		Graphic alignment	Stretched	
Appearance				
Background color	150, 150, 150	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	1	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Design				
Design settings	Global	Windows style	Checked	3D border width
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state
Layout				
X position	260	Y position	25	Width
Height	30	Auto-size	Unchecked	Fit object to contents
Text format				
Font	Calibri, 15px	Orientation	Horizontal	Horizontal alignment of the text
Vertical alignment of the text	Middle			
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	0, 255, 255			
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Button_1	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Dynamizations\Event				
Event name		Click		

Totally Integrated Automation Portal				
Function list\ActivateScreen				
Screen name	Status	Object number	0	
Button_2				
Type	Button			
General				
Mode	Text	Engage	Unchecked	Pressed
Hotkey	None	Text OFF	Overview	Graphic OFF
Graphic ON		Graphic alignment	Stretched	
Appearance				
Background color	204, 204, 204	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	1	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Design				
Design settings	Global	Windows style	Checked	3D border width
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state
Layout				
X position	345	Y position	25	Width
Height	30	Auto-size	Unchecked	Fit object to contents
Text format				
Font	Calibri, 15px	Orientation	Horizontal	Horizontal alignment of the text
Vertical alignment of the text	Middle			
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	0, 255, 255			
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Button_2	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator control	Checked	
Dynamizations\Event				
Event name	Click			
Function list\ActivateScreen				
Screen name	Overview	Object number	0	
Button_3				
Type	Button			
General				
Mode	Text	Engage	Unchecked	Pressed
Hotkey	None	Text OFF	Control	Graphic OFF
Graphic ON		Graphic alignment	Stretched	
Appearance				
Background color	204, 204, 204	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	1	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Design				
Design settings	Global	Windows style	Checked	3D border width
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state
Layout				
X position	430	Y position	25	Width
Height	30	Auto-size	Unchecked	Fit object to contents
Text format				
Font	Calibri, 15px	Orientation	Horizontal	Horizontal alignment of the text

Totally Integrated Automation Portal					
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_3	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Event					
Event name	Click				
Function list\ActivateScreen					
Screen name	Control	Object number	0		
Button_4					
Type	Button				
General					
Mode	Text	Engage	Unchecked	Pressed	Unchecked
Hotkey	None	Text OFF	Alarms	Graphic OFF	
Graphic ON		Graphic alignment	Stretched		
Appearance					
Background color	204, 204, 204	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Design					
Design settings	Global	Windows style	Checked	3D border width	0
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state	Unchecked
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state	255, 0, 255
Layout					
X position	515	Y position	25	Width	80
Height	30	Auto-size	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 15px	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_4	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Event					
Event name	Click				
Function list\ActivateScreen					
Screen name	Alarms	Object number	0		
Graphic view_1					
Type	Graphic view				
General					
Graphic	7ZHN_D-W				

Totally Integrated Automation Portal					
Appearance					
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Use transparent color	Unchecked	Transparent color	255, 0, 255	Border width	0
Line style	Solid	Border style	0	Border color	0, 0, 0
Border background color	255, 255, 255	Corner style	Round	Line-end shape	Round
Widen border line inwards	Checked				
Layout					
X position	8	Y position	6	Width	53
Height	51	Fit embedded graphic object to screen size	Fit graphic to object size	Fit object to contents	Unchecked
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Background flashing	Unchecked
Background flash rate	Medium	Background color flashing OFF	0, 255, 0	Background color flashing ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Graphic view_1	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Group					
Type	Group				
Layout					
X position	546	Y position	298	Width	45
Height	45				
Miscellaneous					
Name	Group	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Visibility					
Tag - Cycle	FaultMode_HMI -	Data type	Bit	Specifies the bit to monitor.	0
Visibility	Visible				
Circle_1					
Type	Circle				
Appearance					
Background color	255, 0, 0	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Border width	1	Line style	Solid	Border style	0
Border color	0, 0, 0	Border background color	255, 255, 255	Line-end shape	Round
Widen border line inwards	Checked				
Layout					
X position	546	Y position	298	Width	45
Height	45	Radius	22		
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Circle_1	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Text field_1					
Type	Text field				
General					
Text	ALARM				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	255, 0, 0	Border background color	255, 255, 255

Totally Integrated Automation Portal					
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	549	Y position	313	Width	39
Height	17	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 13px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_1	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Rectangle_3					
Type	Rectangle				
Appearance					
Background color	25, 27, 66	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Border width	1	Line style	Solid	Border style	0
Border color	0, 0, 0	Border background color	255, 255, 255	Corner style	Round
Line-end shape	Round	Widen border line inwards	Checked		
Layout					
X position	0	Y position	60	Width	600
Height	23	Round corner width	0	Round corner height	0
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON	0, 255, 255
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Rectangle_3	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Text field_3					
Type	Text field				
General					
Text	SYSTEM STATUS				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	255, 255, 255	Border width	1	Line style	Solid
Border style	0	Border color	25, 27, 66	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	6	Y position	60	Width	115
Height	23	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 17px, style=Bold	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0

Totally Integrated Automation Portal				
Background color flashing ON	0, 255, 255			
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				0
Name	Text field_3	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator con- trol	Checked	
Text field_2				
Type	Text field			
General				
Text	IDLE MODE			
Appearance				
Background color	204, 153, 255	Fill pattern color	0, 255, 0	Background fill pat- tern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	1	Solid
Border style	0	Border color	255, 255, 255	Border background color
Corner style	Round	Line-end shape	Round	Widen border line in- wards
Layout				
X position	318	Y position	141	Width
Height	30	Pivot point of X posi- tion	0	Pivot point of Y posi- tion
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents
Text format				Checked
Font	Calibri, 23px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Top	Line break	Unchecked	Left
Flashing				
Flashing	Disabled	Border flashing ena- bled	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Medium
Flash rate	Medium	Flash color OFF	255, 0, 0	Flashing enabled
Background flashing	Unchecked	Background flash rate	Medium	255, 255, 0
Background color flashing ON	0, 255, 255			Background color flashing OFF
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				0
Name	Text field_2	Layer	0 - Layer_0	Visible
Tooltip text				Checked
Security				
Authorization		Allow operator con- trol	Checked	
Dynamizations\Visibility				
Tag - Cycle	ModeSystem -	Data type	Range	Start range
End range	1	Visibility	Visible	1
Text field_4				
Type	Text field			
General				
Text	WARMUP MODE			
Appearance				
Background color	255, 153, 0	Fill pattern color	0, 255, 0	Background fill pat- tern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	1	Solid
Border style	0	Border color	255, 255, 255	Border background color
Corner style	Round	Line-end shape	Round	Widen border line in- wards
Layout				
X position	318	Y position	142	Width
Height	30	Pivot point of X posi- tion	0	Pivot point of Y posi- tion
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents
Text format				Checked
Font	Calibri, 23px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Top	Line break	Unchecked	Left
Flashing				
Flashing	Disabled	Border flashing ena- bled	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Medium
Flash rate	Medium	Flash color OFF	255, 0, 0	Flashing enabled
Background flashing	Unchecked	Background flash rate	Medium	255, 255, 0
Background color flashing ON	0, 255, 255			Background color flashing OFF
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				0

Totally Integrated Automation Portal					
Miscellaneous					
Name	Text field_4	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Visibility					
Tag - Cycle	ModeSystem -	Data type	Range	Start range	2
End range	2	Visibility	Visible		
Text field_5					
Type	Text field				
General					
Text	STABILIZE MODE				
Appearance					
Background color	255, 204, 0	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	255, 255, 255	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	318	Y position	143	Width	157
Height	30	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 23px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color	0, 255, 0
Background color flashing ON	0, 255, 255			flashing OFF	
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_5	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Visibility					
Tag - Cycle	ModeSystem -	Data type	Range	Start range	3
End range	3	Visibility	Visible		
Text field_6					
Type	Text field				
General					
Text	GENERATION MODE				
Appearance					
Background color	153, 204, 0	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	255, 255, 255	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	318	Y position	144	Width	189
Height	30	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 23px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color	0, 255, 0
Background color flashing ON	0, 255, 255			flashing OFF	
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0

Totally Integrated Automation Portal					
Miscellaneous					
Name	Text field_6	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Visibility					
Tag - Cycle	ModeSystem -	Data type	Range	Start range	4
End range	4	Visibility	Visible		
Text field_7					
Type	Text field				
General					
Text	COOLDOWN MODE				
Appearance					
Background color	51, 204, 204	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	255, 255, 255	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	319	Y position	144	Width	189
Height	30	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 23px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color	0, 255, 0
Background color flashing ON	0, 255, 255			flashing OFF	
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_7	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Visibility					
Tag - Cycle	ModeSystem -	Data type	Range	Start range	5
End range	5	Visibility	Visible		
Button_5					
Type	Button				
General					
Mode	Text	Engage	Unchecked	Pressed	Unchecked
Hotkey	None	Text OFF	START SYSTEM	Graphic OFF	
Graphic ON		Graphic alignment	Stretched		
Appearance					
Background color	43, 129, 86	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Design					
Design settings	Global	Windows style	Checked	3D border width	2
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state	Unchecked
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state	255, 0, 255
Layout					
X position	25	Y position	113	Width	135
Height	36	Auto-size	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 19px	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium

Totally Integrated Automation Portal					
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_5	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator con- trol	Checked		
Dynamizations\Event					
Event name		Press left mouse button			
Function list\SetBit					
Tag		StartSystemPB			
Dynamizations\Event					
Event name		Release left mouse button			
Function list\ResetBit					
Tag		StartSystemPB			
Button_6					
Type	Button				
General					
Mode	Text	Engage	Unchecked	Pressed	Unchecked
Hotkey	None	Text OFF	STOP SYSTEM	Graphic OFF	
Graphic ON		Graphic alignment	Stretched		
Appearance					
Background color	235, 0, 0	Fill pattern color	0, 255, 0	Background fill pat- tern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line in- wards	Checked
Design					
Design settings	Global	Windows style	Checked	3D border width	2
3D border color lit	255, 255, 255	3D color border shad- ow	128, 128, 128	Use transparent color graphic in "OFF" state	Unchecked
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state	255, 0, 255
Layout					
X position	26	Y position	170	Width	135
Height	36	Auto-size	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 19px	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flash- ing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_6	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator con- trol	Checked		
Dynamizations\Event					
Event name		Press left mouse button			
Function list\SetBit					
Tag		StopSystemPB			
Dynamizations\Event					
Event name		Release left mouse button			

Totally Integrated Automation Portal				
Function list\ResetBit				
Tag		StopSystemPB		
Rectangle_7				
Type	Rectangle			
Appearance				
Background color	192, 192, 192	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Border width	1	Line style	Solid	Border style
Border color	0, 0, 0	Border background color	255, 255, 255	Corner style
Line-end shape	Round	Widen border line inwards	Checked	
Layout				
X position	25	Y position	226	Width
Height	99	Round corner width	0	Round corner height
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Rectangle_7	Layer	0 - Layer_0	Visible
Tooltip text				
Security				
Authorization		Allow operator control	Checked	
Text field_19				
Type	Text field			
General				
Text	Days			
Appearance				
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	0	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Layout				
X position	37	Y position	295	Width
Height	19	Pivot point of X position	0	Pivot point of Y position
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Top	Line break	Unchecked	
Flashing				
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	0, 255, 255			0, 255, 0
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Text field_19	Layer	0 - Layer_0	Visible
Tooltip text				
Security				
Authorization		Allow operator control	Checked	
I/O field_11				
Type	I/O field			
General				
Process value		Input value		Mode
Display format	Decimal	Field length	5	Input/output
Format pattern	s99999			Show leading zeros
Appearance				
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern
Foreground color	0, 0, 0	Unit		Border width
Line style	Solid	Border style	0	Border color
Border background color	255, 255, 255	Corner style	Round	Line-end shape

Totally Integrated Automation Portal				
Characteristics				
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input
Clear on focus	Checked	Cursor control	Unchecked	Click and edit
Hidden input	Unchecked			Unchecked
Layout				
X position	37	Y position	266	Width
Height	23	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Middle	Line break	Unchecked	Centered
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	255, 0, 0			0, 255, 255
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	Unchecked
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	I/O field_11	Layer	0 - Layer_0	Visible
Tooltip text		Show bad tag status	Checked	Checked
Security				
Authorization		Allow operator control	Checked	Operator input log
Request reason for operation	Unchecked			Unchecked
Dynamizations\Tag connection				
Property name	Process value	Tag	Days_HMI	
I/O field_14				
Type	I/O field			
General				
Process value		Input value		Mode
Display format	Decimal	Field length	5	Input/output
Format pattern	s99999			Show leading zeros
Appearance				
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern
Foreground color	0, 0, 0	Unit		Solid
Line style	Solid	Border style	0	Border width
Border background color	255, 255, 255	Corner style	Round	Border color
				0, 0, 0
Characteristics				
Accept on full input	Unchecked	Apply on exit	Unchecked	Background fill pattern
Clear on focus	Checked	Cursor control	Unchecked	Solid
Hidden input	Unchecked			Border width
Layout				
X position	97	Y position	266	1
Height	23	Adapt border	Unchecked	Border color
Text format				
Font	Calibri, 16px	Orientation	Horizontal	Border end shape
Vertical alignment	Middle	Line break	Unchecked	Round
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	255, 0, 0			0, 255, 255
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	Unchecked
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	I/O field_14	Layer	0 - Layer_0	Visible
Tooltip text		Show bad tag status	Checked	Checked
Security				
Authorization		Allow operator control	Checked	Operator input log
Request reason for operation	Unchecked			Unchecked
Dynamizations\Tag connection				
Property name	Process value	Tag	Hours_HMI	

Totally Integrated Automation Portal				
I/O field_16				
Type	I/O field			
General				
Process value		Input value		Mode
Display format	Decimal	Field length	5	Input/output Show leading zeros Unchecked
Format pattern	s99999			
Appearance				
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern Solid
Foreground color	0, 0, 0	Unit		Border width 1
Line style	Solid	Border style	0	Border color 0, 0, 0
Border background color	255, 255, 255	Corner style	Round	Line-end shape Round
Characteristics				
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input Unchecked
Clear on focus	Checked	Cursor control	Unchecked	Click and edit Unchecked
Hidden input	Unchecked			
Layout				
X position	161	Y position	266	Width 44
Height	23	Adapt border	Unchecked	Fit object to contents Unchecked
Text format				
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment Centered
Vertical alignment	Middle	Line break	Unchecked	
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON 0, 255, 255
Enable background flashing	Unchecked	Background flash rate	Medium	Background color 0, 255, 0
Background color flashing ON	255, 0, 0			flashing OFF
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors Unchecked
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency 0
Miscellaneous				
Name	I/O field_16	Layer	0 - Layer_0	Visible Checked
Tooltip text		Show bad tag status	Checked	
Security				
Authorization		Allow operator control	Checked	Operator input log Unchecked
Request reason for operation	Unchecked			
Dynamizations\Tag connection				
Property name	Process value	Tag	Minutes_HMI	
Rectangle_8				
Type	Rectangle			
Appearance				
Background color	128, 128, 128	Fill pattern color	0, 255, 0	Background fill pattern Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction Bottom to top
Border width	1	Line style	Solid	Border style 0
Border color	0, 0, 0	Border background color	255, 255, 255	Corner style Round
Line-end shape	Round	Widen border line inwards	Checked	
Layout				
X position	26	Y position	226	Width 266
Height	24	Round corner width	0	Round corner height 0
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing Unchecked
Flash rate	Medium	Flash color OFF	0, 255, 0	Flash color ON 0, 255, 255
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency 0
Miscellaneous				
Name	Rectangle_8	Layer	0 - Layer_0	Visible Checked
Tooltip text				
Security				
Authorization		Allow operator control	Checked	
Text field_18				
Type	Text field			
General				
Text	HOURMETER			
Appearance				
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern Transparent

Totally Integrated Automation Portal					
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	36	Y position	227	Width	97
Height	22	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Checked
Text format					
Font	Calibri, 18px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_18	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Text field_8					
Type	Text field				
General					
Text	Hours				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Layout					
X position	97	Y position	296	Width	43
Height	19	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_8	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Text field_9					
Type	Text field				
General					
Text	Minutes				
Appearance					
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pattern	Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked

Totally Integrated Automation Portal					
Layout					
X position	161	Y position	296	Width	57
Height	19	Pivot point of X position	0	Pivot point of Y position	0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Top	Line break	Unchecked		
Flashing					
Flashing	Disabled	Border flashing enabled	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Text field_9	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Button_7					
Type	Button				
General					
Mode	Text	Engage	Unchecked	Pressed	Unchecked
Hotkey	None	Text OFF	Reset	Graphic OFF	
Graphic ON		Graphic alignment	Stretched		
Appearance					
Background color	204, 204, 204	Fill pattern color	0, 255, 0	Background fill pattern	Solid
Show fill level	Unchecked	Relative fill level	0	Fill direction	Bottom to top
Foreground color	0, 0, 0	Border width	1	Line style	Solid
Border style	0	Border color	0, 0, 0	Border background color	255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line inwards	Checked
Design					
Design settings	Global	Windows style	Checked	3D border width	2
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state	Unchecked
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state	255, 0, 255
Layout					
X position	242	Y position	229	Width	45
Height	18	Auto-size	Unchecked	Fit object to contents	Unchecked
Text format					
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment	Centered
Vertical alignment of the text	Middle				
Flashing					
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate	Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing	Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON	255, 255, 0
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF	0, 255, 0
Background color flashing ON	0, 255, 255				
Styles/Designs					
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency	0
Miscellaneous					
Name	Button_7	Layer	0 - Layer_0	Visible	Checked
Tooltip text					
Security					
Authorization		Allow operator control	Checked		
Dynamizations\Event					
Event name		Press left mouse button			
Function list\SetBit					
Tag		Hourmeter_ResetPB			
Dynamizations\Event					
Event name		Release left mouse button			
Function list\ResetBit					
Tag		Hourmeter_ResetPB			

Totally Integrated Automation Portal				
Button_8				
Type	Button			
General				
Mode	Text	Engage	Unchecked	Pressed
Hotkey	None	Text OFF	Exit HMI	Graphic OFF
Graphic ON		Graphic alignment	Stretched	
Appearance				
Background color	204, 204, 204	Fill pattern color	0, 255, 0	Background fill pattern
Show fill level	Unchecked	Relative fill level	0	Fill direction
Foreground color	0, 0, 0	Border width	1	Line style
Border style	0	Border color	0, 0, 0	Border background color
Corner style	Round	Line-end shape	Round	Widen border line inwards
Design				
Design settings	Global	Windows style	Checked	3D border width
3D border color lit	255, 255, 255	3D color border shadow	128, 128, 128	Use transparent color graphic in "OFF" state
Transparent color graphic in "OFF" state	255, 0, 255	Use transparent color graphic in "ON" state	Unchecked	Transparent color graphic in the "ON" state
Layout				
X position	515	Y position	84	Width
Height	29	Auto-size	Unchecked	Fit object to contents
Text format				
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment of the text
Vertical alignment of the text	Middle			
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF
Background color flashing ON	0, 255, 255			
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency
Miscellaneous				
Name	Button_8	Layer	0 - Layer_0	Visible
Tooltip text				
Security				
Authorization		Allow operator control	Checked	
Dynamizations\Event				
Event name		Click		
Function list\StopRuntime				
Mode		Runtime		
I/O field_1				
Type	I/O field			
General				
Process value		Input value		Mode
Display format	Decimal	Field length	5	Input/output
Format pattern	s99999			Show leading zeros
Appearance				
Background color	255, 255, 255	Fill pattern color	0, 255, 0	Background fill pattern
Foreground color	0, 0, 0	Unit		Border width
Line style	Solid	Border style	0	Border color
Border background color	255, 255, 255	Corner style	Round	Line-end shape
Characteristics				
Accept on full input	Unchecked	Apply on exit	Unchecked	Clear on invalid input
Clear on focus	Checked	Cursor control	Unchecked	Click and edit
Hidden input	Unchecked			
Layout				
X position	227	Y position	266	Width
Height	23	Adapt border	Unchecked	Fit object to contents
Text format				
Font	Calibri, 12px	Orientation	Horizontal	Horizontal alignment
Vertical alignment	Middle	Line break	Unchecked	Centered
Flashing				
Flashing	Disabled	Enable border flashing	Unchecked	Border flash rate
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Enable flashing
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON
Enable background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF

Totally Integrated Automation Portal				
Background color flashing ON	255, 0, 0			
Limits				
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0	Highlight limit colors Unchecked
High limit	1.79769313486231E+308	Low limit	-1.79769313486231E+308	
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency 0
Miscellaneous				
Name	I/O field_1	Layer	0 - Layer_0	Visible Checked
Tooltip text		Show bad tag status	Checked	
Security				
Authorization		Allow operator con- trol	Checked	Operator input log Unchecked
Request reason for operation	Unchecked			
Dynamizations\Tag connection				
Property name	Process value	Tag	Seconds_HMI	
Text field_10				
Type	Text field			
General				
Text	Seconds			
Appearance				
Background color	153, 153, 204	Fill pattern color	0, 255, 0	Background fill pat- tern Transparent
Show fill level	Unchecked	Relative fill level	0	Fill direction Bottom to top
Foreground color	0, 0, 0	Border width	0	Line style Solid
Border style	0	Border color	0, 0, 0	Border background color 255, 255, 255
Corner style	Round	Line-end shape	Round	Widen border line in- wards Checked
Layout				
X position	227	Y position	296	Width 57
Height	19	Pivot point of X posi- tion	0	Pivot point of Y posi- tion 0
Angle of rotation	0	Adapt border	Unchecked	Fit object to contents Unchecked
Text format				
Font	Calibri, 16px	Orientation	Horizontal	Horizontal alignment Left
Vertical alignment	Top	Line break	Unchecked	
Flashing				
Flashing	Disabled	Border flashing ena- bled	Unchecked	Border flash rate Medium
Border color flashing OFF	0, 255, 255	Border color flashing ON	255, 0, 0	Flashing enabled Unchecked
Flash rate	Medium	Flash color OFF	255, 0, 0	Flash color ON 255, 255, 0
Background flashing	Unchecked	Background flash rate	Medium	Background color flashing OFF 0, 255, 0
Background color flashing ON	0, 255, 255			
Styles/Designs				
Use shadow settings	Unchecked	Use style/design	Unchecked	Transparency 0
Miscellaneous				
Name	Text field_10	Layer	0 - Layer_0	Visible Checked
Tooltip text				
Security				
Authorization		Allow operator con- trol	Checked	

PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / Screen management /
Menus & toolbars

Toolbars

This folder is empty.

PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / Screen management /
Menus & toolbars

Menus

This folder is empty.

**PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / Screen management /
Menus & toolbars**

Configurations

This folder is empty.

Totally Integrated Automation Portal																																																																																																										
PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / HMI tags																																																																																																										
Default tag table [107]																																																																																																										
StartSystemPB																																																																																																										
<table border="1"> <tr> <td colspan="6">General</td> </tr> <tr> <td>Name</td><td>StartSystemPB</td><td>Connection</td><td>Step7</td><td>Data type</td><td>Bool</td></tr> <tr> <td>HMI device data type</td><td>Bool</td><td>Array elements</td><td>0</td><td>Length</td><td>1</td></tr> <tr> <td>Address</td><td></td><td>Access mode</td><td><symbolic access></td><td>Coding</td><td>Binary</td></tr> <tr> <td>PLC name</td><td>PLC_1</td><td>Quality code</td><td>Unchecked</td><td></td><td></td></tr> <tr> <td colspan="6">Settings</td> </tr> <tr> <td>Persistency</td><td>Unchecked</td><td>Update mode</td><td>Client/Server wide</td><td>Synchronization</td><td>Unchecked</td></tr> <tr> <td colspan="6">Limits</td> </tr> <tr> <td>Upper 2</td><td></td><td>Lower 2</td><td></td><td></td><td></td></tr> <tr> <td colspan="6">Linear scaling</td> </tr> <tr> <td>Linear scaling</td><td>Unchecked</td><td>PLC value range end value</td><td>10</td><td>PLC value range start value</td><td>0</td></tr> <tr> <td>HMI device value range end value</td><td>100</td><td>HMI device value range start value</td><td>0</td><td></td><td></td></tr> <tr> <td colspan="6">Values</td> </tr> <tr> <td>Start value</td><td></td><td>Tag value</td><td></td><td>Substitute value</td><td></td></tr> <tr> <td>Use substitute value</td><td>None</td><td></td><td></td><td></td><td></td></tr> <tr> <td colspan="6">Comment</td> </tr> <tr> <td>Comment</td><td></td><td>Source comment</td><td></td><td></td><td></td></tr> </table>					General						Name	StartSystemPB	Connection	Step7	Data type	Bool	HMI device data type	Bool	Array elements	0	Length	1	Address		Access mode	<symbolic access>	Coding	Binary	PLC name	PLC_1	Quality code	Unchecked			Settings						Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked	Limits						Upper 2		Lower 2				Linear scaling						Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0	HMI device value range end value	100	HMI device value range start value	0			Values						Start value		Tag value		Substitute value		Use substitute value	None					Comment						Comment		Source comment			
General																																																																																																										
Name	StartSystemPB	Connection	Step7	Data type	Bool																																																																																																					
HMI device data type	Bool	Array elements	0	Length	1																																																																																																					
Address		Access mode	<symbolic access>	Coding	Binary																																																																																																					
PLC name	PLC_1	Quality code	Unchecked																																																																																																							
Settings																																																																																																										
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked																																																																																																					
Limits																																																																																																										
Upper 2		Lower 2																																																																																																								
Linear scaling																																																																																																										
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0																																																																																																					
HMI device value range end value	100	HMI device value range start value	0																																																																																																							
Values																																																																																																										
Start value		Tag value		Substitute value																																																																																																						
Use substitute value	None																																																																																																									
Comment																																																																																																										
Comment		Source comment																																																																																																								
StartSystem_PB																																																																																																										
StopSystemPB																																																																																																										
<table border="1"> <tr> <td colspan="6">General</td> </tr> <tr> <td>Name</td><td>StopSystemPB</td><td>Connection</td><td>Step7</td><td>Data type</td><td>Bool</td></tr> <tr> <td>HMI device data type</td><td>Bool</td><td>Array elements</td><td>0</td><td>Length</td><td>1</td></tr> <tr> <td>Address</td><td></td><td>Access mode</td><td><symbolic access></td><td>Coding</td><td>Binary</td></tr> <tr> <td>PLC name</td><td>PLC_1</td><td>Quality code</td><td>Unchecked</td><td></td><td></td></tr> <tr> <td colspan="6">Settings</td> </tr> <tr> <td>Persistency</td><td>Unchecked</td><td>Update mode</td><td>Client/Server wide</td><td>Synchronization</td><td>Unchecked</td></tr> <tr> <td colspan="6">Limits</td> </tr> <tr> <td>Upper 2</td><td></td><td>Lower 2</td><td></td><td></td><td></td></tr> <tr> <td colspan="6">Linear scaling</td> </tr> <tr> <td>Linear scaling</td><td>Unchecked</td><td>PLC value range end value</td><td>10</td><td>PLC value range start value</td><td>0</td></tr> <tr> <td>HMI device value range end value</td><td>100</td><td>HMI device value range start value</td><td>0</td><td></td><td></td></tr> <tr> <td colspan="6">Values</td> </tr> <tr> <td>Start value</td><td></td><td>Tag value</td><td></td><td>Substitute value</td><td></td></tr> <tr> <td>Use substitute value</td><td>None</td><td></td><td></td><td></td><td></td></tr> <tr> <td colspan="6">Comment</td> </tr> <tr> <td>Comment</td><td></td><td>Source comment</td><td></td><td></td><td></td></tr> </table>					General						Name	StopSystemPB	Connection	Step7	Data type	Bool	HMI device data type	Bool	Array elements	0	Length	1	Address		Access mode	<symbolic access>	Coding	Binary	PLC name	PLC_1	Quality code	Unchecked			Settings						Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked	Limits						Upper 2		Lower 2				Linear scaling						Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0	HMI device value range end value	100	HMI device value range start value	0			Values						Start value		Tag value		Substitute value		Use substitute value	None					Comment						Comment		Source comment			
General																																																																																																										
Name	StopSystemPB	Connection	Step7	Data type	Bool																																																																																																					
HMI device data type	Bool	Array elements	0	Length	1																																																																																																					
Address		Access mode	<symbolic access>	Coding	Binary																																																																																																					
PLC name	PLC_1	Quality code	Unchecked																																																																																																							
Settings																																																																																																										
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked																																																																																																					
Limits																																																																																																										
Upper 2		Lower 2																																																																																																								
Linear scaling																																																																																																										
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0																																																																																																					
HMI device value range end value	100	HMI device value range start value	0																																																																																																							
Values																																																																																																										
Start value		Tag value		Substitute value																																																																																																						
Use substitute value	None																																																																																																									
Comment																																																																																																										
Comment		Source comment																																																																																																								
StopSystem_PB																																																																																																										
AlarmEmerStop																																																																																																										
<table border="1"> <tr> <td colspan="6">General</td> </tr> <tr> <td>Name</td><td>AlarmEmerStop</td><td>Connection</td><td>Step7</td><td>Data type</td><td>Bool</td></tr> <tr> <td>HMI device data type</td><td>Bool</td><td>Array elements</td><td>0</td><td>Length</td><td>1</td></tr> <tr> <td>Address</td><td></td><td>Access mode</td><td><symbolic access></td><td>Coding</td><td>Binary</td></tr> <tr> <td>PLC name</td><td>PLC_1</td><td>Quality code</td><td>Unchecked</td><td></td><td></td></tr> <tr> <td colspan="6">Settings</td> </tr> <tr> <td>Persistency</td><td>Unchecked</td><td>Update mode</td><td>Client/Server wide</td><td>Synchronization</td><td>Unchecked</td></tr> <tr> <td colspan="6">Limits</td> </tr> <tr> <td>Upper 2</td><td></td><td>Lower 2</td><td></td><td></td><td></td></tr> <tr> <td colspan="6">Linear scaling</td> </tr> <tr> <td>Linear scaling</td><td>Unchecked</td><td>PLC value range end value</td><td>10</td><td>PLC value range start value</td><td>0</td></tr> <tr> <td>HMI device value range end value</td><td>100</td><td>HMI device value range start value</td><td>0</td><td></td><td></td></tr> <tr> <td colspan="6">Values</td> </tr> <tr> <td>Start value</td><td></td><td>Tag value</td><td></td><td>Substitute value</td><td></td></tr> <tr> <td>Use substitute value</td><td>None</td><td></td><td></td><td></td><td></td></tr> <tr> <td colspan="6">Comment</td> </tr> <tr> <td>Comment</td><td></td><td>Source comment</td><td></td><td></td><td></td></tr> </table>					General						Name	AlarmEmerStop	Connection	Step7	Data type	Bool	HMI device data type	Bool	Array elements	0	Length	1	Address		Access mode	<symbolic access>	Coding	Binary	PLC name	PLC_1	Quality code	Unchecked			Settings						Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked	Limits						Upper 2		Lower 2				Linear scaling						Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0	HMI device value range end value	100	HMI device value range start value	0			Values						Start value		Tag value		Substitute value		Use substitute value	None					Comment						Comment		Source comment			
General																																																																																																										
Name	AlarmEmerStop	Connection	Step7	Data type	Bool																																																																																																					
HMI device data type	Bool	Array elements	0	Length	1																																																																																																					
Address		Access mode	<symbolic access>	Coding	Binary																																																																																																					
PLC name	PLC_1	Quality code	Unchecked																																																																																																							
Settings																																																																																																										
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked																																																																																																					
Limits																																																																																																										
Upper 2		Lower 2																																																																																																								
Linear scaling																																																																																																										
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0																																																																																																					
HMI device value range end value	100	HMI device value range start value	0																																																																																																							
Values																																																																																																										
Start value		Tag value		Substitute value																																																																																																						
Use substitute value	None																																																																																																									
Comment																																																																																																										
Comment		Source comment																																																																																																								
Alarm_EmerStop																																																																																																										
AlarmBrakeFailure																																																																																																										
<table border="1"> <tr> <td colspan="6">General</td> </tr> <tr> <td>Name</td><td>AlarmBrakeFailure</td><td>Connection</td><td>Step7</td><td>Data type</td><td>Bool</td></tr> <tr> <td>HMI device data type</td><td>Bool</td><td>Array elements</td><td>0</td><td>Length</td><td>1</td></tr> <tr> <td>Address</td><td></td><td>Access mode</td><td><symbolic access></td><td>Coding</td><td>Binary</td></tr> <tr> <td>PLC name</td><td>PLC_1</td><td>Quality code</td><td>Unchecked</td><td></td><td></td></tr> <tr> <td colspan="6">Settings</td> </tr> <tr> <td>Persistency</td><td>Unchecked</td><td>Update mode</td><td>Client/Server wide</td><td>Synchronization</td><td>Unchecked</td></tr> <tr> <td colspan="6">Limits</td> </tr> <tr> <td>Upper 2</td><td></td><td>Lower 2</td><td></td><td></td><td></td></tr> </table>					General						Name	AlarmBrakeFailure	Connection	Step7	Data type	Bool	HMI device data type	Bool	Array elements	0	Length	1	Address		Access mode	<symbolic access>	Coding	Binary	PLC name	PLC_1	Quality code	Unchecked			Settings						Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked	Limits						Upper 2		Lower 2																																																			
General																																																																																																										
Name	AlarmBrakeFailure	Connection	Step7	Data type	Bool																																																																																																					
HMI device data type	Bool	Array elements	0	Length	1																																																																																																					
Address		Access mode	<symbolic access>	Coding	Binary																																																																																																					
PLC name	PLC_1	Quality code	Unchecked																																																																																																							
Settings																																																																																																										
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked																																																																																																					
Limits																																																																																																										
Upper 2		Lower 2																																																																																																								

Totally Integrated Automation Portal					
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Alarm_BrakeFailure					
AlarmOilFlowLow					
General					
Name	AlarmOilFlowLow	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Alarm_OilFlowLow					
AlarmOilFlowHigh					
General					
Name	AlarmOilFlowHigh	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Alarm_OilFlowHigh					
AlarmOilTempHigh					
General					
Name	AlarmOilTempHigh	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Alarm_OilTempHigh					
AlarmOverCur					
General					
Name	AlarmOverCur	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1

Totally Integrated Automation Portal					
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Alarm_OverCur					
AlarmRotorOverSpeed					
General					
Name	AlarmRotorOverSpeed	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Alarm_RotorOverSpeed					
AlarmHorn_EnOut					
General					
Name	AlarmHorn_EnOut	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
AlarmHorn_En_Out					
Baffle_EnOut					
General					
Name	Baffle_EnOut	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			

Totally Integrated Automation Portal					
Baffle_En					
Brake_EnOut					
General					
Name	Brake_EnOut	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Brake_En_Out					
OilPumpVFD_EnOut					
General					
Name	OilPumpVFD_EnOut	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
OilPumpVFD_En_Out					
StationInterlock_EnOut					
General					
Name	StationInterlock_EnOut	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
StationInterlock_En_Out					
AlarmHorn_LocalPB					
General					
Name	AlarmHorn_LocalPB	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0

Totally Integrated Automation Portal					
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment		Source comment			
AlarmHorn_Local_PB					
AlarmHorn_OffPB					
General					
Name	AlarmHorn_OffPB	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment		Source comment			
AlarmHorn_Off_PB					
AlarmHorn_RemotePB					
General					
Name	AlarmHorn_RemotePB	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment		Source comment			
AlarmHorn_Remote_PB					
Baffle_LocalPB					
General					
Name	Baffle_LocalPB	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment		Source comment			
Baffle_Local_PB					
Baffle_OffPB					
General					
Name	Baffle_OffPB	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		

Totally Integrated Automation Portal					
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Baffle_Off_PB					
Baffle_RemotePB					
General					
Name	Baffle_RemotePB	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Baffle_Remote_PB					
Brake_LocalPB					
General					
Name	Brake_LocalPB	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Brake_Local_PB					
Brake_OffPB					
General					
Name	Brake_OffPB	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			

Totally Integrated Automation Portal					
Brake_Off_PB					
Brake_RemotePB					
General					
Name	Brake_RemotePB	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Brake_Remote_PB					
OilPumpVFD_LocalPB					
General					
Name	OilPumpVFD_LocalPB	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
OilPumpVFD_Local_PB					
OilPumpVFD_OffPB					
General					
Name	OilPumpVFD_OffPB	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
OilPumpVFD_Off_PB					
OilPumpVFD_RemotePB					
General					
Name	OilPumpVFD_RemotePB	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0

Totally Integrated Automation Portal					
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
OilPumpVFD_Remote_PB					
StationInterlock_LocalPB					
General					
Name	StationInterlock_LocalPB	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
StationInterlock_Local_PB					
StationInterlock_OffPB					
General					
Name	StationInterlock_OffPB	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
StationInterlock_Off_PB					
StationInterlock_RemotePB					
General					
Name	StationInterlock_RemotePB	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
StationInterlock_Remote_PB					
Alarm_Silence					
General					
Name	Alarm_Silence	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		

Totally Integrated Automation Portal					
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
AlarmSilence					
Alarm_Reset					
General					
Name	Alarm_Reset	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
AlarmReset					
ModeSystem					
General					
Name	ModeSystem	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Mode_System					
AlarmHorn_HOA_HMI					
General					
Name	AlarmHorn_HOA_HMI	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			

Totally Integrated Automation Portal					
AlarmHorn_HOA					
Baffle_HOA_HMI					
General					
Name	Baffle_HOA_HMI	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Baffle_HOA					
Brake_HOA_HMI					
General					
Name	Brake_HOA_HMI	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Brake_HOA					
OilPumpVFD_HOA_HMI					
General					
Name	OilPumpVFD_HOA_HMI	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
OilPumpVFD_HOA					
StationInterlock_HOA_HMI					
General					
Name	StationInterlock_HOA_HMI	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0

Totally Integrated Automation Portal					
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment		Source comment			
StationInterlock_HOA					
FaultMode_HMI					
General					
Name	FaultMode_HMI	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment		Source comment			
FaultMode					
Minutes_HMI					
General					
Name	Minutes_HMI	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment		Source comment			
Minutes_ET					
Hours_HMI					
General					
Name	Hours_HMI	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment		Source comment			
Hours_ET					
Days_HMI					
General					
Name	Days_HMI	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		

Totally Integrated Automation Portal					
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Days_ET					
Hourmeter_ResetPB					
General					
Name	Hourmeter_ResetPB	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Hourmeter_Reset_PB					
BrakeFailure_Delay					
General					
Name	BrakeFailure_Delay	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
BrakeFailure_DT					
OilFlowLow_Delay					
General					
Name	OilFlowLow_Delay	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			

Totally Integrated Automation Portal					
OilFlowLow_DT					
OilFlowHigh_Delay					
General					
Name	OilFlowHigh_Delay	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
OilFlowHigh_DT					
OilTempHigh_Delay					
General					
Name	OilTempHigh_Delay	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
OilTempHigh_DTT					
OverCur_Delay					
General					
Name	OverCur_Delay	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
OverCur_DTT					
RotorOverSpeed_Delay					
General					
Name	RotorOverSpeed_Delay	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0

Totally Integrated Automation Portal					
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
RotorOverSpeed_DT					
OilFlowLow_Setpoint					
General					
Name	OilFlowLow_Setpoint	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
OilFlowLow_SP					
OilTempHigh_Setpoint					
General					
Name	OilTempHigh_Setpoint	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
OilTempHigh_SP					
OverCur_Setpoint					
General					
Name	OverCur_Setpoint	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
OverCur_SPP					
RotorOverSpeed_Setpoint					
General					
Name	RotorOverSpeed_Setpoint	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		

Totally Integrated Automation Portal					
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
RotorOverSpeed_SP					
OilFlowHigh_Setpoint					
General					
Name	OilFlowHigh_Setpoint	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
OilFlowHigh_SP					
OilTempWarmup_Delay					
General					
Name	OilTempWarmup_Delay	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
OilTempWarmup_DT					
StablePower_Delay					
General					
Name	StablePower_Delay	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			

Totally Integrated Automation Portal					
StablePower_DT					
OilTempCooldown_Setpoint					
General					
Name	OilTempCooldown_Setpoint	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
OilTempCooldown_SP					
OilTempCooldown_Delay					
General					
Name	OilTempCooldown_Delay	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
OilTempCooldown_DT					
OilPumpVFDCooldown_Setpoint					
General					
Name	OilPumpVFDCooldown_Setpoint	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
OilPumpVFDCooldown_SP					
CurrentStable_Setpoint					
General					
Name	CurrentStable_Setpoint	Connection	Step7	Data type	Real
HMI device data type	Real	Array elements	0	Length	4
Address		Access mode	<symbolic access>	Coding	IEEE754
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0

Totally Integrated Automation Portal					
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
CurrentStable_SP					
OilTempWarmup_Setpoint					
General					
Name	OilTempWarmup_Setpoint	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
OilTempWarmup_SP					
OilPumpVFDWarmup_Setpoint					
General					
Name	OilPumpVFDWarmup_Setpoint	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
OilPumpVFDWarmup_SP					
Baffle_Manual_Setpoint					
General					
Name	Baffle_Manual_Setpoint	Connection	Step7	Data type	Real
HMI device data type	Real	Array elements	0	Length	4
Address		Access mode	<symbolic access>	Coding	IEEE754
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Baffle_Manual_SP					
OilPumpVFD_Manual_Setpoint					
General					
Name	OilPumpVFD_Manual_Setpoint	Connection	Step7	Data type	Real
HMI device data type	Real	Array elements	0	Length	4
Address		Access mode	<symbolic access>	Coding	IEEE754
PLC name	PLC_1	Quality code	Unchecked		

Totally Integrated Automation Portal					
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
OilPumpVFD_Manual_SP					
Program_Lang					
General					
Name	Program_Lang	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
ProgramNO					
SCL					
General					
Name	SCL	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
PB_SCL					
FBD					
General					
Name	FBD	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			

Totally Integrated Automation Portal					
PB_FBD					
Baffle_Perct					
General					
Name	Baffle_Perct	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Baffle_Pct					
Emer_Stop					
General					
Name	Emer_Stop	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
EmerStop					
NotifyBrakeFailure					
General					
Name	NotifyBrakeFailure	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Notify_BrakeFailure					
NotifyEmerStop					
General					
Name	NotifyEmerStop	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0

Totally Integrated Automation Portal					
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Notify_EmerStop					
NotifyOilFlowHigh					
General					
Name	NotifyOilFlowHigh	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Notify_OilFlowHigh					
NotifyOilFlowLow					
General					
Name	NotifyOilFlowLow	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Notify_OilFlowLow					
NotifyOilTempHigh					
General					
Name	NotifyOilTempHigh	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Notify_OilTempHigh					
NotifyOverCur					
General					
Name	NotifyOverCur	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		

Totally Integrated Automation Portal					
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Notify_OverCur					
NotifyRotorOverSpeed					
General					
Name	NotifyRotorOverSpeed	Connection	Step7	Data type	Bool
HMI device data type	Bool	Array elements	0	Length	1
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Notify_RotorOverSpeed					
RPM_HMI					
General					
Name	RPM_HMI	Connection	Step7	Data type	Real
HMI device data type	Real	Array elements	0	Length	4
Address		Access mode	<symbolic access>	Coding	IEEE754
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
RPM					
OilTemp_HMI					
General					
Name	OilTemp_HMI	Connection	Step7	Data type	Real
HMI device data type	Real	Array elements	0	Length	4
Address		Access mode	<symbolic access>	Coding	IEEE754
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			

Totally Integrated Automation Portal					
OilTemp					
OilFlow_HMI					
General					
Name	OilFlow_HMI	Connection	Step7	Data type	Real
HMI device data type	Real	Array elements	0	Length	4
Address		Access mode	<symbolic access>	Coding	IEEE754
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
OilFlow					
OilPumpVFD_Perct					
General					
Name	OilPumpVFD_Perct	Connection	Step7	Data type	Int
HMI device data type	Int	Array elements	0	Length	2
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
OilPumpVFD_Pct					
Current_HMI					
General					
Name	Current_HMI	Connection	Step7	Data type	Real
HMI device data type	Real	Array elements	0	Length	4
Address		Access mode	<symbolic access>	Coding	IEEE754
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Current					
Seconds_HMI					
General					
Name	Seconds_HMI	Connection	Step7	Data type	Time
HMI device data type	DInt	Array elements	0	Length	4
Address		Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0

Totally Integrated Automation Portal					
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value			
Use substitute value	None		Substitute value		
Comment					
Comment		Source comment			
Seconds_ET					
Power_HMI					
General					
Name	Power_HMI	Connection	Step7	Data type	Real
HMI device data type	Real	Array elements	0	Length	4
Address		Access mode	<symbolic access>	Coding	IEEE754
PLC name	PLC_1	Quality code	Unchecked		
Settings					
Persistency	Unchecked	Update mode	Client/Server wide	Synchronization	Unchecked
Limits					
Upper 2		Lower 2			
Linear scaling					
Linear scaling	Unchecked	PLC value range end value	10	PLC value range start value	0
HMI device value range end value	100	HMI device value range start value	0		
Values					
Start value		Tag value		Substitute value	
Use substitute value	None				
Comment					
Comment		Source comment			
Power_KW					

Totally Integrated Automation Portal		
PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional]		
Connections		
Step7		
Name	Step7	Communication driv- er
Station	S71500/ET200MP station_1	Partner
		PLC_1
		Comment
		Node
		CPU 1511-1 PN, PROFINET interface (R0/S1)
Parameter		
HMI device		
Interface	TCP/IP	Access point
PLC	CP-TCP/IP	Set automatically
Address	192.168.0.2	On

Totally Integrated Automation Portal																																																																																																									
PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / HMI alarms																																																																																																									
Discrete alarms																																																																																																									
AlarmBrakeFailure																																																																																																									
General <table border="1"> <tr> <td>Name</td><td>AlarmBrakeFailure</td><td>ID</td><td>2</td><td>Alarm class</td><td>Errors</td></tr> <tr> <td>Alarm group</td><td><No alarm group></td><td>Priority</td><td>0</td><td>CPU number</td><td>0</td></tr> <tr> <td>PLC number</td><td>0</td><td></td><td></td><td></td><td></td></tr> </table> Trigger <table border="1"> <tr> <td>Trigger tag</td><td>AlarmBrakeFailure</td><td>Trigger bit number</td><td>0</td><td>Trigger mode</td><td>Rising edge</td></tr> </table> Text <table border="1"> <tr> <td>Alarm text</td><td>Brake Failure</td><td>Additional text 1</td><td></td><td>Additional text 2</td><td></td></tr> <tr> <td>Additional text 3</td><td></td><td>Additional text 4</td><td></td><td>Additional text 5</td><td></td></tr> <tr> <td>Additional text 6</td><td></td><td>Additional text 7</td><td></td><td>Additional text 8</td><td></td></tr> <tr> <td>Additional text 9</td><td></td><td></td><td></td><td></td><td></td></tr> </table> Info Text <table border="1"> <tr> <td>Info Text</td><td></td><td></td><td></td><td></td><td></td></tr> </table> Alarm parameter <table border="1"> <tr> <td>Parameter 1</td><td><No value></td><td>Parameter 2</td><td><No value></td><td>Parameter 3</td><td><No value></td></tr> <tr> <td>Parameter 4</td><td><No value></td><td>Parameter 5</td><td><No value></td><td>Parameter 6</td><td><No value></td></tr> <tr> <td>Parameter 7</td><td><No value></td><td>Parameter 8</td><td><No value></td><td>Parameter 9</td><td><No value></td></tr> <tr> <td>Parameter 10</td><td><No value></td><td></td><td></td><td></td><td></td></tr> </table> Acknowledgment <table border="1"> <tr> <td>Acknowledgment tag</td><td>NotifyBrakeFailure</td><td>Acknowledgment bit number</td><td>0</td><td>Single acknowledgment</td><td>Unchecked</td></tr> </table> Status <table border="1"> <tr> <td>Status tag</td><td><No tag></td><td>Bit number</td><td>0</td><td></td><td></td></tr> </table> Alarm annunciator <table border="1"> <tr> <td>Alarm annunciator</td><td>Unchecked</td><td></td><td></td><td></td><td></td></tr> </table> Display suppression <table border="1"> <tr> <td>Display suppression mask</td><td>0x00000000</td><td></td><td></td><td></td><td></td></tr> </table>				Name	AlarmBrakeFailure	ID	2	Alarm class	Errors	Alarm group	<No alarm group>	Priority	0	CPU number	0	PLC number	0					Trigger tag	AlarmBrakeFailure	Trigger bit number	0	Trigger mode	Rising edge	Alarm text	Brake Failure	Additional text 1		Additional text 2		Additional text 3		Additional text 4		Additional text 5		Additional text 6		Additional text 7		Additional text 8		Additional text 9						Info Text						Parameter 1	<No value>	Parameter 2	<No value>	Parameter 3	<No value>	Parameter 4	<No value>	Parameter 5	<No value>	Parameter 6	<No value>	Parameter 7	<No value>	Parameter 8	<No value>	Parameter 9	<No value>	Parameter 10	<No value>					Acknowledgment tag	NotifyBrakeFailure	Acknowledgment bit number	0	Single acknowledgment	Unchecked	Status tag	<No tag>	Bit number	0			Alarm annunciator	Unchecked					Display suppression mask	0x00000000				
Name	AlarmBrakeFailure	ID	2	Alarm class	Errors																																																																																																				
Alarm group	<No alarm group>	Priority	0	CPU number	0																																																																																																				
PLC number	0																																																																																																								
Trigger tag	AlarmBrakeFailure	Trigger bit number	0	Trigger mode	Rising edge																																																																																																				
Alarm text	Brake Failure	Additional text 1		Additional text 2																																																																																																					
Additional text 3		Additional text 4		Additional text 5																																																																																																					
Additional text 6		Additional text 7		Additional text 8																																																																																																					
Additional text 9																																																																																																									
Info Text																																																																																																									
Parameter 1	<No value>	Parameter 2	<No value>	Parameter 3	<No value>																																																																																																				
Parameter 4	<No value>	Parameter 5	<No value>	Parameter 6	<No value>																																																																																																				
Parameter 7	<No value>	Parameter 8	<No value>	Parameter 9	<No value>																																																																																																				
Parameter 10	<No value>																																																																																																								
Acknowledgment tag	NotifyBrakeFailure	Acknowledgment bit number	0	Single acknowledgment	Unchecked																																																																																																				
Status tag	<No tag>	Bit number	0																																																																																																						
Alarm annunciator	Unchecked																																																																																																								
Display suppression mask	0x00000000																																																																																																								
Alarm_BrakeFailure																																																																																																									
Notify_BrakeFailure																																																																																																									
AlarmEmerStop																																																																																																									
General <table border="1"> <tr> <td>Name</td><td>AlarmEmerStop</td><td>ID</td><td>1</td><td>Alarm class</td><td>Errors</td></tr> <tr> <td>Alarm group</td><td><No alarm group></td><td>Priority</td><td>0</td><td>CPU number</td><td>0</td></tr> <tr> <td>PLC number</td><td>0</td><td></td><td></td><td></td><td></td></tr> </table> Trigger <table border="1"> <tr> <td>Trigger tag</td><td>AlarmEmerStop</td><td>Trigger bit number</td><td>0</td><td>Trigger mode</td><td>Rising edge</td></tr> </table> Text <table border="1"> <tr> <td>Alarm text</td><td>EStop open</td><td>Additional text 1</td><td></td><td>Additional text 2</td><td></td></tr> <tr> <td>Additional text 3</td><td></td><td>Additional text 4</td><td></td><td>Additional text 5</td><td></td></tr> <tr> <td>Additional text 6</td><td></td><td>Additional text 7</td><td></td><td>Additional text 8</td><td></td></tr> <tr> <td>Additional text 9</td><td></td><td></td><td></td><td></td><td></td></tr> </table> Info Text <table border="1"> <tr> <td>Info Text</td><td></td><td></td><td></td><td></td><td></td></tr> </table> Alarm parameter <table border="1"> <tr> <td>Parameter 1</td><td><No value></td><td>Parameter 2</td><td><No value></td><td>Parameter 3</td><td><No value></td></tr> <tr> <td>Parameter 4</td><td><No value></td><td>Parameter 5</td><td><No value></td><td>Parameter 6</td><td><No value></td></tr> <tr> <td>Parameter 7</td><td><No value></td><td>Parameter 8</td><td><No value></td><td>Parameter 9</td><td><No value></td></tr> <tr> <td>Parameter 10</td><td><No value></td><td></td><td></td><td></td><td></td></tr> </table> Acknowledgment <table border="1"> <tr> <td>Acknowledgment tag</td><td>NotifyEmerStop</td><td>Acknowledgment bit number</td><td>0</td><td>Single acknowledgment</td><td>Unchecked</td></tr> </table> Status <table border="1"> <tr> <td>Status tag</td><td><No tag></td><td>Bit number</td><td>0</td><td></td><td></td></tr> </table> Alarm annunciator <table border="1"> <tr> <td>Alarm annunciator</td><td>Unchecked</td><td></td><td></td><td></td><td></td></tr> </table> Display suppression <table border="1"> <tr> <td>Display suppression mask</td><td>0x00000000</td><td></td><td></td><td></td><td></td></tr> </table>				Name	AlarmEmerStop	ID	1	Alarm class	Errors	Alarm group	<No alarm group>	Priority	0	CPU number	0	PLC number	0					Trigger tag	AlarmEmerStop	Trigger bit number	0	Trigger mode	Rising edge	Alarm text	EStop open	Additional text 1		Additional text 2		Additional text 3		Additional text 4		Additional text 5		Additional text 6		Additional text 7		Additional text 8		Additional text 9						Info Text						Parameter 1	<No value>	Parameter 2	<No value>	Parameter 3	<No value>	Parameter 4	<No value>	Parameter 5	<No value>	Parameter 6	<No value>	Parameter 7	<No value>	Parameter 8	<No value>	Parameter 9	<No value>	Parameter 10	<No value>					Acknowledgment tag	NotifyEmerStop	Acknowledgment bit number	0	Single acknowledgment	Unchecked	Status tag	<No tag>	Bit number	0			Alarm annunciator	Unchecked					Display suppression mask	0x00000000				
Name	AlarmEmerStop	ID	1	Alarm class	Errors																																																																																																				
Alarm group	<No alarm group>	Priority	0	CPU number	0																																																																																																				
PLC number	0																																																																																																								
Trigger tag	AlarmEmerStop	Trigger bit number	0	Trigger mode	Rising edge																																																																																																				
Alarm text	EStop open	Additional text 1		Additional text 2																																																																																																					
Additional text 3		Additional text 4		Additional text 5																																																																																																					
Additional text 6		Additional text 7		Additional text 8																																																																																																					
Additional text 9																																																																																																									
Info Text																																																																																																									
Parameter 1	<No value>	Parameter 2	<No value>	Parameter 3	<No value>																																																																																																				
Parameter 4	<No value>	Parameter 5	<No value>	Parameter 6	<No value>																																																																																																				
Parameter 7	<No value>	Parameter 8	<No value>	Parameter 9	<No value>																																																																																																				
Parameter 10	<No value>																																																																																																								
Acknowledgment tag	NotifyEmerStop	Acknowledgment bit number	0	Single acknowledgment	Unchecked																																																																																																				
Status tag	<No tag>	Bit number	0																																																																																																						
Alarm annunciator	Unchecked																																																																																																								
Display suppression mask	0x00000000																																																																																																								
Alarm_EmerStop																																																																																																									
Notify_EmerStop																																																																																																									
AlarmOilFlowHigh																																																																																																									
General <table border="1"> <tr> <td>Name</td><td>AlarmOilFlowHigh</td><td>ID</td><td>4</td><td>Alarm class</td><td>Errors</td></tr> <tr> <td>Alarm group</td><td><No alarm group></td><td>Priority</td><td>0</td><td>CPU number</td><td>0</td></tr> <tr> <td>PLC number</td><td>0</td><td></td><td></td><td></td><td></td></tr> </table> Trigger <table border="1"> <tr> <td>Trigger tag</td><td>AlarmOilFlowHigh</td><td>Trigger bit number</td><td>0</td><td>Trigger mode</td><td>Rising edge</td></tr> </table> Text <table border="1"> <tr> <td>Alarm text</td><td>High Oil Flow</td><td>Additional text 1</td><td></td><td>Additional text 2</td><td></td></tr> <tr> <td>Additional text 3</td><td></td><td>Additional text 4</td><td></td><td>Additional text 5</td><td></td></tr> <tr> <td>Additional text 6</td><td></td><td>Additional text 7</td><td></td><td>Additional text 8</td><td></td></tr> <tr> <td>Additional text 9</td><td></td><td></td><td></td><td></td><td></td></tr> </table>				Name	AlarmOilFlowHigh	ID	4	Alarm class	Errors	Alarm group	<No alarm group>	Priority	0	CPU number	0	PLC number	0					Trigger tag	AlarmOilFlowHigh	Trigger bit number	0	Trigger mode	Rising edge	Alarm text	High Oil Flow	Additional text 1		Additional text 2		Additional text 3		Additional text 4		Additional text 5		Additional text 6		Additional text 7		Additional text 8		Additional text 9																																																											
Name	AlarmOilFlowHigh	ID	4	Alarm class	Errors																																																																																																				
Alarm group	<No alarm group>	Priority	0	CPU number	0																																																																																																				
PLC number	0																																																																																																								
Trigger tag	AlarmOilFlowHigh	Trigger bit number	0	Trigger mode	Rising edge																																																																																																				
Alarm text	High Oil Flow	Additional text 1		Additional text 2																																																																																																					
Additional text 3		Additional text 4		Additional text 5																																																																																																					
Additional text 6		Additional text 7		Additional text 8																																																																																																					
Additional text 9																																																																																																									

Totally Integrated Automation Portal					
Info Text					
Info Text					
Alarm parameter					
Parameter 1	<No value>	Parameter 2	<No value>	Parameter 3	<No value>
Parameter 4	<No value>	Parameter 5	<No value>	Parameter 6	<No value>
Parameter 7	<No value>	Parameter 8	<No value>	Parameter 9	<No value>
Parameter 10	<No value>				
Acknowledgment					
Acknowledgment tag	NotifyOilFlowHigh	Acknowledgment bit number	0	Single acknowledgment	Unchecked
Status					
Status tag	<No tag>	Bit number	0		
Alarm annunciator					
Alarm annunciator	Unchecked				
Display suppression					
Display suppression mask	0x00000000				
Alarm_OilFlowHigh					
Notify_OilFlowHigh					
AlarmOilFlowLow					
General					
Name	AlarmOilFlowLow	ID	3	Alarm class	Errors
Alarm group	<No alarm group>	Priority	0	CPU number	0
PLC number	0				
Trigger					
Trigger tag	AlarmOilFlowLow	Trigger bit number	0	Trigger mode	Rising edge
Text					
Alarm text	Low Oil Flow	Additional text 1		Additional text 2	
Additional text 3		Additional text 4		Additional text 5	
Additional text 6		Additional text 7		Additional text 8	
Additional text 9					
Info Text					
Info Text					
Alarm parameter					
Parameter 1	<No value>	Parameter 2	<No value>	Parameter 3	<No value>
Parameter 4	<No value>	Parameter 5	<No value>	Parameter 6	<No value>
Parameter 7	<No value>	Parameter 8	<No value>	Parameter 9	<No value>
Parameter 10	<No value>				
Acknowledgment					
Acknowledgment tag	NotifyOilFlowLow	Acknowledgment bit number	0	Single acknowledgment	Unchecked
Status					
Status tag	<No tag>	Bit number	0		
Alarm annunciator					
Alarm annunciator	Unchecked				
Display suppression					
Display suppression mask	0x00000000				
Alarm_OilFlowLow					
Notify_OilFlowLow					
AlarmOilTempHigh					
General					
Name	AlarmOilTempHigh	ID	5	Alarm class	Errors
Alarm group	<No alarm group>	Priority	0	CPU number	0
PLC number	0				
Trigger					
Trigger tag	AlarmOilTempHigh	Trigger bit number	0	Trigger mode	Rising edge
Text					
Alarm text	High Oil Temp	Additional text 1		Additional text 2	
Additional text 3		Additional text 4		Additional text 5	
Additional text 6		Additional text 7		Additional text 8	
Additional text 9					
Info Text					
Info Text					
Alarm parameter					
Parameter 1	<No value>	Parameter 2	<No value>	Parameter 3	<No value>
Parameter 4	<No value>	Parameter 5	<No value>	Parameter 6	<No value>
Parameter 7	<No value>	Parameter 8	<No value>	Parameter 9	<No value>
Parameter 10	<No value>				
Acknowledgment					
Acknowledgment tag	NotifyOilTempHigh	Acknowledgment bit number	0	Single acknowledgment	Unchecked
Status					
Status tag	<No tag>	Bit number	0		
Alarm annunciator					
Alarm annunciator	Unchecked				
Display suppression					
Display suppression mask	0x00000000				

Totally Integrated Automation Portal			
Alarm_OilTempHigh			
Notify_OilTempHigh			
AlarmOverCur			
General			
Name	AlarmOverCur	ID	6
Alarm group	<No alarm group>	Priority	0
PLC number	0		
Trigger			
Trigger tag	AlarmOverCur	Trigger bit number	0
Text			
Alarm text	Overcurrent	Additional text 1	
Additional text 3		Additional text 4	
Additional text 6		Additional text 7	
Additional text 9			
Info Text			
Info Text			
Alarm parameter			
Parameter 1	<No value>	Parameter 2	<No value>
Parameter 4	<No value>	Parameter 5	<No value>
Parameter 7	<No value>	Parameter 8	<No value>
Parameter 10	<No value>		
Acknowledgment			
Acknowledgment tag	NotifyOverCur	Acknowledgment bit number	0
			Single acknowledgment
			Unchecked
Status			
Status tag	<No tag>	Bit number	0
Alarm annunciator			
Alarm annunciator	Unchecked		
Display suppression			
Display suppression mask	0x00000000		
Alarm_OverCur			
Notify_OverCur			
AlarmRotorOverSpeed			
General			
Name	AlarmRotorOverSpeed	ID	7
Alarm group	<No alarm group>	Priority	0
PLC number	0		
Trigger			
Trigger tag	AlarmRotorOverSpeed	Trigger bit number	0
Text			
Alarm text	Rotor Overspeed	Additional text 1	
Additional text 3		Additional text 4	
Additional text 6		Additional text 7	
Additional text 9			
Info Text			
Info Text			
Alarm parameter			
Parameter 1	<No value>	Parameter 2	<No value>
Parameter 4	<No value>	Parameter 5	<No value>
Parameter 7	<No value>	Parameter 8	<No value>
Parameter 10	<No value>		
Acknowledgment			
Acknowledgment tag	NotifyRotorOverSpeed	Acknowledgment bit number	0
			Single acknowledgment
			Unchecked
Status			
Status tag	<No tag>	Bit number	0
Alarm annunciator			
Alarm annunciator	Unchecked		
Display suppression			
Display suppression mask	0x00000000		
Alarm_RotorOverSpeed			
Notify_RotorOverSpeed			

PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / HMI alarms

Analog alarms

This folder is empty.

PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / HMI alarms

User alarms

This folder is empty.

Totally Integrated Automation Portal																																												
PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / HMI alarms																																												
Alarm groups																																												
Alarm_group_1																																												
<table border="1"> <thead> <tr> <th colspan="6">General</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>Alarm_group_1</td><td>ID</td><td>1</td><td>Hierarchy level</td><td>0</td></tr> <tr> <td>Parent alarm group</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <th colspan="6">Tags</th></tr> <tr> <td>Status tag</td><td><No tag></td><td>Bit number</td><td>0</td><td>Acknowledgment tag</td><td><No tag></td></tr> <tr> <td>Bit number in acknowledgment tag</td><td>0</td><td>Lock tag</td><td><No tag></td><td>Lock bit number</td><td>0</td></tr> <tr> <td>Display suppression tag</td><td><No tag></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>			General						Name	Alarm_group_1	ID	1	Hierarchy level	0	Parent alarm group						Tags						Status tag	<No tag>	Bit number	0	Acknowledgment tag	<No tag>	Bit number in acknowledgment tag	0	Lock tag	<No tag>	Lock bit number	0	Display suppression tag	<No tag>				
General																																												
Name	Alarm_group_1	ID	1	Hierarchy level	0																																							
Parent alarm group																																												
Tags																																												
Status tag	<No tag>	Bit number	0	Acknowledgment tag	<No tag>																																							
Bit number in acknowledgment tag	0	Lock tag	<No tag>	Lock bit number	0																																							
Display suppression tag	<No tag>																																											
Alarm_group_10																																												
<table border="1"> <thead> <tr> <th colspan="6">General</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>Alarm_group_10</td><td>ID</td><td>10</td><td>Hierarchy level</td><td>0</td></tr> <tr> <td>Parent alarm group</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <th colspan="6">Tags</th></tr> <tr> <td>Status tag</td><td><No tag></td><td>Bit number</td><td>0</td><td>Acknowledgment tag</td><td><No tag></td></tr> <tr> <td>Bit number in acknowledgment tag</td><td>0</td><td>Lock tag</td><td><No tag></td><td>Lock bit number</td><td>0</td></tr> <tr> <td>Display suppression tag</td><td><No tag></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>			General						Name	Alarm_group_10	ID	10	Hierarchy level	0	Parent alarm group						Tags						Status tag	<No tag>	Bit number	0	Acknowledgment tag	<No tag>	Bit number in acknowledgment tag	0	Lock tag	<No tag>	Lock bit number	0	Display suppression tag	<No tag>				
General																																												
Name	Alarm_group_10	ID	10	Hierarchy level	0																																							
Parent alarm group																																												
Tags																																												
Status tag	<No tag>	Bit number	0	Acknowledgment tag	<No tag>																																							
Bit number in acknowledgment tag	0	Lock tag	<No tag>	Lock bit number	0																																							
Display suppression tag	<No tag>																																											
Alarm_group_11																																												
<table border="1"> <thead> <tr> <th colspan="6">General</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>Alarm_group_11</td><td>ID</td><td>11</td><td>Hierarchy level</td><td>0</td></tr> <tr> <td>Parent alarm group</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <th colspan="6">Tags</th></tr> <tr> <td>Status tag</td><td><No tag></td><td>Bit number</td><td>0</td><td>Acknowledgment tag</td><td><No tag></td></tr> <tr> <td>Bit number in acknowledgment tag</td><td>0</td><td>Lock tag</td><td><No tag></td><td>Lock bit number</td><td>0</td></tr> <tr> <td>Display suppression tag</td><td><No tag></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>			General						Name	Alarm_group_11	ID	11	Hierarchy level	0	Parent alarm group						Tags						Status tag	<No tag>	Bit number	0	Acknowledgment tag	<No tag>	Bit number in acknowledgment tag	0	Lock tag	<No tag>	Lock bit number	0	Display suppression tag	<No tag>				
General																																												
Name	Alarm_group_11	ID	11	Hierarchy level	0																																							
Parent alarm group																																												
Tags																																												
Status tag	<No tag>	Bit number	0	Acknowledgment tag	<No tag>																																							
Bit number in acknowledgment tag	0	Lock tag	<No tag>	Lock bit number	0																																							
Display suppression tag	<No tag>																																											
Alarm_group_12																																												
<table border="1"> <thead> <tr> <th colspan="6">General</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>Alarm_group_12</td><td>ID</td><td>12</td><td>Hierarchy level</td><td>0</td></tr> <tr> <td>Parent alarm group</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <th colspan="6">Tags</th></tr> <tr> <td>Status tag</td><td><No tag></td><td>Bit number</td><td>0</td><td>Acknowledgment tag</td><td><No tag></td></tr> <tr> <td>Bit number in acknowledgment tag</td><td>0</td><td>Lock tag</td><td><No tag></td><td>Lock bit number</td><td>0</td></tr> <tr> <td>Display suppression tag</td><td><No tag></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>			General						Name	Alarm_group_12	ID	12	Hierarchy level	0	Parent alarm group						Tags						Status tag	<No tag>	Bit number	0	Acknowledgment tag	<No tag>	Bit number in acknowledgment tag	0	Lock tag	<No tag>	Lock bit number	0	Display suppression tag	<No tag>				
General																																												
Name	Alarm_group_12	ID	12	Hierarchy level	0																																							
Parent alarm group																																												
Tags																																												
Status tag	<No tag>	Bit number	0	Acknowledgment tag	<No tag>																																							
Bit number in acknowledgment tag	0	Lock tag	<No tag>	Lock bit number	0																																							
Display suppression tag	<No tag>																																											
Alarm_group_13																																												
<table border="1"> <thead> <tr> <th colspan="6">General</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>Alarm_group_13</td><td>ID</td><td>13</td><td>Hierarchy level</td><td>0</td></tr> <tr> <td>Parent alarm group</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <th colspan="6">Tags</th></tr> <tr> <td>Status tag</td><td><No tag></td><td>Bit number</td><td>0</td><td>Acknowledgment tag</td><td><No tag></td></tr> <tr> <td>Bit number in acknowledgment tag</td><td>0</td><td>Lock tag</td><td><No tag></td><td>Lock bit number</td><td>0</td></tr> <tr> <td>Display suppression tag</td><td><No tag></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>			General						Name	Alarm_group_13	ID	13	Hierarchy level	0	Parent alarm group						Tags						Status tag	<No tag>	Bit number	0	Acknowledgment tag	<No tag>	Bit number in acknowledgment tag	0	Lock tag	<No tag>	Lock bit number	0	Display suppression tag	<No tag>				
General																																												
Name	Alarm_group_13	ID	13	Hierarchy level	0																																							
Parent alarm group																																												
Tags																																												
Status tag	<No tag>	Bit number	0	Acknowledgment tag	<No tag>																																							
Bit number in acknowledgment tag	0	Lock tag	<No tag>	Lock bit number	0																																							
Display suppression tag	<No tag>																																											
Alarm_group_14																																												
<table border="1"> <thead> <tr> <th colspan="6">General</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>Alarm_group_14</td><td>ID</td><td>14</td><td>Hierarchy level</td><td>0</td></tr> <tr> <td>Parent alarm group</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <th colspan="6">Tags</th></tr> <tr> <td>Status tag</td><td><No tag></td><td>Bit number</td><td>0</td><td>Acknowledgment tag</td><td><No tag></td></tr> <tr> <td>Bit number in acknowledgment tag</td><td>0</td><td>Lock tag</td><td><No tag></td><td>Lock bit number</td><td>0</td></tr> <tr> <td>Display suppression tag</td><td><No tag></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>			General						Name	Alarm_group_14	ID	14	Hierarchy level	0	Parent alarm group						Tags						Status tag	<No tag>	Bit number	0	Acknowledgment tag	<No tag>	Bit number in acknowledgment tag	0	Lock tag	<No tag>	Lock bit number	0	Display suppression tag	<No tag>				
General																																												
Name	Alarm_group_14	ID	14	Hierarchy level	0																																							
Parent alarm group																																												
Tags																																												
Status tag	<No tag>	Bit number	0	Acknowledgment tag	<No tag>																																							
Bit number in acknowledgment tag	0	Lock tag	<No tag>	Lock bit number	0																																							
Display suppression tag	<No tag>																																											
Alarm_group_15																																												
<table border="1"> <thead> <tr> <th colspan="6">General</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>Alarm_group_15</td><td>ID</td><td>15</td><td>Hierarchy level</td><td>0</td></tr> <tr> <td>Parent alarm group</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <th colspan="6">Tags</th></tr> <tr> <td>Status tag</td><td><No tag></td><td>Bit number</td><td>0</td><td>Acknowledgment tag</td><td><No tag></td></tr> <tr> <td>Bit number in acknowledgment tag</td><td>0</td><td>Lock tag</td><td><No tag></td><td>Lock bit number</td><td>0</td></tr> <tr> <td>Display suppression tag</td><td><No tag></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>			General						Name	Alarm_group_15	ID	15	Hierarchy level	0	Parent alarm group						Tags						Status tag	<No tag>	Bit number	0	Acknowledgment tag	<No tag>	Bit number in acknowledgment tag	0	Lock tag	<No tag>	Lock bit number	0	Display suppression tag	<No tag>				
General																																												
Name	Alarm_group_15	ID	15	Hierarchy level	0																																							
Parent alarm group																																												
Tags																																												
Status tag	<No tag>	Bit number	0	Acknowledgment tag	<No tag>																																							
Bit number in acknowledgment tag	0	Lock tag	<No tag>	Lock bit number	0																																							
Display suppression tag	<No tag>																																											

Totally Integrated Automation Portal			
Alarm_group_16			
General			
Name	Alarm_group_16	ID	16
Parent alarm group		Hierarchy level	0
Tags			
Status tag	<No tag>	Bit number	0
Bit number in acknowledgment tag	0	Lock tag	<No tag>
Display suppression tag	<No tag>	Acknowledgment tag	<No tag>
		Lock bit number	0
Alarm_group_2			
General			
Name	Alarm_group_2	ID	2
Parent alarm group		Hierarchy level	0
Tags			
Status tag	<No tag>	Bit number	0
Bit number in acknowledgment tag	0	Lock tag	<No tag>
Display suppression tag	<No tag>	Acknowledgment tag	<No tag>
		Lock bit number	0
Alarm_group_3			
General			
Name	Alarm_group_3	ID	3
Parent alarm group		Hierarchy level	0
Tags			
Status tag	<No tag>	Bit number	0
Bit number in acknowledgment tag	0	Lock tag	<No tag>
Display suppression tag	<No tag>	Acknowledgment tag	<No tag>
		Lock bit number	0
Alarm_group_4			
General			
Name	Alarm_group_4	ID	4
Parent alarm group		Hierarchy level	0
Tags			
Status tag	<No tag>	Bit number	0
Bit number in acknowledgment tag	0	Lock tag	<No tag>
Display suppression tag	<No tag>	Acknowledgment tag	<No tag>
		Lock bit number	0
Alarm_group_5			
General			
Name	Alarm_group_5	ID	5
Parent alarm group		Hierarchy level	0
Tags			
Status tag	<No tag>	Bit number	0
Bit number in acknowledgment tag	0	Lock tag	<No tag>
Display suppression tag	<No tag>	Acknowledgment tag	<No tag>
		Lock bit number	0
Alarm_group_6			
General			
Name	Alarm_group_6	ID	6
Parent alarm group		Hierarchy level	0
Tags			
Status tag	<No tag>	Bit number	0
Bit number in acknowledgment tag	0	Lock tag	<No tag>
Display suppression tag	<No tag>	Acknowledgment tag	<No tag>
		Lock bit number	0
Alarm_group_7			
General			
Name	Alarm_group_7	ID	7
Parent alarm group		Hierarchy level	0
Tags			
Status tag	<No tag>	Bit number	0
Bit number in acknowledgment tag	0	Lock tag	<No tag>
Display suppression tag	<No tag>	Acknowledgment tag	<No tag>
		Lock bit number	0
Alarm_group_8			
General			
Name	Alarm_group_8	ID	8
Parent alarm group		Hierarchy level	0
Tags			
Status tag	<No tag>	Bit number	0
		Acknowledgment tag	<No tag>

Totally Integrated Automation Portal				
--------------------------------------	--	--	--	--

Bit number in acknowledgement tag	0	Lock tag	<No tag>	Lock bit number	0
Display suppression tag	<No tag>				

Alarm_group_9

General					
Name	Alarm_group_9	ID	9	Hierarchy level	0
Tags					
Status tag	<No tag>	Bit number	0	Acknowledgment tag	<No tag>
Bit number in acknowledgement tag	0	Lock tag	<No tag>	Lock bit number	0
Display suppression tag	<No tag>				

Acknowledgement

General					
Name	Acknowledgement	ID	36	Hierarchy level	0
Tags					
Status tag	<No tag>	Bit number	0	Acknowledgment tag	<No tag>
Bit number in acknowledgement tag	0	Lock tag	<No tag>	Lock bit number	0
Display suppression tag	<No tag>				

Diagnosis events

General					
Name	Diagnosis events	ID	35	Hierarchy level	0
Tags					
Status tag	<No tag>	Bit number	0	Acknowledgment tag	<No tag>
Bit number in acknowledgement tag	0	Lock tag	<No tag>	Lock bit number	0
Display suppression tag	<No tag>				

Errors

General					
Name	Errors	ID	32	Hierarchy level	0
Tags					
Status tag	<No tag>	Bit number	0	Acknowledgment tag	<No tag>
Bit number in acknowledgement tag	0	Lock tag	<No tag>	Lock bit number	0
Display suppression tag	<No tag>				

No Acknowledgement

General					
Name	No Acknowledgement	ID	37	Hierarchy level	0
Tags					
Status tag	<No tag>	Bit number	0	Acknowledgment tag	<No tag>
Bit number in acknowledgement tag	0	Lock tag	<No tag>	Lock bit number	0
Display suppression tag	<No tag>				

System

General					
Name	System	ID	34	Hierarchy level	0
Tags					
Status tag	<No tag>	Bit number	0	Acknowledgment tag	<No tag>
Bit number in acknowledgement tag	0	Lock tag	<No tag>	Lock bit number	0
Display suppression tag	<No tag>				

Warnings

General					
Name	Warnings	ID	33	Hierarchy level	0
Tags					
Status tag	<No tag>	Bit number	0	Acknowledgment tag	<No tag>
Bit number in acknowledgement tag	0	Lock tag	<No tag>	Lock bit number	0
Display suppression tag	<No tag>				

Totally Integrated Automation Portal																																																																
PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / HMI alarms																																																																
Alarm classes																																																																
Acknowledgement																																																																
<table border="1"> <tr> <td colspan="5">General</td> </tr> <tr> <td>Name</td><td>Acknowledgement</td><td>Display name</td><td>A</td><td>ID</td></tr> <tr> <td>Common alarm class</td><td>Acknowledgement</td><td>Logging</td><td>Checked</td><td>33</td></tr> <tr> <td colspan="5">Acknowledgment</td></tr> <tr> <td>State machine</td><td>Alarm with single-mode acknowledgment</td><td>Unique user comment</td><td>Unchecked</td><td>Use comment of incoming alarm</td></tr> <tr> <td>Alarm annunciator acknowledgment</td><td>By means of "Acknowledge central annunciator" button</td><td>Alarm annunciator acknowledgement tag</td><td><No tag></td><td></td></tr> <tr> <td colspan="5">State texts</td></tr> <tr> <td>Text for "Incoming"</td><td>I</td><td>Text for "Outgoing"</td><td>O</td><td>Text for "Acknowledged"</td></tr> <tr> <td>Text for "Incoming/Outgoing"</td><td>IO</td><td></td><td></td><td></td></tr> <tr> <td colspan="5">Colors</td></tr> <tr> <td>Background "Acknowledged"</td><td>255, 255, 255</td><td>Text color "Acknowledged"</td><td>0, 0, 0</td><td>Background "Incoming"</td></tr> <tr> <td>Text color "Incoming"</td><td>0, 0, 0</td><td>Background "Outgoing"</td><td>255, 0, 0</td><td>Text color "Outgoing"</td></tr> </table>					General					Name	Acknowledgement	Display name	A	ID	Common alarm class	Acknowledgement	Logging	Checked	33	Acknowledgment					State machine	Alarm with single-mode acknowledgment	Unique user comment	Unchecked	Use comment of incoming alarm	Alarm annunciator acknowledgment	By means of "Acknowledge central annunciator" button	Alarm annunciator acknowledgement tag	<No tag>		State texts					Text for "Incoming"	I	Text for "Outgoing"	O	Text for "Acknowledged"	Text for "Incoming/Outgoing"	IO				Colors					Background "Acknowledged"	255, 255, 255	Text color "Acknowledged"	0, 0, 0	Background "Incoming"	Text color "Incoming"	0, 0, 0	Background "Outgoing"	255, 0, 0	Text color "Outgoing"
General																																																																
Name	Acknowledgement	Display name	A	ID																																																												
Common alarm class	Acknowledgement	Logging	Checked	33																																																												
Acknowledgment																																																																
State machine	Alarm with single-mode acknowledgment	Unique user comment	Unchecked	Use comment of incoming alarm																																																												
Alarm annunciator acknowledgment	By means of "Acknowledge central annunciator" button	Alarm annunciator acknowledgement tag	<No tag>																																																													
State texts																																																																
Text for "Incoming"	I	Text for "Outgoing"	O	Text for "Acknowledged"																																																												
Text for "Incoming/Outgoing"	IO																																																															
Colors																																																																
Background "Acknowledged"	255, 255, 255	Text color "Acknowledged"	0, 0, 0	Background "Incoming"																																																												
Text color "Incoming"	0, 0, 0	Background "Outgoing"	255, 0, 0	Text color "Outgoing"																																																												
Diagnosis events																																																																
<table border="1"> <tr> <td colspan="5">General</td> </tr> <tr> <td>Name</td><td>Diagnosis events</td><td>Display name</td><td>Diagnostics</td><td>ID</td></tr> <tr> <td>Common alarm class</td><td><No alarm class></td><td>Logging</td><td>Checked</td><td>4</td></tr> <tr> <td colspan="5">Acknowledgment</td></tr> <tr> <td>State machine</td><td>Alarm without Outgoing without acknowledgment</td><td>Unique user comment</td><td>Unchecked</td><td>Use comment of incoming alarm</td></tr> <tr> <td>Alarm annunciator acknowledgment</td><td>By means of "Acknowledge central annunciator" button</td><td>Alarm annunciator acknowledgement tag</td><td><No tag></td><td></td></tr> <tr> <td colspan="5">State texts</td></tr> <tr> <td>Text for "Incoming"</td><td>I</td><td>Text for "Outgoing"</td><td>O</td><td>Text for "Acknowledged"</td></tr> <tr> <td>Text for "Incoming/Outgoing"</td><td>IO</td><td></td><td></td><td></td></tr> <tr> <td colspan="5">Colors</td></tr> <tr> <td>Background "Acknowledged"</td><td>255, 255, 255</td><td>Text color "Acknowledged"</td><td>0, 0, 0</td><td>Background "Incoming"</td></tr> <tr> <td>Text color "Incoming"</td><td>0, 0, 0</td><td>Background "Outgoing"</td><td>255, 255, 255</td><td>Text color "Outgoing"</td></tr> </table>					General					Name	Diagnosis events	Display name	Diagnostics	ID	Common alarm class	<No alarm class>	Logging	Checked	4	Acknowledgment					State machine	Alarm without Outgoing without acknowledgment	Unique user comment	Unchecked	Use comment of incoming alarm	Alarm annunciator acknowledgment	By means of "Acknowledge central annunciator" button	Alarm annunciator acknowledgement tag	<No tag>		State texts					Text for "Incoming"	I	Text for "Outgoing"	O	Text for "Acknowledged"	Text for "Incoming/Outgoing"	IO				Colors					Background "Acknowledged"	255, 255, 255	Text color "Acknowledged"	0, 0, 0	Background "Incoming"	Text color "Incoming"	0, 0, 0	Background "Outgoing"	255, 255, 255	Text color "Outgoing"
General																																																																
Name	Diagnosis events	Display name	Diagnostics	ID																																																												
Common alarm class	<No alarm class>	Logging	Checked	4																																																												
Acknowledgment																																																																
State machine	Alarm without Outgoing without acknowledgment	Unique user comment	Unchecked	Use comment of incoming alarm																																																												
Alarm annunciator acknowledgment	By means of "Acknowledge central annunciator" button	Alarm annunciator acknowledgement tag	<No tag>																																																													
State texts																																																																
Text for "Incoming"	I	Text for "Outgoing"	O	Text for "Acknowledged"																																																												
Text for "Incoming/Outgoing"	IO																																																															
Colors																																																																
Background "Acknowledged"	255, 255, 255	Text color "Acknowledged"	0, 0, 0	Background "Incoming"																																																												
Text color "Incoming"	0, 0, 0	Background "Outgoing"	255, 255, 255	Text color "Outgoing"																																																												
Errors																																																																
<table border="1"> <tr> <td colspan="5">General</td> </tr> <tr> <td>Name</td><td>Errors</td><td>Display name</td><td>Errors</td><td>ID</td></tr> <tr> <td>Common alarm class</td><td><No alarm class></td><td>Logging</td><td>Checked</td><td>1</td></tr> <tr> <td colspan="5">Acknowledgment</td></tr> <tr> <td>State machine</td><td>Alarm with single-mode acknowledgment</td><td>Unique user comment</td><td>Unchecked</td><td>Use comment of incoming alarm</td></tr> <tr> <td>Alarm annunciator acknowledgment</td><td>By means of "Acknowledge central annunciator" button</td><td>Alarm annunciator acknowledgement tag</td><td><No tag></td><td></td></tr> <tr> <td colspan="5">State texts</td></tr> <tr> <td>Text for "Incoming"</td><td>I</td><td>Text for "Outgoing"</td><td>O</td><td>Text for "Acknowledged"</td></tr> <tr> <td>Text for "Incoming/Outgoing"</td><td>IO</td><td></td><td></td><td></td></tr> <tr> <td colspan="5">Colors</td></tr> <tr> <td>Background "Acknowledged"</td><td>255, 255, 255</td><td>Text color "Acknowledged"</td><td>0, 0, 0</td><td>Background "Incoming"</td></tr> <tr> <td>Text color "Incoming"</td><td>0, 0, 0</td><td>Background "Outgoing"</td><td>255, 0, 0</td><td>Text color "Outgoing"</td></tr> </table>					General					Name	Errors	Display name	Errors	ID	Common alarm class	<No alarm class>	Logging	Checked	1	Acknowledgment					State machine	Alarm with single-mode acknowledgment	Unique user comment	Unchecked	Use comment of incoming alarm	Alarm annunciator acknowledgment	By means of "Acknowledge central annunciator" button	Alarm annunciator acknowledgement tag	<No tag>		State texts					Text for "Incoming"	I	Text for "Outgoing"	O	Text for "Acknowledged"	Text for "Incoming/Outgoing"	IO				Colors					Background "Acknowledged"	255, 255, 255	Text color "Acknowledged"	0, 0, 0	Background "Incoming"	Text color "Incoming"	0, 0, 0	Background "Outgoing"	255, 0, 0	Text color "Outgoing"
General																																																																
Name	Errors	Display name	Errors	ID																																																												
Common alarm class	<No alarm class>	Logging	Checked	1																																																												
Acknowledgment																																																																
State machine	Alarm with single-mode acknowledgment	Unique user comment	Unchecked	Use comment of incoming alarm																																																												
Alarm annunciator acknowledgment	By means of "Acknowledge central annunciator" button	Alarm annunciator acknowledgement tag	<No tag>																																																													
State texts																																																																
Text for "Incoming"	I	Text for "Outgoing"	O	Text for "Acknowledged"																																																												
Text for "Incoming/Outgoing"	IO																																																															
Colors																																																																
Background "Acknowledged"	255, 255, 255	Text color "Acknowledged"	0, 0, 0	Background "Incoming"																																																												
Text color "Incoming"	0, 0, 0	Background "Outgoing"	255, 0, 0	Text color "Outgoing"																																																												
No Acknowledgement																																																																
<table border="1"> <tr> <td colspan="5">General</td> </tr> <tr> <td>Name</td><td>No Acknowledgement</td><td>Display name</td><td>NA</td><td>ID</td></tr> <tr> <td>Common alarm class</td><td>No Acknowledgement</td><td>Logging</td><td>Checked</td><td>34</td></tr> <tr> <td colspan="5">Acknowledgment</td></tr> <tr> <td>State machine</td><td>Alarm without acknowledgment</td><td>Unique user comment</td><td>Unchecked</td><td>Use comment of incoming alarm</td></tr> <tr> <td>Alarm annunciator acknowledgment</td><td>By means of "Acknowledge central annunciator" button</td><td>Alarm annunciator acknowledgement tag</td><td><No tag></td><td></td></tr> <tr> <td colspan="5">State texts</td></tr> <tr> <td>Text for "Incoming"</td><td>I</td><td>Text for "Outgoing"</td><td>O</td><td>Text for "Acknowledged"</td></tr> <tr> <td>Text for "Incoming/Outgoing"</td><td>IO</td><td></td><td></td><td></td></tr> <tr> <td colspan="5">Colors</td></tr> <tr> <td>Background "Acknowledged"</td><td>255, 255, 255</td><td>Text color "Acknowledged"</td><td>0, 0, 0</td><td>Background "Incoming"</td></tr> <tr> <td>Text color "Incoming"</td><td>0, 0, 0</td><td>Background "Outgoing"</td><td>255, 0, 0</td><td>Text color "Outgoing"</td></tr> </table>					General					Name	No Acknowledgement	Display name	NA	ID	Common alarm class	No Acknowledgement	Logging	Checked	34	Acknowledgment					State machine	Alarm without acknowledgment	Unique user comment	Unchecked	Use comment of incoming alarm	Alarm annunciator acknowledgment	By means of "Acknowledge central annunciator" button	Alarm annunciator acknowledgement tag	<No tag>		State texts					Text for "Incoming"	I	Text for "Outgoing"	O	Text for "Acknowledged"	Text for "Incoming/Outgoing"	IO				Colors					Background "Acknowledged"	255, 255, 255	Text color "Acknowledged"	0, 0, 0	Background "Incoming"	Text color "Incoming"	0, 0, 0	Background "Outgoing"	255, 0, 0	Text color "Outgoing"
General																																																																
Name	No Acknowledgement	Display name	NA	ID																																																												
Common alarm class	No Acknowledgement	Logging	Checked	34																																																												
Acknowledgment																																																																
State machine	Alarm without acknowledgment	Unique user comment	Unchecked	Use comment of incoming alarm																																																												
Alarm annunciator acknowledgment	By means of "Acknowledge central annunciator" button	Alarm annunciator acknowledgement tag	<No tag>																																																													
State texts																																																																
Text for "Incoming"	I	Text for "Outgoing"	O	Text for "Acknowledged"																																																												
Text for "Incoming/Outgoing"	IO																																																															
Colors																																																																
Background "Acknowledged"	255, 255, 255	Text color "Acknowledged"	0, 0, 0	Background "Incoming"																																																												
Text color "Incoming"	0, 0, 0	Background "Outgoing"	255, 0, 0	Text color "Outgoing"																																																												

Totally Integrated Automation Portal															
System															
General															
<table border="1"> <tr> <td>Name</td><td>System</td><td>Display name</td><td>System</td><td>ID</td><td>3</td></tr> <tr> <td>Common alarm class</td><td><No alarm class></td><td>Logging</td><td>Checked</td><td></td><td></td></tr> </table>				Name	System	Display name	System	ID	3	Common alarm class	<No alarm class>	Logging	Checked		
Name	System	Display name	System	ID	3										
Common alarm class	<No alarm class>	Logging	Checked												
Acknowledgment															
State machine	Alarm without Outgoing without acknowledgment	Unique user comment	Unchecked	Use comment of incoming alarm	Unchecked										
Alarm annunciator acknowledgment	By means of "Acknowledge central annunciator" button	Alarm annunciator acknowledgment tag	<No tag>												
State texts															
Text for "Incoming"	I	Text for "Outgoing"	O	Text for "Acknowledged"	A										
Text for "Incoming/Outgoing"	IO														
Colors															
Background "Acknowledged"	255, 255, 255	Text color "Acknowledged"	0, 0, 0	Background "Incoming"	255, 255, 255										
Text color "Incoming"	0, 0, 0	Background "Outgoing"	255, 255, 255	Text color "Outgoing"	0, 0, 0										
Warnings															
General															
Name	Warnings	Display name	Warnings	ID	2										
Common alarm class	<No alarm class>	Logging	Checked												
Acknowledgment															
State machine	Alarm without acknowledgment	Unique user comment	Unchecked	Use comment of incoming alarm	Unchecked										
Alarm annunciator acknowledgment	By means of "Acknowledge central annunciator" button	Alarm annunciator acknowledgment tag	<No tag>												
State texts															
Text for "Incoming"	I	Text for "Outgoing"	O	Text for "Acknowledged"	A										
Text for "Incoming/Outgoing"	IO														
Colors															
Background "Acknowledged"	255, 255, 255	Text color "Acknowledged"	0, 0, 0	Background "Incoming"	255, 255, 255										
Text color "Incoming"	0, 0, 0	Background "Outgoing"	255, 255, 255	Text color "Outgoing"	0, 0, 0										

Totally Integrated Automation Portal																											
PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / HMI alarms																											
Alarm text blocks																											
Acknowledgement status																											
<table border="1"> <tr> <td>General</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Name</td><td>Acknowledgement status</td><td>Display name</td><td>Acknowledgment status</td></tr> <tr> <td>Length</td><td>1</td><td>Flashing</td><td>Unchecked</td></tr> <tr> <td>Selected</td><td>Unchecked</td><td></td><td></td></tr> <tr> <td>Format</td><td></td><td></td><td></td></tr> <tr> <td>Format</td><td>None</td><td>Preview</td><td></td></tr> </table>				General				Name	Acknowledgement status	Display name	Acknowledgment status	Length	1	Flashing	Unchecked	Selected	Unchecked			Format				Format	None	Preview	
General																											
Name	Acknowledgement status	Display name	Acknowledgment status																								
Length	1	Flashing	Unchecked																								
Selected	Unchecked																										
Format																											
Format	None	Preview																									
Archiving ID																											
<table border="1"> <tr> <td>General</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Name</td><td>Archiving ID</td><td>Display name</td><td>Logging</td></tr> <tr> <td>Length</td><td>1</td><td>Flashing</td><td>Unchecked</td></tr> <tr> <td>Selected</td><td>Unchecked</td><td></td><td></td></tr> <tr> <td>Format</td><td></td><td></td><td></td></tr> <tr> <td>Format</td><td>None</td><td>Preview</td><td></td></tr> </table>				General				Name	Archiving ID	Display name	Logging	Length	1	Flashing	Unchecked	Selected	Unchecked			Format				Format	None	Preview	
General																											
Name	Archiving ID	Display name	Logging																								
Length	1	Flashing	Unchecked																								
Selected	Unchecked																										
Format																											
Format	None	Preview																									
Category																											
<table border="1"> <tr> <td>General</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Name</td><td>Category</td><td>Display name</td><td></td></tr> <tr> <td>Length</td><td>8</td><td>Flashing</td><td>Unchecked</td></tr> <tr> <td>Selected</td><td>Unchecked</td><td></td><td></td></tr> <tr> <td>Format</td><td></td><td></td><td></td></tr> <tr> <td>Format</td><td>None</td><td>Preview</td><td></td></tr> </table>				General				Name	Category	Display name		Length	8	Flashing	Unchecked	Selected	Unchecked			Format				Format	None	Preview	
General																											
Name	Category	Display name																									
Length	8	Flashing	Unchecked																								
Selected	Unchecked																										
Format																											
Format	None	Preview																									
Class																											
<table border="1"> <tr> <td>General</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Name</td><td>Class</td><td>Display name</td><td>Alarm class</td></tr> <tr> <td>Length</td><td>8</td><td>Flashing</td><td>Unchecked</td></tr> <tr> <td>Selected</td><td>Unchecked</td><td></td><td></td></tr> <tr> <td>Format</td><td></td><td></td><td></td></tr> <tr> <td>Format</td><td>None</td><td>Preview</td><td></td></tr> </table>				General				Name	Class	Display name	Alarm class	Length	8	Flashing	Unchecked	Selected	Unchecked			Format				Format	None	Preview	
General																											
Name	Class	Display name	Alarm class																								
Length	8	Flashing	Unchecked																								
Selected	Unchecked																										
Format																											
Format	None	Preview																									
Comments																											
<table border="1"> <tr> <td>General</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Name</td><td>Comments</td><td>Display name</td><td>Comment</td></tr> <tr> <td>Length</td><td>1</td><td>Flashing</td><td>Unchecked</td></tr> <tr> <td>Selected</td><td>Unchecked</td><td></td><td></td></tr> <tr> <td>Format</td><td></td><td></td><td></td></tr> <tr> <td>Format</td><td>None</td><td>Preview</td><td></td></tr> </table>				General				Name	Comments	Display name	Comment	Length	1	Flashing	Unchecked	Selected	Unchecked			Format				Format	None	Preview	
General																											
Name	Comments	Display name	Comment																								
Length	1	Flashing	Unchecked																								
Selected	Unchecked																										
Format																											
Format	None	Preview																									
Computer name																											
<table border="1"> <tr> <td>General</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Name</td><td>Computer name</td><td>Display name</td><td>Computer name</td></tr> <tr> <td>Length</td><td>10</td><td>Flashing</td><td>Unchecked</td></tr> <tr> <td>Selected</td><td>Unchecked</td><td></td><td></td></tr> <tr> <td>Format</td><td></td><td></td><td></td></tr> <tr> <td>Format</td><td>None</td><td>Preview</td><td></td></tr> </table>				General				Name	Computer name	Display name	Computer name	Length	10	Flashing	Unchecked	Selected	Unchecked			Format				Format	None	Preview	
General																											
Name	Computer name	Display name	Computer name																								
Length	10	Flashing	Unchecked																								
Selected	Unchecked																										
Format																											
Format	None	Preview																									
CPU number																											
<table border="1"> <tr> <td>General</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Name</td><td>CPU number</td><td>Display name</td><td>CPU number</td></tr> <tr> <td>Length</td><td>2</td><td>Flashing</td><td>Unchecked</td></tr> <tr> <td>Selected</td><td>Unchecked</td><td></td><td></td></tr> <tr> <td>Format</td><td></td><td></td><td></td></tr> <tr> <td>Format</td><td>None</td><td>Preview</td><td></td></tr> </table>				General				Name	CPU number	Display name	CPU number	Length	2	Flashing	Unchecked	Selected	Unchecked			Format				Format	None	Preview	
General																											
Name	CPU number	Display name	CPU number																								
Length	2	Flashing	Unchecked																								
Selected	Unchecked																										
Format																											
Format	None	Preview																									
Date																											
<table border="1"> <tr> <td>General</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Name</td><td>Date</td><td>Display name</td><td>Date</td></tr> <tr> <td>Length</td><td>8</td><td>Flashing</td><td>Unchecked</td></tr> <tr> <td>Selected</td><td>Checked</td><td></td><td></td></tr> <tr> <td>Format</td><td></td><td></td><td></td></tr> <tr> <td>Format</td><td>DD/MM/YY</td><td>Preview</td><td>01/01/01</td></tr> </table>				General				Name	Date	Display name	Date	Length	8	Flashing	Unchecked	Selected	Checked			Format				Format	DD/MM/YY	Preview	01/01/01
General																											
Name	Date	Display name	Date																								
Length	8	Flashing	Unchecked																								
Selected	Checked																										
Format																											
Format	DD/MM/YY	Preview	01/01/01																								
Daylight saving/standard time																											
<table border="1"> <tr> <td>General</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Name</td><td>Daylight saving/standard time</td><td>Display name</td><td>Daylight saving/Standard time</td></tr> <tr> <td>Length</td><td>1</td><td>Flashing</td><td>Unchecked</td></tr> <tr> <td>Selected</td><td>Unchecked</td><td></td><td></td></tr> <tr> <td>Format</td><td></td><td></td><td></td></tr> <tr> <td>Format</td><td>None</td><td>Preview</td><td></td></tr> </table>				General				Name	Daylight saving/standard time	Display name	Daylight saving/Standard time	Length	1	Flashing	Unchecked	Selected	Unchecked			Format				Format	None	Preview	
General																											
Name	Daylight saving/standard time	Display name	Daylight saving/Standard time																								
Length	1	Flashing	Unchecked																								
Selected	Unchecked																										
Format																											
Format	None	Preview																									
Duration																											
<table border="1"> <tr> <td>General</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Name</td><td>Duration</td><td>Display name</td><td>Duration</td></tr> <tr> <td>Length</td><td>8</td><td>Flashing</td><td>Unchecked</td></tr> <tr> <td>Selected</td><td>Unchecked</td><td></td><td></td></tr> <tr> <td>Format</td><td></td><td></td><td></td></tr> <tr> <td>Format</td><td>None</td><td>Preview</td><td></td></tr> </table>				General				Name	Duration	Display name	Duration	Length	8	Flashing	Unchecked	Selected	Unchecked			Format				Format	None	Preview	
General																											
Name	Duration	Display name	Duration																								
Length	8	Flashing	Unchecked																								
Selected	Unchecked																										
Format																											
Format	None	Preview																									

Totally Integrated Automation Portal			
Selected	Unchecked		
Format			
Format	hh:mm:ss	Preview	00:00:00
Info text			
General			
Name	Info text	Display name	Info text
Length	1	Flashing	Unchecked
Selected	Unchecked		
Format			
Format	None	Preview	
Loop in alarm			
General			
Name	Loop in alarm	Display name	Loop-In-Alarm
Length	1	Flashing	Unchecked
Selected	Unchecked		
Format			
Format	None	Preview	
Number			
General			
Name	Number	Display name	ID
Length	3	Flashing	Unchecked
Selected	Unchecked		
Format			
Format	Without leading zeros	Preview	
Parameter 1			
General			
Name	Parameter 1	Display name	Parameter: 1
Length	3	Flashing	Unchecked
Selected	Unchecked		
Parameter 10			
General			
Name	Parameter 10	Display name	Parameter: 10
Length	3	Flashing	Unchecked
Selected	Unchecked		
Parameter 2			
General			
Name	Parameter 2	Display name	Parameter: 2
Length	3	Flashing	Unchecked
Selected	Unchecked		
Parameter 3			
General			
Name	Parameter 3	Display name	Parameter: 3
Length	3	Flashing	Unchecked
Selected	Unchecked		
Parameter 4			
General			
Name	Parameter 4	Display name	Parameter: 4
Length	3	Flashing	Unchecked
Selected	Unchecked		
Parameter 5			
General			
Name	Parameter 5	Display name	Parameter: 5
Length	3	Flashing	Unchecked
Selected	Unchecked		
Parameter 6			
General			
Name	Parameter 6	Display name	Parameter: 6
Length	3	Flashing	Unchecked
Selected	Unchecked		
Parameter 7			
General			
Name	Parameter 7	Display name	Parameter: 7
Length	3	Flashing	Unchecked
Selected	Unchecked		
Parameter 8			
General			
Name	Parameter 8	Display name	Parameter: 8
Length	3	Flashing	Unchecked
Selected	Unchecked		

Totally Integrated Automation Portal			
Parameter 9			
General			
Name	Parameter 9	Display name	Parameter: 9
Length	3	Flashing	Unchecked
Selected	Unchecked	ID	19
PLC number			
General			
Name	PLC number	Display name	PLC number
Length	2	Flashing	Unchecked
Selected	Unchecked	Alignment	Left
Format			
Format	None	Preview	
PLC/CPU number			
General			
Name	PLC/CPU number	Display name	Controller/CPU number
Length	2	Flashing	Unchecked
Selected	Unchecked	Alignment	Left
Format			
Format	None	Preview	
Priority			
General			
Name	Priority	Display name	Priority
Length	3	Flashing	Unchecked
Selected	Unchecked	Alignment	Left
Format			
Format	Without leading zeros	Preview	
Report ID			
General			
Name	Report ID	Display name	
Length	1	Flashing	Unchecked
Selected	Unchecked	Alignment	Left
Format			
Format	None	Preview	
Status			
General			
Name	Status	Display name	Status
Length	1	Flashing	Unchecked
Selected	Unchecked	Alignment	Left
Format			
Format	None	Preview	
Tag			
General			
Name	Tag	Display name	Tag
Length	1	Flashing	Unchecked
Selected	Unchecked	Alignment	Left
Format			
Format	None	Preview	
Time			
General			
Name	Time	Display name	Time
Length	11	Flashing	Unchecked
Selected	Checked	Alignment	Left
Format			
Format	hh:mm:ss 12h	Preview	12:00:00 AM
User name			
General			
Name	User name	Display name	User name
Length	10	Flashing	Unchecked
Selected	Unchecked	Alignment	Left
Format			
Format	None	Preview	
User text block 1			
General			
Name	User text block 1	Display name	Alarm text
Length	10	Flashing	Unchecked
Selected	Checked	Alignment	Left
User text block 10			
General			
Name	User text block 10	Display name	Additional text 9
Length	10	Flashing	Unchecked
Selected	Unchecked	Alignment	Left

Totally Integrated Automation Portal		
User text block 2		
General		
Name	User text block 2	Display name
Length	10	Additional text 1
Selected	Checked	Flashing
Length	10	Unchecked
Selected	Checked	ID
		2
		Alignment
		Left
User text block 3		
General		
Name	User text block 3	Display name
Length	10	Additional text 2
Selected	Unchecked	Flashing
Length	10	Unchecked
Selected	Unchecked	ID
		3
		Alignment
		Left
User text block 4		
General		
Name	User text block 4	Display name
Length	10	Additional text 3
Selected	Unchecked	Flashing
Length	10	Unchecked
Selected	Unchecked	ID
		4
		Alignment
		Left
User text block 5		
General		
Name	User text block 5	Display name
Length	10	Additional text 4
Selected	Unchecked	Flashing
Length	10	Unchecked
Selected	Unchecked	ID
		5
		Alignment
		Left
User text block 6		
General		
Name	User text block 6	Display name
Length	10	Additional text 5
Selected	Unchecked	Flashing
Length	10	Unchecked
Selected	Unchecked	ID
		6
		Alignment
		Left
User text block 7		
General		
Name	User text block 7	Display name
Length	10	Additional text 6
Selected	Unchecked	Flashing
Length	10	Unchecked
Selected	Unchecked	ID
		7
		Alignment
		Left
User text block 8		
General		
Name	User text block 8	Display name
Length	10	Additional text 7
Selected	Unchecked	Flashing
Length	10	Unchecked
Selected	Unchecked	ID
		8
		Alignment
		Left
User text block 9		
General		
Name	User text block 9	Display name
Length	10	Additional text 8
Selected	Unchecked	Flashing
Length	10	Unchecked
Selected	Unchecked	ID
		9
		Alignment
		Left

Totally Integrated Automation Portal			
PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / HMI alarms			
Controller alarms			
STEP_TIME_ALARM_INST			
General			
Object name	STEP_TIME_ALARM_INST	ID	55
CPU number	0	PLC number	0
Common alarm class	No Acknowledgement	Runtime ID	1023410231
PLC			
Partner name	PLC_1	Display class	0
Range of numbers		Created by	GRAPH
Text			
Alarm text	Warning : GRAPH-Warning : PLC_1 : SEQUENCE : @1%t#4095K@ : S@1%03d@ : @1%t#4094K@	Additional text 1	
Additional text 3		Additional text 4	
Additional text 6		Additional text 7	
Additional text 9			
Info Text			
Info Text			
Normalization			
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>
Acknowledgment			
Acknowledgment tag	<No tag>	Single acknowledgment	Unchecked
Alarm annunciator			
Alarm annunciator	Unchecked		
DisplaySuppression			
Display suppression mask	0x00000000		
IL_ALARM_INST			
General			
Object name	IL_ALARM_INST	ID	56
CPU number	0	PLC number	0
Common alarm class	No Acknowledgement	Runtime ID	1023410232
PLC			
Partner name	PLC_1	Display class	0
Range of numbers		Created by	GRAPH
Text			
Alarm text	Error : GRAPH-Interlock : PLC_1 : SEQUENCE : @1%t#4095K@ : S@1%03d@ : @1%t#4093K@	Additional text 1	
Additional text 3		Additional text 4	
Additional text 6		Additional text 7	
Additional text 9			
Info Text			
Info Text			
Normalization			
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>
Acknowledgment			
Acknowledgment tag	<No tag>	Single acknowledgment	Unchecked
Alarm annunciator			
Alarm annunciator	Unchecked		
DisplaySuppression			
Display suppression mask	0x00000000		
SUP_ALARM_INST			
General			
Object name	SUP_ALARM_INST	ID	57
CPU number	0	PLC number	0
Common alarm class	No Acknowledgement	Runtime ID	1023410233
PLC			
Partner name	PLC_1	Display class	0
Range of numbers		Created by	GRAPH
Text			
Alarm text	Error : GRAPH-Supervision : PLC_1 : SEQUENCE : @1%t#4095K@ : S@1%03d@ : @1%t#4094K@	Additional text 1	
Additional text 3		Additional text 4	
Additional text 6		Additional text 7	
Additional text 9			
Info Text			
Info Text			
Normalization			
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>
Acknowledgment			
Acknowledgment tag	<No tag>	Single acknowledgment	Unchecked

Totally Integrated Automation Portal					
Alarm annunciator					
Alarm annunciator	Unchecked				
DisplaySuppression					
Display suppression mask	0x00000000				
STEP_TIME_ALARM_INST					
General					
Object name	STEP_TIME_ALARM_INST	ID	58	Alarm group	<No alarm group>
CPU number	0	PLC number	0	Priority	0
Common alarm class	No Acknowledgement	Runtime ID	1023410234		
PLC					
Partner name	PLC_1	Display class	0	Type of controller alarm	PLC alarm
Range of numbers		Created by	GRAPH		
Text					
Alarm text	Warning : GRAPH-Warning : PLC_1 : SEQUENCE : @1%t#4095K@ : S@1%03d@ : @1%t#4094K@	Additional text 1		Additional text 2	
Additional text 3		Additional text 4		Additional text 5	
Additional text 6		Additional text 7		Additional text 8	
Additional text 9					
Info Text					
Info Text					
Normalization					
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>		
Acknowledgment					
Acknowledgment tag	<No tag>	Single acknowledgment	Unchecked		
Alarm annunciator					
Alarm annunciator	Unchecked				
DisplaySuppression					
Display suppression mask	0x00000000				
IL_ALARM_INST					
General					
Object name	IL_ALARM_INST	ID	59	Alarm group	<No alarm group>
CPU number	0	PLC number	0	Priority	0
Common alarm class	No Acknowledgement	Runtime ID	1023410235		
PLC					
Partner name	PLC_1	Display class	0	Type of controller alarm	PLC alarm
Range of numbers		Created by	GRAPH		
Text					
Alarm text	Error : GRAPH-Interlock : PLC_1 : SEQUENCE : @1%t#4095K@ : S@1%03d@ : @1%t#4093K@	Additional text 1		Additional text 2	
Additional text 3		Additional text 4		Additional text 5	
Additional text 6		Additional text 7		Additional text 8	
Additional text 9					
Info Text					
Info Text					
Normalization					
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>		
Acknowledgment					
Acknowledgment tag	<No tag>	Single acknowledgment	Unchecked		
Alarm annunciator					
Alarm annunciator	Unchecked				
DisplaySuppression					
Display suppression mask	0x00000000				
SUP_ALARM_INST					
General					
Object name	SUP_ALARM_INST	ID	60	Alarm group	<No alarm group>
CPU number	0	PLC number	0	Priority	0
Common alarm class	No Acknowledgement	Runtime ID	1023410236		
PLC					
Partner name	PLC_1	Display class	0	Type of controller alarm	PLC alarm
Range of numbers		Created by	GRAPH		
Text					
Alarm text	Error : GRAPH-Supervision : PLC_1 : SEQUENCE : @1%t#4095K@ : S@1%03d@ : @1%t#4094K@	Additional text 1		Additional text 2	
Additional text 3		Additional text 4		Additional text 5	
Additional text 6		Additional text 7		Additional text 8	
Additional text 9					
Info Text					
Info Text					
Normalization					
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>		
Acknowledgment					
Acknowledgment tag	<No tag>	Single acknowledgment	Unchecked		

Totally Integrated Automation Portal				
Alarm annunciator				
Alarm annunciator	Unchecked			
DisplaySuppression				
Display suppression mask	0x00000000			
STEP_TIME_ALARM_INST				
General				
Object name	STEP_TIME_ALARM_INST	ID	61	Alarm group <No alarm group>
CPU number	0	PLC number	0	Priority 0
Common alarm class	No Acknowledgement	Runtime ID	1023410237	
PLC				
Partner name	PLC_1	Display class	0	Type of controller alarm PLC alarm
Range of numbers		Created by	GRAPH	
Text				
Alarm text	Warning : GRAPH-Warning : PLC_1 : SEQUENCE : @1%t#4095K@ : S@1%03d@ : @1%t#4094K@	Additional text 1		Additional text 2
Additional text 3		Additional text 4		Additional text 5
Additional text 6		Additional text 7		Additional text 8
Additional text 9				
Info Text				
Info Text				
Normalization				
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>	
Acknowledgment				
Acknowledgment tag	<No tag>	Single acknowledgement	Unchecked	
Alarm annunciator				
Alarm annunciator	Unchecked			
DisplaySuppression				
Display suppression mask	0x00000000			
IL_ALARM_INST				
General				
Object name	IL_ALARM_INST	ID	53	Alarm group <No alarm group>
CPU number	0	PLC number	0	Priority 0
Common alarm class	No Acknowledgement	Runtime ID	1023410229	
PLC				
Partner name	PLC_1	Display class	0	Type of controller alarm PLC alarm
Range of numbers		Created by	GRAPH	
Text				
Alarm text	Error : GRAPH-Interlock : PLC_1 : SEQUENCE : @1%t#4095K@ : S@1%03d@ : @1%t#4093K@	Additional text 1		Additional text 2
Additional text 3		Additional text 4		Additional text 5
Additional text 6		Additional text 7		Additional text 8
Additional text 9				
Info Text				
Info Text				
Normalization				
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>	
Acknowledgment				
Acknowledgment tag	<No tag>	Single acknowledgement	Unchecked	
Alarm annunciator				
Alarm annunciator	Unchecked			
DisplaySuppression				
Display suppression mask	0x00000000			
SUP_ALARM_INST				
General				
Object name	SUP_ALARM_INST	ID	54	Alarm group <No alarm group>
CPU number	0	PLC number	0	Priority 0
Common alarm class	No Acknowledgement	Runtime ID	1023410230	
PLC				
Partner name	PLC_1	Display class	0	Type of controller alarm PLC alarm
Range of numbers		Created by	GRAPH	
Text				
Alarm text	Error : GRAPH-Supervision : PLC_1 : SEQUENCE : @1%t#4095K@ : S@1%03d@ : @1%t#4094K@	Additional text 1		Additional text 2
Additional text 3		Additional text 4		Additional text 5
Additional text 6		Additional text 7		Additional text 8
Additional text 9				
Info Text				
Info Text				
Normalization				
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>	
Acknowledgment				
Acknowledgment tag	<No tag>	Single acknowledgement	Unchecked	

Totally Integrated Automation Portal					
Alarm annunciator					
Alarm annunciator	Unchecked				
DisplaySuppression					
Display suppression mask	0x00000000				
SDIAG_ALCAT_SUBMODUL_MSG_0102					
General					
Object name	SDIAG_ALCAT_SUBMODUL_MSG_0102	ID	30	Alarm group	<No alarm group>
CPU number	0	PLC number	0	Priority	0
Common alarm class	No Acknowledgement	Runtime ID	1023410206		
PLC					
Partner name	PLC_1	Display class	-	Type of controller alarm	PLC alarm
Range of numbers		Created by	System diagnostics		
Text					
Alarm text	Error: @1W%t#7W@ @5W%t#7W@ @6W%t#257K@ / @6W%t#258K@ @6W%t#259K@ @6W%t#262K@ @6W%t#263K@	Additional text 1		Additional text 2	
Additional text 3		Additional text 4		Additional text 5	
Additional text 6		Additional text 7		Additional text 8	
Additional text 9					
Info Text					
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@				
Normalization					
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>		
Acknowledgment					
Acknowledgment tag	<No tag>	Single acknowledgment	Unchecked		
Alarm annunciator					
Alarm annunciator	Unchecked				
DisplaySuppression					
Display suppression mask	0x00000000				
SDIAG_ALCAT_MODUL_MSG_0103					
General					
Object name	SDIAG_ALCAT_MODUL_MSG_0103	ID	31	Alarm group	<No alarm group>
CPU number	0	PLC number	0	Priority	0
Common alarm class	No Acknowledgement	Runtime ID	1023410207		
PLC					
Partner name	PLC_1	Display class	-	Type of controller alarm	PLC alarm
Range of numbers		Created by	System diagnostics		
Text					
Alarm text	Error: @1W%t#7W@ @5W%t#7W@ @6W%t#257K@ / @6W%t#258K@ @6W%t#262K@ @6W%t#263K@	Additional text 1		Additional text 2	
Additional text 3		Additional text 4		Additional text 5	
Additional text 6		Additional text 7		Additional text 8	
Additional text 9					
Info Text					
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@				
Normalization					
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>		
Acknowledgment					
Acknowledgment tag	<No tag>	Single acknowledgment	Unchecked		
Alarm annunciator					
Alarm annunciator	Unchecked				
DisplaySuppression					
Display suppression mask	0x00000000				
SDIAG_ALCAT_RACK_MSG_0104					
General					
Object name	SDIAG_ALCAT_RACK_MSG_0104	ID	32	Alarm group	<No alarm group>
CPU number	0	PLC number	0	Priority	0
Common alarm class	No Acknowledgement	Runtime ID	1023410208		
PLC					
Partner name	PLC_1	Display class	-	Type of controller alarm	PLC alarm
Range of numbers		Created by	System diagnostics		
Text					
Alarm text	Error: @1W%t#7W@ @5W%t#7W@ @6W%t#257K@ @6W%t#262K@ @6W%t#263K@	Additional text 1		Additional text 2	
Additional text 3		Additional text 4		Additional text 5	
Additional text 6		Additional text 7		Additional text 8	
Additional text 9					
Info Text					
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@				

Totally Integrated Automation Portal					
Normalization					
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>		
Acknowledgment					
Acknowledgment tag	<No tag>	Single acknowledgement	Unchecked		
Alarm annunciator					
Alarm annunciator	Unchecked				
DisplaySuppression					
Display suppression mask	0x00000000				

SDIAG_ALCAT_DEVICE_MSG_0105

General					
Object name	SDIAG_ALCAT_DEVICE_MSG_0105	ID	33	Alarm group	<No alarm group>
CPU number	0	PLC number	0	Priority	0
Common alarm class	No Acknowledgement	Runtime ID	1023410209		
PLC					
Partner name	PLC_1	Display class	-	Type of controller alarm	PLC alarm
Range of numbers		Created by	System diagnostics		
Text					
Alarm text	Error: @1W%t#7W@ @5W%t#7W@ @6W%t#257K@ @6W%t#262K@ @6W%t#263K@ @8W%t#7W@	Additional text 1		Additional text 2	
Additional text 3		Additional text 4		Additional text 5	
Additional text 6		Additional text 7		Additional text 8	
Additional text 9					
Info Text					
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@				
Normalization					
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>		
Acknowledgment					
Acknowledgment tag	<No tag>	Single acknowledgement	Unchecked		
Alarm annunciator					
Alarm annunciator	Unchecked				
DisplaySuppression					
Display suppression mask	0x00000000				

SDIAG_ALCAT_IOSYSTEM_MSG_0106

General					
Object name	SDIAG_ALCAT_IOSYSTEM_MSG_0106	ID	34	Alarm group	<No alarm group>
CPU number	0	PLC number	0	Priority	0
Common alarm class	No Acknowledgement	Runtime ID	1023410210		
PLC					
Partner name	PLC_1	Display class	-	Type of controller alarm	PLC alarm
Range of numbers		Created by	System diagnostics		
Text					
Alarm text	Error: @1W%t#7W@ @5W%t#7W@ @6W%t#276K@ @6W%t#262K@ @6W%t#263K@ @8W%t#7W@	Additional text 1		Additional text 2	
Additional text 3		Additional text 4		Additional text 5	
Additional text 6		Additional text 7		Additional text 8	
Additional text 9					
Info Text					
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@				
Normalization					
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>		
Acknowledgment					
Acknowledgment tag	<No tag>	Single acknowledgement	Unchecked		
Alarm annunciator					
Alarm annunciator	Unchecked				
DisplaySuppression					
Display suppression mask	0x00000000				

SDIAG_ALCAT_CPU_OST_MSG_010D

General					
Object name	SDIAG_ALCAT_CPU_OST_MSG_010D	ID	35	Alarm group	<No alarm group>
CPU number	0	PLC number	0	Priority	0
Common alarm class	No Acknowledgement	Runtime ID	1023410211		
PLC					
Partner name	PLC_1	Display class	-	Type of controller alarm	PLC alarm
Range of numbers		Created by	System diagnostics		
Text					
Alarm text	CPU status message: @1W%t#7W@ @5W%t#7W@ @6W%t#257K@ / @6W%t#258K@ @6W%t#262K@ @6W%t#263K@ @8W%t#7W@	Additional text 1		Additional text 2	
Additional text 3		Additional text 4		Additional text 5	
Additional text 6		Additional text 7		Additional text 8	

Totally Integrated Automation Portal				
Additional text 9				
Info Text				
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@			
Normalization				
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>	
Acknowledgment				
Acknowledgment tag	<No tag>	Single acknowledgment	Unchecked	
Alarm annunciator				
Alarm annunciator	Unchecked			
DisplaySuppression				
Display suppression mask	0x00000000			
SDIAG_ALCAT_CPU_ERR_MSG_0110				
General				
Object name	SDIAG_ALCAT_CPU_ERR_MSG_0110	ID	36	Alarm group <No alarm group>
CPU number	0	PLC number	0	Priority 0
Common alarm class	No Acknowledgement	Runtime ID	1023410212	
PLC				
Partner name	PLC_1	Display class	-	Type of controller alarm PLC alarm
Range of numbers		Created by	System diagnostics	
Text				
Alarm text	CPU error: @1W%t#7W@ @5W %t#7W@ @6W%t#257K@ / @6W %t#258K@ @6W%t#262K@ @6W %t#263K@ @8W%t#7W@	Additional text 1		Additional text 2
Additional text 3		Additional text 4		Additional text 5
Additional text 6		Additional text 7		Additional text 8
Additional text 9				
Info Text				
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@			
Normalization				
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>	
Acknowledgment				
Acknowledgment tag	<No tag>	Single acknowledgment	Unchecked	
Alarm annunciator				
Alarm annunciator	Unchecked			
DisplaySuppression				
Display suppression mask	0x00000000			
SDIAG_ALCAT_CPU_MD_MSG_0111				
General				
Object name	SDIAG_ALCAT_CPU_MD_MSG_0111	ID	37	Alarm group <No alarm group>
CPU number	0	PLC number	0	Priority 0
Common alarm class	No Acknowledgement	Runtime ID	1023410213	
PLC				
Partner name	PLC_1	Display class	-	Type of controller alarm PLC alarm
Range of numbers		Created by	System diagnostics	
Text				
Alarm text	CPU maintenance demanded: @1W %t#7W@ @6W%t#257K@ / @5W %t#7W@ @6W%t#258K@ @6W %t#262K@ @6W%t#263K@ @8W %t#7W@	Additional text 1		Additional text 2
Additional text 3		Additional text 4		Additional text 5
Additional text 6		Additional text 7		Additional text 8
Additional text 9				
Info Text				
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@			
Normalization				
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>	
Acknowledgment				
Acknowledgment tag	<No tag>	Single acknowledgment	Unchecked	
Alarm annunciator				
Alarm annunciator	Unchecked			
DisplaySuppression				
Display suppression mask	0x00000000			
SDIAG_ALCAT_CPU_MR_MSG1_0112				
General				
Object name	SDIAG_ALCAT_CPU_MR_MSG1_0112	ID	38	Alarm group <No alarm group>
CPU number	0	PLC number	0	Priority 0
Common alarm class	No Acknowledgement	Runtime ID	1023410214	
PLC				
Partner name	PLC_1	Display class	-	Type of controller alarm PLC alarm
Range of numbers		Created by	System diagnostics	

Totally Integrated Automation Portal			
Text			
Alarm text	CPU maintenance required: @1W%t#7W@ @6W%t#257K@ / @5W%t#7W@ @6W%t#258K@ @6W%t#262K@ @6W%t#263K@ @8W%t#7W@	Additional text 1	Additional text 2
Additional text 3		Additional text 4	Additional text 5
Additional text 6		Additional text 7	Additional text 8
Additional text 9			
Info Text			
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@		
Normalization			
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>
Acknowledgment			
Acknowledgment tag	<No tag>	Single acknowledgement	Unchecked
Alarm annunciator			
Alarm annunciator	Unchecked		
DisplaySuppression			
Display suppression mask	0x00000000		

SDIAG_ALCAT_CH_ERR_MSG_0115

General					
Object name	SDIAG_ALCAT_CH_ERR_MSG_0115	ID	39	Alarm group	<No alarm group>
CPU number	0	PLC number	0	Priority	0
Common alarm class	No Acknowledgement	Runtime ID	1023410215		
PLC					
Partner name	PLC_1	Display class	-	Type of controller alarm	PLC alarm
Range of numbers		Created by	System diagnostics		
Text					
Alarm text	Error: @1W%t#7W@ on @8W%t#280K@ @6W%t#257K@ / @6W%t#258K@, @6W%t#259K@ @6W%t#262K@ @6W%t#263K@	Additional text 1		Additional text 2	
Additional text 3		Additional text 4		Additional text 5	
Additional text 6		Additional text 7		Additional text 8	
Additional text 9					
Info Text					
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@				
Normalization					
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>		
Acknowledgment					
Acknowledgment tag	<No tag>	Single acknowledgement	Unchecked		
Alarm annunciator					
Alarm annunciator	Unchecked				
DisplaySuppression					
Display suppression mask	0x00000000				

SDIAG_ALCAT_ECH_ERR_MSG_0116

General					
Object name	SDIAG_ALCAT_ECH_ERR_MSG_0116	ID	40	Alarm group	<No alarm group>
CPU number	0	PLC number	0	Priority	0
Common alarm class	No Acknowledgement	Runtime ID	1023410216		
PLC					
Partner name	PLC_1	Display class	-	Type of controller alarm	PLC alarm
Range of numbers		Created by	System diagnostics		
Text					
Alarm text	Error: @1W%t#7W@ - @5W%t#7W@ on @8W%t#280K@ @6W%t#257K@ / @6W%t#258K@, @6W%t#259K@ @6W%t#262K@ @6W%t#263K@	Additional text 1		Additional text 2	
Additional text 3		Additional text 4		Additional text 5	
Additional text 6		Additional text 7		Additional text 8	
Additional text 9					
Info Text					
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@				
Normalization					
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>		
Acknowledgment					
Acknowledgment tag	<No tag>	Single acknowledgement	Unchecked		
Alarm annunciator					
Alarm annunciator	Unchecked				
DisplaySuppression					
Display suppression mask	0x00000000				

Totally Integrated Automation Portal											
SDIAG_ALCAT_CH_MD_MSG_0118											
General											
Object name	SDIAG_ALCAT_CH_MD_MSG_0118	ID	41	Alarm group	<No alarm group>						
CPU number	0	PLC number	0	Priority	0						
Common alarm class	No Acknowledgement	Runtime ID	1023410217								
PLC											
Partner name	PLC_1	Display class	-	Type of controller alarm	PLC alarm						
Range of numbers		Created by	System diagnostics								
Text											
Alarm text	Maintenance demanded:@1W %t#7W@ on @8W%t#280K@ @6W %t#257K@ / @6W%t#258K@. @6W %t#259K@ @6W%t#262K@ @6W %t#263K@	Additional text 1		Additional text 2							
Additional text 3		Additional text 4		Additional text 5							
Additional text 6		Additional text 7		Additional text 8							
Additional text 9											
Info Text											
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@										
Normalization											
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>								
Acknowledgment											
Acknowledgment tag	<No tag>	Single acknowledgment	Unchecked								
Alarm annunciator											
Alarm annunciator	Unchecked										
DisplaySuppression											
Display suppression mask	0x00000000										
SDIAG_ALCAT_ECH_MD_MSG_0119											
General											
Object name	SDIAG_ALCAT_ECH_MD_MSG_0119	ID	42	Alarm group	<No alarm group>						
CPU number	0	PLC number	0	Priority	0						
Common alarm class	No Acknowledgement	Runtime ID	1023410218								
PLC											
Partner name	PLC_1	Display class	-	Type of controller alarm	PLC alarm						
Range of numbers		Created by	System diagnostics								
Text											
Alarm text	Maintenance demanded:@1W %t#7W@ - @5W%t#7W@ on @8W %t#280K@ @6W%t#257K@ / @6W %t#258K@. @6W%t#259K@ @6W %t#262K@ @6W%t#263K@	Additional text 1		Additional text 2							
Additional text 3		Additional text 4		Additional text 5							
Additional text 6		Additional text 7		Additional text 8							
Additional text 9											
Info Text											
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@										
Normalization											
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>								
Acknowledgment											
Acknowledgment tag	<No tag>	Single acknowledgment	Unchecked								
Alarm annunciator											
Alarm annunciator	Unchecked										
DisplaySuppression											
Display suppression mask	0x00000000										
SDIAG_ALCAT_CH_MR_MSG_011B											
General											
Object name	SDIAG_ALCAT_CH_MR_MSG_011B	ID	43	Alarm group	<No alarm group>						
CPU number	0	PLC number	0	Priority	0						
Common alarm class	No Acknowledgement	Runtime ID	1023410219								
PLC											
Partner name	PLC_1	Display class	-	Type of controller alarm	PLC alarm						
Range of numbers		Created by	System diagnostics								
Text											
Alarm text	Maintenance required:@1W%t#7W@ on @8W%t#280K@ @6W%t#257K@ / @6W%t#258K@. @6W%t#259K@ @6W%t#262K@ @6W%t#263K@	Additional text 1		Additional text 2							
Additional text 3		Additional text 4		Additional text 5							
Additional text 6		Additional text 7		Additional text 8							
Additional text 9											
Info Text											
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@										
Normalization											
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>								

Totally Integrated Automation Portal					
Acknowledgment					
Acknowledgment tag	<No tag>	Single acknowledgement	Unchecked		
Alarm annunciator					
Alarm annunciator	Unchecked				
DisplaySuppression					
Display suppression mask	0x00000000				
SDIAG_ALCAT_ECH_MR_MSG_011C					
General					
Object name	SDIAG_ALCAT_ECH_MR_MSG_011C	ID	44	Alarm group	<No alarm group>
CPU number	0	PLC number	0	Priority	0
Common alarm class	No Acknowledgement	Runtime ID	1023410220		
PLC					
Partner name	PLC_1	Display class	-	Type of controller alarm	PLC alarm
Range of numbers		Created by	System diagnostics		
Text					
Alarm text	Maintenance required:@1W%t#7W@ - @5W%t#7W@ on @8W%t#280K@ @6W%t#257K@ / @6W%t#258K@. @6W%t#259K@ @6W%t#262K@ @6W%t#263K@	Additional text 1		Additional text 2	
Additional text 3		Additional text 4		Additional text 5	
Additional text 6		Additional text 7		Additional text 8	
Additional text 9					
Info Text					
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@				
Normalization					
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>		
Acknowledgment					
Acknowledgment tag	<No tag>	Single acknowledgement	Unchecked		
Alarm annunciator					
Alarm annunciator	Unchecked				
DisplaySuppression					
Display suppression mask	0x00000000				
SDIAG_ALCAT_SUB_ERR_MSG_011E					
General					
Object name	SDIAG_ALCAT_SUB_ERR_MSG_011E	ID	45	Alarm group	<No alarm group>
CPU number	0	PLC number	0	Priority	0
Common alarm class	No Acknowledgement	Runtime ID	1023410221		
PLC					
Partner name	PLC_1	Display class	-	Type of controller alarm	PLC alarm
Range of numbers		Created by	System diagnostics		
Text					
Alarm text	Error: @1W%t#7W@ @6W%t#257K@ / @6W%t#258K@. @6W%t#259K@ @6W%t#262K@ @6W%t#263K@	Additional text 1		Additional text 2	
Additional text 3		Additional text 4		Additional text 5	
Additional text 6		Additional text 7		Additional text 8	
Additional text 9					
Info Text					
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@				
Normalization					
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>		
Acknowledgment					
Acknowledgment tag	<No tag>	Single acknowledgement	Unchecked		
Alarm annunciator					
Alarm annunciator	Unchecked				
DisplaySuppression					
Display suppression mask	0x00000000				
SDIAG_ALCAT_ESUB_ERR_MSG_011F					
General					
Object name	SDIAG_ALCAT_ESUB_ERR_MSG_011F	ID	46	Alarm group	<No alarm group>
CPU number	0	PLC number	0	Priority	0
Common alarm class	No Acknowledgement	Runtime ID	1023410222		
PLC					
Partner name	PLC_1	Display class	-	Type of controller alarm	PLC alarm
Range of numbers		Created by	System diagnostics		
Text					
Alarm text	Error: @1W%t#7W@ - @5W%t#7W@ @6W%t#257K@ / @6W%t#258K@. @6W%t#259K@ @6W%t#262K@ @6W%t#263K@	Additional text 1		Additional text 2	
Additional text 3		Additional text 4		Additional text 5	
Additional text 6		Additional text 7		Additional text 8	

Totally Integrated Automation Portal				
Additional text 9				
Info Text				
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@			
Normalization				
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>	
Acknowledgment				
Acknowledgment tag	<No tag>	Single acknowledgment	Unchecked	
Alarm annunciator				
Alarm annunciator	Unchecked			
DisplaySuppression				
Display suppression mask	0x00000000			
SDIAG_ALCAT_SUB_MD_MSG_0121				
General				
Object name	SDIAG_ALCAT_SUB_MD_MSG_0121	ID	47	Alarm group <No alarm group>
CPU number	0	PLC number	0	Priority 0
Common alarm class	No Acknowledgement	Runtime ID	1023410223	
PLC				
Partner name	PLC_1	Display class	-	Type of controller alarm PLC alarm
Range of numbers		Created by	System diagnostics	
Text				
Alarm text	Maintenance demanded: @1W %t#7W@ @6W%t#257K@ / @6W %t#258K@. @6W%t#259K@ @6W %t#262K@ @6W%t#263K@	Additional text 1		Additional text 2
Additional text 3		Additional text 4		Additional text 5
Additional text 6		Additional text 7		Additional text 8
Additional text 9				
Info Text				
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@			
Normalization				
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>	
Acknowledgment				
Acknowledgment tag	<No tag>	Single acknowledgment	Unchecked	
Alarm annunciator				
Alarm annunciator	Unchecked			
DisplaySuppression				
Display suppression mask	0x00000000			
SDIAG_ALCAT_ESUB_MD_MSG_0122				
General				
Object name	SDIAG_ALCAT_ESUB_MD_MSG_0122	ID	48	Alarm group <No alarm group>
CPU number	0	PLC number	0	Priority 0
Common alarm class	No Acknowledgement	Runtime ID	1023410224	
PLC				
Partner name	PLC_1	Display class	-	Type of controller alarm PLC alarm
Range of numbers		Created by	System diagnostics	
Text				
Alarm text	Maintenance demanded: @1W %t#7W@ - @5W%t#7W@ @6W %t#257K@ / @6W%t#258K@. @6W %t#259K@ @6W%t#262K@ @6W %t#263K@	Additional text 1		Additional text 2
Additional text 3		Additional text 4		Additional text 5
Additional text 6		Additional text 7		Additional text 8
Additional text 9				
Info Text				
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@			
Normalization				
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>	
Acknowledgment				
Acknowledgment tag	<No tag>	Single acknowledgment	Unchecked	
Alarm annunciator				
Alarm annunciator	Unchecked			
DisplaySuppression				
Display suppression mask	0x00000000			
SDIAG_ALCAT_SUB_MR_MSG_0124				
General				
Object name	SDIAG_ALCAT_SUB_MR_MSG_0124	ID	49	Alarm group <No alarm group>
CPU number	0	PLC number	0	Priority 0
Common alarm class	No Acknowledgement	Runtime ID	1023410225	
PLC				
Partner name	PLC_1	Display class	-	Type of controller alarm PLC alarm
Range of numbers		Created by	System diagnostics	

Totally Integrated Automation Portal				
Text				
Alarm text	Maintenance required: @1W%t#7W@ @6W%t#257K@ / @6W%t#258K@, @6W%t#259K@ @6W%t#262K@ @6W%t#263K@	Additional text 1		Additional text 2
Additional text 3		Additional text 4		Additional text 5
Additional text 6		Additional text 7		Additional text 8
Additional text 9				
Info Text				
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@			
Normalization				
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>	
Acknowledgment				
Acknowledgment tag	<No tag>	Single acknowledgement	Unchecked	
Alarm annihilator				
Alarm annihilator	Unchecked			
DisplaySuppression				
Display suppression mask	0x00000000			

SDIAG_ALCAT_ESUB_MR_MSG_0125

General				
Object name	SDIAG_ALCAT_ESUB_MR_MSG_0125	ID	50	Alarm group <No alarm group>
CPU number	0	PLC number	0	Priority 0
Common alarm class	No Acknowledgement	Runtime ID	1023410226	
PLC				
Partner name	PLC_1	Display class	-	Type of controller alarm PLC alarm
Range of numbers		Created by	System diagnostics	
Text				
Alarm text	Maintenance required: @1W%t#7W@ - @5W%t#7W@ @6W%t#257K@ / @6W%t#258K@, @6W%t#259K@ @6W%t#262K@ @6W%t#263K@	Additional text 1		Additional text 2
Additional text 3		Additional text 4		Additional text 5
Additional text 6		Additional text 7		Additional text 8
Additional text 9				
Info Text				
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@			
Normalization				
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>	
Acknowledgment				
Acknowledgment tag	<No tag>	Single acknowledgement	Unchecked	
Alarm annihilator				
Alarm annihilator	Unchecked			
DisplaySuppression				
Display suppression mask	0x00000000			

SDIAG_ALCAT_CONFIG_INFO_0128

General				
Object name	SDIAG_ALCAT_CONFIG_INFO_0128	ID	51	Alarm group <No alarm group>
CPU number	0	PLC number	0	Priority 0
Common alarm class	No Acknowledgement	Runtime ID	1023410227	
PLC				
Partner name	PLC_1	Display class	-	Type of controller alarm PLC alarm
Range of numbers		Created by	System diagnostics	
Text				
Alarm text	Info: @1W%t#7W@ - @5W%t#7W@ @6W%t#257K@ @6W%t#262K@ @6W%t#263K@ @8W%t#7W@	Additional text 1		Additional text 2
Additional text 3		Additional text 4		Additional text 5
Additional text 6		Additional text 7		Additional text 8
Additional text 9				
Info Text				
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@			
Normalization				
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>	
Acknowledgment				
Acknowledgment tag	<No tag>	Single acknowledgement	Unchecked	
Alarm annihilator				
Alarm annihilator	Unchecked			
DisplaySuppression				
Display suppression mask	0x00000000			

SDIAG_ALCAT_PLC_MSG_01FF

General				
Object name	SDIAG_ALCAT_PLC_MSG_01FF	ID	52	Alarm group <No alarm group>
CPU number	0	PLC number	0	Priority 0

Totally Integrated Automation Portal					
Common alarm class	No Acknowledgement	Runtime ID	1023410228		
PLC					
Partner name	PLC_1	Display class	-		
Range of numbers		Created by	System diagnostics		
Text					
Alarm text	PLC notification: @1W%t#7W@ @5W %t#7W@ @6W%t#256K@ @6W %t#262K@ @6W%t#263K@	Additional text 1		Additional text 2	
Additional text 3		Additional text 4		Additional text 5	
Additional text 6		Additional text 7		Additional text 8	
Additional text 9					
Info Text					
Info Text	Short name: @6W%t#260K@ Order number: @6W%t#265K@				
Normalization					
DLL for normalization	S7 plus normalization dll	Protocol tag	<No tag>		
Acknowledgment					
Acknowledgment tag	<No tag>	Single acknowledg- ment	Unchecked		
Alarm annunciator					
Alarm annunciator	Unchecked				
DisplaySuppression					
Display suppression mask	0x00000000				

PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / HMI alarms

System events

This folder is empty.

PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / Recipes

Recipes

This folder is empty.

PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / Recipes

Recipe queries

This folder is empty.

PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / Historical data

Datalogs

This folder is empty.

PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / Historical data

CompressedLogs

This folder is empty.

PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / Scripts

VB scripts

This folder is empty.

PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / Scripts

C scripts

This folder is empty.

PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / Scripts / C header

GlobalDefinitions.h

Comment

0001
0002

PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional]

Scheduled tasks

This folder is empty.

Totally Integrated Automation Portal																																															
PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional]																																															
Cycles																																															
1 d																																															
<table border="1"> <thead> <tr> <th colspan="2">General</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>1 d</td><td>Cycle time</td><td>1</td><td>Cycle unit</td><td>Day</td></tr> <tr> <td colspan="2">Starting time</td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td>Starting time</td><td>Checked</td><td>Day for starting time</td><td>Empty</td><td>Hour for starting time</td><td>Empty</td></tr> <tr> <td>Minute for starting time</td><td>Empty</td><td>Month for starting time</td><td>Empty</td><td>Second for starting time</td><td>Empty</td></tr> <tr> <td>Trigger with runtime stop</td><td>Unchecked</td><td>Trigger with runtime start</td><td>Unchecked</td><td></td><td></td></tr> <tr> <td colspan="2">Comment</td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td>Comment</td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>				General		Name	1 d	Cycle time	1	Cycle unit	Day	Starting time						Starting time	Checked	Day for starting time	Empty	Hour for starting time	Empty	Minute for starting time	Empty	Month for starting time	Empty	Second for starting time	Empty	Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked			Comment						Comment					
General																																															
Name	1 d	Cycle time	1	Cycle unit	Day																																										
Starting time																																															
Starting time	Checked	Day for starting time	Empty	Hour for starting time	Empty																																										
Minute for starting time	Empty	Month for starting time	Empty	Second for starting time	Empty																																										
Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked																																												
Comment																																															
Comment																																															
1 h																																															
<table border="1"> <thead> <tr> <th colspan="2">General</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>1 h</td><td>Cycle time</td><td>1</td><td>Cycle unit</td><td>Hour</td></tr> <tr> <td colspan="2">Starting time</td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td>Starting time</td><td>Checked</td><td>Day for starting time</td><td>Empty</td><td>Hour for starting time</td><td>Empty</td></tr> <tr> <td>Minute for starting time</td><td>Empty</td><td>Month for starting time</td><td>Empty</td><td>Second for starting time</td><td>Empty</td></tr> <tr> <td>Trigger with runtime stop</td><td>Unchecked</td><td>Trigger with runtime start</td><td>Unchecked</td><td></td><td></td></tr> <tr> <td colspan="2">Comment</td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td>Comment</td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>				General		Name	1 h	Cycle time	1	Cycle unit	Hour	Starting time						Starting time	Checked	Day for starting time	Empty	Hour for starting time	Empty	Minute for starting time	Empty	Month for starting time	Empty	Second for starting time	Empty	Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked			Comment						Comment					
General																																															
Name	1 h	Cycle time	1	Cycle unit	Hour																																										
Starting time																																															
Starting time	Checked	Day for starting time	Empty	Hour for starting time	Empty																																										
Minute for starting time	Empty	Month for starting time	Empty	Second for starting time	Empty																																										
Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked																																												
Comment																																															
Comment																																															
1 min																																															
<table border="1"> <thead> <tr> <th colspan="2">General</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>1 min</td><td>Cycle time</td><td>1</td><td>Cycle unit</td><td>Minute</td></tr> <tr> <td colspan="2">Starting time</td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td>Starting time</td><td>Checked</td><td>Day for starting time</td><td>Empty</td><td>Hour for starting time</td><td>Empty</td></tr> <tr> <td>Minute for starting time</td><td>Empty</td><td>Month for starting time</td><td>Empty</td><td>Second for starting time</td><td>Empty</td></tr> <tr> <td>Trigger with runtime stop</td><td>Unchecked</td><td>Trigger with runtime start</td><td>Unchecked</td><td></td><td></td></tr> <tr> <td colspan="2">Comment</td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td>Comment</td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>				General		Name	1 min	Cycle time	1	Cycle unit	Minute	Starting time						Starting time	Checked	Day for starting time	Empty	Hour for starting time	Empty	Minute for starting time	Empty	Month for starting time	Empty	Second for starting time	Empty	Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked			Comment						Comment					
General																																															
Name	1 min	Cycle time	1	Cycle unit	Minute																																										
Starting time																																															
Starting time	Checked	Day for starting time	Empty	Hour for starting time	Empty																																										
Minute for starting time	Empty	Month for starting time	Empty	Second for starting time	Empty																																										
Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked																																												
Comment																																															
Comment																																															
1 s																																															
<table border="1"> <thead> <tr> <th colspan="2">General</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>1 s</td><td>Cycle time</td><td>1</td><td>Cycle unit</td><td>Second</td></tr> <tr> <td colspan="2">Starting time</td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td>Starting time</td><td>Checked</td><td>Day for starting time</td><td>Empty</td><td>Hour for starting time</td><td>Empty</td></tr> <tr> <td>Minute for starting time</td><td>Empty</td><td>Month for starting time</td><td>Empty</td><td>Second for starting time</td><td>Empty</td></tr> <tr> <td>Trigger with runtime stop</td><td>Unchecked</td><td>Trigger with runtime start</td><td>Unchecked</td><td></td><td></td></tr> <tr> <td colspan="2">Comment</td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td>Comment</td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>				General		Name	1 s	Cycle time	1	Cycle unit	Second	Starting time						Starting time	Checked	Day for starting time	Empty	Hour for starting time	Empty	Minute for starting time	Empty	Month for starting time	Empty	Second for starting time	Empty	Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked			Comment						Comment					
General																																															
Name	1 s	Cycle time	1	Cycle unit	Second																																										
Starting time																																															
Starting time	Checked	Day for starting time	Empty	Hour for starting time	Empty																																										
Minute for starting time	Empty	Month for starting time	Empty	Second for starting time	Empty																																										
Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked																																												
Comment																																															
Comment																																															
10 min																																															
<table border="1"> <thead> <tr> <th colspan="2">General</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>10 min</td><td>Cycle time</td><td>10</td><td>Cycle unit</td><td>Minute</td></tr> <tr> <td colspan="2">Starting time</td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td>Starting time</td><td>Checked</td><td>Day for starting time</td><td>Empty</td><td>Hour for starting time</td><td>Empty</td></tr> <tr> <td>Minute for starting time</td><td>Empty</td><td>Month for starting time</td><td>Empty</td><td>Second for starting time</td><td>Empty</td></tr> <tr> <td>Trigger with runtime stop</td><td>Unchecked</td><td>Trigger with runtime start</td><td>Unchecked</td><td></td><td></td></tr> <tr> <td colspan="2">Comment</td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td>Comment</td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>				General		Name	10 min	Cycle time	10	Cycle unit	Minute	Starting time						Starting time	Checked	Day for starting time	Empty	Hour for starting time	Empty	Minute for starting time	Empty	Month for starting time	Empty	Second for starting time	Empty	Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked			Comment						Comment					
General																																															
Name	10 min	Cycle time	10	Cycle unit	Minute																																										
Starting time																																															
Starting time	Checked	Day for starting time	Empty	Hour for starting time	Empty																																										
Minute for starting time	Empty	Month for starting time	Empty	Second for starting time	Empty																																										
Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked																																												
Comment																																															
Comment																																															
10 s																																															
<table border="1"> <thead> <tr> <th colspan="2">General</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>10 s</td><td>Cycle time</td><td>10</td><td>Cycle unit</td><td>Second</td></tr> <tr> <td colspan="2">Starting time</td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td>Starting time</td><td>Checked</td><td>Day for starting time</td><td>Empty</td><td>Hour for starting time</td><td>Empty</td></tr> <tr> <td>Minute for starting time</td><td>Empty</td><td>Month for starting time</td><td>Empty</td><td>Second for starting time</td><td>Empty</td></tr> <tr> <td>Trigger with runtime stop</td><td>Unchecked</td><td>Trigger with runtime start</td><td>Unchecked</td><td></td><td></td></tr> <tr> <td colspan="2">Comment</td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td>Comment</td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>				General		Name	10 s	Cycle time	10	Cycle unit	Second	Starting time						Starting time	Checked	Day for starting time	Empty	Hour for starting time	Empty	Minute for starting time	Empty	Month for starting time	Empty	Second for starting time	Empty	Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked			Comment						Comment					
General																																															
Name	10 s	Cycle time	10	Cycle unit	Second																																										
Starting time																																															
Starting time	Checked	Day for starting time	Empty	Hour for starting time	Empty																																										
Minute for starting time	Empty	Month for starting time	Empty	Second for starting time	Empty																																										
Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked																																												
Comment																																															
Comment																																															
125 ms																																															
<table border="1"> <thead> <tr> <th colspan="2">General</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>125 ms</td><td>Cycle time</td><td>125</td><td>Cycle unit</td><td>Millisecond</td></tr> <tr> <td colspan="2">Starting time</td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td>Starting time</td><td>Checked</td><td>Day for starting time</td><td>Empty</td><td>Hour for starting time</td><td>Empty</td></tr> <tr> <td>Minute for starting time</td><td>Empty</td><td>Month for starting time</td><td>Empty</td><td>Second for starting time</td><td>Empty</td></tr> <tr> <td>Trigger with runtime stop</td><td>Unchecked</td><td>Trigger with runtime start</td><td>Unchecked</td><td></td><td></td></tr> <tr> <td colspan="2">Comment</td><td colspan="2"></td><td colspan="2"></td></tr> <tr> <td>Comment</td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>				General		Name	125 ms	Cycle time	125	Cycle unit	Millisecond	Starting time						Starting time	Checked	Day for starting time	Empty	Hour for starting time	Empty	Minute for starting time	Empty	Month for starting time	Empty	Second for starting time	Empty	Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked			Comment						Comment					
General																																															
Name	125 ms	Cycle time	125	Cycle unit	Millisecond																																										
Starting time																																															
Starting time	Checked	Day for starting time	Empty	Hour for starting time	Empty																																										
Minute for starting time	Empty	Month for starting time	Empty	Second for starting time	Empty																																										
Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked																																												
Comment																																															
Comment																																															

Totally Integrated Automation Portal				
Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked	
Comment				
Comment				
2 s				
General				
Name	2 s	Cycle time	2	Cycle unit
Starting time				Second
Starting time	Checked	Day for starting time	Empty	Hour for starting time
Minute for starting time	Empty	Month for starting time	Empty	Second for starting time
Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked	
Comment				
Comment				
250 ms				
General				
Name	250 ms	Cycle time	250	Cycle unit
Starting time				Millisecond
Starting time	Checked	Day for starting time	Empty	Hour for starting time
Minute for starting time	Empty	Month for starting time	Empty	Second for starting time
Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked	
Comment				
Comment				
5 min				
General				
Name	5 min	Cycle time	5	Cycle unit
Starting time				Minute
Starting time	Checked	Day for starting time	Empty	Hour for starting time
Minute for starting time	Empty	Month for starting time	Empty	Second for starting time
Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked	
Comment				
Comment				
5 s				
General				
Name	5 s	Cycle time	5	Cycle unit
Starting time				Second
Starting time	Checked	Day for starting time	Empty	Hour for starting time
Minute for starting time	Empty	Month for starting time	Empty	Second for starting time
Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked	
Comment				
Comment				
500 ms				
General				
Name	500 ms	Cycle time	500	Cycle unit
Starting time				Millisecond
Starting time	Checked	Day for starting time	Empty	Hour for starting time
Minute for starting time	Empty	Month for starting time	Empty	Second for starting time
Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked	
Comment				
Comment				
Default cycle 1				
General				
Name	Default cycle 1	Cycle time	2	Cycle unit
Starting time				Second
Starting time	Checked	Day for starting time	Empty	Hour for starting time
Minute for starting time	Empty	Month for starting time	Empty	Second for starting time
Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked	
Comment				
Comment				
Default cycle 2				
General				
Name	Default cycle 2	Cycle time	3	Cycle unit
Starting time				Second
Starting time	Checked	Day for starting time	Empty	Hour for starting time
Minute for starting time	Empty	Month for starting time	Empty	Second for starting time
Trigger with runtime stop				
Comment				
Comment				

Totally Integrated Automation Portal					
Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked		
Comment					
Comment					
Default cycle 3					
General					
Name	Default cycle 3	Cycle time	4	Cycle unit	Second
Starting time					
Starting time	Checked	Day for starting time	Empty	Hour for starting time	Empty
Minute for starting time	Empty	Month for starting time	Empty	Second for starting time	Empty
Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked		
Comment					
Comment					
Default cycle 4					
General					
Name	Default cycle 4	Cycle time	5	Cycle unit	Second
Starting time					
Starting time	Checked	Day for starting time	Empty	Hour for starting time	Empty
Minute for starting time	Empty	Month for starting time	Empty	Second for starting time	Empty
Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked		
Comment					
Comment					
Default cycle 5					
General					
Name	Default cycle 5	Cycle time	10	Cycle unit	Second
Starting time					
Starting time	Checked	Day for starting time	Empty	Hour for starting time	Empty
Minute for starting time	Empty	Month for starting time	Empty	Second for starting time	Empty
Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked		
Comment					
Comment					
UponChange					
General					
Name	UponChange	Cycle time	0	Cycle unit	Second
Starting time					
Starting time	Checked	Day for starting time	Empty	Hour for starting time	Empty
Minute for starting time	Empty	Month for starting time	Empty	Second for starting time	Empty
Trigger with runtime stop	Unchecked	Trigger with runtime start	Unchecked		
Comment					
Comment					

PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / Reports

Print jobs

This folder is empty.

PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / Text and graphic lists

Text lists

This folder is empty.

PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / Text and graphic lists

Graphic lists

This folder is empty.

PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / Text and graphic lists




C text list

This folder is empty.

PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / User administration					
User					
Administrator					
General					
Name	Administrator	User ID	1	Dynamic logon	Unchecked
Automatic logoff					
Automatic logoff	Checked	Logoff time	5		
Web options					
WebNavigator access	Unchecked	WebNavigator start screen		Web language	English (United States)
WebUX access	Unchecked	WebUX start screen		License reserved for WebUX	0
Comment					
Comment	The user 'Administrator' is assigned to the 'Administrator' group.				
Groups					
Groups	Administrator group;				

Totally Integrated Automation Portal																																																								
PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / User administration																																																								
Groups																																																								
Administrator group																																																								
<table border="1"> <tr> <td colspan="6">General</td> </tr> <tr> <td>Name</td> <td colspan="5">Administrator group</td> </tr> <tr> <td colspan="6">Web options</td> </tr> <tr> <td>WebNavigator access</td> <td>Unchecked</td> <td>WebNavigator start screen</td> <td></td> <td>Web language</td> <td>English (United States)</td> </tr> <tr> <td>WebUX access</td> <td>Unchecked</td> <td>WebUX start screen</td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="6">Comment</td> </tr> <tr> <td>Comment</td> <td colspan="5">The 'Administrator' group is initially granted all rights.</td> </tr> <tr> <td colspan="6">Authorizations</td> </tr> <tr> <td>Authorizations</td> <td colspan="5">User administration; Monitor; Operate; Enable remote control; Web access - view only;</td> </tr> </table>			General						Name	Administrator group					Web options						WebNavigator access	Unchecked	WebNavigator start screen		Web language	English (United States)	WebUX access	Unchecked	WebUX start screen				Comment						Comment	The 'Administrator' group is initially granted all rights.					Authorizations						Authorizations	User administration; Monitor; Operate; Enable remote control; Web access - view only;				
General																																																								
Name	Administrator group																																																							
Web options																																																								
WebNavigator access	Unchecked	WebNavigator start screen		Web language	English (United States)																																																			
WebUX access	Unchecked	WebUX start screen																																																						
Comment																																																								
Comment	The 'Administrator' group is initially granted all rights.																																																							
Authorizations																																																								
Authorizations	User administration; Monitor; Operate; Enable remote control; Web access - view only;																																																							
Users																																																								
<table border="1"> <tr> <td colspan="6">General</td> </tr> <tr> <td>Name</td> <td colspan="5">Users</td> </tr> <tr> <td colspan="6">Web options</td> </tr> <tr> <td>WebNavigator access</td> <td>Unchecked</td> <td>WebNavigator start screen</td> <td></td> <td>Web language</td> <td>English (United States)</td> </tr> <tr> <td>WebUX access</td> <td>Unchecked</td> <td>WebUX start screen</td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="6">Comment</td> </tr> <tr> <td>Comment</td> <td colspan="5">The 'Users' group is initially granted 'Operating' rights.</td> </tr> <tr> <td colspan="6">Authorizations</td> </tr> <tr> <td>Authorizations</td> <td colspan="5">Operate;</td> </tr> </table>			General						Name	Users					Web options						WebNavigator access	Unchecked	WebNavigator start screen		Web language	English (United States)	WebUX access	Unchecked	WebUX start screen				Comment						Comment	The 'Users' group is initially granted 'Operating' rights.					Authorizations						Authorizations	Operate;				
General																																																								
Name	Users																																																							
Web options																																																								
WebNavigator access	Unchecked	WebNavigator start screen		Web language	English (United States)																																																			
WebUX access	Unchecked	WebUX start screen																																																						
Comment																																																								
Comment	The 'Users' group is initially granted 'Operating' rights.																																																							
Authorizations																																																								
Authorizations	Operate;																																																							

Totally Integrated Automation Portal										
PC-System_1 [SIMATIC PC station] / HMI_RT_1 [WinCC RT Professional] / User administration										
Authorizations										
Enable remote control										
<table border="1"> <thead> <tr> <th colspan="2">General</th> </tr> </thead> <tbody> <tr> <td>Name</td> <td>Enable remote control</td> </tr> <tr> <td>Comment</td> <td></td> </tr> <tr> <td>Comment</td> <td>Activates remote authorization for the use of client-server scenarios.</td> </tr> </tbody> </table>			General		Name	Enable remote control	Comment		Comment	Activates remote authorization for the use of client-server scenarios.
General										
Name	Enable remote control									
Comment										
Comment	Activates remote authorization for the use of client-server scenarios.									
Monitor										
<table border="1"> <thead> <tr> <th colspan="2">General</th> </tr> </thead> <tbody> <tr> <td>Name</td> <td>Monitor</td> </tr> <tr> <td>Comment</td> <td></td> </tr> <tr> <td>Comment</td> <td>'Monitor' authorization.</td> </tr> </tbody> </table>			General		Name	Monitor	Comment		Comment	'Monitor' authorization.
General										
Name	Monitor									
Comment										
Comment	'Monitor' authorization.									
Operate										
<table border="1"> <thead> <tr> <th colspan="2">General</th> </tr> </thead> <tbody> <tr> <td>Name</td> <td>Operate</td> </tr> <tr> <td>Comment</td> <td></td> </tr> <tr> <td>Comment</td> <td>'Operate' authorization.</td> </tr> </tbody> </table>			General		Name	Operate	Comment		Comment	'Operate' authorization.
General										
Name	Operate									
Comment										
Comment	'Operate' authorization.									
User administration										
<table border="1"> <thead> <tr> <th colspan="2">General</th> </tr> </thead> <tbody> <tr> <td>Name</td> <td>User administration</td> </tr> <tr> <td>Comment</td> <td></td> </tr> <tr> <td>Comment</td> <td>Authorization 'User administration' for managing users in the user view in Runtime.</td> </tr> </tbody> </table>			General		Name	User administration	Comment		Comment	Authorization 'User administration' for managing users in the user view in Runtime.
General										
Name	User administration									
Comment										
Comment	Authorization 'User administration' for managing users in the user view in Runtime.									
Web access - view only										
<table border="1"> <thead> <tr> <th colspan="2">General</th> </tr> </thead> <tbody> <tr> <td>Name</td> <td>Web access - view only</td> </tr> <tr> <td>Comment</td> <td></td> </tr> <tr> <td>Comment</td> <td>Web access - view only. Authorization for the use of Web Navigator and for client-server systems.</td> </tr> </tbody> </table>			General		Name	Web access - view only	Comment		Comment	Web access - view only. Authorization for the use of Web Navigator and for client-server systems.
General										
Name	Web access - view only									
Comment										
Comment	Web access - view only. Authorization for the use of Web Navigator and for client-server systems.									

Totally Integrated Automation Portal																																																																																																														
PC-System_1 [SIMATIC PC station] / Local modules																																																																																																														
IE general_1																																																																																																														
IE general_1 General <table border="1"> <tr> <td>Name</td> <td>IE general_1</td> <td>Author</td> <td>RAM</td> <td>Comment</td> <td></td> </tr> <tr> <td>Slot</td> <td>2</td> <td></td> <td></td> <td></td> <td></td> </tr> </table> General\Catalog information <table border="1"> <tr> <td>Short designation</td> <td>IE general</td> <td>Description</td> <td>Substitute for any Industrial Ethernet module, ISO, TCP/IP, S7 connections, PG functions, routing, PROFINET IO controller, prioritized startup, ... SIMATIC NET PC software V8.2</td> <td>Article number</td> <td>IE_CP</td> </tr> </table> Software version <table border="1"> <tr> <td>V8.2.0</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table> General\Identification & Maintenance <table border="1"> <tr> <td>Plant designation</td> <td></td> <td>Location identifier</td> <td></td> <td></td> <td></td> </tr> </table> PROFINET interface [X1]\General <table border="1"> <tr> <td>Name</td> <td>PROFINET interface</td> <td>Comment</td> <td></td> <td></td> <td></td> </tr> </table> PROFINET interface [X1]\Options\Connection establishment monitoring <table border="1"> <tr> <td>Timeout</td> <td>10s</td> <td></td> <td></td> <td></td> <td></td> </tr> </table> PROFINET interface [X1]\Ethernet addresses\Interface networked with <table border="1"> <tr> <td>Subnet:</td> <td>PN/IE_1</td> <td></td> <td></td> <td></td> <td></td> </tr> </table> PROFINET interface [X1]\Ethernet addresses\ISO protocol <table border="1"> <tr> <td>Use ISO protocol</td> <td>False</td> <td></td> <td></td> <td></td> <td></td> </tr> </table> PROFINET interface [X1]\Ethernet addresses\IP protocol <table border="1"> <tr> <td>Use IP protocol</td> <td>True</td> <td>IP address:</td> <td>192.168.0.1</td> <td>Subnet mask:</td> <td>255.255.255.0</td> </tr> <tr> <td>Use router</td> <td>False</td> <td></td> <td></td> <td></td> <td></td> </tr> </table> PROFINET interface [X1]\Ethernet addresses\PROFINET <table border="1"> <tr> <td>Generate PROFINET device name automatically</td> <td>True</td> <td>PROFINET device name:</td> <td>pc-system_1.ie general_1</td> <td>Converted name:</td> <td>pc-systemxb1.iexageneralxb1188f</td> </tr> <tr> <td>Device number:</td> <td>0</td> <td></td> <td></td> <td></td> <td></td> </tr> </table> PROFINET interface [X1]\Advanced options\Interface options <table border="1"> <tr> <td>Use IEC V2.2 LLDP mode</td> <td>True</td> <td>Keep-Alive connection monitoring</td> <td>30s</td> <td></td> <td></td> </tr> </table> PROFINET interface [X1]\Advanced options\Port [X1 P1]\General <table border="1"> <tr> <td>Name</td> <td>Port_1</td> <td>Comment</td> <td></td> <td></td> <td></td> </tr> </table> PROFINET interface [X1]\Advanced options\Port [X1 P1]\Port interconnection\Local port: <table border="1"> <tr> <td>Local port:</td> <td>IE general_1\PROFINET interface [X1]\Port_1 [X1 P1]</td> <td>Medium:</td> <td>Copper</td> <td>Cable name:</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table> PROFINET interface [X1]\Advanced options\Port [X1 P1]\Port interconnection\Partner port: <table border="1"> <tr> <td>Monitoring of partner port is not possible</td> <td>Partner port:</td> <td>Any partner</td> <td></td> <td></td> <td></td> </tr> </table>			Name	IE general_1	Author	RAM	Comment		Slot	2					Short designation	IE general	Description	Substitute for any Industrial Ethernet module, ISO, TCP/IP, S7 connections, PG functions, routing, PROFINET IO controller, prioritized startup, ... SIMATIC NET PC software V8.2	Article number	IE_CP	V8.2.0						Plant designation		Location identifier				Name	PROFINET interface	Comment				Timeout	10s					Subnet:	PN/IE_1					Use ISO protocol	False					Use IP protocol	True	IP address:	192.168.0.1	Subnet mask:	255.255.255.0	Use router	False					Generate PROFINET device name automatically	True	PROFINET device name:	pc-system_1.ie general_1	Converted name:	pc-systemxb1.iexageneralxb1188f	Device number:	0					Use IEC V2.2 LLDP mode	True	Keep-Alive connection monitoring	30s			Name	Port_1	Comment				Local port:	IE general_1\PROFINET interface [X1]\Port_1 [X1 P1]	Medium:	Copper	Cable name:	---							Monitoring of partner port is not possible	Partner port:	Any partner			
Name	IE general_1	Author	RAM	Comment																																																																																																										
Slot	2																																																																																																													
Short designation	IE general	Description	Substitute for any Industrial Ethernet module, ISO, TCP/IP, S7 connections, PG functions, routing, PROFINET IO controller, prioritized startup, ... SIMATIC NET PC software V8.2	Article number	IE_CP																																																																																																									
V8.2.0																																																																																																														
Plant designation		Location identifier																																																																																																												
Name	PROFINET interface	Comment																																																																																																												
Timeout	10s																																																																																																													
Subnet:	PN/IE_1																																																																																																													
Use ISO protocol	False																																																																																																													
Use IP protocol	True	IP address:	192.168.0.1	Subnet mask:	255.255.255.0																																																																																																									
Use router	False																																																																																																													
Generate PROFINET device name automatically	True	PROFINET device name:	pc-system_1.ie general_1	Converted name:	pc-systemxb1.iexageneralxb1188f																																																																																																									
Device number:	0																																																																																																													
Use IEC V2.2 LLDP mode	True	Keep-Alive connection monitoring	30s																																																																																																											
Name	Port_1	Comment																																																																																																												
Local port:	IE general_1\PROFINET interface [X1]\Port_1 [X1 P1]	Medium:	Copper	Cable name:	---																																																																																																									
																																																																																																														
Monitoring of partner port is not possible	Partner port:	Any partner																																																																																																												