

O Preview

C282	P476	2021-07-02	999	0146
C284	P487	2021-07-07	500	0149
C285	P478	2021-07-12	700	0150

cust_id: varchar

prod_sku_id:
varchar

order_date: datetime

order_value: int

order_id: varchar

map_customer_territory

cust_id	territory_id
C273	Т3
C274	Т3
C275	T1
C276	T1
C277	T1
cust_id:	varchar
territory_id:	varchar

Recommended Hard Interview Questions

ID 10302	Distance Per Dollar
ID 9989	Highest Paid City Employees
ID 10319	Monthly Percentage Difference

Recommended Questions from the Same Companies

ID 1	0360	Movie Duration Match
ID 1	0361	Peak Online Time
ID 1	0362	Top Monthly Sellers

```
1 | with cte1 as(select territory_id,order_value,extract(year from order_date) as yr,
                                                                                                                 삻
       extract(quarter from order_date) as quart from fct_customer_sales as fcs inner
       join map_customer_territory as mct
2
   on fcs.cust_id=mct.cust_id
3
   where extract(year from order_date)=2021 and extract(quarter from order_date) in
       (3,4)),
4
  cte2 as(select territory_id,yr,quart,sum(order_value) as tot from cte1
6
   group by 1,2,3
   order by 1,3)
7
8
```

C Run Code

Solved

Highlight some code to execute selection only

Use \ + Enter to run query

Output

View the output in a separate browser tab

Execution time: 0.00479 seconds

Your Solution:

territory_id	sales_growth
Т1	4.441
Т3	67.122
T4	17.355
T5	6.067