



Analyze Global CO2 Distribution with Urban Carbon Twin

Get Started

SCENARIO LOCAL_GRID

GLOBAL CAPITAL ALLOCATION \$25,000

\$5K \$500K

INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by 24.3%.

INITIALIZE SIMULATION +

GLOBAL CO2 EXPLORER
Real-time topographic CO2 distribution

ENABLE DUAL MODE

Global Sensor Network
Powered by Open-Meteo & Sentinel-5P

• SYSTEM ACTIVE | ○ CLICK MAP TO ANALYZE

CESIUM ion This application is using Cesium's d
access token from your ion account before making any Cesium AP
Jan 25 2026 18:00:00 UTC Jan 26 2026 00:00:00 UTC

Urban Carbon Twin

BIOPHILIC SIMULATION & CARBON SEQUESTRATION
MODELING

SCROLL TO EXPLORE



AL_GRID

GLOBAL CO2 EXPLORER

Real-time topographic CO2 distribution

ENABLE DUAL MODE

LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400

000

\$500K

ate
,
ciency


Global Sensor Network

Powered by Open-Meteo & Sentinel-5P


SYSTEM ACTIVE

CLICK MAP TO ANALYZE

Enter an address or landmark



Next, click the globe icon to
switch to satellite view of the
CO2 distribution map.




SCENARIO

LOCAL_GRID

GLOBAL
CAPITAL
ALLOCATION

\$25,000



INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by **24.3%**.

INITIALIZE
SIMULATION →

GLOBAL CO2 EXPLORER


Real-time topographic CO2 distribution

ENABLE DUAL MODE

● LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400




Enter an address or landmark



Global Sensor Network

Powered by Open-Meteo & Sentinel-5P

● SYSTEM ACTIVE | ○ CLICK MAP TO ANALYZE

This application is using Cesium's default ion access token. Please assign `Cesium.Ion.defaultAccessToken` with anaccess token from your ion account before making any Cesium API calls. You can sign up for a free ion account at <https://cesium.com>. Data attribution

Jan 25 2026 18:00:00 UTC

Jan 26 2026 00:00:00 UTC

Jan 26 2026 06:00:00 UTC

Jan 26 2026 12:00:00 UTC




SCENARIO

LOCAL_GRID

GLOBAL
CAPITAL
ALLOCATION

\$25,000



\$5K

\$500K

INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by **24.3%**.

INITIALIZE
SIMULATION

GLOBAL CO2 EXPLORER


Real-time topographic CO2 distribution

ENABLE DUAL MODE

● LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400

Delhi




SCENARIO

LOCAL_GRID

GLOBAL
CAPITAL
ALLOCATION

\$25,000



\$5K

\$500K

INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by **24.3%**.

INITIALIZE
SIMULATION

GLOBAL CO2 EXPLORER


Real-time topographic CO2 distribution

ENABLE DUAL MODE

● LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400

Delhi



Global Sensor Network

Powered by Open-Meteo & Sentinel-5P

● SYSTEM ACTIVE | ○ CLICK MAP TO ANALYZE

Next, click on the map area to analyze real-time CO2 distribution data.




SCENARIO

LOCAL_GRID

GLOBAL
CAPITAL
ALLOCATION

\$25,000



\$5K

\$500K

INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by **24.3%**.

INITIALIZE
SIMULATION →

GLOBAL CO2 EXPLORER

Real-time topographic CO2 distribution

ENABLE DUAL MODE

● LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400


Delhi



Global Sensor Network

Powered by Open-Meteo & Sentinel-5P

● SYSTEM ACTIVE | ○ CLICK MAP TO ANALYZE



Location (28.62, 77.15)

28.619°N, 77.149°E

● LIVE STATION

153

US AQI
Unhealthy

+ POLLUTANTS

PM2.5 102.9 µg/m³NO₂ 70.2 µg/m³PM10 124.8 µg/m³SO₂ 44.4 µg/m³


RUN CARBON SIMULATION →




supademo

Welcome to our demo!

Click below for a step-by-step walkthrough of our product

[Get Started](#)

DEPLOYMENT MATRIX



LIVE STATION


153 US AQI
Unhealthy

CONDITIONS




10.1°

TEMP




4.3

MPS



79%

%



0mm

MM

Following this, click the Run Carbon Simulation button to execute the emissions analysis.



RUN CARBON SIMULATION →

CESIUM ion

This application is using Cesium's defa

access token from your ion account before making any Cesium API c

Jan 25 2026 18:00:00 UTC

Jan 26 2026 00:00:00 UTC

SCENARIO

GLOBAL_VIEW

GLOBAL
CAPITAL
ALLOCATION

\$25,000

TARGET REQUIRED **\$830,000**



\$5K INSUFFICIENT CAPITAL \$500K

INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by **24.3%**.


INITIALIZE
SIMULATION

DEPLOYMENT MATRIX

SPATIAL CONCENTRATION MAP

Real-time topographic CO2 distribution

● LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400

Leaflet | © CARTO

SOLVER_V4.2

TARGET: CARBON NEUTRAL 2040


SCENARIO

GLOBAL_VIEW

GLOBAL
CAPITAL
ALLOCATION

\$25,000

TARGET REQUIRED **\$830,000**



\$5K INSUFFICIENT CAPITAL \$500K

INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by **24.3%**.


INITIALIZE
SIMULATION

DEPLOYMENT MATRIX

SPATIAL CONCENTRATION MAP

Real-time topographic CO2 distribution

● LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400

SOLVER_V4.2


TARGET: CARBON NEUTRAL 2040



CONCENTRATION MAP

CO2 distribution

● LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400

Following this, click the theme
toggle button to switch the map
display to light mode.



SCENARIO

GLOBAL_VIEW

GLOBAL
CAPITAL
ALLOCATION

\$25,000

TARGET REQUIRED \$830,000



\$5K INSUFFICIENT CAPITAL \$500K

INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by **24.3%**.


INITIALIZE
SIMULATION

SPATIAL CONCENTRATION MAP

Real-time topographic CO2 distribution

● LIVE_SENSING_ACTIVE

Afterwards, click the theme toggle button to switch between light and dark map display modes.



DEPLOYMENT MATRIX

SOLVER_V4.2

TARGET: CARBON NEUTRAL 2040

SCENARIO

GLOBAL_VIEW

GLOBAL
CAPITAL
ALLOCATION

\$25,000

TARGET REQUIRED **\$830,000**

\$5K INSUFFICIENT CAPITAL **\$500K**

INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by **24.3%**.


INITIALIZE
SIMULATION 

SPATIAL CONCENTRATION MAP

Real-time topographic CO2 distribution

LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400



DEPLOYMENT MATRIX

SOLVER_V4.2

TARGET: CARBON NEUTRAL 2040

SCENARIO

GLOBAL_VIEW

GLOBAL
CAPITAL
ALLOCATION **\$25,000**

TARGET REQUIRED **\$830,000**

\$5K INSUFFICIENT CAPITAL \$500K


INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by **24.3%**.

INITIALIZE
SIMULATION

SPATIAL CONCENTRATION MAP

Real-time topographic CO2 distribution

● LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400

DEPLOYMENT MATRIX

SOLVER_V4.2

TARGET: CARBON NEUTRAL 2040



GLOBAL_VIEW

SPATIAL CONCENTRATION MAP

Real-time topographic CO2 distribution


● LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400

\$25,000

REQUIRED \$830,000

ENT CAPITAL \$500K

Deployments
\$50K activate
arm agents,
capture efficiencyINITIALIZE
LOCATION ➔



GLOBAL_VIEW

\$25,000

REQUIRED \$830,000

ENT CAPITAL \$500K

Deployments
50K activate
arm agents,
capture efficiencyALIZE
LATION ➔

SPATIAL CONCENTRATION MAP

Real-time topographic CO2 distribution

● LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400

SCENARIO

GLOBAL_VIEW

GLOBAL
CAPITAL
ALLOCATION

\$35,000

TARGET REQUIRED **\$830,000**



\$5K INSUFFICIENT CAPITAL \$500K

INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by **24.3%**.


INITIALIZE
SIMULATION

SPATIAL CONCENTRATION MAP

Real-time topographic CO2 distribution

LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400



DEPLOYMENT MATRIX

SOLVER_V4.2


TARGET: CARBON NEUTRAL 2040

SCENARIO

GLOBAL_VIEW

GLOBAL
CAPITAL
ALLOCATION

\$80,000

TARGET REQUIRED **\$830,000**

\$5K INSUFFICIENT CAPITAL \$500K

INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by **24.3%**.

INITIAL
SIMULATION

Next, click Initialize Simulation to begin the deployment optimization analysis.



DEPLOYMENT MATRIX

● LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400


SPATIAL CONCENTRATION MAP

Real-time topographic CO2 distribution



Desc-001

203 AQI



SOLVER_V4.2

TARGET: CARBON NEUTRAL 2040


\$5K INSUFFICIENT CAPITAL \$500K

INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by **24.3%**.

INITIALIZE SIMULATION ➔

DESC-U1

187 AQI



DELHI

NEW DELHI

CONCENTRATION ZONES

- Very Unhealthy (200+)
- Unhealthy (150-200)
- Sensitive (100-150)
- Moderate (50-100)
- Good (0-50)

Leaflet | © CARTO

DEPLOYMENT MATRIX

OPTIMIZATION ANALYSIS & RESOURCE DISTRIBUTION

SOLVER_V4.2

TARGET: CARBON NEUTRAL 2040

ALLOCATED RESOURCES

\$80,000


PROJECTED AQI IMPROVEMENT

345

EFFICIENCY INDEX +100.0%

NODES_ARMED

15





\$5K INSUFFICIENT CAPITAL \$500K


INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by **24.3%**.


INITIALIZE
SIMULATION →

After that, click Initialize Simulation to begin the carbon emission modeling process.

**Desc-001**


187 AQI






5,000

\$830,000




AL \$500K

ate
,
ciency

INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by **24.3%**.

INITIALIZE SIMULATION ➔



DEPLOYMENT MATRIX

OPTIMIZATION ANALYSIS & RESOURCE DISTRIBUTION

SOLVER_V4.2

TARGET: CARBON NEUTRAL 2040

ALLOCATED RESOURCES

\$265,000

PROJECTED AQI IMPROVEMENT

1142 AQI PTS

EFFICIENCY INDEX +100.0%

NODES_ARMED

15

Environmental Sequestration Metrics

REGION: LOCATION (28.62, 77.15)

SCENARIO

LOCAL GRID

GLOBAL
CAPITAL
ALLOCATION

Afterwards, click the
GLOBAL_VIEW button to switch
to the global perspective view.



\$5K INSUFFICIENT CAPITAL \$500K

INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by **24.3%**.

INITIALIZE
SIMULATION

GLOBAL CO2 EXPLORER

Real-time topographic CO2 distribution

ENABLE DUAL MODE

● LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400

Loading Globe Engine...



AL_GRID

5,000

\$830,000




AL \$500K

ate
,
ciency**GLOBAL CO2 EXPLORER**

Real-time topographic CO2 distribution

ENABLE DUAL MODE

● LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400



Carbon Metrics

REGION: SOUTH ASIA CORE

GLOBAL CO2 EXPLORER

Real-time topographic CO2 distribution

ENABLE DUAL MODE

● LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400

Global Sensor Network

Powered by Open-Meteo & Sentinel-5P

● SYSTEM ACTIVE

◎ CLICK MAP TO ANALYZE



Afterwards, click the Bing Maps Aerial button to switch the base imagery layer.



AL_GRID

GLOBAL CO2 EXPLORER

Real-time topographic CO2 distribution

ENABLE DUAL MODE

● LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400

5,000

\$830,000



AL \$500K

ate

ciency

**Global Sensor Network**

Powered by Open-Meteo & Sentinel-5P

● SYSTEM ACTIVE

◎ CLICK MAP TO ANALYZE

The main interface shows a global aerial map of a coastal region. A dark overlay box in the upper-left corner contains the text "Global Sensor Network" and "Powered by Open-Meteo & Sentinel-5P". Below this, two status indicators are shown: "● SYSTEM ACTIVE" and "◎ CLICK MAP TO ANALYZE". In the top right corner, there are four icons: a magnifying glass for search, a house for home, a globe for international reach, and a small map for zoom.

Imagery

Cesium ion

- Bing Maps Aerial
- Bing Maps Aerial with Labels
- Bing Maps Roads
- Sentinel-2

- Google Maps Satellite
- Azure Maps Aerial

Next up, select Earth at night imagery to visualize global nighttime carbon distribution patterns.

Satellite with Labels Roadmap Contour Aerial

Environmental Sequestration Metrics

REGION: SOUTH ASIA CORE


SCENARIO

LOCAL_GRID

GLOBAL
CAPITAL
ALLOCATION

\$265,000

TARGET REQUIRED \$830,000



\$5K INSUFFICIENT CAPITAL \$500K

INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by **24.3%**.


INITIALIZE
SIMULATION

GLOBAL CO2 EXPLORER

Real-time topographic CO2 distribution

ENABLE DUAL MODE

● LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400

Global Sensor Network

Powered by Open-Meteo & Sentinel-5P

● SYSTEM ACTIVE | ○ CLICK MAP TO ANALYZE



Global Sequestration Metrics

REGION: SOUTH ASIA CORE

AL_GRID

5,000

\$830,000



AL \$500K


ate
,
ciency

GLOBAL CO2 EXPLORER

Real-time topographic CO2 distribution

ENABLE DUAL MODE

● LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400



RICS

REGION: SOUTH ASIA CORE

XPLORER

CO₂ distribution

ENABLE DUAL MODE

● LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400Enter an address or landmark 

or Network

zen-Meteo & Sentinel-5P

IVE | ⚙ CLICK MAP TO ANALYZE

Next, click the globe icon to
toggle the global map view for
geospatial analysis.



Environmental Sequestration Metrics

REGION: SOUTH ASIA CORE

SCENARIO

LOCAL_GRID

GLOBAL
CAPITAL
ALLOCATION

\$265,000

TARGET REQUIRED \$830,000



\$5K INSUFFICIENT CAPITAL \$500K

INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by **24.3%**.

INITIALIZE
SIMULATION

GLOBAL CO2 EXPLORER

Real-time topographic CO2 distribution

ENABLE DUAL MODE

● LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400

Enter an address or landmark



Global Sensor Network

Powered by Open-Meteo & Sentinel-5P

● SYSTEM ACTIVE | ○ CLICK MAP TO ANALYZE



Environmental Sequestration Metrics

REGION: SOUTH ASIA CORE

SCENARIO

LOCAL_GRID

GLOBAL
CAPITAL
ALLOCATION

\$265,000

TARGET REQUIRED \$830,000



\$5K INSUFFICIENT CAPITAL \$500K

INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by **24.3%**.

INITIALIZE
SIMULATION

GLOBAL CO2 EXPLORER

Real-time topographic CO2 distribution


ENABLE DUAL MODE

Global Sensor Network

Powered by Open-Meteo & Sentinel-5P


● SYSTEM ACTIVE | ○ CLICK MAP TO ANALYZE

Afterwards, click the imagery provider button to switch the map visualization layer.



← →

S: 400



Environmental Sequestration Metrics

REGION: SOUTH ASIA CORE

SCENARIO

LOCAL_GRID

GLOBAL
CAPITAL
ALLOCATION

\$265,000

TARGET REQUIRED \$830,000



\$5K INSUFFICIENT CAPITAL \$500K

INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by **24.3%**.

INITIALIZE SIMULATION

GLOBAL CO2 EXPLORER


Real-time topographic CO2 distribution

ENABLE DUAL MODE

Global Sensor Network

Powered by Open-Meteo & Sentinel-5P

● SYSTEM ACTIVE | ○ CLICK MAP TO ANALYZE





United States



Imagery

Cesium ion

Bing Maps
AerialBing Maps
Aerial with
LabelsBing Maps
Roads



Sentinel-2



Blue Marble



Earth at night

Natural
Earth IIGoogle Maps
SatelliteGoogle Maps
Satellite with
LabelsGoogle Maps
RoadmapGoogle Maps
ContourAzure Maps
Aerial

GLOBAL CO2 EXPLORER

Real-time topographic CO2 distribution

ENABLE DUAL MODE

RES: 200M²_GRID • NODES: 400**Global Sensor Network**

Powered by Open-Meteo & Sentinel-5P


● SYSTEM ACTIVE

① CLICK MAP TO ANALYZE

United States

**Imagery**



Cesium ion

Bing Maps
AerialBing Maps
Aerial with
Labels

Blue Marble




Earth at night

Natural
Earth IIGoogle Maps
Satellite

Google Maps



Google Maps



Google Maps



Azure Maps

Now, click the Global CO2
Explorer map to analyze real-time
topographic distribution.

Environmental Sequestration Metrics

REGION: SOUTH ASIA CORE

SCENARIO

LOCAL_GRID

GLOBAL
CAPITAL
ALLOCATION

\$265,000

TARGET REQUIRED \$830,000



\$5K INSUFFICIENT CAPITAL \$500K

INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by **24.3%**.

INITIALIZE
SIMULATION

GLOBAL CO2 EXPLORER

Real-time topographic CO2 distribution

⊕ ENABLE DUAL MODE


Global Sensor Network

Powered by Open-Meteo &

● SYSTEM ACTIVE

Next up, click Enable Dual Mode to activate dual visualization for comparative analysis.

United States

RES: 200M²_GRID • NODES: 400

● LIVE_SENSING_ACTIVE



RICS

REGION: SOUTH ASIA CORE

XPLORER
CO₂ distribution

DISABLE DUAL MODE

● LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400

Global Analysis

Temperature (Glow)

ACTIVE

◎ CLICK MAP TO ANALYZE

United States



Now, click the home button to
reset the map view to the default
perspective.

VI



● AQI ACTIVE ●

OPTIMAL

SEVERE

MODERATE



AL_GRID

GLOBAL CO2 EXPLORER

Real-time topographic CO2 distribution

DISABLE DUAL MODE

LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400

5,000

\$830,000




AL \$500K

ate,
ciency**Simultaneous Global Analysis**

AQI (Solid) • Temperature (Glow)

DUAL_MODE_ACTIVE | CLICK MAP TO ANALYZE

**VISUALIZATION LAYERS**

AQI ACTIVE

- OPTIMAL
- MODERATE
- SEVERE

TEMP ACTIVE

From here, select TEMP ACTIVE to visualize temperature data on the global map.





Global Sequestration Metrics

REGION: SOUTH ASIA CORE

AL_GRID

5,000

\$830,000



AL \$500K

ate
,
iciency

GLOBAL CO2 EXPLORER



Real-time topographic CO2 distribution

DISABLE DUAL MODE

Simultaneous Global Analysis

AQI (Solid) • Temperature (Glow)

DUAL_MODE_ACTIVE | CLICK MAP TO ANALYZE



Following this, click the imagery provider button to change the map visualization layer.

VISUALIZ

AQI ACTIVE

 OPTIMAL
 SEVERE

MODERATE

TEMP ACTIVE



GLOBAL CO2 EXPLORER


Real-time topographic CO2 distribution

 **DISABLE DUAL MODE** **LIVE_SENSING_ACTIVE**RES: 200M²_GRID • NODES: 400**Simultaneous Global Analysis**

AQI (Solid) • Temperature (Glow)

 **DUAL_MODE_ACTIVE** **CLICK MAP TO ANALYZE****Imagery**

Cesium ion



Sentinel-2

Afterwards, select the Bing Maps Aerial with Labels imagery option to update the map view.






Blue Marble

Earth at night

Natural

Earth II

Google Maps
Satellite

Environmental Sequestration Metrics

REGION: SOUTH ASIA CORE


SCENARIO

LOCAL_GRID

GLOBAL
CAPITAL
ALLOCATION

\$265,000

TARGET REQUIRED \$830,000



\$5K INSUFFICIENT CAPITAL \$500K

INSIGHT Deployments exceeding \$50K activate regional swarm agents, increasing capture efficiency by **24.3%**.

INITIALIZE
SIMULATION

GLOBAL CO2 EXPLORER

Real-time topographic CO2 distribution


DISABLE DUAL MODE

Simultaneous Global Analysis

AQI (Solid) • Temperature (Glow)

● DUAL_MODE_ACTIVE | ⚙ CLICK MAP TO ANALYZE

● LIVE_SENSING_ACTIVE

RES: 200M²_GRID • NODES: 400

VISUALIZATION LAYERS

● AQI ACTIVE ●

● OPTIMAL

● MODERATE

● SEVERE

● TEMP ACTIVE ●