TRISHANTI

MASTER IMPLEMENTATION PLAN & DESIGN SYSTEM CONTINUITY

MASTER IMPLEMENTATION PLAN & KONTINUITAS DESIGN SYSTEM

FULL HISTORICAL ENTERPRISE EDITION • PHASE 0 → A.13 • ENGLISH + BAHASA INDONESIA

FINAL CONSOLIDATION • 12 SEPTEMBER 2026 • A.13 LOCKED / APPROVED

Document Purpose	Tujuan Dokumen
This edition reconstructs the Trishanti implementation-plan record from the earliest documented Phase 0 foundation through the current approved and locked A.13 closure. It restores detailed section content, decision rationale, implementation consequences, historical workflow states and the visual archive rather than reducing the project to a short executive register.	Edisi ini merekonstruksi catatan implementation plan Trishanti dari fondasi Phase 0 yang terdokumentasi paling awal sampai A.13 yang saat ini telah disetujui dan dikunci. Dokumen memulihkan detail section, rationale keputusan, konsekuensi implementasi, state workflow historis dan arsip visual, bukan mereduksi proyek menjadi register eksekutif singkat.

Document Authority	Otoritas Dokumen
Governing continuity document for the implementation-plan program. LOCKED decisions remain binding unless the established governance rule is explicitly invoked. This document distinguishes historical states from the final current state.	Dokumen continuity yang mengatur program implementation plan. Keputusan LOCKED tetap mengikat kecuali governance rule yang telah ditetapkan digunakan secara eksplisit. Dokumen membedakan state historis dari state final saat ini.

1. DOCUMENT LINEAGE / RIWAYAT DOKUMEN

Historical document / Dokumen	Scope / Cakupan	English record	Catatan Bahasa Indonesia
Early master — Phase 0 → A.5.12	Detailed Review, Decisions, Locks & Handoff	Earliest reconstructed continuity document; established detailed sub-sections 0.1 onward and the first detailed design-system review.	Dokumen continuity awal; menetapkan sub-section 0.1 dan seterusnya serta review design system pertama yang rinci.
Updated master — Phase 0 → A.5.17	Updated Phase 0 to A.5.17	Extended the design-system review and recorded the automatic visual-example workflow; A.5.17 was then the current pending section.	Memperluas review design system dan mencatat workflow visual-example otomatis; saat itu A.5.17 masih pending.
Full master — Phase 0 → A.5.22	Full Current Consolidation	Carried the implementation plan forward through A.5.22 and preserved the historical visual archive.	Meneruskan implementation plan sampai A.5.22 dan mempertahankan arsip visual historis.
Approved master — Phase 0 → A.5.23	Executive Summary / Design System Continuity	A.5.23 became explicitly approved and locked; the prior archive recorded 36 generated visuals.	A.5.23 disetujui dan dikunci secara eksplisit; arsip saat itu mencatat 36 visual generated.
Bilingual master — Phase 0 → A.8	Executive Implementation Edition	Added A.6 implementation architecture, A.7 QA and A.8 launch/handover; total visual record reached 39.	Menambahkan A.6 architecture, A.7 QA dan A.8 launch/handover; total visual mencapai 39.
Executive consolidation — Phase 0 → A.9	Bilingual EN/ID	Introduced the revised visual-first workflow and continued the master as a bilingual executive continuity layer.	Memperkenalkan workflow visual-first yang direvisi dan meneruskan master sebagai continuity bilingual.
Final reconstruction — Phase 0 → A.13	This document	Restores the full historical detail and the visual archive, then adds A.9–A.13 approved sections and closure.	Mengembalikan detail historis lengkap dan arsip visual, lalu menambahkan A.9–A.13 yang disetujui serta closure.

2. REVISED MASTER WORKFLOW / WORKFLOW MASTER REVISI

1. Generate the visual example automatically.	1. Hasilkan contoh visual secara otomatis.
Generate the visual example automatically.	Hasilkan contoh visual secara otomatis.

2. Explain the section in English clearly.	2. Jelaskan section secara jelas dalam Bahasa Inggris.
Explain the section in English clearly.	Jelaskan section secara jelas dalam Bahasa Inggris.

3. Propose the enterprise-grade direction.	3. Ajukan arah enterprise-grade.
Propose the enterprise-grade direction.	Ajukan arah enterprise-grade.

4. Refine if needed.	4. Sempurnakan bila diperlukan.
Refine if needed.	Sempurnakan bila diperlukan.

5. Update the Executive Summary Master Implementation Plan from Phase 0 → current section in detailed global-enterprise-grade documentation.	5. Perbarui Executive Summary Master Implementation Plan dari Phase 0 → section saat ini secara detail dan berstandar enterprise global.
Update the Executive Summary Master Implementation Plan from Phase 0 → current section in detailed global-enterprise-grade documentation.	Perbarui Executive Summary Master Implementation Plan dari Phase 0 → section saat ini secara detail dan berstandar enterprise global.

6. Keep the master bilingual: English + Bahasa Indonesia in parallel.	6. Pertahankan master bilingual: English + Bahasa Indonesia secara paralel.
Keep the master bilingual: English + Bahasa Indonesia in parallel.	Pertahankan master bilingual: English + Bahasa Indonesia secara paralel.

7. Provide both DOCX + PDF.	7. Sediakan DOCX + PDF.
Provide both DOCX + PDF.	Sediakan DOCX + PDF.

8. Preserve the full decision/history/visual archive.	8. Pertahankan seluruh arsip keputusan/sejarah/visual.
Preserve the full decision/history/visual archive.	Pertahankan seluruh arsip keputusan/sejarah/visual.

9. User reviews the current section.	9. Pengguna meninjau section saat ini.
User reviews the current section.	Pengguna meninjau section saat ini.

10. Once explicitly approved, lock the section.	10. Setelah disetujui secara eksplisit, kunci section.
Once explicitly approved, lock the section.	Setelah disetujui secara eksplisit, kunci section.

11. Move to the next section.	11. Lanjut ke section berikutnya.
Move to the next section.	Lanjut ke section berikutnya.

3. EXECUTIVE PROGRAM REGISTER / REGISTER PROGRAM EKSEKUTIF

Phase 0 — Project Foundation & Discovery / Phase 0 — Fondasi & Discovery Proyek

STATUS: ESTABLISHED

0.1 Project Mandate	0.1 Project Mandate
Build the official corporate digital presence for PT. Trishanti Sinergi Indocorp as a long-term diversified Indonesian enterprise, not a single-product startup.	Membangun digital presence korporat resmi PT. Trishanti Sinergi Indocorp sebagai enterprise Indonesia multisektor jangka panjang, bukan startup satu produk.

0.2 Corporate Positioning	0.2 Corporate Positioning
Position Trishanti as a long-term multi-sector enterprise. The benchmark mindset is diversified corporate groups such as Tata/Astra rather than conventional startup/SaaS presentation.	Memposisikan Trishanti sebagai enterprise multisektor jangka panjang. Benchmark berpikirnya adalah diversified corporate group seperti Tata/Astra, bukan presentasi startup/SaaS konvensional.

0.3 Emotional & Brand Character	0.3 Emotional & Brand Character
Desired character: ambitious, trustworthy, powerful, uplifting, expert, eco-friendly, people-centered and future-oriented. Brand line: “A Brighter Tomorrow, Together.”	Karakter yang dituju: ambisius, tepercaya, kuat, uplifting, ahli, eco-friendly, people-centered dan future-oriented. Brand line: “A Brighter Tomorrow, Together.”

0.4 Legal & Business Foundation	0.4 Legal & Business Foundation
Pasal 3 contains 29 KBLI activities. The public-facing architecture groups these legal activities into six strategic pillars instead of exposing raw legal classifications.	Pasal 3 memuat 29 kegiatan KBLI. Arsitektur publik mengelompokkan kegiatan tersebut menjadi enam pilar strategis, bukan menampilkan klasifikasi legal mentah.

0.5 Strategic Pillars	0.5 Strategic Pillars
Property & Infrastructure; Resources & Industrial Trading; Agriculture & Food; Technology & Digital; Consumer & Lifestyle; Experiences / Emerging Ventures.	Properti & Infrastruktur; Sumber Daya & Perdagangan Industri; Pertanian & Pangan; Teknologi & Digital; Konsumen & Gaya Hidup; Experiences / Emerging Ventures.

0.6 V1 Scope Boundary	0.6 V1 Scope Boundary
V1 is a corporate website, not an enterprise application platform. Database-heavy architecture, AI/chatbot, n8n, complex authentication, payment systems and heavy CMS/admin complexity are excluded initially unless later justified.	V1 adalah website korporat, bukan platform aplikasi enterprise. Arsitektur database-heavy, AI/chatbot, n8n, autentikasi kompleks, payment system dan CMS/admin berat dikecualikan pada tahap awal kecuali kemudian benar-benar dibutuhkan.

0.7 Success Criteria	0.7 Success Criteria
The experience must feel global-grade, credible, premium, scalable and maintainable, while supporting SEO, accessibility, performance, responsive behavior and future	Experience harus terasa berkelas global, kredibel, premium, scalable dan maintainable, sekaligus mendukung SEO, accessibility, performance, responsive behavior dan

corporate growth.	pertumbuhan korporat masa depan.

Phase 1 — Strategic Information Architecture & Content Model / Phase 1 — Information Architecture Strategis & Model Konten

STATUS: ESTABLISHED

1.1 Public Information Architecture	1.1 Public Information Architecture
Organize the public experience around corporate identity, six business pillars, individual businesses/portfolio, sustainability, news/insights, careers and contact.	Mengorganisasi pengalaman publik berdasarkan identitas korporat, enam pilar bisnis, bisnis/portfolio individual, sustainability, news/insights, careers dan contact.

1.2 Core Route Families	1.2 Core Route Families
Home; About; Our Businesses; Business Pillar Pages; Individual Business/Portfolio Pages; Sustainability; News/Insights; Careers; Contact.	Home; About; Our Businesses; Business Pillar Pages; Individual Business/Portfolio Pages; Sustainability; News/Insights; Careers; Contact.

1.3 Journey Model	1.3 Journey Model
The intended journey is broad corporate context → business pillar → specific business/initiative. The user should understand the group before being asked to evaluate an individual business.	Journey yang dituju adalah konteks korporat luas → pilar bisnis → bisnis/inisiatif spesifik. Pengguna memahami grup terlebih dahulu sebelum mengevaluasi bisnis individual.

1.4 Business Pillar Pattern	1.4 Business Pillar Pattern
Strong sector hero → pillar purpose → focus areas → related businesses/opportunities → impact/statistics/proof → related content.	Hero sektor yang kuat → purpose pilar → focus areas → bisnis/peluang terkait → impact/statistics/proof → konten terkait.

1.5 Portfolio / Individual Business Pattern	1.5 Portfolio / Individual Business Pattern
Industry context, Trishanti's role, approach, related entities, relevant media and future extensibility. Use genuine assets and information rather than fictional case-study styling.	Konteks industri, peran Trishanti, pendekatan, entitas terkait, media relevan dan extensibility. Gunakan aset/informasi nyata, bukan gaya case study fiktif.

1.6 Content Principles	1.6 Content Principles
Content must remain measured, credible, future-oriented and substantive. Avoid vague startup buzzwords, unsupported claims and inflated positioning.	Konten harus terukur, kredibel, future-oriented dan substantif. Hindari buzzword startup yang samar, klaim tanpa dasar dan positioning yang berlebihan.

Phase 2 — UX, Navigation & Responsive Experience / Phase 2 — UX, Navigasi & Pengalaman Responsif

STATUS: ESTABLISHED

2.1 Desktop Navigation	2.1 Desktop Navigation

Keep navigation clean and corporate. Primary destinations should not expose every page at once. Business navigation can expand structurally as the portfolio grows. Contact remains prominent; utility elements stay secondary.	Jaga navigasi tetap bersih dan korporat. Destination utama tidak perlu menampilkan semua halaman sekaligus. Navigasi bisnis dapat berkembang seiring portfolio. Contact tetap menonjol; utility tetap sekunder.

2.2 Mobile Navigation	2.2 Mobile Navigation
Mobile is first-class for iOS and Android. Use a simplified header and hierarchical mobile menu rather than shrinking a desktop mega-menu.	Mobile menjadi first-class untuk iOS dan Android. Gunakan header sederhana dan menu mobile hierarkis, bukan mengecilkan mega-menu desktop.

2.3 Scroll Narrative	2.3 Scroll Narrative
Scrolling should feel progressive and intentional. Use contrast, photography, tonal shifts, whitespace and occasional directional graphics to create progression; do not make every section an identical card grid.	Scrolling harus progresif dan disengaja. Gunakan kontras, fotografi, perubahan tonal, whitespace dan graphic directional sesekali; jangan membuat setiap section menjadi card grid yang sama.

2.4 Inspiration Boundary	2.4 Inspiration Boundary
Flip.id is inspiration for continuity, section rhythm and especially the feeling of a strong page ending/footer—not a literal copy.	Flip.id hanya menjadi inspirasi untuk continuity, section rhythm dan terutama rasa ending/footer yang kuat—bukan untuk disalin secara literal.

2.5 Responsive Principle	2.5 Responsive Principle
Desktop, tablet and mobile are designed as one coherent system. Images, overlays, typography, cards, navigation and content hierarchy require deliberate responsive behavior.	Desktop, tablet dan mobile dirancang sebagai satu sistem koheren. Image, overlay, typography, card, navigation dan hierarchy konten memerlukan perilaku responsive yang disengaja.

Phase 3 — Technical & Implementation Architecture / Phase 3 — Arsitektur Teknis & Implementasi

STATUS: ESTABLISHED

3.1 Frontend Foundation	3.1 Frontend Foundation
Next.js + TypeScript + Tailwind CSS; npm; nested src/app preferred. Frontend-first is the default.	Next.js + TypeScript + Tailwind CSS; npm; nested src/app menjadi struktur pilihan. Frontend-first adalah default.

3.2 Backend Boundary	3.2 Backend Boundary
Use dual repositories when frontend and backend are both genuinely needed. NestJS is preferred when a backend becomes necessary; do not build APIs merely for architectural appearance.	Gunakan dual repository ketika frontend dan backend benar-benar sama-sama diperlukan. NestJS menjadi arah ketika backend dibutuhkan; jangan membuat API hanya demi terlihat arsitektural.

3.3 Deployment	3.3 Deployment
Frontend deployment direction: Vercel. Backend, when	Arah deployment frontend: Vercel. Backend bila dibutuhkan:

required: Railway. Maintain development/staging/production separation as the project matures.	Railway. Pertahankan pemisahan development/staging/production seiring kematangan proyek.

3.4 Engineering Quality	3.4 Engineering Quality
SEO and semantic HTML are implementation requirements. Accessibility direction is WCAG 2.2 AA. Performance targets: LCP <2.5s, CLS <0.1, INP <200ms. Security headers, CI/CD, staging/production separation, monitoring and disciplined dependency management are part of quality.	SEO dan semantic HTML adalah requirement implementasi. Arah accessibility adalah WCAG 2.2 AA. Target performance: LCP <2,5 detik, CLS <0,1, INP <200 ms. Security headers, CI/CD, pemisahan staging/production, monitoring dan dependency discipline merupakan bagian dari quality.

3.5 Media Engineering	3.5 Media Engineering
Use high-quality stock photography related to actual business fields when real assets are unavailable; optimize images/video/GIF usage for performance.	Gunakan stock photography berkualitas tinggi yang relevan dengan bidang bisnis aktual bila aset nyata belum tersedia; optimalkan penggunaan image/video/GIF untuk performance.

Phase 4 — Brand, Visual & Experience Direction / Phase 4 — Arah Brand, Visual & Experience

STATUS: APPROVED DIRECTION

4.1 Overall Aesthetic	4.1 Overall Aesthetic
Editorial corporate + premium enterprise + cinematic storytelling. Avoid generic SaaS, agency-portfolio and templated corporate appearance.	Editorial corporate + premium enterprise + cinematic storytelling. Hindari tampilan SaaS generik, portfolio agency dan corporate template.

4.2 Photography	4.2 Photography
Premium, realistic, sector-relevant photography; cinematic and natural with consistent quality and useful copy space.	Fotografi premium, realistis dan relevan sektor; sinematik dan natural dengan kualitas konsisten serta copy space yang berguna.

4.3 Motion / Video	4.3 Motion / Video
Video or GIF may be used in backgrounds or relevant cards when it contributes to storytelling. Motion must not exist only for spectacle and must respect performance and reduced-motion needs.	Video atau GIF dapat digunakan pada background atau card relevan bila mendukung storytelling. Motion tidak boleh sekadar spectacle dan harus memperhatikan performance serta reduced motion.

4.4 Footer	4.4 Footer
The footer is a deliberate final chapter: strong dark/tonal closing environment, directional/horizon motifs, structured links, social/legal utilities and possible final CTA.	Footer adalah bab penutup yang disengaja: environment dark/tonal yang kuat, motif directional/horizon, link terstruktur, social/legal utilities dan kemungkinan final CTA.

4.5 Environmental Expression	4.5 Environmental Expression
Light = Glass + Light + Transparency + Focus. Dark = Gradient + Depth + Contrast + Accent. These are two environmental expressions of one system, not simple inversion.	Light = Glass + Light + Transparency + Focus. Dark = Gradient + Depth + Contrast + Accent. Keduanya adalah ekspresi environment dari satu sistem, bukan sekadar inverse.

4. DESIGN SYSTEM A.5 — COMPLETE DETAIL / DETAIL LENGKAP

A.5.1–A.5.5 — Early Foundation Review / A.5.1–A.5.5 — Review Fondasi Awal

STATUS: LOCKED / CARRIED FORWARD

English	Bahasa Indonesia
• Final light direction is a subtle premium warm/neutral light-grey: not sterile pure white and not overly dark grey.	• Arah light final adalah warm/neutral light-grey premium yang subtle: bukan pure white yang steril dan bukan grey yang terlalu gelap.

English	Bahasa Indonesia
• Architectural White is the surface/card role; Cyan-Teal is the controlled primary accent; Deep Midnight is the dark authority foundation.	• Architectural White menjadi role surface/card; Cyan-Teal menjadi aksen utama terkontrol; Deep Midnight menjadi fondasi authority pada environment dark.

English	Bahasa Indonesia
• Glass is used with restraint; gradients are intentional. Gradient overlays were accepted, especially because frosted glass provides another depth layer.	• Glass digunakan secara restrained; gradient digunakan secara intentional. Gradient overlay diterima, terutama karena frosted glass memberi layer depth tambahan.

English	Bahasa Indonesia
• Photography is tied to actual business fields where real assets are unavailable.	• Fotografi dikaitkan dengan bidang bisnis aktual ketika aset nyata belum tersedia.

English	Bahasa Indonesia
• Responsive/mobile treatment applies to all visual systems, not only desktop.	• Treatment responsive/mobile berlaku untuk seluruh sistem visual, bukan hanya desktop.

A.5.6 — Border & Context Surface System / A.5.6 — Sistem Border & Context Surface

STATUS: LOCKED

English	Bahasa Indonesia
• Borders communicate focus and interaction; surfaces communicate hierarchy.	• Border mengomunikasikan focus dan interaction; surface mengomunikasikan hierarchy.

English	Bahasa Indonesia
• Primary tokens: border-focus and border-accent. Light primarily uses focus treatment; dark uses controlled Cyan-Teal accent treatment.	• Token utama: border-focus dan border-accent. Light terutama memakai focus treatment; dark memakai Cyan-Teal accent terkontrol.

English	Bahasa Indonesia

• Default border is 1px; focus may reach 2px.	• Border default 1px; focus dapat mencapai 2px.

English	Bahasa Indonesia
• Buttons use filled color/surfaces with no border.	• Button menggunakan filled color/surface tanpa border.

English	Bahasa Indonesia
• Cards: light = glass; dark = tonal/gradient. Navbar and context surfaces follow the same environment logic.	• Card: light = glass; dark = tonal/gradient. Navbar dan context surface mengikuti logika environment yang sama.

A.5.7 — Shadow & Elevation / A.5.7 — Shadow & Elevation

STATUS: LOCKED

English	Bahasa Indonesia
• Elevation should be felt before it is seen; avoid heavy SaaS-style shadows.	• Elevation harus terasa sebelum terlihat; hindari shadow berat ala SaaS.

English	Bahasa Indonesia
• Conceptual light levels: integrated/flat, resting, elevated. Dark: integrated/base, tonal elevated.	• Level konseptual light: integrated/flat, resting, elevated. Dark: integrated/base, tonal elevated.

English	Bahasa Indonesia
• Real UI: light uses Elevation 2; dark uses Elevation 1.	• UI nyata: light memakai Elevation 2; dark memakai Elevation 1.

English	Bahasa Indonesia
• Light depth = soft ambient shadow + glass + surface contrast. Dark depth = tonal separation and gradients rather than heavy black shadows.	• Depth light = soft ambient shadow + glass + surface contrast. Depth dark = tonal separation dan gradient, bukan shadow hitam berat.

English	Bahasa Indonesia
• Light dropdown = frosted glass; dark dropdown = tonal/gradient. Cyan glow is rare and meaningful only.	• Dropdown light = frosted glass; dropdown dark = tonal/gradient. Cyan glow jarang dan hanya bila bermakna.

English	Bahasa Indonesia
• Hover is subtle; the handoff record commonly notes approximately translateY(-2px) as an example rather than a universal requirement.	• Hover bersifat subtle; handoff mencatat sekitar translateY(-2px) sebagai contoh, bukan kewajiban universal.

A.5.8 — Iconography / A.5.8 — Iconography

STATUS: LOCKED

English	Bahasa Indonesia
• Precise, geometric, minimal, architectural outline/stroke icons.	• Icon bersifat precise, geometric, minimal dan architectural dengan outline/stroke.

English	Bahasa Indonesia
• Avoid heavy filled, emoji-like, 3D, illustrative or mixed icon families.	• Hindari icon heavy-filled, emoji-like, 3D, illustrative atau keluarga icon yang bercampur.

English	Bahasa Indonesia
• Stroke: 1.5px for editorial/larger; 2px for smaller interactive UI. Sizes: 12, 16, 20, 24, 32, 48px.	• Stroke: 1,5px untuk editorial/besar; 2px untuk UI kecil/interaktif. Ukuran: 12, 16, 20, 24, 32, 48px.

English	Bahasa Indonesia
• Lucide Icons are the engineering foundation, curated/customized into a Trishanti-specific language.	• Lucide Icons menjadi fondasi engineering yang dikurasi/customized menjadi bahasa spesifik Trishanti.

English	Bahasa Indonesia
• Business pillar icons should be metaphorical and curated rather than literal clipart.	• Icon pilar bisnis bersifat metaphorical dan curated, bukan clipart literal.

English	Bahasa Indonesia
• Light default = deep neutral; dark default = light neutral; Cyan-Teal = interactive/featured.	• Default light = deep neutral; default dark = light neutral; Cyan-Teal = interactive/featured.

English	Bahasa Indonesia
• Directional convention: → navigation/forward; ↗ external; + expansion. Icon-only controls require accessible labels and 44×44px touch targets.	• Konvensi arah: → navigation/forward; ↗ external; + expansion. Kontrol icon-only membutuhkan label aksesibel dan target 44×44px.

A.5.9 — Illustration & Graphic Elements / A.5.9 — Illustration & Graphic Elements

STATUS: LOCKED

English	Bahasa Indonesia
• Graphics should feel architectural, connected and forward-moving.	• Grafis harus terasa architectural, connected dan forward-moving.

English	Bahasa Indonesia

• Primary language: Structural Lines + Forward Paths + Architectural Grids + Diagrammatic Networks/Nodes + controlled Cyan-Teal.	• Bahasa utama: Structural Lines + Forward Paths + Architectural Grids + Diagrammatic Networks/Nodes + Cyan-Teal terkontrol.

English	Bahasa Indonesia
• Photography = reality/human experience; graphics = structure/concept.	• Photography = realitas/pengalaman manusia; graphics = struktur/konsep.

English	Bahasa Indonesia
• Use lines, arcs, grids, frames, geometric crops and directional paths; one graphic idea per composition.	• Gunakan line, arc, grid, frame, geometric crop dan directional path; satu ide grafis per komposisi.

English	Bahasa Indonesia
• Signature motif: Forward Line / directional path representing movement, progress, direction, connection and opportunity.	• Motif signature: Forward Line / directional path yang merepresentasikan movement, progress, direction, connection dan opportunity.

English	Bahasa Indonesia
• Complex concepts use minimal geometric/data-inspired diagrams.	• Konsep kompleks menggunakan diagram geometric/data-inspired yang minimal.

English	Bahasa Indonesia
• Light: warm grey + deep neutral lines + subtle grids + Cyan highlights. Dark: Deep Midnight + tonal gradients + subtle architectural lines + controlled Cyan illumination.	• Light: warm grey + deep neutral lines + subtle grids + Cyan highlights. Dark: Deep Midnight + tonal gradients + subtle architectural lines + controlled Cyan illumination.

English	Bahasa Indonesia
• Motion: slow path drawing, subtle node activation, restrained parallax; no particles.	• Motion: slow path drawing, subtle node activation, restrained parallax; tanpa particle.

English	Bahasa Indonesia
• Avoid generic corporate illustrations, cartoon people, blobs, isometric office scenes, handshake/rocket imagery, excessive glow and clutter.	• Hindari ilustrasi corporate generik, cartoon people, blob, office isometrik, handshake/rocket imagery, glow berlebihan dan clutter.

English	Bahasa Indonesia
• Primitives recorded in the handoff: graphic-line, graphic-path, graphic-grid, graphic-frame, graphic-node, graphic-accent.	• Primitif yang tercatat: graphic-line, graphic-path, graphic-grid, graphic-frame, graphic-node, graphic-accent.

A.5.10 — Data Visualization / A.5.10 — Data Visualization

STATUS: LOCKED

English	Bahasa Indonesia
• Data should feel intelligent and authoritative, not like a dashboard pasted into a corporate website.	• Data harus terasa intelligent dan authoritative, bukan dashboard yang ditempel ke corporate website.

English	Bahasa Indonesia
• Style: Editorial + Structured + Minimal + Intelligent.	• Style: Editorial + Structured + Minimal + Intelligent.

English	Bahasa Indonesia
• Primary data = Cyan-Teal; secondary data = controlled secondary brand colors only when necessary; inactive = neutral grey.	• Data utama = Cyan-Teal; secondary hanya brand secondary yang terkontrol bila diperlukan; inactive = neutral grey.

English	Bahasa Indonesia
• Prefer line, bar, area, comparison and progress. Secondary: donut, maps, timeline and distribution.	• Utamakan line, bar, area, comparison dan progress. Secondary: donut, map, timeline dan distribution.

English	Bahasa Indonesia
• Avoid 3D charts, decorative gauges, unnecessary pie charts and unjustified radar charts.	• Hindari chart 3D, gauge dekoratif, pie yang tidak perlu dan radar tanpa alasan.

English	Bahasa Indonesia
• Light = warm grey + glass/Architectural White + deep neutral typography. Dark = Deep Midnight + gradients + muted light labels.	• Light = warm grey + glass/Architectural White + deep neutral typography. Dark = Deep Midnight + gradient + muted light labels.

English	Bahasa Indonesia
• Gridlines are extremely subtle. Tooltips: light glass/Elevation 2; dark tonal gradient/Elevation 1.	• Gridline sangat subtle. Tooltip: light glass/Elevation 2; dark tonal gradient/Elevation 1.

English	Bahasa Indonesia
• Large metrics are storytelling devices; animation only reveals information.	• Large metrics adalah perangkat storytelling; animasi hanya untuk reveal informasi.

English	Bahasa Indonesia
• Rule: data is part of the story, not a separate dashboard.	• Aturan: data adalah bagian dari cerita, bukan dashboard terpisah.

A.5.11 — Motion & Interaction / A.5.11 — Motion & Interaction

STATUS: LOCKED

English	Bahasa Indonesia
• Core principle: motion should guide, confirm and connect—not decorate.	• Prinsip inti: motion membimbing, mengonfirmasi dan menghubungkan—bukan menghias.

English	Bahasa Indonesia
• States: default, hover, pressed, focus, disabled.	• State: default, hover, pressed, focus, disabled.

English	Bahasa Indonesia
• Coverage: buttons, icons, cards, toggles, navigation, dropdowns and forms.	• Cakupan: button, icon, card, toggle, navigation, dropdown dan form.

English	Bahasa Indonesia
• Loading patterns: contextual spinner, progress and skeleton.	• Loading: contextual spinner, progress dan skeleton.

English	Bahasa Indonesia
• Transitions are smooth, restrained and purposeful; use consistent fast/normal/slow duration and easing tokens.	• Transisi smooth, restrained dan purposeful; gunakan token duration/easing fast/normal/slow yang konsisten.

English	Bahasa Indonesia
• Reduced-motion accessibility is mandatory.	• Reduced-motion accessibility wajib.

English	Bahasa Indonesia
• Avoid excessive animation, distracting motion, unnecessary delays and random timing.	• Hindari animasi berlebihan, motion yang mengganggu, delay tidak perlu dan timing acak.

A.5.12 — Modal & Overlay System / A.5.12 — Sistem Modal & Overlay

STATUS: LOCKED / APPROVED

English	Bahasa Indonesia
• Components: Modal/Dialog, Side Drawer, Dropdown, Popover, Tooltip, Toast, Fullscreen Overlay, Context Menu, Command Palette.	• Komponen: Modal/Dialog, Side Drawer, Dropdown, Popover, Tooltip, Toast, Fullscreen Overlay, Context Menu, Command Palette.

English	Bahasa Indonesia
• Light: frosted glass + Architectural White + controlled elevation + soft background blur.	• Light: frosted glass + Architectural White + controlled elevation + soft background blur.

English	Bahasa Indonesia

• Dark: Deep Midnight + tonal gradient + subtle accent borders + controlled Cyan-Teal.	• Dark: Deep Midnight + tonal gradient + subtle accent border + Cyan-Teal terkontrol.

English	Bahasa Indonesia
• Layer concept: Base Content → Navigation → Dropdown/Popover → Tooltip → Modal/Drawer → Toast → Critical Overlay.	• Konsep layer: Base Content → Navigation → Dropdown/Popover → Tooltip → Modal/Drawer → Toast → Critical Overlay.

English	Bahasa Indonesia
• Modal = confirmation/critical/focused task. Drawer = filters/settings/extended navigation/secondary workflow. Dropdown = selection/navigation/compact actions.	• Modal = confirmation/critical/focused task. Drawer = filter/settings/extended navigation/secondary workflow. Dropdown = selection/navigation/compact action.

English	Bahasa Indonesia
• Popover = contextual information/short secondary actions. Tooltip = clarification only, never critical information. Toast = success/error/info/background process confirmation.	• Popover = informasi contextual/action sekunder. Tooltip = clarification saja, bukan informasi kritis. Toast = konfirmasi proses/success/error/info.

English	Bahasa Indonesia
• Accessibility: clear close, Escape support, click-outside where appropriate, focus trap for modals, keyboard navigation and mobile-aware behavior.	• Accessibility: close jelas, Escape, click-outside bila sesuai, focus trap untuk modal, keyboard navigation dan mobile-aware.

English	Bahasa Indonesia
• Rule: overlays are for focus, not for hiding poor information architecture.	• Aturan: overlay digunakan untuk focus, bukan menyembunyikan information architecture yang buruk.

A.5.13 — Forms & Input System / A.5.13 — Sistem Form & Input

STATUS: LOCKED / APPROVED

English	Bahasa Indonesia
• Defines the interaction language for Contact, Newsletter, Search, Career applications, filters, selects, uploads and future forms.	• Mendefinisikan bahasa interaction untuk Contact, Newsletter, Search, Career applications, filter, select, upload dan form masa depan.

English	Bahasa Indonesia
• Core components: text input, textarea, search input, select/dropdown, checkbox, radio group, toggle, file upload, input groups, labels, helper text, validation and form actions.	• Komponen: text input, textarea, search input, select/dropdown, checkbox, radio group, toggle, file upload, input groups, label, helper text, validation dan form actions.

English	Bahasa Indonesia
• Labels remain visible outside fields; placeholders do not	• Label tetap terlihat di luar field; placeholder tidak

replace labels.	menggantikan label.

English	Bahasa Indonesia
• States: default, hover, focus, filled, success, error, disabled, loading.	• State: default, hover, focus, filled, success, error, disabled, loading.

English	Bahasa Indonesia
• Light: warm neutral background, Architectural White/subtle glass surface, focus border and controlled Cyan-Teal interaction.	• Light: background warm neutral, Architectural White/subtle glass, focus border dan Cyan-Teal terkontrol.

English	Bahasa Indonesia
• Dark: Deep Midnight tonal surface, subtle gradient, muted borders and controlled Cyan-Teal focus.	• Dark: Deep Midnight tonal surface, gradient subtle, muted border dan Cyan-Teal focus.

English	Bahasa Indonesia
• Validation combines color, icon and clear explanatory text; errors appear close to the affected field.	• Validation menggabungkan color, icon dan explanatory text; error muncul dekat field terkait.

English	Bahasa Indonesia
• Mobile: single-column priority where necessary, comfortable touch targets, correct keyboard input types and safe interaction around the software keyboard.	• Mobile: single-column bila perlu, touch target nyaman, keyboard input type benar dan interaksi aman di sekitar software keyboard.

A.5.14 — Navigation System / A.5.14 — Navigation System

STATUS: LOCKED / APPROVED

English	Bahasa Indonesia
• Navigation is a system rather than isolated links.	• Navigation adalah sistem, bukan link yang berdiri sendiri.

English	Bahasa Indonesia
• Desktop uses the full information architecture; compact widths reduce spacing before navigation transforms rather than allowing links to become cramped.	• Desktop memakai information architecture lengkap; compact width mengurangi spacing sebelum transformasi agar link tidak sesak.

English	Bahasa Indonesia
• Mobile uses a dedicated menu trigger and intentional drawer/fullscreen navigation rather than a compressed desktop navbar.	• Mobile menggunakan menu trigger khusus dan drawer/fullscreen yang disengaja, bukan navbar desktop yang dipadatkan.

English	Bahasa Indonesia
• Navigation preserves access to primary routes, business architecture, contact actions and discoverability.	• Navigation menjaga akses ke route utama, business architecture, contact action dan discoverability.

English	Bahasa Indonesia
• Desktop hover may enrich interactions but no essential information may depend on hover; mobile is touch-first.	• Hover desktop boleh memperkaya interaction, tetapi informasi penting tidak boleh bergantung pada hover; mobile touch-first.

English	Bahasa Indonesia
• Navigation remains connected to the Modal & Overlay System and responsive rules.	• Navigation terhubung dengan Modal & Overlay System dan responsive rules.

A.5.15 — Feedback, Loading & System States / A.5.15 — Feedback, Loading & System States

STATUS: LOCKED / APPROVED

English	Bahasa Indonesia
• States: loading, processing, success, error, warning, empty, no results, offline/connection issue and disabled/unavailable.	• State: loading, processing, success, error, warning, empty, no results, offline/connection issue dan disabled/unavailable.

English	Bahasa Indonesia
• Preferred loading approach: structural skeletons rather than unnecessary generic full-page loaders.	• Utamakan structural skeleton daripada full-page loader generik yang tidak perlu.

English	Bahasa Indonesia
• Skeletons resemble eventual content structure and use restrained tonal movement only.	• Skeleton menyerupai struktur konten akhir dan hanya memakai tonal movement yang restrained.

English	Bahasa Indonesia
• Button actions communicate processing and prevent duplicate submissions through explicit loading states.	• Action button menunjukkan processing dan mencegah duplicate submission melalui loading state eksplisit.

English	Bahasa Indonesia
• Success/error/warning messaging follows clarity, context and actionability; semantic colors support the message rather than becoming decoration.	• Pesan success/error/warning mengikuti clarity, context dan actionability; semantic color mendukung pesan, bukan dekorasi.

English	Bahasa Indonesia
• Empty and no-result states provide a useful next action.	• Empty dan no-result state menyediakan next action yang berguna.

English	Bahasa Indonesia
• Branded 404 and 500 treatments align with Trishanti visual language and Forward Path graphic direction.	• 404 dan 500 branded mengikuti bahasa visual Trishanti dan Forward Path.

English	Bahasa Indonesia
• Mobile preserves layout stability, safe-area-aware toasts and compact state/action hierarchy.	• Mobile menjaga layout stability, toast yang aware terhadap safe area dan hierarchy state/action yang compact.

A.5.16 — Cards & Content Components / A.5.16 — Card & Content Components

STATUS: LOCKED / APPROVED

English	Bahasa Indonesia
• Reusable building blocks across articles, insights, business features, statistics, lists and supporting information.	• Reusable building block untuk article, insight, business feature, statistic, list dan supporting information.

English	Bahasa Indonesia
• Card variations: standard content, image, icon, statistic, feature, tagged and compact/list.	• Variasi card: standard content, image, icon, statistic, feature, tagged dan compact/list.

English	Bahasa Indonesia
• Light cards use glass-aware contextual surfaces and approved elevation; dark cards use tonal/gradient depth.	• Card light memakai surface glass-aware dan elevation yang disetujui; card dark memakai depth tonal/gradient.

English	Bahasa Indonesia
• Interactive hover states are restrained; Cyan-Teal is primarily for meaningful interaction/focus.	• Hover interaktif tetap restrained; Cyan-Teal terutama untuk interaction/focus yang bermakna.

English	Bahasa Indonesia
• Supporting components: accordion, tabs, pagination, breadcrumb, divider and list groups.	• Komponen pendukung: accordion, tabs, pagination, breadcrumb, divider dan list groups.

English	Bahasa Indonesia
• Hierarchy: media/eyebrow, title, supporting copy, metadata/tags and action.	• Hierarchy: media/eyebrow, title, supporting copy, metadata/tags dan action.

English	Bahasa Indonesia
• Mobile: stack detailed content, allow horizontal exploration where discovery benefits, never shrink cards into uncomfortable miniature layouts.	• Mobile: stack konten detail, horizontal exploration bila discovery membutuhkan, jangan mengecilkan card menjadi miniature yang tidak nyaman.

A.5.17 — Responsive & Adaptive Component Behavior / A.5.17 — Perilaku Komponen Responsif & Adaptif

STATUS: LOCKED / APPROVED

English	Bahasa Indonesia
• Responsive design is not simply shrinking desktop UI; preserve the experience, not necessarily the exact layout.	• Responsive bukan sekadar mengecilkan UI desktop; yang dipertahankan adalah experience, bukan selalu layout persis.

English	Bahasa Indonesia
• Adaptive behaviors: Fluid, Stack, Collapse, Scroll and Recompose.	• Behavior adaptif: Fluid, Stack, Collapse, Scroll dan Recompose.

English	Bahasa Indonesia
• Working ranges: Mobile 0–767px; Tablet/Compact 768–1023px; Desktop 1024–1439px; Wide 1440px+.	• Range: Mobile 0–767px; Tablet/Compact 768–1023px; Desktop 1024–1439px; Wide 1440px+.

English	Bahasa Indonesia
• Responsive grids adapt to content needs rather than one universal column reduction.	• Grid responsive menyesuaikan kebutuhan konten, bukan satu aturan pengurangan kolom universal.

English	Bahasa Indonesia
• Typography adapts through size, line-height, line length, container width and composition; key messaging may use different line breaks on mobile.	• Typography beradaptasi melalui size, line-height, line length, container width dan composition; pesan utama boleh memiliki line break berbeda di mobile.

English	Bahasa Indonesia
• Media requires responsive crop/focal-point consideration, especially cinematic hero photography, video and GIF backgrounds.	• Media membutuhkan crop/focal-point responsive, terutama hero cinematic, video dan GIF background.

English	Bahasa Indonesia
• Glass is performance-aware on mobile: reduced blur and stronger readability in light; dark retains efficient tonal surfaces.	• Glass aware terhadap performance mobile: blur dikurangi dan readability diperkuat pada light; dark memakai tonal surface yang efisien.

English	Bahasa Indonesia
• Mobile interaction is touch-first; hover enriches desktop but cannot contain essential information.	• Interaction mobile touch-first; hover hanya memperkaya desktop dan tidak boleh memuat informasi penting.

English	Bahasa Indonesia

• Safe areas account for modern iOS/Android hardware and browser UI, particularly fixed navigation, toasts, CTAs and fullscreen overlays.	• Safe area memperhitungkan hardware/UI iOS dan Android, terutama fixed nav, toast, CTA dan fullscreen overlay.

English	Bahasa Indonesia
• Content priority under constrained space: primary content → primary action → supporting content → decorative content.	• Prioritas konten saat ruang terbatas: primary content → primary action → supporting content → decorative content.

A.5.18 — Accessibility & Inclusive Experience / A.5.18 — Accessibility & Inclusive Experience

STATUS: LOCKED / APPROVED

English	Bahasa Indonesia
• Accessibility is built into the design system rather than treated as a separate mode.	• Aksesibilitas dibangun ke design system, bukan mode terpisah.

English	Bahasa Indonesia
• Core areas: visual accessibility, typography/readability, keyboard navigation, focus management, motion/interaction safety, semantic and screen-reader support.	• Area utama: visual accessibility, typography/readability, keyboard navigation, focus management, motion/interaction safety, semantic dan screen-reader support.

English	Bahasa Indonesia
• Contrast must remain readable across photography, video, gradients, glass surfaces and overlays. Gradient overlays may serve content legibility.	• Kontras harus tetap terbaca di photography, video, gradient, glass dan overlay. Gradient overlay dapat membantu legibility.

English	Bahasa Indonesia
• Glass is used only when transparency/blur preserves readability; dark environments favor predictable tonal surfaces.	• Glass hanya digunakan bila transparency/blur menjaga readability; dark mengutamakan tonal surface yang predictable.

English	Bahasa Indonesia
• Keyboard focus is clearly visible; never remove focus indication without an accessible replacement.	• Keyboard focus harus jelas; jangan menghapus focus indication tanpa pengganti aksesibel.

English	Bahasa Indonesia
• Touch targets remain comfortable; icon-only controls retain 44×44px interactive areas.	• Touch target tetap nyaman; control icon-only memiliki area interaktif 44×44px.

English	Bahasa Indonesia
• Respect prefers-reduced-motion; video can fall back to a static poster image where appropriate.	• Hormati prefers-reduced-motion; video dapat fallback ke static poster.

English	Bahasa Indonesia
• Semantic HTML and meaningful landmarks are required; image/icon alternatives depend on decorative vs informative media.	• Semantic HTML dan landmark bermakna wajib; alternatif image/icon bergantung apakah media decorative atau informative.

English	Bahasa Indonesia
• Color never carries meaning alone; form errors combine semantic color with icons and clear text.	• Warna tidak boleh menjadi satu-satunya pembawa makna; form error menggabungkan semantic color, icon dan clear text.

English	Bahasa Indonesia
• Baseline target: WCAG 2.2 AA principles where applicable.	• Baseline target: prinsip WCAG 2.2 AA bila relevan.

A.5.19 — Performance & Experience Optimization / A.5.19 — Performance & Experience Optimization

STATUS: LOCKED / APPROVED

English	Bahasa Indonesia
• Performance is part of the experience, not an engineering task added at the end.	• Performance adalah bagian dari experience, bukan task engineering yang ditambahkan di akhir.

English	Bahasa Indonesia
• Optimize images with responsive sizes, modern formats, correct dimensions, priority loading for hero media and lazy loading for secondary media.	• Optimalkan image dengan responsive sizes, format modern, dimensi benar, priority loading untuk hero dan lazy loading untuk media sekunder.

English	Bahasa Indonesia
• Do not over-compress photography; balance visual quality and load cost.	• Jangan terlalu mengompres photography; seimbangkan kualitas visual dan load cost.

English	Bahasa Indonesia
• Video is intentional and limited. GIF-like motion should generally use more efficient video formats where appropriate.	• Video digunakan secara intentional dan terbatas. Motion seperti GIF sebaiknya menggunakan video yang lebih efisien bila sesuai.

English	Bahasa Indonesia
• Loading priority: navigation/hero/primary content/CTA first; supporting content next; below-the-fold media and non-critical enhancements later.	• Prioritas loading: navigation/hero/primary content/CTA lebih dulu; supporting content berikutnya; below-the-fold dan enhancement non-kritis kemudian.

English	Bahasa Indonesia

• Reveal stable page structure before decorative enhancement; reserve space for images/video/dynamic content to avoid layout shift.	• Tampilkan struktur halaman yang stabil sebelum dekorasi; sisakan ruang untuk image/video/dynamic content agar tidak terjadi layout shift.

English	Bahasa Indonesia
• Prefer performant motion properties and avoid expensive repeated layout work.	• Utamakan motion properties yang performant dan hindari layout work berulang yang mahal.

English	Bahasa Indonesia
• Glass is selective because repeated backdrop blur can be expensive; dark tonal gradients are more predictable.	• Glass selektif karena backdrop blur berulang dapat mahal; dark tonal gradient lebih predictable.

English	Bahasa Indonesia
• Progressive enhancement: core content, navigation, forms and actions work without optional motion/video/advanced effects.	• Progressive enhancement: core content, navigation, form dan action tetap bekerja tanpa motion/video/advanced effect opsional.

English	Bahasa Indonesia
• Mobile networks/device capability and third-party script cost are explicit concerns. Performance budget covers assets, animation, JavaScript, third parties and fonts.	• Perhatikan network/device mobile dan biaya third-party script. Performance budget mencakup asset, animation, JS, third party dan font.

A.5.20 — Content & Editorial System / A.5.20 — Content & Editorial System

STATUS: LOCKED / APPROVED

English	Bahasa Indonesia
• Core principle: Corporate clarity with editorial character.	• Prinsip: Corporate clarity with editorial character.

English	Bahasa Indonesia
• Hierarchy: context/eyebrow → primary message/headline → explanation/supporting copy → detail/metadata → action.	• Hierarchy: context/eyebrow → primary message/headline → explanation/supporting copy → detail/metadata → action.

English	Bahasa Indonesia
• Headline modes: Display for hero/major storytelling; Editorial for section introductions/long-form; Functional for forms, lists, search and utility pages.	• Mode headline: Display untuk hero/major storytelling; Editorial untuk intro section/long-form; Functional untuk form, list, search dan utility.

English	Bahasa Indonesia
• Eyebrows are short, informational and consistent; they orient rather than act as slogans.	• Eyebrow singkat, informatif dan konsisten; memberi orientasi, bukan menjadi slogan.

English	Bahasa Indonesia
• Supporting copy explains rather than repeats. Editorial pages use breathing room, visual breaks and readable paragraph rhythm.	• Supporting copy menjelaskan, bukan mengulang. Halaman editorial memakai breathing room, visual break dan paragraph rhythm yang readable.

English	Bahasa Indonesia
• Metadata, categories, tags and dates follow consistent hierarchy.	• Metadata, kategori, tag dan tanggal mengikuti hierarchy konsisten.

English	Bahasa Indonesia
• Long-form: category → title → subtitle/deck → date/reading time → hero image → article body → related content.	• Long-form: category → title → subtitle/deck → date/reading time → hero image → article body → related content.

English	Bahasa Indonesia
• Statistics provide context; CTA language is contextual rather than generic everywhere.	• Statistik harus memberi konteks; bahasa CTA harus contextual, bukan label generik di semua tempat.

English	Bahasa Indonesia
• Tone: confident, clear, intelligent, human, long-term and optimistic. Avoid unsupported buzzwords and inflated claims.	• Tone: confident, clear, intelligent, human, long-term dan optimistic. Hindari buzzword tanpa dasar dan klaim berlebihan.

English	Bahasa Indonesia
• Storytelling mode and information mode are distinct but share one system. Mobile preserves reading order and hierarchy.	• Storytelling mode dan information mode berbeda namun berbagi satu sistem. Mobile menjaga reading order dan hierarchy.

A.5.21 — Data, Statistics & Information Display / A.5.21 — Data, Statistics & Information Display

STATUS: LOCKED / APPROVED

English	Bahasa Indonesia
• Core principle: Numbers should inform first and impress second.	• Prinsip: angka harus menginformasikan terlebih dahulu, baru mengesankan.

English	Bahasa Indonesia
• Information hierarchy: hero statistic → supporting metrics → structured facts → deep information.	• Hierarchy: hero statistic → supporting metrics → structured facts → deep information.

English	Bahasa Indonesia
• Patterns: hero statistic, metric group, fact row, information	• Pattern: hero statistic, metric group, fact row, information list,

list, timeline/milestone, impact block, comparison block, chart/visualization, data table, geographic information and document/report card.	timeline/milestone, impact block, comparison block, chart/visualization, data table, geographic information dan document/report card.

English	Bahasa Indonesia
• Avoid SaaS-style KPI overload. Use data visualization only when relationships/trends are easier to understand visually.	• Hindari KPI overload ala SaaS. Data visualization hanya digunakan ketika relationship/trend lebih mudah dipahami secara visual.

English	Bahasa Indonesia
• Tables remain functional and may scroll/recompose on mobile rather than being crushed.	• Table tetap fungsional dan dapat scroll/recompose di mobile daripada dipaksa menjadi kolom sempit.

English	Bahasa Indonesia
• Reports/documents explain what the file is before asking users to open/download it.	• Report/document menjelaskan apa isi file sebelum meminta pengguna membuka/download.

English	Bahasa Indonesia
• Information density has low, medium and high modes. Animated numbers may reveal information briefly but final values remain available without animation.	• Density informasi memiliki mode low, medium dan high. Animated number hanya reveal sementara; nilai akhir tetap tersedia tanpa animasi.

A.5.22 — Search, Filter & Discovery Patterns / A.5.22 — Search, Filter & Discovery Patterns

STATUS: LOCKED / APPROVED

English	Bahasa Indonesia
• Core principle: Discovery should feel guided, not technical.	• Prinsip: discovery harus terasa guided, bukan technical.

English	Bahasa Indonesia
• Hierarchy: navigation discovery → browsing discovery → search discovery → filter discovery → related/contextual discovery.	• Hierarchy: navigation discovery → browsing discovery → search discovery → filter discovery → related/contextual discovery.

English	Bahasa Indonesia
• Search states: default, focused, typing, suggestions, results, no results, loading and error.	• Search state: default, focused, typing, suggestions, results, no results, loading dan error.

English	Bahasa Indonesia
• Search inputs inherit Forms & Input System and environment rules.	• Search input mewarisi Forms & Input System serta aturan environment.

English	Bahasa Indonesia
• Filter levels: quick chips, dropdown filters and advanced filters only where justified.	• Level filter: quick chips, dropdown dan advanced filter hanya bila justified.

English	Bahasa Indonesia
• Active filters must be visible and removable; sorting is conceptually separate from filtering.	• Filter aktif harus terlihat dan dapat dihapus; sorting terpisah secara konsep dari filtering.

English	Bahasa Indonesia
• Related content creates natural exploration. Pagination suits structured archives; Load More can suit editorial; infinite scroll is not default.	• Related content menciptakan eksplorasi natural. Pagination cocok untuk archive terstruktur; Load More untuk editorial; infinite scroll bukan default.

English	Bahasa Indonesia
• Mobile discovery uses compact search + Filter/Sort controls; complex filters can use a dedicated mobile overlay.	• Mobile discovery memakai compact search + Filter/Sort; filter kompleks dapat memakai mobile overlay khusus.

English	Bahasa Indonesia
• Accessibility and performance include keyboard states and debounced/efficient search implementation.	• Accessibility dan performance mencakup keyboard state serta search yang debounced/efisien.

A.5.23 — Design System Governance & Implementation Rules / A.5.23 — Governance & Aturan Implementasi Design System

STATUS: LOCKED / APPROVED

English	Bahasa Indonesia
• Core principle: Extend the system; don't duplicate it.	• Prinsip inti: Perluas sistem; jangan menduplikasi.

English	Bahasa Indonesia
• Single source of truth: foundation tokens → semantic tokens → component tokens → page composition.	• Single source of truth: foundation tokens → semantic tokens → component tokens → page composition.

English	Bahasa Indonesia
• New components should first attempt reuse/extension of existing components. Genuinely new patterns follow the approved review workflow.	• Komponen baru pertama-tama harus mencoba reuse/extension. Pola yang benar-benar baru mengikuti workflow review yang disetujui.

English	Bahasa Indonesia
• Light and dark are environments of one system, not separate design systems.	• Light dan dark adalah environment dari satu sistem, bukan dua design system terpisah.

English	Bahasa Indonesia
• Governance covers borders, elevation, glass, gradients, motion, photography, content, accessibility, performance and responsive behavior.	• Governance mencakup border, elevation, glass, gradient, motion, photography, content, accessibility, performance dan responsive behavior.

English	Bahasa Indonesia
• Every reusable component documents purpose, anatomy, variants, states, light/dark behavior, responsive behavior, accessibility, motion and usage rules.	• Setiap reusable component mendokumentasikan purpose, anatomy, variants, states, light/dark, responsive behavior, accessibility, motion dan usage.

English	Bahasa Indonesia
• Locked decisions may be reopened only for meaningful business, accessibility, technical, performance or content reasons, then revised and re-locked.	• Keputusan locked hanya dibuka kembali untuk alasan bisnis, accessibility, technical, performance atau content yang bermakna; lalu direvisi dan dikunci kembali.

English	Bahasa Indonesia
• Definition of done: visual, functional, responsive, accessible, performant, light-mode, dark-mode, states and documentation.	• Definition of done: visual, functional, responsive, accessible, performant, light-mode, dark-mode, states dan documentation.

5. IMPLEMENTATION → CLOSURE A.6–A.13 / IMPLEMENTASI → CLOSURE

A.6 — Implementation Architecture & Page Assembly / A.6 — Arsitektur Implementasi & Page Assembly

STATUS: LOCKED / APPROVED

Purpose	Purpose
Translate the approved design system into a real, scalable website through reusable UI components, section components, templates and actual pages.	Menerjemahkan design system yang disetujui menjadi website nyata yang scalable melalui UI component, section component, template dan halaman aktual.

Core implementation principle	Core implementation principle
Build once, reuse intelligently, compose differently. The system is not a page-copying machine; reusable primitives are combined according to page context.	Bangun sekali, gunakan kembali secara cerdas, susun berbeda. Sistem bukan mesin copy-paste halaman; primitive reusable dikombinasikan sesuai konteks halaman.

Page archetypes	Page archetypes
Corporate homepage; business pillar; individual business/portfolio; editorial; functional.	Corporate homepage; business pillar; individual business/portfolio; editorial; functional.

Assembly hierarchy	Assembly hierarchy
Tokens → UI components → section components → templates → pages.	Tokens → UI components → section components → templates → pages.

Business architecture	Business architecture
Business pillars should be content/data-driven where possible, allowing portfolio growth without duplicating page structures.	Pilar bisnis sebaiknya content/data-driven bila memungkinkan agar portfolio dapat berkembang tanpa menduplikasi struktur halaman.

Responsive implementation	Responsive implementation
Responsive behavior is intentional recomposition, not simply shrinking the desktop composition.	Responsive behavior adalah recomposition yang disengaja, bukan sekadar mengecilkan komposisi desktop.

Enterprise implication	Enterprise implication
The visual system becomes implementation governance: pages inherit the same language while retaining contextual personality.	Visual system menjadi governance implementasi: halaman mewarisi bahasa yang sama sambil mempertahankan personality contextual.

A.7 — Testing & Quality Assurance / A.7 — Testing & Quality Assurance

STATUS: LOCKED / APPROVED

Purpose	Purpose
Quality is a release requirement and a core part of the digital experience.	Quality adalah release requirement dan bagian inti dari digital experience.

Testing scope	Testing scope
Functional, visual, responsive, accessibility, performance, content, SEO, security, cross-browser, integration, regression and stakeholder acceptance/UAT.	Functional, visual, responsive, accessibility, performance, content, SEO, security, cross-browser, integration, regression dan stakeholder acceptance/UAT.

Testing environment	Testing environment
Development → staging → production.	Development → staging → production.

Testing workflow	Testing workflow
Plan → prepare → execute → review → sign-off → monitor.	Plan → prepare → execute → review → sign-off → monitor.

Performance gate	Performance gate
Core targets: LCP <2.5s, INP <200ms, CLS <0.1. Critical quality failures block release.	Target inti: LCP <2,5 detik, INP <200 ms, CLS <0,1. Kegagalan kualitas kritis memblokir release.

Responsive / cross-browser	Responsive / cross-browser
Validate desktop, tablet and mobile behavior; ensure the experience remains coherent across supported browsers/devices.	Validasi desktop, tablet dan mobile; pastikan experience tetap koheren lintas browser/device yang didukung.

Continuous improvement	Continuous improvement
Testing does not end at launch; monitor, collect feedback, analyze and optimize.	Testing tidak berakhir saat launch; monitor, collect feedback, analyze dan optimize.

A.8 — Launch & Handover / A.8 — Launch & Handover

STATUS: LOCKED / APPROVED

Launch objective	Launch objective
Move from development to real impact through a controlled, secure, high-quality launch.	Berpindah dari development ke real impact melalui launch yang controlled, secure dan high-quality.

Launch phases	Launch phases
Development → preparation → validation → review → staging → stakeholder approval → production → go live → stabilization → handover.	Development → preparation → validation → review → staging → stakeholder approval → production → go live → stabilization → handover.

Deployment environments	Deployment environments
Development, staging and production are explicit environments; production deployment must have a rollback path.	Development, staging dan production adalah environment eksplisit; deployment production harus memiliki rollback path.

Pre-launch checklist	Pre-launch checklist
Verify system readiness, performance, SEO, security, analytics, content, integrations and critical journeys.	Verifikasi system readiness, performance, SEO, security, analytics, content, integrations dan critical journeys.

Launch-day monitoring	Launch-day monitoring
Monitor uptime, response time, active users/traffic and critical issues. The visual example illustrates these as launch-day operational signals, not as guaranteed future figures.	Monitor uptime, response time, active users/traffic dan critical issues. Visual example menampilkan ini sebagai operational signal pada launch day, bukan angka masa depan yang dijamin.

Handover deliverables	Handover deliverables
Source code; design/component documentation; deployment/environment guide; content/SEO/analytics guidance; maintenance/support and future-work documentation.	Source code; dokumentasi design/component; deployment/environment guide; panduan content/SEO/analytics; maintenance/support dan dokumentasi future work.

Training & support	Training & support
Knowledge transfer and post-launch support establish operational ownership after go-live.	Knowledge transfer dan post-launch support membentuk operational ownership setelah go-live.

A.9 — Growth & Evolution / A.9 — Growth & Evolution

STATUS: LOCKED / APPROVED

Purpose & vision	Purpose & vision
The website is a living digital presence rather than a final project. Growth should improve business, people and impact while preserving the approved foundation.	Website adalah digital presence yang hidup, bukan final project. Growth harus meningkatkan business, people dan impact sambil menjaga foundation yang disetujui.

Strategic objectives	Strategic objectives
Stabilize the launch baseline; enhance the digital experience; expand business/content support; innovate responsibly.	Menstabilkan baseline launch; meningkatkan digital experience; memperluas dukungan bisnis/konten; berinovasi secara bertanggung jawab.

Evolution roadmap	Evolution roadmap
Phase 1 Stabilize (0–3 months) → Phase 2 Enhance (3–6 months) → Phase 3 Expand (6–12 months) → Phase 4 Innovate (12+ months).	Phase 1 Stabilize (0–3 bulan) → Phase 2 Enhance (3–6 bulan) → Phase 3 Expand (6–12 bulan) → Phase 4 Innovate (12+ bulan).

Key initiatives	Key initiatives
Digital experience enhancement; business expansion support; ecosystem/integration opportunities; continuous content and experience improvement.	Digital experience enhancement; business expansion support; ecosystem/integration opportunities; continuous improvement konten dan experience.

Data & insights	Data & insights
Use traffic, engagement, conversion/interaction and other meaningful signals to understand what is working and what should change. Visual examples include illustrative metrics; they are not project commitments.	Gunakan traffic, engagement, conversion/interaction dan signal bermakna lainnya untuk memahami apa yang bekerja dan apa yang perlu berubah. Metric pada visual adalah ilustratif, bukan komitmen angka proyek.

Feedback loop	Feedback loop
Measure → collect feedback → analyze → optimize → repeat.	Measure → collect feedback → analyze → optimize → repeat.

Governance & ownership	Governance & ownership
Growth remains governed; the team owns priorities, validates changes and avoids feature bloat.	Growth tetap governed; tim memiliki priority, memvalidasi perubahan dan menghindari feature bloat.

Long-term vision	Long-term vision
A living website grows into greater possibilities and greater impact while retaining Trishanti's core identity.	Website yang hidup berkembang menuju possibilities dan impact yang lebih besar sambil mempertahankan identitas inti Trishanti.

A.10 — Beyond: Future Opportunities / A.10 — Beyond: Future Opportunities

STATUS: LOCKED / APPROVED

Long-term vision	Long-term vision
The digital journey does not stop at a website; it can evolve toward stronger stakeholder value, business enablement and long-term digital capabilities.	Perjalanan digital tidak berhenti pada website; dapat berkembang menuju stakeholder value, business enablement dan kemampuan digital jangka panjang yang lebih kuat.

Opportunity areas	Opportunity areas
Digital platform expansion; AI & intelligent experiences; data & insights; stakeholder engagement; sustainability/impact; ecosystem/partner opportunities and new digital services.	Digital platform expansion; AI & intelligent experiences; data & insights; stakeholder engagement; sustainability/impact; ecosystem/partner opportunities dan layanan digital baru.

Technology horizon	Technology horizon
The approved visual frames future technologies across Now, Near Term (0–1 year), Mid Term (1–3 years), Long Term (3–5 years) and 5+ years. These are horizon categories, not commitments.	Visual yang disetujui membingkai teknologi masa depan dalam Now, Near Term (0–1 tahun), Mid Term (1–3 tahun), Long Term (3–5 tahun) dan 5+ tahun. Ini kategori horizon, bukan komitmen.

Evaluation framework	Evaluation framework
Strategic fit; business value; user/stakeholder need; technical feasibility; resource/effort; complexity; risk; sustainability/impact.	Strategic fit; business value; user/stakeholder need; technical feasibility; resource/effort; complexity; risk; sustainability/impact.

Prioritization	Prioritization
Explore broadly, evaluate rigorously, invest selectively and scale responsibly. Lower-complexity/high-value opportunities should be preferred when evidence supports them.	Eksplorasi luas, evaluasi ketat, investasi selektif dan scale secara bertanggung jawab. Opportunity dengan complexity lebih rendah dan value lebih tinggi diprioritaskan bila evidence mendukung.

Preparation today	Preparation today
Build, maintain, collect and understand the current foundation; stay informed and remain ready for justified opportunities.	Build, maintain, collect dan understand foundation saat ini; stay informed dan tetap ready untuk opportunity yang justified.

Illustrative future initiatives	Illustrative future initiatives
Examples shown in the approved board include investor/stakeholder-facing digital experiences, enhanced analytics, business integrations, multilingual expansion, partner ecosystem concepts, advanced data capabilities and intelligent experiences. They remain illustrative until evaluated and approved.	Contoh pada board yang disetujui meliputi digital experience untuk investor/stakeholder, enhanced analytics, business integrations, multilingual expansion, partner ecosystem, advanced data capabilities dan intelligent experiences. Semuanya tetap ilustratif sampai dievaluasi dan disetujui.

A.11 — Final Conclusion & Road Ahead / A.11 — Final Conclusion & Road Ahead

STATUS: LOCKED / APPROVED

Executive synthesis	Executive synthesis
The complete journey is Foundation → Strategy → Experience → Architecture → Design System → Implementation → QA → Launch → Growth → Future Opportunities → Road Ahead.	Perjalanan lengkap adalah Foundation → Strategy → Experience → Architecture → Design System → Implementation → QA → Launch → Growth → Future Opportunities → Road Ahead.

Key achievements	Key achievements
Clear strategic direction; consistent experience; scalable architecture; high-quality implementation; support for growth; operational readiness.	Pencapaian utama: strategic direction yang jelas; experience konsisten; architecture scalable; high-quality implementation; support for growth; operational readiness.

Business impact	Business impact
The framework is intended to strengthen brand presence, operational efficiency, stakeholder engagement and support for future growth. The board's percentages are illustrative completion framing, not audited business results.	Framework ditujukan untuk memperkuat brand presence, operational efficiency, stakeholder engagement dan dukungan terhadap pertumbuhan masa depan. Persentase pada board merupakan framing completion ilustratif, bukan hasil bisnis audited.

Measurable success	Measurable success

Success is measured through quality, consistency, readiness and ongoing value—not by visual spectacle alone.	Success diukur melalui quality, consistency, readiness dan ongoing value—bukan sekadar spectacle visual.

Long-term vision	Long-term vision
A Brighter Tomorrow, Together is treated as a direction for continuous value, people, business, partnerships, opportunities and impact.	A Brighter Tomorrow, Together menjadi arah untuk continuous value, people, business, partnerships, opportunities dan impact.

Moving-forward principles	Moving-forward principles
Purpose driven; data informed; sustainable growth; quality without compromise; continuous improvement; responsible governance.	Purpose driven; data informed; sustainable growth; quality without compromise; continuous improvement; responsible governance.

Commitment	Commitment
The road ahead is built together with partners, stakeholders and the Trishanti team; future work follows the governed operating model.	Jalan ke depan dibangun bersama partners, stakeholders dan tim Trishanti; future work mengikuti operating model yang governed.

A.12 — Governance, Operations & Continuous Value / A.12 — Governance, Operations & Continuous Value

STATUS: LOCKED / APPROVED

Purpose & objective	Purpose & objective
Establish sustained operational excellence through effective governance, clear ownership, disciplined operations and continuous value creation.	Menetapkan operational excellence berkelanjutan melalui governance efektif, ownership jelas, operasi disiplin dan continuous value creation.

Operating model	Operating model
Governance structure connects business direction, technical execution, content/communication and maintenance/support.	Operating model menghubungkan business direction, technical execution, content/communication dan maintenance/support.

Core roles	Core roles
Product Owner — business direction; Technical Lead — technical execution; Content Owner — content & communication; Operations Lead — maintenance & support.	Product Owner — business direction; Technical Lead — technical execution; Content Owner — content & communication; Operations Lead — maintenance & support.

Operational areas	Operational areas
Content management; technical maintenance; security & compliance; performance monitoring; analytics & reporting; user support; stakeholder communication; change management; vendor & infrastructure management.	Area operasi: content management; technical maintenance; security & compliance; performance monitoring; analytics & reporting; user support; stakeholder communication; change management; vendor & infrastructure management.

Governance mechanisms	Governance mechanisms
Strategic alignment; cross-functional team; design-system governance; knowledge repository; core web vitals/performance discipline; security/compliance; monitoring.	Mekanisme governance: strategic alignment; cross-functional team; design-system governance; knowledge repository; disiplin core web vitals/performance; security/compliance; monitoring.

Continuous value loop	Continuous value loop
Operate → measure → learn → improve → govern → repeat. Governance should enable responsible progress rather than prevent progress.	Operate → measure → learn → improve → govern → repeat. Governance harus memungkinkan progress yang bertanggung jawab, bukan menghambatnya.

Long-term message	Long-term message
Continue to build, improve and explore together for a brighter tomorrow.	Terus membangun, memperbaiki dan mengeksplorasi bersama untuk masa depan yang lebih cerah.

A.13 — Project Closure, Executive Sign-Off & Continuity / A.13 — Project Closure, Executive Sign-Off & Continuity

STATUS: LOCKED / APPROVED

Closure purpose	Closure purpose
Formally conclude the main implementation-plan framework while establishing continuity into sustained operations and future evolution.	Menutup framework implementation-plan utama secara formal sambil menetapkan continuity menuju operasi berkelanjutan dan evolusi masa depan.

Completion meaning	Completion meaning
Completion is not merely “the website is online.” It means agreed acceptance criteria have been validated and the organization is prepared for sustained ownership.	Completion bukan sekadar “website sudah online.” Completion berarti acceptance criteria yang disepakati telah divalidasi dan organisasi siap menjalankan ownership berkelanjutan.

Acceptance domains	Acceptance domains
Strategic acceptance; design acceptance; technical acceptance; quality acceptance; operational acceptance.	Domain acceptance: strategic; design; technical; quality; operational.

Evidence & sign-off	Evidence & sign-off
Closure should be supported by evidence, acceptance records, approved documentation and executive/stakeholder sign-off where applicable.	Closure didukung oleh evidence, acceptance record, dokumentasi yang disetujui dan executive/stakeholder sign-off bila relevan.

Knowledge transfer	Knowledge transfer
Source code, design/component rules, deployment/environment guidance, content/SEO/analytics	Source code, aturan design/component, deployment/environment guidance, panduan

guidance, maintenance/support knowledge and known future work form the continuity package.	content/SEO/analytics, knowledge maintenance/support dan future work yang diketahui menjadi continuity package.

Ownership transition	**Ownership transition**
Move from project execution to accountable operational ownership. The implementation program closes; the digital asset continues.	Berpindah dari project execution ke operational ownership yang accountable. Program implementasi selesai; digital asset terus berjalan.

Final message	**Final message**
More than a website: a foundation for what's next. The approved visual frames the complete journey from Foundation through Governance & Operations and future continuity.	Lebih dari sekadar website: fondasi untuk apa yang berikutnya. Visual yang disetujui membingkai perjalanan lengkap dari Foundation hingga Governance & Operations dan continuity masa depan.

6. MASTER DECISION SNAPSHOT / SNAPSHOT KEPUTUSAN MASTER

Brand environment	Brand environment
Light = Glass + Light + Transparency + Focus; Dark = Gradient + Depth + Contrast + Accent.	Light = Glass + Light + Transparency + Focus; Dark = Gradient + Depth + Contrast + Accent.

Primary accent	Primary accent
Cyan-Teal — controlled primary brand/interactivity accent.	Cyan-Teal — aksen utama brand/interaksi yang terkontrol.

Dark foundation	Dark foundation
Deep Midnight — authority and dark-environment foundation.	Deep Midnight — fondasi authority dan environment dark.

Light surface	Light surface
Architectural White; page background remains refined warm-neutral grey.	Architectural White; background halaman tetap warm-neutral grey yang refined.

Borders / buttons	Borders / buttons
Default 1px; focus may reach 2px; buttons are filled/no border.	Default 1px; focus dapat mencapai 2px; button filled/tanpa border.

Elevation	Elevation
Real UI: light Elevation 2 / dark Elevation 1.	UI nyata: light Elevation 2 / dark Elevation 1.

Cards / dropdowns	Cards / dropdowns
Light glass; dark tonal/gradient.	Light glass; dark tonal/gradient.

Iconography	Iconography
Geometric architectural outline; Lucide foundation; curated Trishanti language.	Outline geometric architectural; fondasi Lucide; bahasa Trishanti terkurasi.

Graphics	Graphics
Forward Path / structural language; Photography = reality; graphics = structure + movement.	Forward Path / bahasa structural; Photography = realitas; graphics = structure + movement.

Motion	Motion
Purposeful and restrained; guide, confirm, connect; reduced motion mandatory.	Purposeful dan restrained; guide, confirm, connect; reduced motion wajib.

Photography	Photography
Relevant premium stock when real assets are unavailable.	Stock premium yang relevan saat aset nyata belum tersedia.

Responsive	Responsive
Intentional desktop/tablet/mobile; mobile is first-class.	Desktop/tablet/mobile disengaja; mobile first-class.

Accessibility	Accessibility
WCAG 2.2 AA principles where applicable; keyboard/focus/touch/semantic/motion.	Prinsip WCAG 2.2 AA bila relevan; keyboard/focus/touch/semantic/motion.

Performance	Performance
LCP <2.5s; CLS <0.1; INP <200ms; optimized media and third parties.	LCP <2,5 detik; CLS <0,1; INP <200 ms; media dan third party dioptimalkan.

Content	Content
Corporate clarity + editorial character; context → message → explanation → detail → action.	Corporate clarity + karakter editorial; context → message → explanation → detail → action.

Discovery	Discovery
Guided, not technical; browse → search → filter → related.	Terpandu, bukan teknis; browse → search → filter → related.

Governance	Governance
Extend the system; don't duplicate it.	Perluas sistem; jangan menduplikasi.

7. APPROVAL & LOCK REGISTER / REGISTER APPROVAL & LOCK

A.5.1–A.5.23 — LOCKED / APPROVED	A.5.1–A.5.23 — LOCKED / APPROVED
Design-system foundation and governance established and locked.	Fondasi dan governance design system ditetapkan dan dikunci.

A.6 — LOCKED / APPROVED	A.6 — LOCKED / APPROVED
Implementation architecture and page assembly locked.	Arsitektur implementasi dan page assembly dikunci.

A.7 — LOCKED / APPROVED	A.7 — LOCKED / APPROVED
Testing and quality assurance locked as a release requirement.	Testing dan quality assurance dikunci sebagai release requirement.

A.8 — LOCKED / APPROVED	A.8 — LOCKED / APPROVED
Launch and handover framework locked.	Framework launch dan handover dikunci.

A.9 — LOCKED / APPROVED	A.9 — LOCKED / APPROVED
Growth & Evolution explicitly approved; locked.	Growth & Evolution disetujui secara eksplisit; dikunci.

A.10 — LOCKED / APPROVED	A.10 — LOCKED / APPROVED
Beyond: Future Opportunities explicitly approved; locked.	Beyond: Future Opportunities disetujui secara eksplisit; dikunci.

A.11 — LOCKED / APPROVED	A.11 — LOCKED / APPROVED
Final Conclusion & Road Ahead explicitly approved; locked.	Final Conclusion & Road Ahead disetujui secara eksplisit; dikunci.

A.12 — LOCKED / APPROVED	A.12 — LOCKED / APPROVED
Governance, Operations & Continuous Value explicitly approved; locked.	Governance, Operations & Continuous Value disetujui secara eksplisit; dikunci.

A.13 — LOCKED / APPROVED	A.13 — LOCKED / APPROVED
Project Closure, Executive Sign-Off & Continuity explicitly approved; locked.	Project Closure, Executive Sign-Off & Continuity disetujui secara eksplisit; dikunci.

8. A.13 CLOSURE CRITERIA / KRITERIA PENUTUPAN

Strategic acceptance	Strategic acceptance
Vision, objectives, scope and information architecture are documented and accepted.	Visi, objectives, scope dan information architecture terdokumentasi dan diterima.

Design acceptance	Design acceptance
Approved design-system rules, visual language, responsive behavior and accessibility principles are documented.	Aturan design system, visual language, responsive behavior dan prinsip accessibility yang disetujui terdokumentasi.

Technical acceptance	Technical acceptance
Implementation architecture, deployment direction, security baseline and performance expectations are documented.	Arsitektur implementasi, arah deployment, security baseline dan ekspektasi performance terdokumentasi.

Quality acceptance	Quality acceptance
QA scope, release gates and acceptance evidence are defined and executed as applicable.	Cakupan QA, release gate dan evidence acceptance didefinisikan dan dijalankan sesuai kebutuhan.

Operational acceptance	Operational acceptance
Ownership, monitoring, maintenance, documentation and handover responsibilities are clear.	Ownership, monitoring, maintenance, dokumentasi dan tanggung jawab handover jelas.

9. VISUAL ARCHIVE — COMPLETE HISTORICAL RECORD / ARSIP VISUAL LENGKAP

The prior approved A.5.23 master recorded 36 generated visuals. The A.8 bilingual master added Visual Examples 37–39 for A.6, A.7 and A.8. The current A.13 record adds five approved section boards for A.9–A.13, plus two separately preserved A.9 alternate iterations. This reconstruction therefore preserves 46 visual records.

Master A.5.23 sebelumnya mencatat 36 visual generated. Master bilingual A.8 menambahkan Visual Examples 37–39 untuk A.6, A.7 dan A.8. Record A.13 saat ini menambahkan lima board section yang disetujui untuk A.9–A.13, ditambah dua iterasi alternatif A.9 yang dipertahankan secara terpisah. Rekonstruksi ini mempertahankan 46 record visual.

Visual Example 01

a_clean_corporate_style_design_system_brand_guidel.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.

TRISHANTI
A BRIGHTER TOMORROW, TOGETHER

A.3.4 Image Placement Strategy

The right image, in the right place, for the right purpose.

Our images are not just decorative — they tell our story, build emotional connection, and guide the user experience. This section defines where and how we use images across the website to create a consistent, impactful, and meaningful visual experience.

"Images should explain, amplify, or emotionally deepen the story — not merely fill empty space."

Purposeful — Every image has a clear role

Consistent — Aligned with the Trishanti visual world

Balanced — Visuals and content work together


Meaningful — Builds trust, emotion, and understanding

VISUAL SYSTEM

A.3.1 Visual World Definition
A.3.2 Image Strategy
A.3.3 Photography Direction
A.3.4 Image Placement Strategy
A.3.5 Hero Strategy
A.3.6 Photography Sources
A.3.7 Motion Media Strategy
A.3.8 Aspect Ratio System

1. HOMEPAGE

Cinematic introduction, business overview, and key storytelling.



2. ABOUT / CORPORATE

People, story, values, leadership.









3. BUSINESS PILLAR PAGE

Introduce each pillar with a strong visual identity.








4. INDIVIDUAL BUSINESS PAGE

Industry context, Trishanti's role, and related businesses.



5. PORTFOLIO PAGE

Showcase active businesses with real assets.



6. NEWS / INSIGHTS

Editorial imagery with clear hierarchy.



7. SUSTAINABILITY PAGE

Nature, impact, and long-term commitment.



TRISHANTI | *Design with restraint. Let the opportunities speak louder.*

A BRIGHTER TOMORROW, TOGETHER

IMAGE PLACEMENT DO'S & DON'TS

- ✓ Use purposeful images that support the content
- ✓ Maintain consistent style, color grading, and quality
- ✓ Use a balanced mix of imagery and whitespace
- ✓ Ensure text readability with proper contrast and copy space
- ✗ Don't use irrelevant or generic stock photos
- ✗ Don't overuse images — avoid visual clutter
- ✗ Don't use imagery that misrepresents our operations
- ✗ Don't sacrifice performance for unnecessary media

KEY TAKEAWAY


Great image placement doesn't just make a website look better. It makes the story clearer, the message stronger, and the experience more memorable.

Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 02

a_clean_detailed_brand_style_guide_ui_design_sy.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 03

a_clean_high_resolution_corporate_design_system_p.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.



Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 04

a_clean_high_resolution_ui_brand_design_system_po.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 05

a_clean_high_resolution_ui_brand_style_guide_we.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 06

a_clean_high_resolution_ui_design_system_poster_d.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 07

a_clean_modern_brand_style_board_ui_design_syste.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 08

a_clean_modern_corporate_brand_styleboard_webpa.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 09

a_clean_modern_ui_brand_design_mockup_of_a_corpor.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 10

a_clean_modern_ui_brand_style_guide_and_website_m.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 11

a_clean_modern_ui_branding_mockup_website_design.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 12

a_clean_modern_ui_design_system_poster_layout_ne.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 13

a_clean_modern_web_ui_branding_mockup_with_a_dark.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 14

a_clean_polished_ui_brand_style_guide_poster_land.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.



Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 15

a_clean_professional_brand_style_guide_ui_desig.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 16

a_clean_ui_ux_style_presentation_board_for_a_corpo.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 17

a_detailed_ui_design_system_poster_dashboard_lik.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 18

a_polished_ui_ux_showcase_poster_on_a_dark_backgro.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 19

a_wide_clean_high_fidelity_ui_design_system_post.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 20

a_wide_clean_high_resolution_ui_design_system_po.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 21

a_wide_clean_high_resolution_ui_design_system_po_2.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 22

a_wide_clean_high_resolution_ui_infographic_desi.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 23

a_wide_clean_infographic_brand_styleguide_layout.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 24

a_wide_clean_infographic_dashboard_style_design_sy.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 25

a_wide_clean_infographic_style_design_system_lay.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 26

a_wide_clean_infographic_style_design_system_pos.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 27

a_wide_clean_modern_corporate_design_system_post.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 28

a_wide_clean_modern_ui_infographic_brand_design.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 29

a_wide_clean_ui_ux_design_system_poster_guide_boa.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 30

wide_clean_ui_design_system_concept_board_dash.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 31

wide_clean_ui_ux_system_showcase_poster_for_a_bra.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 32

wide_dark_stylish_ui_ux_mockup_collage_for_a_cor.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 33

wide_high_resolution_clean_corporate_website_ui.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.

TRISHANTI
A BRIGHTER TOMORROW, TOGETHER



OUR BUSINESS PILLARS

Diverse Industries. Greater Possibilities.

Across six business pillars, Trishanti explores and develops opportunities that create long-term value for people, communities, and a more sustainable future.

Explore Our Businesses →



Infrastructure	Industrial Trading	Agriculture & Food	Technology & Digital	Consumer & Lifestyle	Experiences & Ventures
Building better connections	Powering industries forward	Nourishing sustainable growth	Enabling a smarter tomorrow	Enhancing everyday experiences	Creating moments that matter



6 Business Pillars — Diversified growth	10+ Years of Progress — Creating long-term value
1,000+ People — Across our ecosystem	A Brighter Tomorrow — For generations ahead


LATEST NEWS

Stories That Move Us Forward.

View All News →



Mar 12, 2024	Feb 28, 2024	Feb 15, 2024
Trishanti Advances Renewable Infrastructure Portfolio	Investing in People for a Stronger Tomorrow	Sustainable Growth Through Innovation
Corporate →	People →	Sustainability →



5. BUSINESS PAGE CONTEXTUAL GRADIENT EXAMPLES



Infrastructure	Industrial Trading	Agriculture & Food	Technology & Digital	Consumer & Lifestyle	Experiences & Ventures
Midnight → Ocean Blue	Graphite → Copper	Forest → Natural Green	Midnight → Cyan	Warm Grey → Sand	Ocean → Sand

1. GRADIENT SYSTEM

Subtle gradients for atmosphere, not decoration.

01. Signature Gradient
Cyan → Teal
#22B8C7 → #00A6A6 → #087C8C

02. Midnight Atmospheric
Deep Midnight
#071A22 → #102B35 → #183E46

03. Contextual Gradients
Pillar-specific tones
(E.g. Green, Blue, Copper, Sand)


2. TRANSPARENCY / GLASS OPTIONS

Architectural transparency — modern and refined.




3. COMPONENT EXAMPLES

Real implementation of gradients and glass.



4. SECTION EXAMPLES



5. DO & DON'T

DO	DON'T
Use gradients subtly and intentionally	Use neon or rainbow gradients
Combine with photography	Overuse glassmorphism
Use glass for key overlays only	Apply gradients to every element
Keep UI clean and minimal	Use too many transparency effects
Maintain consistent color hierarchy	Replace brand colors with trendy tones

TRISHANTI | *Design with restraint. Let the opportunities speak louder."*


A BRIGHTER TOMORROW, TOGETHER

Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 34

wide_infographic_ui_design_system_poster_clean.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 35

wide_ui_ux_design_presentation_mockup_on_a_dark_te.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.




Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 36


a_wide_clean_high_resolution_corporate_ui_infogr.png

Historical visual archive entry. The source archive explicitly preserves chronology but does not assert a section-to-image mapping for these early iterations unless separately documented.



Archive note	Catatan arsip
Preserved from the approved historical visual archive; mapping to a specific A.5 sub-section is not asserted where the source does not identify it.	Dipertahankan dari arsip visual historis yang disetujui; mapping ke sub-section A.5 tertentu tidak dinyatakan bila sumber tidak mengidentifikasinya.

Visual Example 37 — A.6 — Implementation Architecture & Page Assembly




Status	Status
Approved implementation-plan visual example.	Contoh visual implementation plan yang telah disetujui.

Visual Example 38 — A.7 — Testing & Quality Assurance




Status	Status
Approved implementation-plan visual example.	Contoh visual implementation plan yang telah disetujui.

Visual Example 39 — A.8 — Launch & Handover



Status	Status
Approved implementation-plan visual example.	Contoh visual implementation plan yang telah disetujui.

Visual Example 40 — A.6 — Implementation Architecture & Page Assembly




Status	Status
Approved visual board for the explicitly approved and locked section.	Board visual yang disetujui untuk section yang telah disetujui dan dikunci secara eksplisit.

Visual Example 41 — A.7 — Testing & Quality Assurance




Status	Status
Approved visual board for the explicitly approved and locked section.	Board visual yang disetujui untuk section yang telah disetujui dan dikunci secara eksplisit.

Visual Example 42 — A.8 — Launch & Handover




Status	Status
Approved visual board for the explicitly approved and locked section.	Board visual yang disetujui untuk section yang telah disetujui dan dikunci secara eksplisit.

Visual Example 43 — A.10 — Beyond: Future Opportunities




Status	Status
Approved visual board for the explicitly approved and locked section.	Board visual yang disetujui untuk section yang telah disetujui dan dikunci secara eksplisit.

Visual Example 44 — A.9 — Growth & Evolution




Status	Status
Approved visual board for the explicitly approved and locked section.	Board visual yang disetujui untuk section yang telah disetujui dan dikunci secara eksplisit.

Visual Example 45 — A.12 — Governance, Operations & Continuous Value




Status	Status
Approved visual board for the explicitly approved and locked section.	Board visual yang disetujui untuk section yang telah disetujui dan dikunci secara eksplisit.

Visual Example 46 — A.11 — Final Conclusion & Road Ahead



Status	Status
Approved visual board for the explicitly approved and locked section.	Board visual yang disetujui untuk section yang telah disetujui dan dikunci secara eksplisit.

Visual Example 47 — A.13 — Project Closure / Executive Completion




Status	Status
Approved visual board for the explicitly approved and locked section.	Board visual yang disetujui untuk section yang telah disetujui dan dikunci secara eksplisit.

Visual Example 45 — A.9 Historical Alternate Iteration

Archive note	Catatan arsip
Historical alternate A.9 visual preserved separately: Trishanti Growth and Evolution Roadmap.png	Visual alternatif historis A.9 dipertahankan secara terpisah: Trishanti Growth and Evolution Roadmap.png

Visual Example 46 — A.9 Historical Alternate Iteration



Archive note	Catatan arsip
Historical alternate A.9 visual preserved separately: TRISHANTI Growth and Evolution Roadmap(1).png	Visual alternatif historis A.9 dipertahankan secara terpisah: TRISHANTI Growth and Evolution Roadmap(1).png

10. FINAL CONTINUITY STATEMENT / PERNYATAAN KONTINUITAS FINAL

English	Bahasa Indonesia
This document is the full historical enterprise master for the Trishanti implementation-plan program through A.13. It is intentionally more detailed than the previous executive consolidation: the complete Phase 0 foundation, Phase 1–4 strategy/UX/technical/brand direction, all A.5.1–A.5.23 design-system decisions, A.6–A.13 implementation/QA/launch/growth/future/governance/closure material, approval history and the complete recoverable visual archive are preserved here. The planning framework is complete through A.13; execution, operation and continuous improvement continue under the approved governance model.	Dokumen ini merupakan enterprise master historis lengkap untuk program implementation plan Trishanti sampai A.13. Dokumen sengaja dibuat lebih detail daripada konsolidasi eksekutif sebelumnya: fondasi Phase 0, strategy/UX/technical/brand Phase 1–4, seluruh keputusan design system A.5.1–A.5.23, materi A.6–A.13 untuk implementation/QA/launch/growth/future/governance/closure, riwayat approval dan seluruh arsip visual yang dapat dipulihkan dipertahankan di sini. Framework planning selesai sampai A.13; execution, operation dan continuous improvement berlanjut berdasarkan governance model yang disetujui.

A BRIGHTER TOMORROW, TOGETHER.

Visual Example 46 — A.9 Historical Alternate Iteration




Archive note / Catatan arsip

Historical alternate A.9 visual preserved separately: Trishanti Growth and Evolution Roadmap(1).png

Visual alternatif historis A.9 dipertahankan secara terpisah: Trishanti Growth and Evolution Roadmap(1).png

Visual Example 45 — A.9 Historical Alternate Iteration



Archive note / Catatan arsip

Historical alternate A.9 visual preserved separately: Trishanti Growth and Evolution Roadmap.png

Visual alternatif historis A.9 dipertahankan secara terpisah: Trishanti Growth and Evolution Roadmap.png

EXECUTION PROGRAM — B.0 & B.1

Phase 0 → A.13 preserved | B.0 LOCKED | B.1 PROPOSED

B.0 — Execution & Delivery Program | Program Eksekusi & Delivery

STATUS — APPROVED / LOCKED

English: B.0 establishes the controlled delivery program that translates the completed Phase 0 → A.13 implementation framework into actual build, test, launch, stabilization, and operational ownership.

Bahasa Indonesia: B.0 menetapkan program delivery yang terkontrol untuk menerjemahkan framework implementasi Phase 0 → A.13 menjadi proses pembangunan, pengujian, peluncuran, stabilisasi, dan ownership operasional yang nyata.

Locked direction: Build Foundation → Build Experience → Integrate & Complete → Test & Validate → Launch & Operate. Execution is iterative and evidence-driven; technology is introduced only when justified by business, user, operational, or technical value.

B.1 — Project Execution Kickoff | Kickoff Eksekusi Proyek

STATUS — PROPOSED / UNDER REVIEW

English: B.1 initiates execution by aligning the team, confirming scope and dependencies, preparing environments and access,

establishing communication, and creating the conditions for disciplined implementation.
Bahasa Indonesia: B.1 memulai eksekusi dengan menyelaraskan tim, mengonfirmasi scope dan dependency, menyiapkan environment dan akses, menetapkan komunikasi, serta memastikan kondisi awal yang disiplin untuk implementasi.

B.1 Purpose & Objectives | Tujuan & Sasaran

Align teams & stakeholders
Ensure everyone understands scope, responsibilities, milestones, dependencies, and decision paths.
Memastikan seluruh pihak memahami scope, tanggung jawab, milestone, dependency, dan jalur keputusan.

Finalize execution plan
Confirm priorities, resources, tooling, environments, and immediate deliverables.
Mengonfirmasi prioritas, sumber daya, tooling, environment, dan deliverable awal.

Mitigate risks early
Identify technical, operational, content, security, and dependency risks before they affect delivery.
Mengidentifikasi risiko teknis, operasional, konten, keamanan, dan dependency sejak awal.

Set the right pace
Establish a practical communication, review, and decision-making rhythm.
Menetapkan ritme komunikasi, review, dan pengambilan keputusan yang realistis.


B.1 Proposed Execution Scope | Scope Eksekusi yang Diusulkan

- Team onboarding and role confirmation | Onboarding tim dan konfirmasi peran
- Scope, milestone, dependency and acceptance alignment | Penyelarasan scope, milestone, dependency, dan acceptance
- Repository, branching and access readiness | Kesiapan repository, branching, dan akses
- Development / staging / production environment preparation | Persiapan environment development / staging / production
- CI/CD and quality-tool readiness | Kesiapan CI/CD dan quality tools
- Communication, reporting and decision cadence | Ritme komunikasi, reporting, dan keputusan
- Initial risk register and mitigation ownership | Risk register awal dan ownership mitigasi

B.1 Proposed Success Criteria | Kriteria Keberhasilan

- Execution team and responsibilities are confirmed | Tim dan tanggung jawab eksekusi terkonfirmasi
- Scope, priorities, dependencies and immediate milestones are agreed | Scope, prioritas, dependency, dan milestone awal disepakati
- Required repositories, environments and access are ready | Repository, environment, dan akses yang dibutuhkan siap
- Communication and escalation paths are active | Jalur komunikasi dan eskalasi aktif
- Initial risks are documented with owners and mitigation actions | Risiko awal terdokumentasi beserta owner dan mitigasinya
- B.2 can begin without unresolved foundational blockers | B.2 dapat dimulai tanpa blocker fondasional yang belum terselesaikan

B.1 Proposed Visual Example | Contoh Visual yang Diusulkan



Decision Gate | Gerbang Keputusan

B.1 remains PROPOSED until explicit user approval. After approval, B.1 becomes LOCKED and the master is updated again before proceeding to B.2.

B.1 tetap PROPOSED sampai ada persetujuan eksplisit dari user. Setelah disetujui, B.1 menjadi LOCKED dan master diperbarui kembali sebelum masuk ke B.2.

DECISION UPDATE

B.1 — Project Execution Kickoff: APPROVED / LOCKED. The execution kickoff direction, scope, readiness criteria, and visual example are now part of the locked implementation record.

B.2 — Repository & Environment Setup | Setup Repository & Environment

STATUS — PROPOSED / UNDER REVIEW

English: B.2 establishes the technical foundation for implementation: repository structure, development/staging/production environments, configuration management, dependency tooling, access controls, CI/CD foundations, monitoring readiness, and secure secrets handling.

Bahasa Indonesia: B.2 menetapkan fondasi teknis untuk implementasi: struktur repository, environment development/staging/production, manajemen konfigurasi, dependency tooling, kontrol akses, fondasi CI/CD, kesiapan monitoring, serta pengelolaan secret secara aman.

B.2 Purpose & Objectives | Tujuan & Sasaran

Standardize the environment
Create consistent development, staging, and production conditions.
Menciptakan kondisi development, staging, dan production yang konsisten.

Establish repository discipline
Create a maintainable source structure, branching approach, and documentation baseline.
Membentuk struktur source, pendekatan branching, dan baseline dokumentasi yang mudah dipelihara.

Enable secure configuration
Separate environment-specific configuration and protect secrets from source control.
Memisahkan konfigurasi per environment dan melindungi secret dari source control.

Prepare automated delivery
Establish the CI/CD foundation for repeatable quality checks and deployment.
Menyiapkan fondasi CI/CD untuk quality checks dan deployment yang dapat diulang.

B.2 Environment Model | Model Environment

- Development (dev) — local engineering, rapid iteration, feature branches, local configuration.
- Staging (stg) — production-like validation, integration testing, UAT, release candidate review.
- Production (prod) — live website, optimized build, monitoring, backup/rollback readiness.

Proposed flow: Development → Staging → Production. Promotion between environments should be controlled and traceable.

B.2 Repository & Technical Foundation | Fondasi Repository & Teknis

- Next.js App Router + TypeScript + Tailwind CSS + npm as the primary frontend foundation.
- src/app structure with reusable components, utilities, styles, types, and configuration separated clearly.
- Git-based version control with documented branching and pull-request discipline.
- Environment-specific configuration through environment variables; secrets must not be committed.
- CI/CD baseline for linting, type checking, tests, build validation, and deployment.
- Monitoring/error visibility prepared before production launch.
- Least-privilege access for repositories, deployment platforms, domains, analytics, and supporting services.

B.2 Security & Configuration Principles | Prinsip Security & Konfigurasi

- Never commit .env files containing secrets.
- Use environment-specific variables and secure secret storage.
- Public client variables must contain only values safe for browser exposure.
- Production credentials must be separated from development/staging credentials.
- Access should follow least privilege and be reviewed when team membership changes.
- Deployment credentials and service tokens should be rotated when exposure is suspected.

B.2 Initial Readiness Checklist | Checklist Kesiapan Awal


- Repository created and accessible
- Development environment working
- Required Node.js/npm versions defined
- Base Next.js/TypeScript/Tailwind configuration established
- Environment variable strategy documented
- Development/staging/production environments identified
- CI/CD pipeline baseline configured
- Team access granted according to role
- Deployment target configured
- Monitoring/error tracking approach identified
- Documentation updated

- No critical foundational blocker remains

B.2 Proposed Success Criteria | Kriteria Keberhasilan

- A developer can clone/install/run the project using documented steps.
- Environment-specific configuration is predictable and secure.
- Changes can move through development → staging → production through a controlled path.
- Basic automated quality checks execute consistently.
- Access is role-appropriate and auditable.
- The foundation is ready for B.3 Design System Implementation.

B.2 Proposed Visual Example | Contoh Visual yang Diusulkan



Decision Gate | Gerbang Keputusan

B.2 remains PROPOSED until explicit approval. After approval, B.2 becomes LOCKED and the full master is updated before proceeding to B.3.
B.2 tetap PROPOSED sampai mendapat persetujuan eksplisit. Setelah disetujui, B.2 menjadi LOCKED dan master lengkap diperbarui sebelum masuk ke B.3.

DECISION UPDATE

B.2 — Repository & Environment Setup: APPROVED / LOCKED.

B.3 — Design System Implementation | Implementasi Design System

STATUS — PROPOSED / UNDER REVIEW

English: B.3 translates the approved A.5.1–A.5.23 Design System into real, reusable, maintainable frontend code. It establishes design tokens, primitives, composite components, templates/sections, responsive behavior, accessibility, documentation, and quality controls.

Bahasa Indonesia: B.3 menerjemahkan Design System A.5.1–A.5.23 yang telah disetujui menjadi kode frontend yang nyata, reusable, maintainable; mencakup design tokens, primitives, composite components, template/section, responsive behavior, accessibility, dokumentasi, dan quality control.

B.3 Purpose & Objectives | Tujuan & Sasaran

Implement A.5 standards

Translate locked design-system decisions into code without changing their intent.

Menerjemahkan keputusan design system yang dikunci ke kode tanpa mengubah maksudnya.

Build reusable components

Create components that can be composed across the corporate website.

Membangun komponen reusable untuk berbagai halaman corporate website.

Ensure consistency

Keep typography, color, spacing, states, motion, responsive behavior, and accessibility consistent.

Menjaga konsistensi typography, color, spacing, state, motion, responsive behavior, dan accessibility.

Enable scalability

Create a component foundation for later page and business expansion.

Membangun fondasi komponen untuk ekspansi halaman dan bisnis.

B.3 Implementation Architecture | Arsitektur Implementasi

- Foundation tokens → semantic tokens → component tokens → UI primitives → composite components → sections/templates → pages.
- Build once, reuse intelligently, compose differently.
- Extend existing patterns before introducing a new component.
- Light and dark environments remain one governed system with different environmental expressions.
- Responsive, accessibility, performance, state, and motion requirements from A.5 remain part of implementation.

B.3 Implementation Sequence | Urutan Implementasi

- 01 — Foundation setup: project structure, naming conventions, base configuration.
- 02 — Design tokens: color, typography, spacing, radius, elevation, breakpoints, motion.
- 03 — Atomic primitives: Button, Input, Select, Checkbox, Radio, Icon, Badge, Typography.
- 04 — Composite components: Card, Navbar, Footer, Form, Table, Alert, Modal, Tabs.
- 05 — Templates & sections: Hero, Content, Business, News, CTA, statistics, page layouts.
- 06 — Documentation/component reference: anatomy, variants, states, usage, accessibility, responsive behavior.

B.3 Mapping to A.5.1–A.5.23 | Pemetaan ke A.5.1–A.5.23

B.3 implements, rather than redefines, the locked standards for foundation, color, typography, spacing/layout, grid, borders/radius, elevation, iconography, graphics, data visualization, motion, overlays, navigation, forms, feedback, cards, responsive behavior, accessibility, performance, editorial/content, information/data, discovery, and governance.

B.3 Responsive, Accessibility & Quality | Responsif, Aksesibilitas & Kualitas

- Implement Fluid, Stack, Collapse, Scroll, and Recompose behaviors where required.
- Support mobile, tablet/compact, desktop, and wide layouts.
- Implement keyboard navigation, visible focus, WCAG 2.2 AA, reduced motion, appropriate touch targets, and safe areas.

- Validate contrast over imagery, gradients, glass, and dark environments.
- Document purpose, anatomy, variants, states, light/dark behavior, responsive behavior, accessibility, motion, and usage for reusable components.
- Review component changes before they become part of the reusable foundation.

B.3 Proposed Success Criteria | Kriteria Keberhasilan

- Core component library implemented against A.5 standards.
- Design tokens are centralized and reusable.
- Components work across defined responsive breakpoints.
- Light/dark states and interaction states are consistent.
- Accessibility and performance requirements are implemented.
- Reusable component documentation/reference exists.
- No unnecessary duplicate patterns are introduced.
- Components are ready to compose into B.4 Website Shell.

B.3 Proposed Visual Example | Contoh Visual yang Diusulkan



Decision Gate | Gerbang Keputusan

B.3 remains PROPOSED until explicit approval. After approval, B.3 becomes LOCKED and the full master is updated before B.4.
B.3 tetap PROPOSED sampai persetujuan eksplisit. Setelah disetujui, B.3 menjadi LOCKED dan master lengkap diperbarui sebelum B.4.

DECISION UPDATE

B.3 — Design System Implementation: APPROVED / LOCKED.

B.4 — Website Shell Implementation | Implementasi Website Shell

STATUS — PROPOSED / UNDER REVIEW

English: B.4 implements the reusable structural shell connecting the approved design system and component library to the actual website. It establishes global layout, header/navigation, footer, page containers, routing structure, shared context, responsive shell behavior, and foundational SEO/performance structure.

Bahasa Indonesia: B.4 mengimplementasikan shell struktural reusable yang menghubungkan design system dan component library dengan website nyata. B.4 menetapkan global layout, header/navigation, footer, page container, routing, shared context, responsive shell, serta fondasi SEO/performance.

B.4 Purpose & Objectives | Tujuan & Sasaran

Unify the experience

Create a consistent global structure across all pages.

Menciptakan struktur global yang konsisten di seluruh halaman.

Enable scalability

Provide reusable layout and navigation foundations for site growth.

Menyediakan fondasi layout dan navigasi reusable untuk perkembangan website.

Support all devices

Implement approved responsive behavior from the start.

Menerapkan responsive behavior yang telah disetujui sejak awal.

Enhance maintainability

Keep routing, layout, global context, and shared structure clean.

Menjaga routing, layout, global context, dan struktur bersama tetap rapi.

B.4 Shell Architecture | Arsitektur Shell

- Next.js App Router remains the structural foundation.
- Root/global layout establishes shared document structure and global providers.
- Reusable Header/Navbar and Footer come from B.3.
- Page containers and layout primitives establish consistent width, spacing, and alignment.
- Routing follows the approved information architecture.
- Global theme, typography, metadata, and shared context are established at the appropriate layout level.
- Server-first implementation is preferred where interactivity is not required.

B.4 Core Shell Components | Komponen Inti Shell

- Global Layout
- Header / Navigation
- Mobile Navigation / Menu
- Footer
- Main Content Container
- Page Layout / Section Wrapper
- Theme / Global Context Providers where justified
- Metadata / SEO foundation

B.4 Header & Navigation | Header & Navigasi

The header follows the approved corporate navigation strategy: clear primary destinations, prominent Contact action, responsive transformation on smaller screens, visible active state, accessible keyboard behavior, and no dependency on hover for essential information.

- Desktop: full navigation with clear hierarchy.
- Compact widths: spacing reduces before structural transformation.
- Mobile: dedicated menu trigger and touch-friendly navigation.

- Navigation remains accessible and usable without hover.

B.4 Footer | Footer

- Footer acts as the deliberate final chapter of the website.
- Organize corporate, business, company, legal, social, and contact pathways without excessive density.
- Preserve the Deep Midnight / dark closing environment defined in A.5.
- Include legal and utility information in a clear, accessible hierarchy.


B.4 Responsive, Accessibility & Performance | Responsif, Aksesibilitas & Performa

- Mobile 0–767 px; Tablet/Compact 768–1023 px; Desktop 1024–1439 px; Wide 1440 px+.
- Use Fluid, Stack, Collapse, Scroll, and Recompose according to content priority.
- Semantic HTML, full keyboard navigation, visible focus, and WCAG 2.2 AA.
- Stable layout structure to minimize CLS; optimize images/fonts where appropriate.
- Prefer server components where client interactivity is unnecessary and keep global providers/state minimal.

B.4 Proposed Success Criteria | Kriteria Keberhasilan

- Global layout is reusable.
- Header/navigation works across desktop, tablet, and mobile.
- Footer is implemented as the approved closing environment.
- Routing and page containers align with approved IA.
- Light/dark behavior remains consistent with A.5.
- Accessibility and keyboard behavior are functional.
- Shell introduces no unnecessary client-side complexity.
- Structure is ready for B.5 Homepage Implementation.

B.4 Proposed Visual Example | Contoh Visual yang Diusulkan



Decision Gate | Gerbang Keputusan

B.4 remains PROPOSED until explicit approval. After approval, B.4 becomes LOCKED and the full master is updated before B.5.
B.4 tetap PROPOSED sampai persetujuan eksplisit. Setelah disetujui, B.4 menjadi LOCKED dan master lengkap diperbarui sebelum B.5.