

Name of Student: Prajwal Agrawal	PRN: 25070121236
Semester: III	Year : AY 2026-27
Subject: Programming with Java	
ASSIGNMENT No : 6	
TITLE : Inner and Anonymous Classes	

Problem Statement

Write a Java program to demonstrate the use of an inner class, an anonymous class.

Learning Objectives

To implement inner classes and anonymous classes for improving encapsulation and event handling in Java.


Programme:

```
class InnerClassAndAnonymousClassDemo {
    String brand = "Toyota";
    String model = "Fortuner";
    int year = 2025;
    class VehicleDetails {
        void displayDetails() {
            System.out.println(x: "Vehicle Details:");
            System.out.println("Brand: " + brand);
            System.out.println("Model: " + model);
            System.out.println("Year: " + year);
        }
    }
}
Run | Debug
public static void main(String args[]) {
    InnerClassAndAnonymousClassDemo vehicle = new InnerClassAndAnonymousClassDemo();
    InnerClassAndAnonymousClassDemo.VehicleDetails details =
        vehicle.new VehicleDetails();
    details.displayDetails();
    Runnable action = new Runnable() {
        public void run() {
            System.out.println(x: "Vehicle is starting...");
        }
    };
    action.run();
}
```


```

1  class FoodDeliveryApplicationUsingInnerAndAnonymousClass {
2
3      String customerName = "Prajwal";
4      String foodItem = "Pizza";
5      int quantity = 2;
6      class OrderDetails {
7          void displayOrder() {
8              System.out.println(x: "Order Details:");
9              System.out.println("Customer Name: " + customerName);
10             System.out.println("Food Item: " + foodItem);
11             System.out.println("Quantity: " + quantity);
12         }
13     }
14     Run | Debug
15     public static void main(String args[]) {
16
17         FoodDeliveryApplicationUsingInnerAndAnonymousClass order =
18             new FoodDeliveryApplicationUsingInnerAndAnonymousClass();
19
20         FoodDeliveryApplicationUsingInnerAndAnonymousClass.OrderDetails details =
21             order.new OrderDetails();
22
23         details.displayOrder();
24
25         DeliveryStatus status = new DeliveryStatus() {
26
27             public void updateStatus() {
28                 System.out.println(x: "Delivery Status: Order Delivered Successfully!");
29             }
30         };
31
32         status.updateStatus();
33     }
34     interface DeliveryStatus {
35
36         void updateStatus();
37     }
38 }

```



```
Vehicle Name: Toyota  
Vehicle Type: Car  
Vehicle is moving.
```



```
Food: Pizza  
Quantity: 2  
Order is being prepared.  
Order is out for delivery.
```

Conclusion

The assignment helped in understanding inner classes and anonymous classes in Java. These concepts improve code organization, encapsulation and flexibility while reducing unnecessary class definitions. They are useful for implementing specific actions and event handling in Java application.