talend

Jobs

Generated by Talend Real-time Big Data Platform

Project Name	development	GENERATION DATE	29-Jan-2024, 4:21:31 PM
AUTHOR	p, mrunal	Talend Real-time VERSION	8.0.1.20231222_1430-patch

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	development
Language	java

Description	

Description

Properties	Values
Name	Copy_of_DEMO_FLOW1
Author	p, mrunal
Version	0.1
Purpose	
Status	
Description	
Creation	14-Sep-2023, 4:23:58 PM
Modification	30-Sep-2023, 12:11:01 PM

Preview Picture

Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false

On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source

Component List

Component Name	Component Type
tDBInput_1	tMSSqlInput
tDataprepRun_1	tDataprepRun
tLogRow_2	tLogRow

Components Description

Component   tMSSqlInput

	UNIQUE NAME	tDBInput_1	INPUT(S)	none
	LABEL	__TABLE__	OUTPUT(S)	tDataprepRun_1

Component Parameters:

Properties	Values
Database	tMSSqlInput
Unique Name	tDBInput_1
Component Name	tMSSqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	D:\Talend_New\studio\configuration\lib\java
Subjob color	

Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use an existing connection	false
Component List	
Property Type	repository: DB (MSSQL):Demo_Sql_con
Host	"20.204.123.250"
JDBC Provider	JTDS
Database Driver	MSSQL
Port	"1433"
Schema	"sales"
Database	"Talend_Demo_DB"
Username	"qdimainuser"
Password	**************
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"customers"
Query Type	Built-In
Guess Schema	""
Query	"SELECT sales.customers.first_name, sales.customers.last_name, sales.customers.phone, sales.customers.email, sales.customers.street, sales.customers.city, sales.customers.state, sales.customers.zip_code, sales.customers.customer_id FROM sales.customers"

Specify a data source alias	false
Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	""
Authenticate using Azure Active Directory	false
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=first_name, TRIM=false}, {SCHEMA_COLUMN=last_name, TRIM=false}, {SCHEMA_COLUMN=phone, TRIM=false}, {SCHEMA_COLUMN=email, TRIM=false}, {SCHEMA_COLUMN=street, TRIM=false}, {SCHEMA_COLUMN=city, TRIM=false}, {SCHEMA_COLUMN=state, TRIM=false}, {SCHEMA_COLUMN=zip_code, TRIM=false}, {SCHEMA_COLUMN=customer_id, TRIM=false}]
Set Query Timeout	false
Timeout (seconds)	30
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for customers :

Column	Key	Type	Length	Precision	Nullable	Comment
first_name	false	String	255		false	

last_name	false	String	255		false	
phone	false	String	25		true	
email	false	String	255		false	
street	false	String	255		true	
city	false	String	50		true	
state	false	String	25		true	
zip_code	false	Integer	5		true	
customer_id	true	int	10		false	

Original Function Parameters:
Component   tDataprepRun

	UNIQUE NAME	tDataprepRun_1	INPUT(S)	tDBInput_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tLogRow_2

Component Parameters:

Properties	Values
Unique Name	tDataprepRun_1
Component Name	tDataprepRun
Version	0.102 (ALPHA)
Family	Talend Data Preparation
Startable	false

SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tDataprepRun
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	D:\Talend_New\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
URL	"https://tdp.ap.cloud.talend.com/"
Username	"georgek@predoolecom_nfr"
Password	*************
Dynamic preparation selection	false
Preparation	"33e5631f-7e29-431e-abd7-797d986ac4a6"
!!!PREPARATION_NAME.NAME!!!	Customers
Version	
!!!VERSION_ID.NAME!!!	

Preparation path	"folder/preparation"
Preparation version	"Current state"
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Fetch Schema	
Limit Preview	1000
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for customers :

Column	Key	Type	Length	Precision	Nullable	Comment
first_name	false	String	255		false	
last_name	false	String	255		false	
phone	false	String	25		true	
email	false	String	255		false	
street	false	String	255		true	

city	false	String	50		true	
state	false	String	25		true	
zip_code	false	Integer	5		true	
customer_id	true	int	10		false	

Original Function Parameters:
Component   tLogRow

	UNIQUE NAME	tLogRow_2	INPUT(S)	tDataprepRun_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tLogRow_2
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false

Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	D:\Talend_New\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	"|"
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false

Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=first_name, LENGTH=10}, {SCHEMA_COLUMN=last_name, LENGTH=10}, {SCHEMA_COLUMN=phone, LENGTH=10}, {SCHEMA_COLUMN=email, LENGTH=10}, {SCHEMA_COLUMN=street, LENGTH=10}, {SCHEMA_COLUMN=city, LENGTH=10}, {SCHEMA_COLUMN=state, LENGTH=10}, {SCHEMA_COLUMN=zip_code, LENGTH=10}, {SCHEMA_COLUMN=customer_id, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for customers :

Column	Key	Type	Length	Precision	Nullable	Comment
first_name	false	String	255		false	
last_name	false	String	255		false	
phone	false	String	25		true	
email	false	String	255		false	
street	false	String	255		true	

city	false	String	50		true	
state	false	String	25		true	
zip_code	false	Integer	5		true	
customer_id	true	int	10		false	

Original Function Parameters: