


Kreiranje MVC projekta i komitovanje na remote repozitorijum


Korak 1: Kreiranje MVC projekta u VS

Kreirate novi ASP.NET Web Application projekat. Bitno je da u prozoru New Project izaberete opciju Create new Git repository koja se nalazi u donjem desnom uglu (Slika 1.).




Slika 1

Potom se otvara novi prozor na kojem ćete odabrati da se radi o MVC projektu, i obavezno Authentication postaviti/ostaviti na No Authentications. (Slika 2.)



Slika 2

Nakon ovog kreira se početna web aplikacija. (Slika 3.) U donjem desnom uglu može da se vidi redom broj komitova koji nisu pushovani, broj fajlova koji su izmenjeni/dodati naziv projekta i na kojoj se grani trenutna prikazan projekat nalazi.



Slika 3

Korak 2: Kreiranje praznog remote repozitorijuma

Na vašem gitlab nalogu treba da kreirate prazan repozitorijum. (Slika 4.) Obavezno označite da je projekat privatn i da je inicijalno prazan (bez README fajla).



Create blank project

Create a blank project to house your files, plan your work, and collaborate on code, among other things.

New project › Create blank project

Project name

Primer repozitorijuma

naziv repozitorijuma

username prijavljenog korisnika

Project URL

https://gitlab.com/

web.programiranje.psi

Project slug

primer-repozitorijuma

Want to house several dependent projects under the same namespace? [Create a group](#).

Project description (optional)

Description format

Project deployment target (optional)

Select the deployment target

Visibility Level

☒ Private

Project access must be granted explicitly to each user. If this project is part of a group, access will be granted to members of the group.

☐ Public

The project can be accessed without any authentication.

Project Configuration

☐ Initialize repository with a README

Allows you to immediately clone this project's repository. Skip this if you plan to push up an existing repository.

☐ Enable Static Application Security Testing (SAST)

Analyze your source code for known security vulnerabilities. [Learn more](#).


Create project

Cancel

Slika 4


Korak 3: Povezivanje projekta koji se nalazi u lokalnu (**MyWebApp**) sa praznim udaljenim repozitorijumom čije je ime **primer-repozitorijuma**

Otvorite tab Team Explorer. Kliknite na ikonicu kućice (koja predstavlja Home) potom odaberite Sync opciju. Otvara se prozor sličan slici 5. Pod opcijom push to remote repository u polju treba da navedete link do vašeg udaljenog repozitorijuma (<https://gitlab.com/korisnickolme/nazivRemoteRepo>). U ovom slučaju to će biti <https://gitlab.com/web.programiranje.psi/primer-repozitorijuma>. Potom kliknete na publish (Slika 5.).



Slika 5


U Team Explorer>Home postoji opcija Settings gde mogu da se konfigurišu username i password od vašeg gitlab naloga. Potrebno je izabrati opciju "Repository settings" (u slučaju da ona nije dostupna može i "Global settings"). Nakon toga uneti kredencijale GitLab naloga. Ovo će biti neophodno pošto je repoziorijum privatan (private). (Slika 6.)



Slika 6


Korak 4: Staging and pushing a commit

Da biste uradili inicijalni komit odete na Team Explorer>Home i odaberete opciju Changes. (Slika 7)



Slika 7


Ovde vidite promene nad fajlovima koji se nalaze u vašem projektu koji se nalazi u lokalu (novi, obrisani, modifikovani fajlovi). U textbox navedete objašnjenje ovog komita (ovde je to „My first commit“) i možete kliknuti opciju Commit Staged ili da odaberete klikom na strelicu pored da se commit and push uradi. (Slika 8.) Komit samo doda promene lokalno koje treba da se kasnije izvrše na udaljen repozitorijum kada se bude push uradio. Kada se uradi Push, sve lokalne promene se šalju na udaljeni GitLab repozitorijum.



Slika 8

Korak 5: Dodavanje novog kontrolera u projekat

Ako sad pokušamo da dodamo novi element (npr. kontroler NewController.cs) (Slika 9.) pojaviće se znak plus koji označava da ovaj fajl nije komitovan i pushovan na udaljen repozitorijum. Moramo da ponovimo korak 4.



Slika 9

Ako odete na vaš GitLab nalog i pogledate prethodno prazan projekat sad ćete videte da postoje nove datoteke i direktorijumi na vašem udaljenom repozitorijumu (Slika 10.).

P

Primer repozitorijuma

Project ID: 35965311

Star

0

Fork

0

2 Commits

1 Branch

0 Tags

1.3 MB Files

1.3 MB Storage

Auto DevOps

It will automatically build, test, and deploy your application based on a predefined CI/CD configuration.

Learn more in the [Auto DevOps documentation](#)

Enable in settings

master

primer-repozitorijuma /

+

Find file

Web IDE

Clone

My first commit

Web programiranje PSI authored just now

8d9ecca1

Add README

Add LICENSE

Add CHANGELOG

Add CONTRIBUTING

Add Kubernetes cluster

Set up CI/CD


Configure Integrations

Name	Last commit	Last update
MyWebApp	My first commit	just now
.gitattributes	Add .gitignore and .gitattributes.	23 minutes ago
.gitignore	Add .gitignore and .gitattributes.	23 minutes ago
MyWebApp.sln	Add project files.	23 minutes ago


Slika 10

Korak 6: Dodati korisnika web.programiranje.psi kao MAINTAINER

U "Project Information" odaberete "Members" opciju (Slika 11.) . Nakon toga kliknete na dugme "Invite members". Klikom na to dugme će se otvoriti dijalog putem kog dajete pristup svom repozitorijumu drugim članovima. U prvo polje uneti web.programiranje.psi, zatim izabrati Maintainer ulogu i kliknuti dugme Invite (Slika 12.). Kada osvežite stranicu pojavaće se dodati korisnik u listi članova.



Slika 11



Slika 12