Module 10: Table

Contents

Module 10: Table 1
Prerequisites 2
Scenario 3
Practice: Create Table: aisInsurancePayment 3

Proprietary and Confidential
Subject to Change

Prerequisites

1. To complete this lab you will be using the VM provided to you.
    a. Login: builtin\AXLocalAdmin
    b. Password: <Available in LCS>
2. Open Visual Studio as administrator
    a. Right Click Visual Studio icon, Run as administrator
3. Exercises
    a. Model Creation & project Creation
    b. Label File Creation
    c. Base Enumeration Creation
    d. Extended Data Type Creation

Proprietary and Confidential
Subject to Change

Scenario

For asset insurance management scenario, we will need to build a new table to capture the premium payment information.

Also, there will be requirement to add new fields in existing tables as follows

VendParameters: A vendor group parameter field is added to identify Insurance Vendor

VendTable: A field is added to identify Insurance Calculation Type, which is applicable only for vendors, who provide Fixed Asset Insurance

AssetTable: A field is added to build the logic of Premium generation cycle

Practice: Create Table: aisInsurancePayment

1. In the solution Explorer, right click the AssetInsuranceSystem Project
2. Click Add > New Item
3. In the Operations Artifacts, Choose Data Model
4. Click Table and Set the Name: aisInsurancePayment
5. Click Add
6. Right click on Field and the add the following fields:

Field Name	**DataType**	**EDT**	**Madatory**	**Label**
AssetRecID	Int64	RefRecID	Yes	Fixed Asset ID
PremiumAmount	Real	AmountMST	No	Premium Amount
Paymentdate	Date	TransDate	No	Due Date
DueDate	Date	DueDate	No	Payment Date
JournalLineRecID	Int64	RefRecID	No	Journal Line
FiscalYear	Date	aisFiscalYear	No	Fiscal Year
SerialNum	Int	Counter	No	Serial Number

7. Right click on Index node of aisInsurancePayment Table.

Proprietary and Confidential
Subject to Change

8. Create a new Index name AssetPremiumIdx
9. Drag the fields AssetRecID, FiscalYear and SerialNum to the newly created Index.
10. Change the Allow Duplicate Property Value is No for Index AssetPremiumIdx.
11. Go to Table property of aisInsurancePayment Table
    a. Select AssetPremiumIdx as the cluster index of the Table
    b. Change the Cache Lookup property to NotInTTS
    c. Select Transaction as the Table Group property
12. Right click on Relation node of the table aisInsurancePayment and click on New
    a. Specify AssetTable as Name of the relation
    b. In the Related table property set AssetTable
    c. Set the cardinality 0 and more
    d. Set On Delete property Restricted
    e. Set Relationship Type, Association
    f. Set Related Table Cardinality as ZeroOne
    g. Right click on Asset Table. Select New> Normal
    h. In the properties set the following:
        i. Field – AssetRecID
        ii. Name – AssetRecID
        iii. Related Field – RecId
13. Create another Relation as follows
    a. Name: LedgerJournalTrans
    b. Cardinality: ExactlyOne
    c. On Delete: Cascade
    d. Related Table: LedgerJournalTrans
    e. Related Table Cardinality: ZeroOne
    f. Relationship Type: Association
    g. Right Click on LedgerJournalTrans. Select New> Normal
    h. In the properties set the following:
        i. Field – JournelLineRecID
        ii. Name – JournelLineRecID
        iii. Related Field – RecId
14. Right click Field Groups and create new group as follows
    a. Name: aisInsurancePayment
    b. Label: InsurancePremium
15. Add the follwoing fields:

Proprietary and Confidential
Subject to Change

    a. PremiumAmount
    b. DueDate

    c. PaymentDate
    d. JournalLIneRecID

16. Add the following fields in the Auto Browse Field Group:
    a. AssetRedID
    b. FiscalYear
    c. SerialNum
17. In the Solution Explorer , right click the Solution 'AssetInsuranceSystem'
18. Click Build Solution (or use Ctrl+Shift+B)
19. Review the Output screen to review process