


AI Extension – Playwright TypeScript


Step 1:

Prompt 1: (In Ask Mode)




Step 2:


Prompt 2: (In Agent mode)



Step 3:



Step 4:



Step 5:

Playwright +Typescript code created below for Page.

```
Reset Chat

import { Page, Locator } from 'playwright';

/**
 * Page Object Model for the login form.
```

```

*
* Provides high-level actions for interacting with the login page elements:
* - entering username
* - entering password
* - submitting the form
*
* All interactions include explicit waits to ensure elements are ready.
*/
export class LoginPage {
  /** Playwright page instance */
  readonly page: Page;
  /** Username input field */
  readonly usernameInput: Locator;
  /** Password input field */
  readonly passwordInput: Locator;
  /** Submit button */
  readonly loginButton: Locator;

  /**
   * Initializes locators for the login page.
   *
   * @param page Playwright {@link Page} object representing the browser tab.
   */
  constructor(page: Page) {
    this.page = page;
    this.usernameInput = page.locator('#username');
    this.passwordInput = page.locator('#password');
    this.loginButton = page.locator('input.decorativeSubmit[type="submit"]');
  }

  /**
   * Fills the username field.
   *
   * @param username The username to type.
   */
  async fillUsername(username: string): Promise<void> {
    await this.usernameInput.waitFor({ state: 'visible' });
    await this.usernameInput.fill(username);
  }

  /**
   * Fills the password field.
   *
   * @param password The password to type.
   */
  async fillPassword(password: string): Promise<void> {
    await this.passwordInput.waitFor({ state: 'visible' });
    await this.passwordInput.fill(password);
  }
}

```

```
/**
 * Clicks the login (submit) button.
 */
async clickLogin(): Promise<void> {
    await this.loginButton.waitFor({ state: 'visible' });
    await this.loginButton.click();
}

/**
 * Performs a full login sequence: username, password, then submit.
 *
 * @param username The username to use.
 * @param password The password to use.
 */
async login(username: string, password: string): Promise<void> {
    await this.fillUsername(username);
    await this.fillPassword(password);
    await this.clickLogin();
}
}
```