

GitLens Inspect

INSPECT

You

7 months ago

fb62197

+64

0

-0

Initial commit

Optional guidance for the / Explain

FILES CHANGED 128

Filter files...

__pycache__

main.cpython-314.pyc +0 -0 A

data

session_20251220_152619... 172bdd57.pdf +0 -0 A

session_20251220_152620... 5cbdeb7b.pdf +0 -0 A

session_20251220_152620... 95bcc4f.pdf +0 -0 A

session_20251220_152830...

LINE HISTORY

FILE HISTORY App.tsx

origin

Update features You, 7 m... M

Initial commit You, 7 months ago A

VISUAL FILE HISTORY App.tsx (main)

4 weeks

No commits found for the specified time period

SEARCH & COMPARE

Search for commits by message, author, SHA, file, or changes

Search Commits...

Compare a <branch, tag, or ref> with another <branch, tag, or ref>

Simple Browser

App.tsx 9+ X

main.py 5

ChatInterface.tsx M

01 custom_exception.cpython-314.pyc M

multi_doc_chat

frontend > src > App.tsx > App

You, 7 months ago | 1 author (You)

1 import { useState, useEffect } from 'react';

2 import { FileText, MessageSquare, Sparkles, Moon, Sun, Mic } from 'lucide-react';

3 import { Card, CardContent, CardHeader, CardTitle } from '@components/ui/card';

4 import { Button } from '@components/ui/button';

5 import { FileUpload } from '@components/FileUpload';

6 import { ChatInterface } from '@components/ChatInterface';

7 import { VoiceAssistant } from '@components/VoiceAssistant';

8 import { uploadDocuments, sendMessage, generateSessionId } from '@lib/api';

9 import type { Message, Document } from '@types';

10

11 function App() {

12 const [sessionId, setSessionId] = useState(() => generateSessionId());

13 const [documents, setDocuments] = useState<Document[]>([]);

14 const [files, setFiles] = useState<File[]>([]);

15 const [messages, setMessages] = useState<Message[]>([]);

16 const [isUploading, setIsUploading] = useState(false);

17 const [isUploaded, setIsUploaded] = useState(false);

18 const [isSending, setIsSending] = useState(false);

19 const [darkMode, setDarkMode] = useState(false);

20 const [uploadProgress, setUploadProgress] = useState(0);

21 const [uploadError, setUploadError] = useState<string | null>(null);

22 const [isVoiceMode, setIsVoiceMode] = useState(false);

23

24 useEffect(() => {

25 document.documentElement.classList.toggle('dark', darkMode);

26 }, [darkMode]);

27

28 const handleFilesAdded = (newFiles: File[]) => {

29 setDocuments((prev) => [...prev, ...newFiles]);

30 }

PROBLEMS 21

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

bash

WARNING conda.cli.main_config:_set_key(453): Key auto_activate_base is an alias of auto_activate; setting value with latter

• Preetham's-Macbook [~/Desktop/multi_doc_chat]> source /Users/preetham.s/Desktop/multi_doc_chat/.venv/bin/activate

• (.venv) Preetham's-Macbook [~/Desktop/multi_doc_chat]>

CHAT

the stack trace to pinpoint).

- Incompatible dependency (Pydantic v1 + Python 3.14 can cause runtime failures).
- Missing package or quota issues (e.g., ElevenLabs quota previously caused 401 errors).

Next actions I can do now (pick one or let me proceed):

- A) Reproduce by running the same action that caused the error (tell me which endpoint or UI action triggered it). I can then capture the server stack trace.
- B) Show you how to fetch the last 200 lines of server output so you can paste the error:
 - Run:

```
# show uvicorn stdout (if running :  
ps aux | grep -i uvicorn  
# OR, if you started via python ma:  
lsof -ti:8000 | xargs ps -o pid,cmd  
# tail recent terminal output (if )  
tail -n 200 /tmp/server.log
```
- C) I can proactively lower risk by pinning a compatible Python/Pydantic combo:
 - Downgrade to Python 3.11 or set Pydantic v2-compatible libs (may require code changes). I can prepare a safe requirements.txt update and a short migration plan.

Tell me which option you want (or paste the exact error/stacktrace). If you want me to reproduce, tell me the UI steps or endpoint to call and I'll run the request and capture the stack trace.

Identify root cause (3/5)

App.tsx +

Describe what to build next

Agent Pick Model

main*

You, 7 months ago

Preetham160 (7 months ago)

Ln 221, Col 45

Spaces: 2

UTF-8

LF

TypeScript JSX

Go Live

Prettier

Visual Studio Live Share (Workspace)

Restricted Mode is intended for safe code browsing. Trust this workspace to enable all features. Manage Learn More

EXPLORER

VISUAL STUDIO LIVE SHARE ...

COLLEGE

dashboard

WEBDEV_PB

activity1

activity2

commitgraph.png

comparisonTask.txt

formatted.png

index.html

java.png

linehistory.png

liveshare.png

liveshare.txt

messed.png

python.png

Test.java

test.py

liveshare.txt

comparisonTask.txt

COLLEGE > WEBDEV_PB > activity2 > liveshare.txt

1Guys Lets plan another 9/11;

2we Can save Pakistan from bankrutcy

3

4hi I am preetham

5+

CHAT

Build with Agent

AI responses may be inaccurate.

Generate Agent Instructions to onboard AI onto your codebase.

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

COMMENTS

zsh [Shared]

Host shared a Live Share terminal. Enter to type.

OUTLINE

TIMELINE

LIVE SHARE

Ln 5, Col 1

Spaces: 4

UTF-8

LF

Plain Text

Prettier

Visual Studio Live Share (Workspace)

Restricted Mode is intended for safe code browsing. Trust this workspace to enable all features. Manage Learn More

EXPLORER

VISUAL STUDIO LIVE SHARE (WORKSPACE)

- COLLEGE
 - dashboard
- WEBDEV_PB
 - activity1
 - activity2
 - commitgraph.png
 - formatted.png
 - index.html
 - java.png
 - linehistory.png
 - liveshare.png
 - liveshare.txt
 - messed.png
 - python.png
 - Test.java
 - test.py

liveshare.txt

- COLLEGE > WEBDEV_PB > activity2 > liveshare.txt
- 1 Guys Lets plan another 9/11;
- 2 we Can save Pakistan from bankrutcy
- 3
- 4 hi I am preetham
- 5 +

CHAT

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL COMMENTS

zsh [Shared]

Host shared a Live Share terminal. Enter to type.

OUTLINE

TIMELINE

LIVE SHARE

Build with Agent

AI responses may be inaccurate.

Generate Agent Instructions to onboard AI onto your codebase.

liveshare.txt +

Describe what to build next

Agent Pick Model

Ln 5, Col 1 Spaces: 4 UTF-8 LF Plain Text Prettier

EXPLOER

ACITIVITY-2

index.html

Main.class

Main.java

Test.py

index.html > ...

1

<!doctype html>

2

<html>

3

<head>

4

<title>Page Title</title>

5

</head>

6

<body>

7

<h1>My First Heading</h1>

8

<p>My first paragraph.</p>

9

This is a link

10

11

Item 1

12

Item 2

13

Item 3

14

15

</body>

16

</html>

17

CHAT

Build with Agent

AI responses may be inaccurate.

Generate Agent Instructions to onboard AI onto your codebase.

OUTLINE

TIMELINE

PROJECTS

RUN CONFIGURATION

JAVA PROJECTS

Ln 17, Col 1 Spaces: 4 UTF-8 LF {} HTML Prettier

EXPLORED

ACITIVITY-2

index.html

Main.class

Main.java

Test.py

index.html > html

1 <!DOCTYPE html><html><head><title>Page Title</title></head><body><h1>My First Heading</h1><p>My first paragra

CHAT

Build with Agent

AI responses may be inaccurate.

Generate Agent Instructions to onboard AI onto your codebase.

OUTLINE

TIMELINE

PROJECTS

RUN CONFIGURATION

JAVA PROJECTS

Ln 1, Col 233

Spaces: 4

UTF-8

LF

{ } HTML

Prettier

Main.java

index.html

CHAT

Build with Agent

AI responses may be inaccurate.
[Generate Agent Instructions](#) to onboard AI onto your codebase.

index.html +

Describe what to build next

Agent Pick Model

EXPLORER

ACITIVITY-2

- Main.class
- Main.java
- Test.py

Main.java

Main.java > Java > Main

```
1 public class Main {
    Run | Debug | Run main | Debug main
2     public static void main(String[] args) {
3         System.out.println(x: "Hello, World!");
4     }
5 }
```

CHAT

Build with Agent

AI responses may be inaccurate.

Generate Agent Instructions to onboard AI onto your codebase.

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

Filter

Code

caused by: java.lang.ClassNotFoundException: Main

[Done] exited with code=1 in 0.389 seconds

[Running] cd "/Users/preetham.s/Desktop/acitivity-2/" && javac Main.java && java Main

Hello, World!

[Done] exited with code=0 in 0.395 seconds

OUTLINE

TIMELINE

PROJECTS

RUN CONFIGURATION

JAVA PROJECTS

Ln 5, Col 2

Spaces: 4

UTF-8

LF

Java

Prettier

EXPLORER

ACITIVITY-2

Test.py

Test.py

1 print("hello world")

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

zsh

~/Desktop/acitivity-2

python3 Test.py

hello world

~/Desktop/acitivity-2

CHAT

Build with Agent

AI responses may be inaccurate.

Generate Agent Instructions to onboard AI onto your codebase.

Test.py

Describe what to build next

Agent Pick Model

Ln 1, Col 21

Spaces: 4

UTF-8

LF

Python

Python 3.14.0

Prettier

EXPLORER

ACITIVITY-2

Test.py

Test.py

1 print("hello world")

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

zsh

~/Desktop/acitivity-2

python3 Test.py

hello world

~/Desktop/acitivity-2

CHAT

Build with Agent

AI responses may be inaccurate.

Generate Agent Instructions to onboard AI onto your codebase.

Describe what to build next

Agent Pick Model

Ln 1, Col 21

Spaces: 4

UTF-8

LF

Python

Python 3.14.0

Prettier

EXPLORER

ACITIVITY-2

Test.py

Test.py

1 print("hello world")

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

zsh

~/Desktop/acitivity-2

python3 Test.py

hello world

~/Desktop/acitivity-2

CHAT

Build with Agent

AI responses may be inaccurate.

Generate Agent Instructions to onboard AI onto your codebase.

Test.py

Describe what to build next

Agent Pick Model

Ln 1, Col 21

Spaces: 4

UTF-8

LF

Python

Python 3.14.0

Prettier

The first edition of Microworlds: Tropical Shore
Official installment Microworlds™ NFT collection
Created by: Benny Productions
©Copyright remains the Author's

