WEEK - 9

(Lab Pgm 10)

Inter Process Communication

Incorrect Implementation of a producer and consumer

```
class Q
{
    int n;
    synchronized int get()
    {
        System.out.println("Got : " + n);
        return n;
    }
    synchronized void put(int n)
    {
        this.n = n;
        System.out.println("Put : " + n);
    }
}
class Producer implements Runnable
{
    Q q;
    Producer(Q q)
    {
        this.q = q;
        new Thread(this, "Producer").start();
    }
    public void run()
    {
        int i = 0;
```

```
            while (i<10)
            {
                q.put(i++);
            }
        }
}
class Consumer implements Runnable
{
        Q q;
        Consumer(Q q)
        {
            this.q = q;
            new Thread(this, "Consumer").start();
        }
        public void run()
        {
            int i=0;
            while(i<10)
            {
                int r = q.get();
                i++;
            }
        }
}
class PC
{
    public static void main(String args[])
    {
        Q q = new Q();
        new Producer(q);
        new Consumer(q);
        System.out.println("Press control-C
        to stop.");
    }
```

}

O/P:

Press Control-C to stop.

Put: 0

Put: 1

Put: 2

Put: 3

Put: 4

Put: 5

Put: 6

Put: 7

Put: 8

Put: 9

Got: 9

Got: 9

Got: 9

Got: 9

Got: 9

Got: 9

Got: 9

Got: 9

Got: 9

Got: 9

Date __/__/__
Page _____

Correct implementation of a producer and consumer

```
class Q
{
    int n;
    boolean valueSet = false;
    synchronized int get()
    {
        while(!valueSet)
        try
        {
            System.out.println("\n
            Consumer waiting \n");
            wait();
        }
        catch(InterruptedException e)
        {
            System.out.println("
            InterruptedException caught");
        }
        System.out.println("Got : "+n);
        valueSet = false;
        System.out.println("\n Intimate
        Producer\n");
        notify();
        return n;
    }
    synchronized void put(int n)
{
        while(valueSet)
```

```
        try
        {
            System.out.println("\n
            Producer waiting \n");
            wait();
        }
        catch(InterruptedException e)
        {
            System.out.println("Interrupted
            Exception caught");
        }
        this.n = n;
        valueSet = true;
        System.out.println("Put: "+n);
        System.out.println("\nIntimate
        Consumer\n");
        notify();
    }
}

class Producer implements Runnable
{
    Q q;
    Producer(Q q)
    {
        this.q = q;
        new Thread(this, "Producer").start();
    }
    public void run()
    {
        int i = 0;
        while(i < 10)
        {
            q.put(i++);
```

```
        }
    }
}
class Consumer implements Runnable
{
    Q q;
    Consumer(Q q)
    {
        this.q = q;
        new Thread(this, "Consumer").start();
    }
    public void run()
    {
        int i=0; 5
        while(i<10)
        {
            int r = q.get();
            System.out.println("consumed:
            "+r);
            i++;
        }
    }
}
class PCFixed
{
    public static void main(String args[])
    {
        Q q = new Q();
        new Producer(q);
        new Consumer(q);
        System.out.println("Press
        Control-C to stop.");
    }
}
```

O/P:

Press control-C to stop

Put : 0

Intimate Consumer

Producer waiting

Got : 0

Intimate Producer

Put : 1

Intimate Consumer

Producer waiting

consumed : 0

Got : 1

Intimate Producer

consumed : 1

Put : 2

Intimate Consumer

Producer waiting

Got : 2

Intimate Producer

consumed : 2

Put : 3

Intimate Consumer

Producer waiting

Got : 3

Intimate Producer

consumed : 3

Put : 4

Intimate Consumer

Got : 4

Intimate Producer

consumed : 4

Date __/__/__
Page _____

Deadlock:

```
class A
{
    synchronized void foo(B b)
    {
        String name = Thread.currentThread
                      ().getName();
        System.out.println(name + " entered
          A.foo");
        try
        {
            Thread.sleep(1000);
        }
        catch(Exception e)
        {
            System.out.println("A Interrupted");
        }
        System.out.println("name + " trying
          to call B.last()");
        b.last();
    }
    void last()
    {
        System.out.println("Inside A.last");
    }
}
class B
{
    synchronized void bar(A a)
    {
        String name = Thread.currentThread
                      ().getName();
```

```
        System.out.println(name + "entered B.last");
        try
        {
            Thread.sleep(1000);
        }
        catch(Exception e)
        {
            System.out.println("Inside B Interrupted
            A.last");
        }
        System.out.println(name + "trying
        to call A.last()");
        a.last();
    }
    void last()
    {
        System.out.println("Inside A.last");
    }
}
class Deadlock implements Runnable
{
    A a = new A();
    B b = new B();
    Deadlock()
    {
        Thread.currentThread().setName("MainTh
        Thread t = new Thread(this,
        "RacingThread");
        t.start();
        a.foo(b);
        System.out.println("Back in main
    }
```

Date __/__/__
Page _____

```
public void run()
{
    b.bar(a);
    System.out.println("Back
     in other thread");
}
public static void main(String
 args[])
{
    new Deadlock();
}
}
```

O/P:

```
Main Thread entered A.foo
Racing thread entered B.last
Main thread trying to call B.last()
Inside A.last
Back in main thread
Racing thread trying to call A.last()
Inside A.last
Back in other thread
```