

Sl. no	Model Providers	Model released in last 12 months	Release Date	Cut Off Date	Cost of Tokens (\$)	Context Window	Type	When to use this model
1	Open AI	GPT -5.6	09-July 2026	Jun 2026	1.25/10	400+	Multimodal, Reasoning	Complex reasoning , coding, enterprise agents
2	Anthropic	Claude 4 series (Opus/sonnet variants)	22-May 2026	Mar 2025	15/75 (Opus) 3/15 (Sonet)	200K	Multimodal	Long document analysis, coding AI agents
3	Google DeepMind	Gemini 3 flash	17 Dec 2025	Mid 2025	0.30/2.50	1M	Multimodal	Fast, low-cost enterprise AI, large context task
4	Meta	Llama 4	05 Apr 2025	Aug 2024	Opensource/self hosted	Upto 10M	Open-weight multimodal	On Premise deployment and custom fine-tuning
5	xAI	Grok 4.1	17 Nov 2025	July 2025	3/15	256k	Multimodal	Realtime information, coding, conversational AI
6	DeepSeek	DeepSeek V3.2	01 Dec 2025	June 2025	0.28/0.42	128k to 164k	Reasoning+coding	Cost efficient coding and reasoning workloads
7	Mistral AI	Mistral Large 3	01 Dec 2025	Mid 2025	0.50/1.50	256k	Multimodal	European deployments, multilingual applications
8	Cohere	Command A+	20 May 2026	April 2025	2.50/10	128k	Multimodal +RAG	Enterprise RAG, knowledge assistants

								, multilingual AI
9	Amazon	Amazon Nova 2 (Lite, Pro, Omni, Sonic)	03 Dec 2025	Officially not disclosed	0.80/3.20 (Pro)	300k to 1M	Multimodal	AWS native enterprise applications, document analysis
10	Alibaba Cloud	Qwen 3.8-Max	02 Aug 2026	2025	2/6	1M	Multimodal MoE	Long-horizon reasoning, coding, enterprise automation

Task 2 :

1) How transformer works?

- Input is converted into tokens
Ex. AI is future
"AI" "is" "future"
- Each token is converted into numbers that the model can process
Ex. Each model will provide different tokens

2) Vector Embedding

- Each token gets a numerical value [0.2, 0.8 etc]

3) Self attention

- Ex. The students are going for an excursion and they will return in the evening
- The transformer compares each word in the sentence and gives weightage
- Here -> they refers to students which is a keyword

/Multi attention

- It analyse multiple word and provides the weightage (like grammar, context, meaning)

4) Feed Forward neural Network

- It receives the information from the previous layer (self attention/multi attention) , and analyze/process the information and makes a decision
- The data moves in only one direction
- Input -> hidden layer -> output
- The more hidden layer -> the more accuracy

Task 3 LinkedIn profile shared in group and connect with network of people