LAB-10 2.	
Deadlock.	System. out pris
class A	and the second
Synchronized void foo(Bb)	Thread . slee
Synchronia	Catch (Ence
Storing name = Threat Current hread	4
Storing name = Thread. Current Thread() System out point In (name + "enloyed A tob)	System or
try	System-ord-p
Thread · Sleep (1000);	A. last()
3	a.late);
calch (Enception e)	orid last()
System. out. pountle (" A Internent od")	{
Justom But franco / Thursupted	7 System 8
System. out pointly (name + "touging to call B. last (")");	7
B. last (");	class Deadl
b. lazl();	1
J. 0 -1 -1 -1	A a = ne
poid last()	B b = ne
Surface -D (a sub Cut = 1 and a	Peadlti
3 System. out/printle ("Inside A. lot)	Thread.
3.	Thread.
class B	t, sta
1	a, foo
3 ynchronized void bas (Aa)	Syster
	J.
String rame = Thread. avoient Thread.	public
gil Name ();	1
	b.

	System. out. painten ("Back in other Horead")
<i></i>	public statu void main (String args[])
	nao Deadlak ();
	}
	\(\tag{ \tag} \tag{ \tag{ \tag{ \tag{ \tag{ \tag{ \tag{ \tag{ \tag{ \ta
	enfant:
	MainThroad enlored A foo
	Racing Thread entered B. bar
	Main Thread trying to call B. last) Inside A. last
	Back in main Thread
N N	Rawing Thread trying to call A. last)
	I raid Al. last
	Bast in other/thread
	Managar Saylyan Harris
	The same of the sa
	12/2
Last I Lee	And the course of the will be a second and the course
Athana I	and the state of the state of
	The state of the s
Was to the same of	the dead to alter the
	the later than the second seco