PROJECT 5 / SIXT + TUM

From company data to trustworthy answers

Calculate answers from fictional company data, explain your method, and submit your answer CSVs.

1 Receive the data

STAGE 1 / PUBLIC

Released at the start

37 CSV files + 200 questions
Rules + column descriptions
10 practice examples (unscored)

STAGE 2 / FINAL


New data, released later

37 CSV files + 200 questions
Own rules + column descriptions

Use each dataset separately.

Orders, payments, stock, returns, support and other linked records.

2 Build your method



1. Read the business rules
2. Link, filter and calculate
3. Check and export answers

Repeat for both stages

Small models welcome!

Use a framework or your own code.
Document models, tools and checks.

3 Submit your work

One row per question

CSV **public_answers.csv**

question_id	answer
P001	...
P002	...

CSV **final_answers.csv**

question_id	answer
F001	...
F002	...

Methods + presentation

Explain how your system works and show evidence of your results.

4 Get evaluated

PRIVATE ANSWER KEY

Reference answers
Hidden from teams

Automatic CSV comparison

Correct = 1; wrong or missing = 0.
All 200 questions count per stage.

DATASET RESULTS

toward the base grade **65 points**

HUMAN JUDGING

Other rubric criteria **35 points**

YOUR TOTAL

65 dataset + 35 judging

Base grade: up to 100 points

+

40-POINT SMALL-MODEL BONUS

Qualifying models: at most 40B total parameters.
Eligibility is verified from your model evidence.

→

UP TO 140

points in total

Inside the dataset score: 35% public accuracy + 65% final accuracy. See the marking scheme for the full formula.

400 scored questions: 300 retained calculations + 100 allocation/replay questions. 10 practice examples.

Ioannis will announce stage releases and deadlines. Competition data and questions remain unreleased.

PROJECT 5 / SIXT + TUM

How your score is calculated

A 100-point base grade, plus 40 extra points for a verified small-model workflow. Maximum: 140.

DATASET RESULTS
65 points
Automatic comparison of your answer CSVs
400 scored questions across two separate stages

HUMAN JUDGING
35 points
Five criteria from the event judging rubric

1. Calculate the dataset component

PUBLIC ACCURACY P
100 x public correct / 200

FINAL ACCURACY F
100 x final correct / 200

Dataset score D = 0.35P + 0.65F

Dataset points = 0.65D

Public answers can earn 22.75 points; final answers can earn 42.25.

2. Add judging and any bonus

J = (35 / 75) x raw rubric points

Base grade = 0.65D + J

Final total = base grade + bonus

Bonus = 40 if eligible; otherwise 0.
An eligible team can score up to 140 points.

3. Qualify for the small-model bonus

Use qualifying models substantively in your challenge workflow.
Every generative model used for method/code, answers or validation must have at most 40 billion total parameters, including fallbacks.

Count all MoE experts. Quantization does not reduce parameter count.
Submit exact model IDs, parameter evidence and usage logs.
Larger or undisclosed-size models can still earn the 100 base points.

WORKED GRADING EXAMPLE

160/200 public + 180/200 final correct
P = 80; F = 90; D = 86.5
Dataset points = 56.225
Judging: 60 / 75 -> 28 points

Base: 84.225

With bonus: 124.225 points

Scores are ranked before display rounding.

The +40 replaces the event's general +5 bonus. Add it once; maximum total = 140 points (no cap at 100).

The challenge

Build an AI-assisted workflow that answers business questions from linked company data.

Inputs: each stage provides 37 CSV tables, 200 questions and explicit business rules.

Task: calculate 150 company metrics and 50 allocation, event-replay or what-if answers per stage. Apply the stated constraints and event order; use the separate final-stage data for the second submission.

Submission: a CSV with question_id and answer, plus your method explanation and presentation. The marking scheme shows the scoring and small-model bonus.

Release: these three toy examples are introductory. Ioannis will release the competition data, questions and full instructions later.

Count eligible orders

How many valid orders are there? An order must be completed or shipped and have at least one settled payment.

orders.csv

Order	Status	Payment flag
A	completed	paid
B	cancelled	paid
C	shipped	paid

payments.csv

Payment	Order	Status
p1	A	settled
p2	A	settled
p3	B	settled
p4	C	failed

A qualifies once, even though it has two settled payments. B is cancelled. C has no settled payment; the order's "paid" flag alone is insufficient.

Answer: 1 order

CSV ROW: question_id,answer

```
DEMO001,1
```

Invented toy data. Other eligibility conditions are assumed satisfied.

Calculate net revenue in EUR

What is net revenue for this valid single-line order, after discounts and an eligible approved refund?

Inputs

Input	Value
Quantity	2
Unit price	50 USD
Total line discount	10 USD
Total order discount	5 USD
Order-month rate	0.90 EUR/USD
Approved refund	10 USD
Refund-month rate	0.92 EUR/USD

Calculation

$(2 \times 50 - 10 - 5) \times 0.90$

$= 76.50$ EUR

Refund: $10 \times 0.92 = 9.20$ EUR

76.50 - 9.20 = 67.30 EUR

Use each event's monthly rate.
Round only the final result.

Answer: EUR 67.30

CSV ROW: question_id,answer

DEMO002,67.30

Invented toy data. Other eligibility conditions are assumed satisfied.

Apply the replenishment rule

How many units should be reordered?

Opening stock: 50. Reorder point: 40. Target stock: 70.
Reorder only when stock is strictly below 40; if triggered, replenish to 70.

Movement	Units	Status	Timing
Receipt	+20	posted	After stocktake, by reference time
Sale issue	-35	posted	After stocktake, by reference time
Return restock	+5	posted	After stocktake, by reference time
Adjustment	+100	draft	After stocktake, by reference time
Receipt	+10	posted	After reference time

End stock = 50 + 20 - 35 + 5 = 40. Exclude draft and future movements.
Stock equals the reorder point, so replenishment is not triggered.

Answer: 0 units

CSV ROW: question_id,answer

DEMO003,0