Assignment (CN) → 02

Questions

1. What are the different protocols you deserve at the following layers of the protocol stack?
   - A. Application Layer
   - B. Transport Layer
   - C. Network Layer

Ans: (A) Application Layer protocols:-

- Domain Name System (DNS)
- Multicast Domain Name System (MDNS)
- Dynamic Host Configuration Protocol (DHCP)
- Simple Service Discovery Protocol (SSDP)
- Server Message Block (SMB)
- Transport Layer Security (TLS/ HTTPS)
- QUIC
- XMPP

(B) Transport Layer protocols:-

- TCP (Transmission control protocol)
- UDP (user Datagram protocol)

(C) Network Layer protocols:-

- IPV4 (Internet protocol version 4)
- IPV6 (Internet protocol version 6)
- ICMPV6 (Internet control Message protol V6)

Question(2):- What is the total amount of data being received for the following two cases?

(A) When you access http://neverssl.com/

Ans Total amount of data received = 2KB (approximately 2048 bytes).

(B) When you access https://www.cornell.edu

Ans Total amount of data received = Bytes

B → A = 3KB.

Ques(3): Answer when you access the site http://neverssell.com ~~down the Get Request~~?

(A) How many HTTP Get Request do you observed List down the Get Request?

Ans A total of HTTP Get requests were observed in the wireshark capture.

~~1. Get/ uppphost/udhisapi.dll?~~

1. Get/online HTTP/1.1
2. GET/favicon.icoHTTP/1.1

(B) What version do HTTP the server is running?

Ans HTTP/1.1

(C) For Each of the HTTP GET Requests, find out:

(i) The total number of TCP segments being received.

(ii) The total amount of data being received in the corresponding HTTP response message.

C (i) The Total number of TCP segment being received.

Get Request	TCP request received
GET/upnphost/udhisapi.dll?	2 segment

(ii) The total amount of data being received in the corresponding HTTP response.

Ans

Get Request	Data Received
Get /upnphost/udhisapi.dll?	845 Bytes

D) Identify TCP three way handshake used to establish the connection with the http://neverssl.com, specify SYN, SYN-ACK, ACK Packets and write the sequence number for each of the three access.

Ans -

Packets	Flags	sequence Number.
1 (774)	SYN	seq = 0
2 (776)	SYN, ACK	seq = 0
3 (777)	ACK	seq = 1


File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
tcp
No. Time Source Destination Protocol Length Info
479 5.697677100 10.85.19.244 142.250.183.238 TCP 55 61649 → 443 [ACK] Seq=1 Ack=1 Win=253 Len=1
480 5.756861700 142.250.183.238 10.85.19.244 TCP 66 443 → 61649 [ACK] Seq=1 Ack=2 Win=1043 Len=0 SLE=1 SRE=2
674 7.573312000 10.85.19.244 8.8.4.4 TCP 55 64783 → 443 [ACK] Seq=1 Ack=1 Win=250 Len=1
683 7.615256600 8.8.4.4 10.85.19.244 TCP 66 443 → 64783 [ACK] Seq=1 Ack=2 Win=1046 Len=0 SLE=1 SRE=2
693 7.765563900 10.85.19.244 172.217.112.4 TCP 55 61181 → 443 [ACK] Seq=1 Ack=1 Win=251 Len=1
697 7.812867800 172.217.112.4 10.85.19.244 TCP 66 443 → 61181 [ACK] Seq=1 Ack=2 Win=1041 Len=0 SLE=1 SRE=2
773 8.383306600 10.85.21.36 10.85.19.244 TCP 66 55429 → 2869 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
774 8.383519200 10.85.19.244 10.85.21.36 TCP 66 2869 → 55429 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
776 8.400960700 10.85.21.36 10.85.19.244 TCP 60 55429 → 2869 [ACK] Seq=1 Ack=1 Win=65280 Len=0
777 8.400962200 10.85.21.36 10.85.19.244 HTTP 291 GET /upnphost/udhisapi.dll?content=uuid:66283320-ee94-49ed-9147-b11031481ed4 HTTP/1.1
778 8.403332500 10.85.19.244 10.85.21.36 TCP 257 2869 → 55429 [PSH, ACK] Seq=1 Ack=238 Win=65280 Len=203 [TCP PDU reassembled in 781]
779 8.403458700 10.85.19.244 10.85.21.36 TCP 1514 2869 → 55429 [ACK] Seq=204 Ack=238 Win=65280 Len=1460 [TCP PDU reassembled in 781]
780 8.403458700 10.85.19.244 10.85.21.36 TCP 1514 2869 → 55429 [ACK] Seq=1664 Ack=238 Win=65280 Len=1460 [TCP PDU reassembled in 781]
781 8.403458700 10.85.19.244 10.85.21.36 HTTP/X... 845 HTTP/1.1 200 OK
782 8.415637300 10.85.21.36 10.85.19.244 TCP 60 55429 → 2869 [ACK] Seq=238 Ack=3915 Win=65280 Len=0
783 8.416360300 10.85.21.36 10.85.19.244 HTTP 310 GET /upnphost/udhisapi.dll?content=uuid:66283320-ee94-49ed-9147-b11031481ed4 HTTP/1.1
784 8.418460000 10.85.19.244 10.85.21.36 TCP 276 2869 → 55429 [PSH, ACK] Seq=3915 Ack=494 Win=65024 Len=222 [TCP PDU reassembled in 787]
785 8.418659900 10.85.19.244 10.85.21.36 TCP 1514 2869 → 55429 [ACK] Seq=4137 Ack=494 Win=65024 Len=1460 [TCP PDU reassembled in 787]
786 8.418659900 10.85.19.244 10.85.21.36 TCP 1514 2869 → 55429 [ACK] Seq=5597 Ack=494 Win=65024 Len=1460 [TCP PDU reassembled in 787]
Frame 777: Packet, 291 bytes on wire (2328 bits), 291 bytes captured (2328 bits) on interface \Device\NF
Ethernet II, Src: AzureWaveTec_b2:1a:fd (00:e9:3a:b2:1a:fd), Dst: AzureWaveTec_cc:1f:af (34:6f:24:cc:1f:
Internet Protocol Version 4, Src: 10.85.21.36, Dst: 10.85.19.244
Transmission Control Protocol, Src Port: 55429, Dst Port: 2869, Seq: 1, Ack: 1, Len: 237
Hypertext Transfer Protocol



480 5.756861700 142.250.183.238 10.85.19.244 TCP 66 443 → 61649 [ACK] Seq=1 Ack=2 Win=1043 Len=0 SLE=1 SRE=2
674 7.573312000 10.85.19.244 8.8.4.4 TCP 55 64783 → 443 [ACK] Seq=1 Ack=1 Win=250 Len=1
683 7.615256600 8.8.4.4 10.85.19.244 TCP 66 443 → 64783 [ACK] Seq=1 Ack=2 Win=1046 Len=0 SLE=1 SRE=2
693 7.765563900 10.85.19.244 172.217.112.4 TCP 55 61181 → 443 [ACK] Seq=1 Ack=1 Win=251 Len=1
697 7.812867800 172.217.112.4 10.85.19.244 TCP 66 443 → 61181 [ACK] Seq=1 Ack=2 Win=1041 Len=0 SLE=1 SRE=2
773 8.383306600 10.85.21.36 10.85.19.244 TCP 66 55429 → 2869 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
774 8.383519200 10.85.19.244 10.85.21.36 TCP 66 2869 → 55429 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
776 8.400960700 10.85.21.36 10.85.19.244 TCP 60 55429 → 2869 [ACK] Seq=1 Ack=1 Win=65280 Len=0
777 8.400962200 10.85.21.36 10.85.19.244 HTTP 291 GET /upnphost/udhisapi.dll?content=uuid:66283320-ee94-49ed-9147-b11031481ed4 HTTP/1.1
778 8.403332500 10.85.19.244 10.85.21.36 TCP 257 2869 → 55429 [PSH, ACK] Seq=1 Ack=238 Win=65280 Len=203 [TCP PDU reassembled in 781]
779 8.403458700 10.85.19.244 10.85.21.36 TCP 1514 2869 → 55429 [ACK] Seq=204 Ack=238 Win=65280 Len=1460 [TCP PDU reassembled in 781]
780 8.403458700 10.85.19.244 10.85.21.36 TCP 1514 2869 → 55429 [ACK] Seq=1664 Ack=238 Win=65280 Len=1460 [TCP PDU reassembled in 781]
781 8.403458700 10.85.19.244 10.85.21.36 HTTP/X… 845 HTTP/1.1 200 OK
782 8.415637300 10.85.21.36 10.85.19.244 TCP 60 55429 → 2869 [ACK] Seq=238 Ack=3915 Win=65280 Len=0
783 8.416360300 10.85.21.36 10.85.19.244 HTTP 310 GET /upnphost/udhisapi.dll?content=uuid:66283320-ee94-49ed-9147-b11031481ed4 HTTP/1.1
784 8.418460000 10.85.19.244 10.85.21.36 TCP 276 2869 → 55429 [PSH, ACK] Seq=3915 Ack=494 Win=65024 Len=222 [TCP PDU reassembled in 787]
785 8.418659900 10.85.19.244 10.85.21.36 TCP 1514 2869 → 55429 [ACK] Seq=4137 Ack=494 Win=65024 Len=1460 [TCP PDU reassembled in 787]
786 8.418659900 10.85.19.244 10.85.21.36 TCP 1514 2869 → 55429 [ACK] Seq=5597 Ack=494 Win=65024 Len=1460 [TCP PDU reassembled in 787]
Frame 777: Packet, 291 bytes on wire (2328 bits), 291 bytes captured (2328 bits) on interface \Device\NF
Ethernet II, Src: AzureWaveTec_b2:1a:fd (00:e9:3a:b2:1a:fd), Dst: AzureWaveTec_cc:1f:af (34:6f:24:cc:1f:
Internet Protocol Version 4, Src: 10.85.21.36, Dst: 10.85.19.244
Transmission Control Protocol, Src Port: 55429, Dst Port: 2869, Seq: 1, Ack: 1, Len: 237
Hypertext Transfer Protocol
0000 34 6f 24 cc 1f af 00 e9 3a b2 1a fd 08 00 45 00
0010 01 15 8e 0d 40 00 80 06 2e 14 0a 55 15 24 0a 55
0020 13 f4 d8 85 0b 35 0e 2e 10 cd d3 89 f5 13 50 18
0030 00 ff 4b 87 00 00 47 45 54 20 2f 75 70 6e 70 68
0040 6f 73 74 2f 75 64 68 69 73 61 70 69 2e 64 6c 6c
0050 3f 63 6f 6e 74 65 6e 74 3d 75 75 69 64 3a 36 36
0060 32 38 33 33 32 30 2d 65 65 39 34 2d 34 39 65 64
0070 2d 39 31 34 37 2d 62 31 31 30 33 31 34 38 31 65
0080 64 34 20 48 54 54 50 2f 31 2e 31 0d 0a 43 61 63
0090 68 65 2d 43 6f 6e 74 72 6f 6c 3a 20 6e 6f 2d 63
00a0 61 63 68 65 0d 0a 43 6f 6e 6e 65 63 74 69 6f 6e
00b0 3a 20 4b 65 65 70 2d 41 6c 69 76 65 0d 0a 50 72
00c0 61 67 6d 61 3a 20 6e 6f 2d 63 61 63 68 65 0d 0a
00d0 41 63 63 65 70 74 3a 20 74 65 78 74 2f 78 6d 6c
00e0 2c 20 61 70 70 6c 69 63 61 74 69 6f 6e 2f 78 6d
00f0 6c 0d 0a 55 73 65 72 2d 41 67 65 6e 74 3a 20 44
0100 41 46 55 50 6e 50 0d 0a 48 6f 73 74 3a 20 31 30
0110 2e 38 35 2e 31 39 2e 32 34 34 3a 32 38 36 39 0d
0120 0a 0d 0a



tcp
tcp.options.acc_ecn
tcp.options.ao
tcp.options.cc
tcp.options.ccecho
tcp.options.ccnew
tcp.options.echo
tcp.options.echoreply
tcp.options.eol
tcp.options.experimental
tcp.options.md5
tcp.options.mss
tcp.options.nop
tcp.options.qs
tcp.options.rvbd.probe
tcp.options.rvbd.trpy
tcp.options.sack
10.85.19.244 TCP 66 443 → 61649 [ACK] Seq=1 Ack=2 Win=1043 Len=0 SLE=1 SRE=2
8.8.4.4 TCP 55 64783 → 443 [ACK] Seq=1 Ack=1 Win=250 Len=1
10.85.19.244 TCP 66 443 → 64783 [ACK] Seq=1 Ack=2 Win=1046 Len=0 SLE=1 SRE=2
172.217.112.4 TCP 55 61181 → 443 [ACK] Seq=1 Ack=1 Win=251 Len=1
10.85.19.244 TCP 66 443 → 61181 [ACK] Seq=1 Ack=2 Win=1041 Len=0 SLE=1 SRE=2
10.85.19.244 TCP 66 55429 → 2869 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
10.85.21.36 TCP 66 2869 → 55429 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
10.85.19.244 TCP 60 55429 → 2869 [ACK] Seq=1 Ack=1 Win=65280 Len=0
10.85.19.244 HTTP 291 GET /upnphost/udhisapi.dll?content=uuid:66283320-ee94-49ed-9147-b11031481ed4 HTTP/1.1
10.85.21.36 TCP 257 2869 → 55429 [PSH, ACK] Seq=1 Ack=238 Win=65280 Len=203 [TCP PDU reassembled in 781]
10.85.21.36 TCP 1514 2869 → 55429 [ACK] Seq=204 Ack=238 Win=65280 Len=1460 [TCP PDU reassembled in 781]
10.85.21.36 TCP 1514 2869 → 55429 [ACK] Seq=1664 Ack=238 Win=65280 Len=1460 [TCP PDU reassembled in 781]
10.85.21.36 HTTP/X… 845 HTTP/1.1 200 OK
10.85.19.244 TCP 60 55429 → 2869 [ACK] Seq=238 Ack=3915 Win=65280 Len=0
10.85.19.244 HTTP 310 GET /upnphost/udhisapi.dll?content=uuid:66283320-ee94-49ed-9147-b11031481ed4 HTTP/1.1
10.85.21.36 TCP 276 2869 → 55429 [PSH, ACK] Seq=3915 Ack=494 Win=65024 Len=222 [TCP PDU reassembled in 787]
10.85.21.36 TCP 1514 2869 → 55429 [ACK] Seq=4137 Ack=494 Win=65024 Len=1460 [TCP PDU reassembled in 787]
10.85.21.36 TCP 1514 2869 → 55429 [ACK] Seq=5597 Ack=494 Win=65024 Len=1460 [TCP PDU reassembled in 787]
Frame 777: Packet, 291 bytes on wire (2328 bits), 291 bytes captured (2328 bits) on interface \Device\NF
Ethernet II, Src: AzureWaveTec_b2:1a:fd (00:e9:3a:b2:1a:fd), Dst: AzureWaveTec_cc:1f:af (34:6f:24:cc:1f:
Internet Protocol Version 4, Src: 10.85.21.36, Dst: 10.85.19.244
Transmission Control Protocol, Src Port: 55429, Dst Port: 2869, Seq: 1, Ack: 1, Len: 237
Hypertext Transfer Protocol


tcp
tcp.options.acc_ecn
tcp.options.ao
tcp.options.cc
tcp.options.ccecho
tcp.options.ccnew
tcp.options.echo
tcp.options.echoreply
tcp.options.eol
tcp.options.experimental
tcp.options.md5
tcp.options.mss
tcp.options.nop
tcp.options.qs
tcp.options.rvbd.probe
tcp.options.rvbd.trpy
tcp.options.sack
183.238 10.85.19.244 TCP 66 443 → 61649 [ACK] Seq=1 Ack=2 Win=1043 Len=0 SLE=1 SRE=2
.244 8.8.4.4 TCP 55 64783 → 443 [ACK] Seq=1 Ack=1 Win=250 Len=1
10.85.19.244 TCP 66 443 → 64783 [ACK] Seq=1 Ack=2 Win=1046 Len=0 SLE=1 SRE=2
.244 172.217.112.4 TCP 55 61181 → 443 [ACK] Seq=1 Ack=1 Win=251 Len=1
112.4 10.85.19.244 TCP 66 443 → 61181 [ACK] Seq=1 Ack=2 Win=1041 Len=0 SLE=1 SRE=2
.36 10.85.19.244 TCP 66 55429 → 2869 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
.244 10.85.21.36 TCP 66 2869 → 55429 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
.36 10.85.19.244 TCP 60 55429 → 2869 [ACK] Seq=1 Ack=1 Win=65280 Len=0
.36 10.85.19.244 HTTP 291 GET /upnphost/udhisapi.dll?content=uuid:66283320-ee94-49ed-9147-b11031481ed4 HTTP/1.1
.244 10.85.21.36 TCP 257 2869 → 55429 [PSH, ACK] Seq=1 Ack=238 Win=65280 Len=203 [TCP PDU reassembled in 781]
.244 10.85.21.36 TCP 1514 2869 → 55429 [ACK] Seq=204 Ack=238 Win=65280 Len=1460 [TCP PDU reassembled in 781]
.244 10.85.21.36 TCP 1514 2869 → 55429 [ACK] Seq=1664 Ack=238 Win=65280 Len=1460 [TCP PDU reassembled in 781]
.244 10.85.21.36 HTTP/X… 845 HTTP/1.1 200 OK
.36 10.85.19.244 TCP 60 55429 → 2869 [ACK] Seq=238 Ack=3915 Win=65280 Len=0
.36 10.85.19.244 HTTP 310 GET /upnphost/udhisapi.dll?content=uuid:66283320-ee94-49ed-9147-b11031481ed4 HTTP/1.1
.244 10.85.21.36 TCP 276 2869 → 55429 [PSH, ACK] Seq=3915 Ack=494 Win=65024 Len=222 [TCP PDU reassembled in 787]
.244 10.85.21.36 TCP 1514 2869 → 55429 [ACK] Seq=4137 Ack=494 Win=65024 Len=1460 [TCP PDU reassembled in 787]
.244 10.85.21.36 TCP 1514 2869 → 55429 [ACK] Seq=5597 Ack=494 Win=65024 Len=1460 [TCP PDU reassembled in 787]
Frame 777: Packet, 291 bytes on wire (2328 bits), 291 bytes captured (2328 bits) on interface \Device\NF
Ethernet II, Src: AzureWaveTec_b2:1a:fd (00:e9:3a:b2:1a:fd), Dst: AzureWaveTec_cc:1f:af (34:6f:24:cc:1f:
Internet Protocol Version 4, Src: 10.85.21.36, Dst: 10.85.19.244
Transmission Control Protocol, Src Port: 55429, Dst Port: 2869, Seq: 1, Ack: 1, Len: 237
Hypertext Transfer Protocol
0000 34 6f 24 cc 1f af 00 e9 3a b2 1a fd 08 00 45 00 4o$: E
0010 01 15 8e 0d 40 00 80 06 2e 14 0a 55 15 24 0a 55 @ . U $ U
0020 13 f4 d8 85 0b 35 0e 2e 10 cd d3 89 f5 13 50 18 5 . P
0030 00 ff 4b 87 00 00 47 45 54 20 2f 75 70 6e 70 68 K GE T /upnph
0040 6f 73 74 2f 75 64 68 69 73 61 70 69 2e 64 6c 6c ost/udhi sapi.dll
0050 3f 63 6f 6e 74 65 6e 74 3d 75 75 69 64 3a 36 36 ?content =uuid:66
0060 32 38 33 33 32 30 2d 65 65 39 34 2d 34 39 65 64 283320-e e94-49ed
0070 2d 39 31 34 37 2d 62 31 31 30 33 31 34 38 31 65 -9147-b1 1031481e
0080 64 34 20 48 54 54 50 2f 31 2e 31 0d 0a 43 61 63 d4 HTTP/ 1.1 Cac
0090 68 65 2d 43 6f 6e 74 72 6f 6c 3a 20 6e 6f 2d 63 he-Contr ol: no-c
00a0 61 63 68 65 0d 0a 43 6f 6e 6e 65 63 74 69 6f 6e ache Co nnection
00b0 3a 20 4b 65 65 70 2d 41 6c 69 76 65 0d 0a 50 72 : Keep-A live Pr
00c0 61 67 6d 61 3a 20 6e 6f 2d 63 61 63 68 65 0d 0a agma: no -cache
00d0 41 63 63 65 70 74 3a 20 74 65 78 74 2f 78 6d 6c Accept: text/xml
00e0 2c 20 61 70 70 6c 69 63 61 74 69 6f 6e 2f 78 6d , applic ation/xm
00f0 6c 0d 0a 55 73 65 72 2d 41 67 65 6e 74 3a 20 44 l User- Agent: D
0100 41 46 55 50 6e 50 0d 0a 48 6f 73 74 3a 20 31 30 AFUPnP Host: 10
0110 2e 38 35 2e 31 39 2e 32 34 34 3a 32 38 36 39 0d .85.19.2 44:2869
0120 0a 0d 0a


10634 100.136147100 34.223.124.45 10.85.19.244 TCP 60 80 → 54911 [SYN, ACK] Seq=0 Ack=1 Win=26883 Len=0 MSS=1460
10635 100.136260100 10.85.19.244 34.223.124.45 TCP 54 54911 → 80 [ACK] Seq=1 Ack=1 Win=65535 Len=0
10636 100.136597800 10.85.19.244 34.223.124.45 HTTP 587 GET /online HTTP/1.1
10651 100.401082900 34.223.124.45 10.85.19.244 TCP 60 80 → 54911 [ACK] Seq=1 Ack=534 Win=30016 Len=0
10652 100.404147200 34.223.124.45 10.85.19.244 HTTP 631 HTTP/1.1 301 Moved Permanently (text/html)
10653 100.407272400 10.85.19.244 34.223.124.45 HTTP 588 GET /online/ HTTP/1.1
10686 100.681002700 34.223.124.45 10.85.19.244 TCP 1514 80 → 54911 [ACK] Seq=578 Ack=1068 Win=31088 Len=1460 [TCP PDU reassembled in 10687]
10687 100.681004000 34.223.124.45 10.85.19.244 HTTP 113 HTTP/1.1 200 OK (text/html)
10688 100.681067100 10.85.19.244 34.223.124.45 TCP 54 54911 → 80 [ACK] Seq=1068 Ack=2097 Win=65535 Len=0
10690 100.727659900 10.85.19.244 34.223.124.45 HTTP 494 GET /favicon.ico HTTP/1.1
10720 100.993517600 34.223.124.45 10.85.19.244 HTTP 470 HTTP/1.1 200 OK (PNG)
10724 101.034719300 10.85.19.244 34.223.124.45 TCP 54 54911 → 80 [ACK] Seq=1508 Ack=2513 Win=65119 Len=0
11103 105.999863200 34.223.124.45 10.85.19.244 TCP 60 80 → 54911 [FIN, ACK] Seq=2513 Ack=1508 Win=32160 Len=0
11104 105.999924200 10.85.19.244 34.223.124.45 TCP 54 54911 → 80 [ACK] Seq=1508 Ack=2514 Win=65119 Len=0
14256 151.000769500 10.85.19.244 34.223.124.45 TCP 55 [TCP Keep-Alive] 54911 → 80 [ACK] Seq=1507 Ack=2514 Win=65119 Len=1
14283 151.272669000 34.223.124.45 10.85.19.244 TCP 60 [TCP Keep-Alive ACK] 80 → 54911 [ACK] Seq=2514 Ack=1508 Win=32160 Len=0
17667 196.276043800 10.85.19.244 34.223.124.45 TCP 55 [TCP Keep-Alive] 54911 → 80 [ACK] Seq=1507 Ack=2514 Win=65119 Len=1
17689 196.542433600 34.223.124.45 10.85.19.244 TCP 60 80 → 54911 [RST] Seq=2514 Win=0 Len=0
Frame 10636: Packet, 587 bytes on wire (4696 bits), 587 bytes captured (4696 bits) on interface \Device\
Ethernet II, Src: AzureWaveTec_cc:1f:af (34:6f:24:cc:1f:af), Dst: ASIXElectron_35:2d:a0 (f8:e4:3b:35:2d:
Internet Protocol Version 4, Src: 10.85.19.244, Dst: 34.223.124.45
Transmission Control Protocol, Src Port: 54911, Dst Port: 80, Seq: 1, Ack: 1, Len: 533
Hypertext Transfer Protocol
0000 f8 e4 3b 35 2d a0 34 6f 24 cc 1f af 08 00 45 00
0010 02 3d 57 c1 40 00 80 06 e3 a4 0a 55 13 f4 22 df
0020 7c 2d d6 7f 00 50 eb c3 b6 8a 0d 6f b1 b9 50 18
0030 ff ff d1 09 00 00 47 45 54 20 2f 6f 6e 6c 69 6e ······GE T /onlin
0040 65 20 48 54 54 50 2f 31 2e 31 0d 0a 48 6f 73 74 e HTTP/1 .1··Host
0050 3a 20 73 68 69 6e 79 73 6c 6f 77 67 72 61 6e 64 : shinys lowgrand
0060 65 63 6c 69 70 73 65 2e 6e 65 76 65 72 73 73 6c eclipse. neverssl
0070 2e 63 6f 6d 0d 0a 43 6f 6e 6e 65 63 74 69 6f 6e .com··Co nnection
0080 3a 20 6b 65 65 70 2d 61 6c 69 76 65 0d 0a 43 61 : keep-a live··Ca
0090 63 68 65 2d 43 6f 6e 74 72 6f 6c 3a 20 6d 61 78 che-Cont rol: max
00a0 2d 61 67 65 3d 30 0d 0a 55 70 67 72 61 64 65 2d -age=0·· Upgrade-
00b0 49 6e 73 65 63 75 72 65 2d 52 65 71 75 65 73 74 Insecure -Request
00c0 73 3a 20 31 0d 0a 55 73 65 72 2d 41 67 65 6e 74 s: 1··Us er-Agent
00d0 3a 20 4d 6f 7a 69 6c 6c 61 2f 35 2e 30 20 28 57 : Mozill a/5.0 (W
00e0 69 6e 64 6f 77 73 20 4e 54 20 31 30 2e 30 3b 20 indows N T 10.0;
00f0 57 69 6e 36 34 3b 20 78 36 34 29 20 41 70 70 6c Win64; x 64) Appl
0100 65 57 65 62 4b 69 74 2f 35 33 37 2e 33 36 20 28 eWebKit/ 537.36 (
0110 4b 48 54 4d 4c 2c 20 6c 69 6b 65 20 47 65 63 6b KHTML, l ike Geck
0120 6f 29 20 43 68 72 6f 6d 65 2f 31 35 30 2e 30 2e o) Chrom e/150.0.
0130 30 2e 30 20 53 61 66 61 72 69 2f 35 33 37 2e 33 0.0 Safa ri/537.3
0140 36 0d 0a 41 63 63 65 70 74 3a 20 74 65 78 74 2f 6··Accep t: text/


596 7.279439200 47.252.97.9 10.85.19.244 HTTP 296 HTTP/1.1 200 OK
1161 14.020327700 10.85.19.244 192.178.158.102 HTTP 466 GET /time/1/current?cup2key=10:jWOTwCgxFDAE3z1wUGNVRrxe-dhWCNgmLSCT7zV-e7o&cup2hreq=e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934c
1460 14.337030700 192.178.158.102 10.85.19.244 HTTP/J… 74 HTTP/1.1 200 OK , JSON (application/json)
8033 67.593998400 10.85.19.244 47.252.97.9 HTTP/P… 695 POST /logstores/logstore_ens_ip/shards/lb HTTP/1.1 (PROTOBUF)
8057 67.883675500 47.252.97.9 10.85.19.244 HTTP 296 HTTP/1.1 200 OK
10636 100.136597800 10.85.19.244 34.223.124.45 HTTP 587 GET /online HTTP/1.1
10652 100.404147200 34.223.124.45 10.85.19.244 HTTP 631 HTTP/1.1 301 Moved Permanently (text/html)
10653 100.407272400 10.85.19.244 34.223.124.45 HTTP 588 GET /online/ HTTP/1.1
10687 100.681004000 34.223.124.45 10.85.19.244 HTTP 113 HTTP/1.1 200 OK (text/html)
10690 100.727659900 10.85.19.244 34.223.124.45 HTTP 494 GET /favicon.ico HTTP/1.1
10720 100.993517600 34.223.124.45 10.85.19.244 HTTP 470 HTTP/1.1 200 OK (PNG)
12728 127.980753600 10.85.19.244 47.252.97.13 HTTP/P… 695 POST /logstores/logstore_ens_ip/shards/lb HTTP/1.1 (PROTOBUF)
12747 128.267750300 47.252.97.13 10.85.19.244 HTTP 296 HTTP/1.1 200 OK
17083 188.439067800 10.85.19.244 47.252.97.10 HTTP/P… 695 POST /logstores/logstore_ens_ip/shards/lb HTTP/1.1 (PROTOBUF)
17093 188.719441900 47.252.97.10 10.85.19.244 HTTP 296 HTTP/1.1 200 OK
19191 214.651973500 10.85.19.244 162.159.142.9 HTTP 294 GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBQ50otx%2Fh0Ztl%2Bz8SiPI7wEWVxDlQQUTiJUIBiV5uNu5g%2F6%2BrkS7QYXjzkCEAsMayxGaRewR3PGR9SvwMg%3D HTTP
19205 214.702883200 162.159.142.9 10.85.19.244 OCSP 847 Response
19797 218.792631700 10.85.19.244 204.79.197.203 HTTP 299 GET /ocsp/MFQwUjBQME4wTDAJBgUrDgMCGgUABBR0TBEVYklX7A9yLoLD9hqmCWDxFgQU3pGGSLehMVkx8UtfB6nciHnaqHYCEzMAAAAMSWShb0QgOyIAAAAAAAw%3D HTT
Frame 10690: Packet, 494 bytes on wire (3952 bits), 494 bytes captured (3952 bits) on interface \Device\
Ethernet II, Src: AzureWaveTec_cc:1f:af (34:6f:24:cc:1f:af), Dst: ASIXElectron_35:2d:a0 (f8:e4:3b:35:2d:
Internet Protocol Version 4, Src: 10.85.19.244, Dst: 34.223.124.45
Transmission Control Protocol, Src Port: 54911, Dst Port: 80, Seq: 1068, Ack: 2097, Len: 440
Hypertext Transfer Protocol
0000 f8 e4 3b 35 2d a0 34 6f 24 cc 1f af 08 00 45 00
0010 01 e0 57 c4 40 00 80 06 e3 fe 0a 55 13 f4 22 df
0020 7c 2d d6 7f 00 50 eb c3 ba b5 0d 6f b9 e9 50 18
0030 ff ff 59 1d 00 00 47 45 54 20 2f 66 61 76 69 63 GE T /favic
0040 6f 6e 2e 69 63 6f 20 48 54 54 50 2f 31 2e 31 0d on.ico H TTP/1.1
0050 0a 48 6f 73 74 3a 20 73 68 69 6e 79 73 6c 6f 77 Host: s hinyslow
0060 67 72 61 6e 64 65 63 6c 69 70 73 65 2e 6e 65 76 grandecl ipse.nev
0070 65 72 73 73 6c 2e 63 6f 6d 0d 0a 43 6f 6e 6e 65 erssl.co m Conne
0080 63 74 69 6f 6e 3a 20 6b 65 65 70 2d 61 6c 69 76 ction: k eep-aliv
0090 65 0d 0a 55 73 65 72 2d 41 67 65 6e 74 3a 20 4d e User- Agent: M
00a0 6f 7a 69 6c 6c 61 2f 35 2e 30 20 28 57 69 6e 64 ozilla/5 .0 (Wind
00b0 6f 77 73 20 4e 54 20 31 30 2e 30 3b 20 57 69 6e ows NT 1 0.0; Win
00c0 36 34 3b 20 78 36 34 29 20 41 70 70 6c 65 57 65 64; x64) AppleWe
00d0 62 4b 69 74 2f 35 33 37 2e 33 36 20 28 4b 48 54 bKit/537 .36 (KHT
00e0 4d 4c 2c 20 6c 69 6b 65 20 47 65 63 6b 6f 29 20 ML, like Gecko)
00f0 43 68 72 6f 6d 65 2f 31 35 30 2e 30 2e 30 2e 30 Chrome/1 50.0.0.0
0100 20 53 61 66 61 72 69 2f 35 33 37 2e 33 36 0d 0a Safari/ 537.36
0110 41 63 63 65 70 74 3a 20 69 6d 61 67 65 2f 61 76 Accept: image/av
0120 69 66 2c 69 6d 61 67 65 2f 77 65 62 70 2c 69 6d if,image /webp,im
0130 61 67 65 2f 61 70 6e 67 2c 69 6d 61 67 65 2f 73 age/apng ,image/s



Conversation Settings
Name resolution
Absolute start time
Display raw data
Limit to display filter
Copy
Follow Stream...
Graph...
I/O Graphs
Protocol
Bluetooth
BPv7
DCCP
DNP 3.0
Ethernet
FC
FDDI
IEEE 802.11
IEEE 802.15.4
ILNP
Filter list for specific type
Ethernet · 1
IPv4 · 1
IPv6
TCP · 1
UDP
Address A
Port A
Address B
Port B
Packets
Bytes
Stream ID
Total Packets
Percent Filtered
Packets A → B
Bytes A → B
Packets B → A
Bytes B → A
Rel Start
10.85.19.245
51092
57.144.143.32
443
30
7 kB
60
30
100.00%
16
4 kB
14
3 kB
284.910956800
Close
Help
0110 f4 2b 82 39 aa f6 17 f3 20 ee 62 b8 f0 72 3f 88
0120 38 3b 12 d8 bd 9b 53 9b db 79 5a 65 e9 d2 9d 49
0130 14 36 87 cc 0b da c6 1b 2c 1f ab 4f df 69 c9 a4
0140 64 97 dd 40 4d 94 a1 5e 62 f5 de 09 cd 28 38 21
Packet (679 bytes)
Reassembled TCP (790 bytes)

ddress A	Port A	Address B	Port B	Packets	Bytes	Stream ID	Total Packets	Percent Filtered	Packets A → B	Bytes A → B	Packets B → A	Bytes B → A	Rel Start	
0.85.19.245	58457	23.64.59.73	80	2	406 bytes	50	9	22.22%	1	165 bytes	1	241 bytes	69.327634800	0.17
0.85.19.245	59691	34.223.124.45	80	4	2 kB	58	19	21.05%	2	1 kB	2	610 bytes	106.709576300	9.40
0.85.19.245	62439	47.252.97.12	80	2	991 bytes	54	23	8.70%	1	695 bytes	1	296 bytes	95.344961900	4.82
0.85.19.245	55005	47.252.97.15	80	2	991 bytes	10	10	20.00%	1	695 bytes	1	296 bytes	34.655665100	0.86



http.host contains "neverssl"a
No. Time Source Destination Protocol Length Info
10664 108.993851000 10.85.19.245 34.223.124.45 HTTP 568 GET /online/ HTTP/1.1
10704 109.347976900 10.85.19.245 34.223.124.45 HTTP 506 GET /favicon.ico HTTP/1.1
Frame 10664: Packet, 568 bytes on wire (4544 bits), 568 bytes captured (4544 bits) on interface \Device\
Ethernet II, Src: AzureWaveTec_cc:1f:af (34:6f:24:cc:1f:af), Dst: ASIXElectron_35:2d:a0 (f8:e4:3b:35:2d:
Internet Protocol Version 4, Src: 10.85.19.245, Dst: 34.223.124.45
Transmission Control Protocol, Src Port: 59691, Dst Port: 80, Seq: 1, Ack: 1, Len: 514
Hypertext Transfer Protocol
0000 f8 e4 3b 35 2d a0 34 6f 24 cc 1f af 08 00 45 00
0010 02 2a a3 00 40 00 80 06 98 77 0a 55 13 f5 22 df
0020 7c 2d e9 2b 00 50 a6 67 68 1f bf ea 69 ca 50 18
0030 00 ff 76 d6 00 00 47 45 54 20 2f 6f 6e 6c 69 6e ··v···GE T /onlin
0040 65 2f 20 48 54 54 50 2f 31 2e 31 0d 0a 48 6f 73 e/ HTTP/ 1.1··Hos
0050 74 3a 20 6f 6c 64 73 68 69 6e 69 6e 67 74 72 61 t: oldsh iningtra
0060 6e 73 63 65 6e 64 65 6e 74 76 65 72 73 65 2e 6e nscenden tverse.n
0070 65 76 65 72 73 73 6c 2e 63 6f 6d 0d 0a 43 6f 6e eversssl. com··Con
0080 6e 65 63 74 69 6f 6e 3a 20 6b 65 65 70 2d 61 6c nection: keep-al
0090 69 76 65 0d 0a 55 70 67 72 61 64 65 2d 49 6e 73 ive··Upg rade-Ins
00a0 65 63 75 72 65 2d 52 65 71 75 65 73 74 73 3a 20 ecure-Re quests:
00b0 31 0d 0a 55 73 65 72 2d 41 67 65 6e 74 3a 20 4d 1··User- Agent: M
00c0 6f 7a 69 6c 6c 61 2f 35 2e 30 20 28 57 69 6e 64 ozilla/5 .0 (Wind
00d0 6f 77 73 20 4e 54 20 31 30 2e 30 3b 20 57 69 6e ows NT 1 0.0; Win
00e0 36 34 3b 20 78 36 34 29 20 41 70 70 6c 65 57 65 64; x64) AppleWe
00f0 62 4b 69 74 2f 35 33 37 2e 33 36 20 28 4b 48 54 bKit/537 .36 (KHT
0100 4d 4c 2c 20 6c 69 6b 65 20 47 65 63 6b 6f 29 20 ML, like Gecko)
0110 43 68 72 6f 6d 65 2f 31 35 30 2e 30 2e 30 2e 30 Chrome/1 50.0.0.0
0120 20 53 61 66 61 72 69 2f 35 33 37 2e 33 36 0d 0a Safari/ 537.36··
0130 41 63 63 65 70 74 3a 20 74 65 78 74 2f 68 74 6d Accept: text/htm
0140 6c 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 78 68 l,applic ation/xh
0150 74 6d 6c 2b 78 6d 6c 2c 61 70 70 6c 69 63 61 74 tml+xml, applicat

Protocol	Percent Packets	Packets	Percent Bytes	Bytes	Bits/s	End Packets	End Bytes	End Bits/s	PDUs
Frame	100.0	178201	100.0	144755375	1737 k	0	0	0	178201
Ethernet	100.0	178201	2.0	2920736	35 k	0	0	0	178201
Address Resolution Protocol	12.9	22939	0.4	642292	7710	22939	642292	7710	22939
Data	0.0	31	0.0	12804	153	31	12804	153	31
Internet Protocol Version 4	82.2	146431	2.0	2934400	35 k	0	0	0	146431
Internet Control Message Protocol	0.0	5	0.0	2370	28	5	2370	28	5
Internet Group Management Protocol	0.8	1445	0.0	24384	292	1445	24384	292	1445
Transmission Control Protocol	71.1	126636	2.0	2892188	34 k	72071	1800852	21 k	126636
Data	0.6	1145	1.3	1902823	22 k	1145	1902823	22 k	1145
Hypertext Transfer Protocol	0.1	121	0.1	205920	2472	65	17355	208	121
eXtensible Markup Language	0.0	7	0.0	35510	426	7	35510	426	7
Line-based text data	0.0	12	0.0	9481	113	12	9481	113	12
Media Type	0.0	23	0.1	167745	2013	23	167745	2013	23
Portable Network Graphics	0.0	3	0.0	372	4	3	372	4	3
Protocol Buffers	0.0	11	0.0	2112	25	11	2112	25	11
Malformed Packet	0.0	2	0.0	0	0	2	0	0	2
Sinec H1 Protocol	0.0	1	0.0	40	0	0	0	0	1
Transport Layer Security	29.9	53298	80.0	115840239	1390 k	53157	110483373	1326 k	53653
Malformed Packet	0.1	137	0.0	0	0	137	0	0	137
XMPP Protocol	0.0	3	0.0	71064	853	3	71064	853	3
User Datagram Protocol	10.3	18340	0.1	146720	1761	0	0	0	18340
Data	2.8	5042	2.5	3667943	44 k	5042	3667943	44 k	5042
Domain Name System	0.3	450	0.0	36045	432	450	36045	432	450
Dynamic Host Configuration Protocol	0.2	287	0.1	88688	1064	287	88688	1064	287
eXtensible Markup Language	0.0	20	0.0	12896	154	20	12896	154	20
Link-local Multicast Name Resolution	0.2	379	0.0	10139	121	379	10139	121	379
Multicast Domain Name System	2.7	4744	0.4	560641	6730	4720	554641	6658	4744
Malformed Packet	0.0	24	0.0	0	0	24	0	0	24
NetBIOS Datagram Service	0.0	6	0.0	492	5	0	0	0	6
SMB (Server Message Block Protocol)	0.0	6	0.0	711	8	0	0	0	6
SMB MailSlot Protocol	0.0	6	0.0	150	1	0	0	0	6
Microsoft Windows Browser Protocol	0.0	6	0.0	195	2	6	195	2	6
NetBIOS Name Service	0.2	322	0.0	18800	225	322	18800	225	322
QUIC IETF	3.4	6136	2.5	3603664	43 k	6136	3537402	42 k	6377
Simple Service Discovery Protocol	0.5	954	0.2	266827	3203	954	266827	3203	954
Internet Protocol Version 6	4.8	8523	0.2	357528	4292	0	0	0	8523
Internet Control Message Protocol v6	1.7	2998	0.1	99976	1200	2998	99976	1200	2998
User Datagram Protocol	3.1	5521	0.0	44168	530	0	0	0	5521
DHCPv6	0.1	176	0.0	12033	144	176	12033	144	176
eXtensible Markup Language	0.0	13	0.0	8528	102	13	8528	102	13
Link-local Multicast Name Resolution	0.2	353	0.0	9326	111	353	9326	111	353
Local Service Discovery	0.0	38	0.0	5282	63	38	5282	63	38
Multicast Domain Name System	2.6	4617	0.4	554005	6651	4593	548005	6579	4617
Malformed Packet	0.0	24	0.0	0	0	24	0	0	24