

Options on the Maximum or the Minimum of Several Assets

Author(s): Herb Johnson

Source: The Journal of Financial and Quantitative Analysis, Sep., 1987, Vol. 22, No. 3

(Sep., 1987), pp. 277-283

Published by: Cambridge University Press on behalf of the University of Washington

School of Business Administration

Stable URL: https://www.jstor.org/stable/2330963

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.

Your use of the JSTOR archive indicates your acceptance of the Terms & Conditions of Use, available at https://about.jstor.org/terms



University of Washington School of Business Administration and Cambridge University Press are collaborating with JSTOR to digitize, preserve and extend access to The Journal of Financial and Quantitative Analysis

Options on the Maximum or the Minimum of Several Assets

Herb Johnson*

Abstract

as

Using an intuitive approach that also provides new intuition concerning the Black and Scholes equation, this paper extends the results of Johnson and Stulz to the pricing of options on the minimum or the maximum of *several* risky assets.

I. Introduction

By laborious calculation, Johnson [9] and Stulz [15] independently derived prices for options on the maximum and the minimum of two assets. This paper presents a simple, intuitive way, using the Cox and Ross [3] approach and a trick based on a device used by Margrabe [10], to write down the solution for the general case of an option on several assets. The result could be useful for pricing, among other things, currency option bonds, portfolio insurance, and the quality option in commodities contracts (see [6]).

In the next section, we first illustrate the procedure for the Black and Scholes equation, thereby obtaining some new intuition about this equation, and then develop the equations for calls on the maximum and the minimum. Section III is a summary.

II. The Pricing of a Call on the Maximum or the Minimum

First consider the Black and Scholes [1] equation. We can write the solution

$$c = SN\left(d_1\right) - Xe^{-rT}N\left(d_2\right),$$
 where
$$d_2 = \frac{\log S/X + \left(r - \frac{1}{2}\sigma^2\right)T}{\sigma\sqrt{T}},$$

$$d_1 = d_2 + \sigma\sqrt{T},$$

^{*} Graduate School of Administration, University of California, Davis, Davis, CA 95616. The author wishes to acknowledge useful comments from R. Castanias, P. Boyle, W. Margrabe, W. Bailey, J. Ingersoll, C. Smith, R. Stulz, and an anonymous *JFQA* referee.

N(x) is the standard cumulative normal, and c, S, X, r, σ^2 , and T are the call price, stock price, exercise price, risk-free rate, variance of the rate of return on the stock, and time to expiration, respectively. Now, using the Cox and Ross approach, $N(d_2)$ can be interpreted as the probability (in a risk-neutral world) that the call will be exercised, i.e., the probability that S^* , the stock price at expiration, will be greater than X given that the stock price is S today. In the Cox and Ross approach, we ordinarily come up with $N(d_1)$ by taking the expectation of S^* for $S^* > X$, changing variables, completing the square, etc., until the desired form is obtained. However, if we use a trick based on a device first introduced in Margrabe [10], the $N(d_1)$ term can be written down immediately. A call option can be thought of as an option to exchange cash for a common stock. Thus, it is like Margrabe's option to exchange one asset for another. Hence, it can be valued by a change in numeraire, just as in Margrabe's case. In our case, we use the stock price as numeraire. (Note that Garman and Hawkins [5] used this same approach with regard to currency options.) The call price measured in units of the stock price looks like a European put on a risky asset with current price x = Xe^{-rT}/S , with unit exercise price, and a zero interest rate,

$$\frac{c}{S} = 1 \cdot N\Big(-d_2'\Big) - xN\Big(-d_1'\Big) \;,$$
 where $d_2' = \frac{\log x - \frac{1}{2}\sigma^2 T}{\sigma\sqrt{T}}$ and $d_1' = d_2' + \sigma\sqrt{T}$.

In this world, the stock price measured in units of itself is just the risk-free asset, with a zero return. By Ito's lemma,

$$\frac{dx}{r} = \left(r - \mu + \sigma^2\right) dt - \sigma dz ,$$

where t=-T is calendar time. Thus, the variance of the rate of return on x is just σ^2 . In the Cox and Ross approach, we replace the drift term, $r-\mu+\sigma^2$, by the risk-free rate, which, in this case, is zero. Thus, $N(d_1) \equiv N(-d_2')$ is just the risk-neutral probability that this put will be exercised. Not only do we have this intuitive interpretation of $N(d_1)$, but, had we not known this factor, we could have written it down without going through any laborious calculations. While Smith [14] has noted that Boness [2] had a probability interpretation for $N(d_1)$, Boness evidently still had to do all the computations to find $N(d_1)$. These computations become extremely laborious when there are many possible exercise dates or many underlying assets. It should be noted that Merton ([11], [12]) also recognized the usefulness of the fact that an option price is generally linearly homogeneous in the stock price and the exercise price. We next apply our procedure to value calls on the maximum and the minimum.

We make the usual perfect market and European option assumptions. Consider n assets with current prices S_1, S_2, \ldots, S_n . We assume that each asset price follows geometric Brownian motion and that there are no dividends.

Consider a call on the maximum of the n assets with exercise price X and

time to maturity T. Then, by the Cox and Ross [3] approach, we know one term in the expression for the price, c_{\max} , of this call must be the negative of the discounted exercise price multiplied by the probability (in a risk-neutral world) that at least one of the asset prices will be greater than X. Hence, one term is

$$-Xe^{-rT}\left[1 - \operatorname{Prob}\left(S_1^*, S_2^*, \ldots, S_n^* < X\right)\right]$$

where asterisks denote values at maturity. This probability expression is simply

$$1 - N_n \left(-d_2 \left(S_1, X, \sigma_1^2 \right), -d_2 \left(S_2, X, \sigma_2^2 \right), \ldots, -d_2 \left(S_n, X, \sigma_n^2 \right), \rho_{12}, \rho_{13}, \ldots \right),$$

where, in general,
$$d_2(s,x,\sigma^2) = \frac{\log\frac{s}{x} + \left(r - \frac{1}{2}\sigma^2\right)T}{\sigma\sqrt{T}}$$
,

 N_i is the *i*-variate standard cumulative normal, σ_i^2 is the variance of the rate of return on the *i*th asset, and ρ_{ij} is the correlation coefficient for the returns on the *i*th and *j*th assets.

We still need to identify the positive terms in the expression for c_{\max} . We identify each of these terms, one by one, using a change of numeraire. Using the *i*th asset as numeraire means that we measure c_{\max} in units of S_i , the *i*th asset price, i.e., divide by S_i . Then the call on the maximum in units of S_i is transformed into a complex security that consists of (1) a European put with unit exercise price, where the put is exercised by surrendering a risky asset, the current price of which is $x_i \equiv Xe^{-rT}/S_i$, provided

$$S_i^* = \max_{j=1,n} S_j^* ,$$

(2) an option to exchange the risky asset for S_2 , provided

$$S_2^* = \max_{j=1,n} S_j^*, \ldots,$$

and (n) an option to exchange the risky asset for S_n , provided

$$S_n^* = \max_{i=1}^n S_j^*.$$

In this transformed world, the interest rate is zero. The point of making this transformation is that we can immediately identify the positive term in the put as the risk-neutral joint probability that $x_i^* < 1$, $S_i^*/S_i^* < 1$, ..., $S_n^*/S_i^* < 1$. Thus, this term, which, when multiplied by S_i , is the *i*th term in the expression for c_{\max} , can be written as

$$N_n \left(-d_2'(x_i, 1, \sigma_i^2), -d_2'(S_1, S_i, \sigma_{1i}^2), \ldots, -d_2'(S_n, S_i, \sigma_{ni}^2), \rho_{i1i}, \rho_{i2i}, \ldots\right)$$

or, equivalently, as

$$N_n(d_1(S_i, X, \sigma_i^2), d_1'(S_i, S_1, \sigma_{1i}^2), \ldots, d_n'(S_i, S_n, \sigma_{ni}^2), \rho_{i1i}, \rho_{i2i}, \ldots),$$

where primes indicate that the interest rate is set to zero, where, in general,

$$\sigma_{ij}^2 = \sigma_i^2 - 2\rho_{ij}\sigma_i\sigma_j + \sigma_j^2,$$

and where the correlation coefficients are to be determined. Thus, we can identify each of the positive terms in the expression for c_{\max} as the *i*th asset price multiplied by a probability term defined in terms of various d_1 s. We therefore have

$$c_{\max} = S_1 N_n \left(d_1 \left(S_1, X, \sigma_1^2 \right), d_1' \left(S_1, S_2, \sigma_{12}^2 \right), \dots, \right.$$

$$d_1' \left(S_1, S_n, \sigma_{1n}^2 \right), \rho_{112}, \rho_{113}, \dots \right)$$

$$+ S_2 N_n \left(d_1 \left(S_2, X, \sigma_1^2 \right), d_1' \left(S_2, S_1, \sigma_{12}^2 \right), \dots, \right.$$

$$d_1' \left(S_2, S_n, \sigma_{2n}^2 \right), \rho_{212}, \rho_{223}, \dots \right)$$

$$+ \dots$$

$$+ S_n N_n \left(d_1 \left(S_n, X, \sigma_n^2 \right), d_1' \left(S_n, S_1, \sigma_{1n}^2 \right), \dots, \right.$$

$$d_1' \left(S_n, S_{n-1}, \sigma_{n-1n}^2 \right), \rho_{n1n}, \rho_{n2n}, \dots \right)$$

$$- X e^{-rT} \left(1 - N_n \left(- d_2 \left(S_1, X, \sigma_1^2 \right), - d_2 \left(S_2, X, \sigma_2^2 \right), \dots, \right.$$

$$- d_2 \left(S_n, X, \sigma_n^2 \right), \rho_{12}, \rho_{13}, \dots \right) \right),$$

(2) where
$$d'_1(S_i, S_j, \sigma_{ij}^2) = \frac{\log \frac{S_i}{S_j} + \frac{1}{2}\sigma_{ij}^2 T}{\sigma_{ii}\sqrt{T}}$$

and where the triple indexed correlation coefficients are found as follows. We have

(3)
$$\operatorname{Cov}\left(\log S_{1}^{*}, \log \frac{S_{i}^{*}}{S_{j}^{*}}\right) = \operatorname{Var}\left(\log S_{i}^{*}\right) - \operatorname{Cov}\left(\log S_{i}^{*}, \log S_{j}^{*}\right)$$
$$= \sigma_{i}^{2} - \rho_{ij}\sigma_{i}\sigma_{j}.$$

But the left-hand side can also be defined as $\sigma_i \sigma_{ii} \rho_{iii}$. Thus,

$$\rho_{iij} = \frac{\sigma_i - \rho_{ij}\sigma_j}{\sigma_{ij}}.$$

Similarly,
$$\operatorname{Cov}\!\left(\log\frac{S_i^*}{S_k^*},\log\frac{S_i^*}{S_j^*}\right) = \ \sigma_i^2 - \ \rho_{ij}\sigma_i\sigma_j - \ \rho_{ik}\sigma_i\sigma_k + \ \rho_{jk}\sigma_j\sigma_k,$$

(5) so that
$$\rho_{ijk} = \frac{\sigma_i^2 - \rho_{ij}\sigma_i\sigma_j - \rho_{ik}\sigma_i\sigma_k + \rho_{jk}\sigma_j\sigma_k}{\sigma_{ii}\sigma_{ik}}.$$

Tilley and Latainer [16] state an equation resembling (1). However, they leave the factors multiplying S_1, \ldots, S_n , and Xe^{-rT} undefined.

For n = 2, the expression simplifies to

$$c_{\text{max}} = S_1 N_2 \left(d_1 \left(S_1, X, \sigma_1^2 \right), d_1' \left(S_1, S_2, \sigma_{12}^2 \right), \rho_{112} \right)$$

$$+ S_2 N_2 \left(d_1 \left(S_2, X, \sigma_2^2 \right), d_1' \left(S_2, S_1, \sigma_{12}^2 \right), \rho_{212} \right)$$

$$- X e^{-rT} \left(1 - N_2 \left(-d_2 \left(S_1, X, \sigma_1^2 \right), -d_2 \left(S_2, X, \sigma_2^2 \right), \rho_{12} \right) \right),$$

which is consistent with the equations in Johnson [9] and Stulz [15], correcting for the typographical error in equation (11) of Stulz ($\sigma^2\sqrt{\tau}$ should be $\sigma^2\tau$).

Similarly, for the option on the minimum we have

$$c_{\min} = S_{1}N_{n} \left(d_{1}(S_{1}, X, \sigma_{1}^{2}), -d'_{1}(S_{1}, S_{2}, \sigma_{12}^{2}), \dots, -d'_{1}(S_{1}, S_{n}, \sigma_{1n}^{2}), -\rho_{112}, -\rho_{113}, \dots, \rho_{123}, \dots \right)$$

$$+ S_{2}N_{n} \left(d_{1}(S_{2}, X, \sigma_{2}^{2}), -d'_{1}(S_{2}, S_{1}, \sigma_{12}^{2}), \dots, -d'_{1}(S_{2}, S_{n}, \sigma_{2n}^{2}), -\rho_{212}, -\rho_{223}, \dots, \rho_{213}, \dots \right)$$

$$+ \dots$$

$$+ S_{n}N_{n} \left(d_{1}(S_{n}, X, \sigma_{n}^{2}), -d'_{1}(S_{n}, S_{1}, \sigma_{1n}^{2}), \dots, -d'_{1}(S_{n}, S_{n-1}, \sigma_{n-1n}^{2}), -\rho_{n1n}, \rho_{n2n}, \dots, \rho_{n12}, \dots \right)$$

$$- Xe^{-rT}N_{n} \left(d_{2}(S_{1}, X, \sigma_{1}^{2}), d_{2}(S_{2}, X, \sigma_{2}^{2}), \dots, -d'_{2}(S_{n}, X, \sigma_{n}^{2}), \rho_{12}, \rho_{13}, \dots \right),$$

which for n = 2 reduces to

$$c_{\min} = S_1 N_2 \Big(d_1 \Big(S_1, X, \sigma_1^2 \Big), - d_1' \Big(S_1, S_2, \sigma_{12}^2 \Big), - \rho_{112} \Big)$$

$$+ S_2 N_2 \Big(d_1 \Big(S_2, X, \sigma_2^2 \Big), - d_1' \Big(S_2, S_1, \sigma_{12}^2 \Big), - \rho_{212} \Big)$$

$$- X e^{-rT} N_2 \Big(d_2 \Big(S_1, X, \sigma_1^2 \Big), d_2 \Big(S_2, X, \sigma_2^2 \Big), \rho_{12} \Big),$$

which agrees with the corrected version of equation (11) of Stulz.

Note that there is linear homogeneity in that

(9)
$$c_{\max} = S_1 \frac{\partial c_{\max}}{\partial S_1} + \dots S_n \frac{\partial c_{\max}}{\partial S_n} + X \frac{\partial c_{\max}}{\partial X}$$

and similarly for c_{\min} . Also note that while c_{\min} decreases as more assets are added, c_{\max} increases and can have a very large value. Consider, for example, the case $S_1 = S_2 = \ldots = S_n = X$ and T very large. Then the d_1 terms for c_{\max} are very large while Xe^{-rT} is very small. Thus, c_{\max} approaches $S_1 + S_2 + \ldots + S_n$. If one had a thousand-year call on the maximum of all the

stocks on the New York Stock Exchange, this would mean obtaining the best performing stock for an exercise price that is negligible in present value, and, provided no pair of stocks is perfectly positively correlated, the value of owning all the others together would very likely be small compared to the value of that best performing stock. In fact, for n = 2, $S_1 = S_2 = X = 40$, r = 0.1, $\sigma_1 = \sigma_2$ = 0.3, ρ = 0.5, and T = 1, 10, and 100 years, we obtain c_{max} = 9.96, 40.54, and 74.65, respectively. Finally, note that the n = 2 identity, proved in Stulz [15] and Johnson [9],

(10)
$$c_{\max} + c_{\min} = c(S_1, X) + c(S_2, X),$$

where $c(S_i,X)$ is an ordinary call on S_i with exercise price X, can be extended to the general case by introducing calls on the second best, third best, etc.

Puts can be handled in the same way. See Geske [7], Geske and Johnson [8], and Schervish [13] for numerical methods for evaluating the multivariate normals. See Dothan and Williams [4] for a different application of complex options.

111. Summary

This paper develops equations for the prices of calls on the maximum and the minimum of several risky assets. The equations reduce to the results of Stulz [15] and Johnson [9] when there are only two assets. The technique used in this paper not only provides more intuition about the Black and Scholes equation, but can also be used to derive other results, such as those in Geske and Johnson [8], in a simple way.

References

- Black, F., and M. Scholes. "The Pricing of Options and Corporate Liabilities." Journal of Political Economy, 81 (May/June 1973), 637–659.
- [2] Boness, A. J. "Elements of a Theory of Stock-Option Value." *Journal of Political Economy*, 72 (April 1964), 163–175.
- [3] Cox, J. C., and S. A. Ross. "The Valuation of Options for Alternative Stochastic Processes." Journal of Financial Economics, 3 (March 1976),145–166.
- [4] Dothan, M. U., and J. Williams. "Education as an Option." Journal of Business, 54 (Jan. 1981), 117-139.
- [5] Garman, M., and G. Hawkins. "Another Look at Put-Call Parity." Unpubl. paper presented at the American Finance Association meetings (Dec. 1984).
- [6] Gay, G. D., and S. Manaster. "The Quality Option Implicit in Futures Contracts." *Journal of Financial Economics*, 13 (Sept. 1984), 353–370.
- [7] Geske, R. "The Valuation of Corporate Liabilities as Compound Options." *Journal of Financial and Quantitative Analysis*, 12 (Nov. 1977), 541–552.
- [8] Geske, R., and H. Johnson. "The American Put Option Valued Analytically." Journal of Finance, 39 (Dec. 1984), 1511-1524.
- [9] Johnson, H. "The Pricing of Complex Options." Unpubl. manuscript (Aug. 1981).
- [10] Margrabe, W. "The Value of an Option to Exchange One Asset for Another." Journal of Finance, 33 (March 1978), 177-186.
- [11] Merton, R. "A Rational Theory of Option Pricing." Bell Journal of Economics and Management Science, 4 (Spring 1973), 141–183.
- [12] _____. "On the Pricing of Corporate Debt: The Risk Structure of Interest Rates." *Journal of Finance*, 29 (May 1974), 449–470.
- [13] Schervish, M. "Algorithm AS195: Multivariate Normal Probabilities with Error Bound." Applied Statistics, 34 (Jan. 1985), 103–104.
- [14] Smith, C. "Option Pricing; A Review." Journal of Financial Economics, 3 (Jan./March 1976), 3-51.
- [15] Stulz, R. "Options on the Minimum or the Maximum of Two Risky Assets: Analysis and Applications." *Journal of Financial Economics*, 10 (July 1982), 161–185.
- [16] Tilley, J. A., and G. D. Latainer. "A Synthetic Option Framework for Asset Allocation." Financial Analysts Journal, 41 (May/June 1985), 32-43.