



# Bootstrap



📁 > My courses > Bootstrap > Week 2: Bootstrap CSS Components > Week 2 Glossary

## Week 2 Glossary

[Printer-friendly version](#)

Search



Search full text

[Add a new entry](#)

[Browse the glossary using this index](#)



Online users



(last 1 minutes: 1)



Prince Akahoho Segbefia



## B

### Breadcrumb

A Bootstrap **Breadcrumb** component can be used to indicate the current page’s location within a navigational hierarchy that automatically adds separators via CSS. There is no HTML element for `<breadcrumb>`, and the Bootstrap Breadcrumb component classes are intended to be used with `<nav>`, `<ol>`, and `<li>` elements.

In web development, there are three types of breadcrumbs generally: location-based, attribute, and path-based (history trail). See the second link below for more information on the types of breadcrumbs.

- Bootstrap Breadcrumbs
- How to use breadcrumbs on websites

### Buttons

The `<button>` element is a part of HTML. The `<a>` (anchor) element and the `<input>` element can also be used as buttons. The Bootstrap Button component provides us with numerous classes to help style buttons easily, including `btn-lg`, `btn-primary`, `btn-outline-*`, and more.

- Bootstrap Buttons
- MDN - The `<button>` element

## C

### Card

The Bootstrap **Card** is a flexible, lightweight, extensible CSS-based component that can be used to set off content in a webpage in many different ways. A basic Card can be very simple, yet there are many ways to extend it for specific needs. Some optional extension Card classes include: `card-header`, `card-body`, `card-text`, `card-title`, and more. There is no HTML element named `<card>`, and Bootstrap Card component classes are typically used with `<div>`s, `<p>`s, `<h*>`s and other HTML elements as appropriate.

- Bootstrap Cards

# Components

**Components** in Bootstrap are sets of classes used on HTML elements to create parts of a common webpage user interface (UI). Some components are sets of classes used on HTML elements with the same name as the component, as with Bootstrap Forms (used with the <form> element) and Bootstrap Tables (used with the <table> element). Other components do not have a named HTML element equivalent, such as Bootstrap Cards, Breadcrumbs, and Carousels; they are used with other HTML elements such as <div>s.

- [Bootstrap Components](#)

# CSS Selectors

A selector is a method used to select an element or elements that one would like to style. There are several different types of selectors such as ID selector, Type selector and so on. Each one requiring different syntax in order to be defined.

# F

# Forms

The **<form>** element is a part of HTML. Forms are used to gather user input that can then be stored in a database, or used to perform functions such as searching a site. Bootstrap offers many classes that can be used to style and improve the appearance of forms, such as **form-control**, **col-form-label**, **form-check-inline**, and more.

- [W3Schools - Forms](#)
- [Bootstrap Forms](#)

# H

# HREF

(Hypertext REference) The HTML code used to create a **link** to another page. The **HREF** is an attribute of the **anchor tag**, which is also used to identify sections within a document.

Keyword(s):

HREF tag ▼

# I

# Icon Font Toolkits

Icon font toolkits package sets of useful icons as characters in fonts, so that you can download the font set and have at your disposal a large variety of icons to use, such as an icon of a phone to use when referencing phone numbers, or a small Twitter icon to use as a link to a Twitter account.

Two commonly used icon font toolkits, or icon sets, are Font-Awesome and Bootstrap-Social.

## Image Thumbnail

A smaller version of a given image or symbol used on websites using Bootstrap's "img-thumbnail" class embedded in the <img> tag.

Keyword(s):

Image, img, thumbnail ▾

## Images

The <img> element is a part of HTML. There is no Image component in Bootstrap, but Bootstrap does offer two classes that can be used with images: **img-thumbnail** creates a rounded border around an image, and **img-fluid** helps make images responsive.

- Bootstrap Images

