Proceedings of the Nineth International Conference on Communication and Electronics Systems (ICCES-2024)
IEEE Xplore Part Number: CFP24AWO-ART; ISBN: 979-8-3503-7797-2

Voice Chat - Bringing Chats to Life using Deep Learning

K Varada Rajkumar
Associate Professor
Department of CSE - AIML
MLR Institute of Technology
Hyderabad, India
drvarada@mlrit.ac.in

N Jayasree
Assistant professor
Department of CSE - AIML
MLR Institute of Technology
Hyderabad, India
jayasree@mlrit.ac.in

Laxman Vikas Kommireddi
Student
Department of CSE - AIML
MLR Institute of Technology
Hyderabad, India
vickyvikas463@gmail.com

Yogeshwar Rayudu
Student
Department of CSE - AIML
MLR Institute of Technology
Hyderabad, India
yogirayudu@gmail.com

Mohammed Ikramuddin
Student
Department of CSE - AIML
MLR Institute of Technology
Hyderabad, India
ikrammohd109@gmail.com

Pavan Kalyan Aouti
Student
Department of CSE - AIML
MLR Institute of Technology
Hyderabad, India
pavankalyanaouti@gmail.com

2024 9th International Conference on Communication and Electronics Systems (ICCES) | 979-8-3503-7797-2/24/$31.00 ©2024 IEEE | DOI: 10.1109/ICCES63552.2024.10860258

Abstract- This project describes a revolutionary chat application that lever- ages efficient voice cloning technology to revolutionise digital com- munication. With the help of this invention text messages can be now personalised and sent as audio messages with the sender's voice. The proposed system captures the authenticity of the sender's speech by smoothly integrating AI algorithms to mimic vocal pat- terns and nuances. This study develops a trustworthy and adaptable voice replication system by implementing developments in neural networks and speech processing. Using a combination of deep neu- ral networks and chat application development, the project aims to analyse and capture detailed human vocal patterns. The algorithm extracts the subject's vocal characteristics, intonations and speech patterns using as few human voice samples as possible. This method enhances communication quality in general and emotional expression. The application aims to combine application development and deep learning with advanced options, pushing the boundaries of technical innovation. This synopsis focuses on the creation of bridging the text-voice divide, enhancing the accessibility, personalization, and engagement of digital communication.

Keywords- Application Development, Deep learning, Text-to-speech, Voice Cloning

I. INTRODUCTION

An application is being developed whose core technology relies on [1] voice cloning techniques so that while sending a text message to someone, it plays back as an audio file. For a text message, when the user chooses the recipient, he can then activate his kind of voice. Using existing voice samples, the algorithm captures the sender's unique voice patterns. Through the end user's input, an artificial voice that closely matches the sender's original vocal characteristics is created by sophisticated AI algorithms. The result is an audio message that both preserves the expressiveness and intimate feel of the original speaker. In voice cloning, deep neural networks are employed Generating human-like copies of their voices by voice cloning is an interesting technique that turnshuman text into speech. The ready availability of huge sound cor- pora and advances in deep learning algorithms have driven rapid development in this latest technique for generating sound. Thanks to improved deep learning algorithms, particularly those based on [2] convolutional neural networks (CNNs) and recurrent neural networks (RNNs)], it is now possible to analyze and generate sound in much more intricate ways. [3] Neural text-to-speech (TTS) mod- els, however, can now produce such speech which is very much like human speech.

TorToiSe is one such algorithm which shows promising results in voice cloning. However, as the model progresses, it gradually gets to replicate the person's regional accent, inflections, grammar, and other signs of his identity. As an additional matter, the technology industry increasingly calls for personalization of the user experience. Since the use of messaging apps has grown so common, the idea of adding voice to text chat was born. Voice cloning could ulti- mately become a new and creative method for users to get messages across, bridging the gap between writing speech altogether. The program adopts a strong encryption mechanism to protect sensitive data such as voice recordings, so user data privacy can be guarded. Under the agreement of the user's prior consent will this voice be authenticated, showing that all laws and principles of conduct have been observed. When the cloned voice's authenticity is being tested, the program now constantly improves its models through user sug- gestions ratings, and content updates. To sum up: The imitation voice grows better and better towards what it is pretending to be over time because of this ongoing iterative improvement. That said, the combination of speech synthesis, and deep learning [4], the effect of combining these elements is a program that represents a genuinely novel communication medium by joining the user's distinctive voice with a synthesized speech that synchronizes perfectly with his writings. The proposed solution is for those people who desire to communicate more authentically. This chat application can be further developed in the future to include advanced features and functionalities like security, privacy and emotional expression. This ground-breaking technology promises a transfig- uring communication and is expected to turn the future of digital voice conversations from faceless, standardized exchanges marked by machine calligraphy into a world where small user interfaces, AI algorithms, and voice cloning merge seamlessly.

Authorized licensed use limited to: Shah and Anchor Kutchhi Engineering College. Downloaded on February 06,2026 at 07:40:55 UTC from IEEE Xplore. Restrictions apply.

A. Brief Introduction Of TTS

Text-to-speech (TTS) Figure 1 is a technology that converts written text into spoken words. It enables computers, devices, and applications to produce natural-sounding speech output. TTS systems analyse the input text, apply linguistic rules, and use synthesized

Fig. 1. Text-to-speech

voices to [5] generate speech. These systems have numerous applications, including accessibility features for individuals with visual impairments, language learning tools, navigation systems, and automated customer service. Advances in TTS technology have led to more natural-sounding voices and improved intelligibility, making them increasingly prevalent in everyday devices and ser- vices.

B. Evaluation Of TTS

Evaluating Text-to-Speech (TTS) systems involves assessing vari- ous aspects of their performance, including: Naturalness of Speech: One of the most crucial aspects is how natural the synthesized speech sounds. Listeners should perceive the speech as human-like, with appropriate intonation, rhythm, and pronunciation. Intelligi- bility: Intelligibility measures how easily listeners can understand the synthesized speech. Factors such as clarity, articulation, and pronunciation accuracy contribute to intelligibility. Prosody and Emotion: Effective TTS systems can convey the appropriate emo- tional tone and emphasis in the synthesized speech. Prosody refers to features like pitch, stress, and rhythm, which play a significant role in conveying meaning and emotion. Linguistic Accuracy: TTS systems should accurately pronounce words and handle linguis- tic nuances such as word stress, intonation patterns, and proper names. Errors in pronunciation can significantly affect comprehen- sion. Adaptability and Customization: Evaluation may consider how well TTS systems adapt to different contexts, accents, and languages. Customization options such as voice selection and speech rate can enhance user experience. Latency and Efficiency: Latency measures the time delay between input text and output speech. Efficient TTS systems should produce speech output promptly without significant delays or computational overhead. Robustness and Error Handling: Evaluators may assess how TTS systems handle input errors, ambiguous text, or uncommon words. Robust systems should gracefully handle such situations without producing unintelligible or unnatural speech [6]. User Satisfaction: Ultimately, user feedback plays a crucial role in evaluating TTS systems. Surveys, user stud- ies, and usability tests can gauge user satisfaction, preferences, and perceived quality of synthesized speech. Evaluation methodologies may include subjective assessments by human listeners, objective measurements using metrics like Word Error Rate (WER) or Mean Opinion Score (MOS), and real-world usage testing in relevant ap- plications or scenarios. Continuous evaluation and feedback are essential for improving TTS systems and ensuring they meet the needs and expectations of users.

II. Related Work

Deep learning is the core technology powering the voice cloning and text-to-speech features of this project. It helps the system learn the unique patterns of a person's voice, such as tone, pitch, and rhythm, by analyzing just a few voice samples. Using advanced models like Tacotron 2 or WaveNet, deep learning generates realistic, emotion-rich speech from text, making the audio messages sound natural and personalized. Additionally, deep learning techniques allow the system to adapt quickly to different voices and languages, even with minimal data. These models are optimized to work efficiently in real-time, enabling the application to deliver high-quality results on various devices. Overall, deep learning makes the voice cloning accurate, expressive, and user-friendly, enhancing the overall communication experience.

In the contemporary digital communication landscape, there ex- ists a significant accessibility gap for individuals who are engaged in activities that demand hands-free interaction with messaging platforms. The conventional text-based nature of communication platforms poses a considerable barrier for these users, hindering their ability to receive and respond to messages promptly. Also, when messages don't feel personal or real in texts, it can make it hard to understand feelings, making the overall experience not as good. To address this challenge, a chat appli- cation should be developed that utilizes voice cloning technology and [7] deep learning to convert text messages into personalized audio messages in the sender's voice. The aim is to achieve accurate voice cloning and provide lifelike and engaging audio results. The application aims to bridge the gap between text and voice, enhancing digital communication by adding a more personal and accessible dimension. To build a chat application that brings chats to life, the following issues are considered:

Lack of Accessibility:

The current system lacks accessibility features for visually impaired users and elders who have age-related vision im- pairments or cognitive decline, making it challenging for them to read text messages. This limitation [8] excludes a significant portion of users who rely on auditory assistance to consume information effectively.

Limited Multitasking Capability:

Users are unable to read messages while engaged in other activities, such as driving or exercising. This restriction forces users to stop what they are doing to read each mes- sage individually, potentially leading to distractions and safety concerns in certain situations.

Inconvenience in noisy environments:

Users find it difficult to send audio messages in environ- ments like buses or markets which hinders their chatting experience.

Inconvenience in reading lengthy messages:

Authorized licensed use limited to: Shah and Anchor Kutchhi Engineering College. Downloaded on February 06,2026 at 07:40:55 UTC from IEEE Xplore. Restrictions apply.

- Users often feel reading lengthy messages is tiresome, whereas the proposed application can help read out the message while the user continues their work.

Reduced User Engagement:
Plain text communication may not be as engaging as direct communication.

III. RESEARCH METHODOLOGY

When a user receives a text message within the app and selects the chat, they can choose to utilize the text-to-speech feature [9].



Fig. 2. Implementation

1. Recording User's Voice:
   This step is the base for voice cloning process. Users can register their voice to the application via recording or uploading an audio file.
2. Analyzing voice patterns:
   The process begins with the app analysing existing voice recordings of the sender to capture their distinct vocal patterns, intonations, and nuances.
3. Voice cloning:
   These acoustic features are then fed into sophisticated AI algorithms, which generate a synthetic voice that closely emulates the sender's authentic voice.
4. Integration of synthesized audio with text:
   This synthesized voice is seamlessly applied to the text message, resulting in an audio message that retains the [10] emotional depth and personal touch of the original speaker.



Fig. 3. Workflow of VoiceChat

A. *Pseudo code for TorToiSe*

- **Parse Command-Line Arguments**:
  - Define a parser to handle command-line arguments.
  - Parse options like text, voice_selection, output_options, debug, etc.
- **Load Voices**:
  - Access the available voices and prepare for voice selection.
- **Handle Input Text**:
  - If text is not provided in command-line arguments, read it from standard input (stdin).
- **Split Text**:
  - If the input text is too long, split it into manageable chunks for processing.
- **Configure Text-to-Speech Settings**:
  - Set up synthesis settings like speed, pitch, and other tuning options as required.
- **For Each Selected Voice**:
  - Load the specific voice samples.
  - Prepare voice characteristics (latent conditions) for each text chunk.
- **Generate Audio**:
  - Generate audio based on the provided text and chosen voice, using the configured settings.
- **Output Audio**:
  - Save or play the generated audio based on output_options.
- **Debugging (Optional)**:
  - If debug mode is enabled, save debugging information to help analyze the process.
- **Exit Program**

The pseudo-code outlines the working of a text-to-speech (TTS) system implemented through a Python script with command-line interface. Here's a brief explanation of its operation:

Argument Parsing: The script starts by parsing the command-line arguments using a predefined parser. These arguments specify details such as the input text, voice selection, output options, and other settings for TTS synthesis.

Voice Management: It loads available voices and handles voice selection based on the provided arguments. If multiple voices are selected, it prepares to synthesize speech using each voice [11].

Text Handling: If the input text is not provided through command-line arguments, the script reads it from the stan- dard input (stdin). It also handles the splitting of the text into manageable chunks if needed.

TTS Configuration: The script sets up the settings required for TTS synthesis, including parameters such as random seed, preset quality, and tuning options for the synthesis process [12].

Synthesis Loop: For each selected voice and each text chunk, the script generates audio based on the text and voice using the specified settings. It synthesizes speech for all combinations of voices and text chunks [13].

Output Handling: Depending on the output options specified, the script either saves the synthesized audio to files, plays it back, or both. If multiple voices or text chunks are involved, it organizes the output accordingly.

Authorized licensed use limited to: Shah and Anchor Kutchhi Engineering College. Downloaded on February 06,2026 at 07:40:55 UTC from IEEE Xplore. Restrictions apply.

Exit: Once the synthesis process is complete, the script exits, concluding its operation.

B. Pseudo code for JavaScript

Algorithm: [14] Speech Synthesis and Chat Application

1. **Initialize Variables**:
- Set up DOM elements for txtInput, voiceList, and btnSpeak for text input, voice selection, and the speak button.
- Create synth as a Speech Synthesis object.
- Create an array voices to store available voices.

2. **Populate Voices**:
- Retrieve voices using synth.getVoices().
- Clear the current voiceList.
- For each voice retrieved:
- Create an option element in voiceList.
- Select the 45th voice if available.
- After a short delay, set the selected index of voiceList and hide the dropdown.

3. **Event Listener for Speak Button**:
- When btnSpeak is clicked:
- Create a SpeechSynthesisUtterance object with the text from txtInput.
- Find the selected voice from voiceList and set it to the utterance.
- Speak the utterance using synth.speak().

4. **Event Listener for Chat Messages**:
- When a chat message is clicked:
- Read the message text.
- Use SpeechSynthesisUtterance with the selected voice to read it aloud.

5. **Create Chat Message Element**:
- Define a function to create HTML elements for new messages using message data.

6. **On Window Load**:
- Render existing messages in the chat using createChatMessageElement().

7. **Update Message Sender**:
- Define a function to update the message sender name, chat header, and input placeholders.
- Toggle the active state for sender buttons (e.g., yogiSelectorBtn and vickySelectorBtn).

8. **Event Listeners for Sender Buttons**:
- When sender buttons (yogiSelectorBtn, vickySelectorBtn) are clicked:
- Call updateMessageSender() with the appropriate sender name.

9. **Send Message Function**:
- Prevent the default form submission.
- Generate a timestamp.
- Create a message object with sender, text, and timestamp.
- Save the message to local storage and add it to the chat.
- Clear the input field and scroll to the bottom of the chat.

10. **Event Listeners for Chat Input and Clear Chat**:
- On chat input form submission, call sendMessage().
- On clearChatBtn click, clear messages from local storage.



Fig. 4. Architecture

This code creates a chat application with text-to-speech (TTS) functionality. It initializes elements for text input, voice selection, and a speak button, using the browser's SpeechSynthesis API to manage voice output. Available voices are populated into a dropdown, with options for selecting a specific voice. Clicking the speak button converts text input or chat messages into speech using the selected voice. The app also supports message creation, updating sender details, and toggling between active senders. Messages are stored in local storage, enabling persistence, and users can clear the chat or scroll to the latest message dynamically.

C. Solution to The Problem

As mentioned in Figure 4 The invention is a chat application that integrates cutting-edge voice cloning technology with messag- ing functionality. It enables users to convert text-based chats into audio messages delivered in the sender's voice. This innovation addresses the limitations of traditional text messaging by infusing conversations with a personalized and emotionally rich di- mension. It promotes accessibility for visually impaired individuals and aligns with the evolving landscape of digital communication. The project leverages advancements in AI, voice cloning, and chat application development to create a revolutionary tool that transforms how people connect and converse in the digital age.

Authorized licensed use limited to: Shah and Anchor Kutchhi Engineering College. Downloaded on February 06,2026 at 07:40:55 UTC from IEEE Xplore. Restrictions apply.



Fig. 5. Live Implementation of application

Figure 5 presents the live implementation of the proposed solution, Voice Chat. In the above figure, we can see two users, yogi and vicky chatting with each other in the interface. The chats act as buttons and when clicked provide accurate text-to-speech synthe- sis. These chats are integrated with live time features to resemble traditional chat applications.

IV. RESULT ANALYSIS

Figure 6 depicts the result analysis of the TorToiSe text-to-speech Algorithm. The analysis mainly focuses on

- alignment score
- loss decoder
- postnet parameters



Fig. 6. Performance metrics of Text to Speech Algorithm

These systems have numerous applications, including accessibility features for individuals with visual impairments, language learning tools, navigation systems, and automated customer service. Advances in TTS technology have led to more natural-sounding voices and improved intelligibility, making them increasingly prevalent in everyday devices and services.

This chat application can be developed further in the future which involves the following features:

Advanced Deep Learning Algorithms: Better algorithms might evolve which can result in accurate [25] voice cloning, higher inference speed and lower response time.

End-to-end security: [24] Security can be embedded into the chat application using encryption algorithms such as E2EE(end-to-end encryption).

Added emotions: [27] Emotions can be added to the mes- sages to make the messaging functionality emotionally rich.

V. CONCLUSION AND FUTURE SCOPE

Text-to-speech (TTS) is a technology that converts written text into spoken words. It enables computers, devices, and applications to produce natural-sounding speech output. TTS systems analyze the input text, apply linguistic rules, and use synthesized voices to generate speech.

REFERENCES

[1] Paarth Neekhara Shehzeen Hussain, Shlomo Dubnov, Farinaz Koushanfar, Julian McAuley, ”Expressive Neural Voice Cloning” Feb 2, 2021.

[2] P. Dedeepya, D. Karishma, S. G. Manuri, T. Raghuvaran, V. Shariff and S. Sindhura, "Enhancing Cyber Bullying Detection Using Convolutional Neural Network," *2023 4th International Conference on Smart Electronics and Communication (ICOSEC)*, Trichy, India, 2023, pp. 1260-1267, doi: 10.1109/ICOSEC58147.2023.10276007.

[3] Mike Chrzanowski, ”Deep Voice: Real-time Neural Text-to- Speech”, 2017.

[4] S Phani Praveen, Veerapaneni Esther Jyothi, Chokka Anuradha, K VenuGopal, Vahiduddin Shariff and S Sindhura, "Chronic Kidney Disease Prediction Using ML-Based Neuro-Fuzzy Model", *International Journal of Image and Graphics*, pp. 2340013, 2022, [online] Available: https://doi.org/10.1142/S0219467823400132.

[5] Daria Diatlova, ”EmoSpeech: Guiding FastSpeech2 Towards Emotional Text to Speech”, 2023.

[6] V. Bercaru and N. Popescu, ‘A Systematic Review of Accessibility Techniques for Online Platforms: Current Trends and Challenges’, Applied Sciences, vol. 14, no. 22, p. 10337, Nov. 2024, doi: 10.3390/app142210337.

[7] Aaron van den Oord, Sander Dieleman, Heiga Zen , Karen Si- monyan Oriol Vinyals, Alex Graves, Nal Kalchbrenner, Andrew Senior, Koray Kavukcuoglu,”WAVENET: A GENERATIVE MODEL FOR RAW AUDIO” 19 september 2016.

[8] N. S. K. M. K. Tirumanadham, T. S and S. M, "Improving predictive performance in e-learning through hybrid 2-tier feature selection and hyper parameter-optimized 3-tier ensemble modeling", *International Journal of Information Technology*, Jul. 2024.

[9] P. Dedeepya, P. Chiranjeevi, V. Narasimha, V. Shariff, J. Ranjith and J. V. N. Ramesh, "Image Recognition and Similarity Retrieval with Convolutional Neural Networks," *2023 2nd International Conference on Automation, Computing and Renewable Systems (ICACRS)*, Pudukkottai, India, 2023, pp. 709-716, doi: 10.1109/ICACRS58579.2023.10404664.

[10] Nal Kalchbrenner, Erich Elsen,Karen Simonyan,Seb Noury, Nor- man Casagrande, Edward Lockhart , Florian Stimberg , Aaron van den Oord, Sander Dieleman, Koray Kavukcuoglu,” Efficient Neural Audio Synthesis”25 June 2018.

[11] M. Fikardos et al., ‘Human – Data Analytics Interaction Through Voice Assistance in Electric Vehicle’s Battery Testing’, in Advances in Production Management Systems. Production Management Systems for Volatile, Uncertain, Complex, and Ambiguous Environments, vol. 731, M. Thürer, R. Riedel, G. Von Cieminski, and D. Romero, Eds., Cham: Springer Nature Switzerland, 2024, pp. 278–292. doi: 10.1007/978-3-031-71633-1_20.

Authorized licensed use limited to: Shah and Anchor Kutchhi Engineering College. Downloaded on February 06,2026 at 07:40:55 UTC from IEEE Xplore. Restrictions apply.

[12] K. Mametani, T. Kato and S. Yamamoto, "Investigating Context Features Hidden in End-to-end TTS," *ICASSP 2019 - 2019 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, Brighton, UK, 2019, pp. 6920-6924, doi: 10.1109/ICASSP.2019.8683857.

[13] T. Batt and S. Wilson, "A Study of Voice-Recognition Software as a Tool for Teacher Response," Computers and Composition, vol. 25, no. 2, pp. 165–181, Jan. 2008, doi: 10.1016/j.compcom.2008.01.004.

[14] H.-H. Guo et al., 'FireRedTTS: A Foundation Text-To-Speech Framework for Industry-Level Generative Speech Applications', 2024, arXiv. doi: 10.48550/ARXIV.2409.03283.

Authorized licensed use limited to: Shah and Anchor Kutchhi Engineering College. Downloaded on February 06,2026 at 07:40:55 UTC from IEEE Xplore. Restrictions apply.