

**Ex. No.: 10b**

**Date: 2.4.2025**

**NAME: Prem Roshan P**

**ROLLNO: 231901036**

**FIRST FIT**

**Aim:**

To write a C program for implementation of memory allocation methods for fixed partition using First Fit.

**Algorithm:**

1. Define the maximum limit as #define max 25.
2. Declare variables: frag[max], b[max], f[max], i, j, nb, nf, temp, bf[max], ff[max].
3. Input the number of blocks (nb) and files (nf).
4. Input the size of each block and file using loops.
5. For each file, search for the first block that is free and large enough to accommodate it.
6. If found, allocate that block to the file and calculate internal fragmentation. 7. Mark the block as used.
8. Print the allocated block and fragmentation details.

**Program Code (first\_fit.c):**

```
#include <stdio.h>
```

```
#define max 25
```

```
int main() { int frag[max], b[max], f[max], i,  
j, nb, nf, temp; static int bf[max], ff[max];
```

```
printf("Enter number of blocks: ");
```

```
scanf("%d", &nb);
```

```
printf("Enter number of files: ");
```

```
scanf("%d", &nf); printf("\nEnter size of
```

```

each block:\n");
for(i = 0; i < nb; i++) {
printf("Block %d: ", i + 1);
scanf("%d", &b[i]);
}

```

```

printf("\nEnter size of each file:\n");
for(i = 0; i < nf; i++) {
printf("File %d: ", i + 1);
scanf("%d", &f[i]);
}

```

```

for(i = 0; i < nf; i++) {
for(j = 0; j < nb; j++) {
if(bf[j] != 1 && b[j] >= f[i]) {
ff[i] = j;
frag[i] = b[j] - f[i];
bf[j] = 1; break;
}
}
}

```

```

printf("\nFile No\tFile Size\tBlock No\tBlock Size\tFragment\n"); for(i =
0; i < nf; i++) printf("%d\t%d\t\t%d\t\t%d\t\t%d\n", i+1, f[i], ff[i]+1,
b[ff[i]], frag[i]);

```

```

return 0;
}

```

**Sample Output:**

Enter number of blocks: 5  
Enter number of files: 4

Enter size of each block:

Block 1: 100

Block 2: 500

Block 3: 200

Block 4: 300

Block 5: 600

Enter size of each file:

File 1: 212

File 2: 417

File 3: 112

File 4: 426

File No File Size Block No Block Size Fragment

1 212 2 500 288

2 417 5 600 183

3 112 3 200 88

4 426 0 0 0 <-- Not allocated

### **Result:**

Thus, the First Fit memory allocation technique for fixed partitioning was implemented successfully in C.