

Software Engineering Group 6 Project

Test Specifications

Author(s): Francy Sasso - frs30

Natalia Spence - nas97

Reema Fraser - ref17

Joe Ball - job130

Prem Sharma - prs49

William Shipp - wis40

Abdullah Al-Samarrai - aba115

Niall Perry - nip33

Config Ref: Maintenance-GP6

Date: 05/05/2025

Version: 1.1

Status: Release

Department of Computer Science

Aberystwyth University

Aberystwyth

Ceredigion

SY23 3DB

Copyright © Aberystwyth University 2025

Test Ref	User story being tested	Test content	Input	Output	Pass Criteria	Result / Fail Reason
SE-F-001	US1	Check that before the game begins the user is able to specify the number of decks to use	Click on arrows to change number of decks	Deck number Changes	Number of decks can be selected by user	PASS
SE-F-002	US1	Check the option to specify deck number is not available once game has started	Confirm deck initialisation screen and start game	No way to get back	User cannot change deck number once game has started	PASS
SE-F-003	US1	Check the maximum number of decks specified is 4.	Increase deck number till 4 and then again	Stops at 4	User cannot exceed 4 decks, number of decks remains the same	PASS
SE-F-004	US1	Check the default deck number is 1	NA	1 is first number shown	Deck number is defaulted to 1	PASS
SE-F-005	US1	Check the deck number cannot be less than 1	Decrease the deck number till 1 and then again	Unable to go choose a number less than 1	User cannot have less than 1 deck, number of decks remains the same	PASS
SE-F-006	US1	Check specified number of decks selected appear in the centre of the table upon starting the game	Confirm deck choices and start game	Deck appears in the centre	Decks appear in the centre of the table upon startup	PASS
SE-F-007	US1	Check the number of cards to each group of cards (decks, players hand) is displayed by the groups	Confirm deck choices and start game. Separate groups of cards separate to deck too see if number differs	Number of Cards in deck is shown	Number of how many cards is displayed by each group of cards.	PASS

Software Engineering Group Project – System Test Table / 1.1 (Release)

SE-F-008	US2	Check that before the game begins the user is able to specify number of jokers for a card deck	Click on arrows to change number of jokers	Number of jokers changes on click	Number of jokers can be selected by user	PASS
SE-F-009	US2	Check that the joker number is consistent across all decks	Start game, see if all decks have the same number of cards	All decks have the same number 52 + extra Jokers	Joker number is the same for each deck	PASS
SE-F-010	US2	Check that the minimum number of jokers the user can specify is 0	Decrease the joker number till 0 and then again	A number less than 0 can not be picked	User cannot have less than 0 jokers, number of jokers remains the same	PASS
SE-F-011	US2	Check that the maximum number of jokers the user can specify is 6	Increase the joker number till 6 and then again	Chosen number can not go past 6	User cannot exceed 6 jokers, number of jokers remains the same	PASS
SE-F-012	US2	Check that the default number of jokers is 0		Default number is 0	Joker number is defaulted to 0	PASS
SE-F-013	US2	Check that the option to change the number of jokers once the game has started is not available	Confirm joker choices and start game	Cannot go back to Joker menu	User cannot change joker number once the game has started	PASS
SE-F-014	US3	Check that before the game begins, the user is able to specify an image to be used for all the backs of cards	Click on card to upload an image. Then click apply to all	Imports back for all cards	Images for all back of cards can be specified by user	PASS
SE-F-015	US3	Check that user is able to specify the image used for the face of an individual card	Click on card to upload an image and then change the current card to a different one and do the same	Card images when changed in menu carry through to game	Face card images can be selected by user individually	PASS

Software Engineering Group Project – System Test Table / 1.1 (Release)

SE-F-016	US3	Check that all decks are consistent with card images	Start game with multiple decks and flip a group of cards to see if they are consistent	Card images specified in menu are the same for multiple decks	Card images are consistent across decks	PASS
SE-F-017	US3	Check that the option to change card images is not available once the game has started	Confirm choices and start game	Once game is started unable to go back to game setup menu	User cannot change card images once game has started	PASS
SE-F-020	US3	Check that the each card's specified image becomes the new default	Create a new game after changing the card images	Saves the picture when a new game is reloaded	Default card images updates	PASS
SE-F-022	US4	Check upon start-up there is a default background image	Start game with no background changes	Default background is shown	Default background image is selected	PASS
SE-F-023	US4	Check user is able to select new background image	Click on background image and upload a new image	Background changes to uploaded image	User selects new background image	PASS
SE-F-024	US4	Check that new background image selected becomes the new default	Create a new game after changing the background image	When new game is started, background image is new default	New background image becomes default	PASS
SE-F-025	US4	Check that file / image chosen of wrong format is rejected with error message	Click on background image and upload a txt file / file of insufficient type	Text file is not accepted, default remains	File of wrong format is not selected and previous background image remains	PASS
SE-F-026	US4	Check that the game starts with currently selected background image	Confirm background choices and start game	Able to confirm and background is implemented	Selected background image is displayed in game	PASS

Software Engineering Group Project – System Test Table / 1.1 (Release)

SE-F-027	US4	Check that background image selected fits the whole screen and is visible	Confirm background choices and start game	Fits to Screen	Selected background image covers whole screen and is visible	PASS
SE-F-028	US5	Select a card deck using left click and open deck menu	Right click the selected card deck	Menu popup on right click	card deck menu appears next to selected deck	PASS
SE-F-029	US5	Select to shuffle a card deck	Left click on 'shuffle' menu option	Shuffle menu and animation	card deck shuffle animation displayed	PASS
SE-F-030	US5	Select to shuffle a card deck	Left click on 'shuffle' menu option	Card order is changed	card order in deck has been changed	PASS
SE-F-031	US5	Select off of the deck menu	When pop up is shown and click elsewhere	pop up disappears	card deck Menu disappears from the table	PASS

SE-F-032	US5	Select more than one card deck at a time	Try to left click 2 deck menus	Only one popup is shown at a time	Only one is able to be selected	PASS
SE-F-033	US6	Select a card using left click and make it move up	press of 'up' arrow key after ctrl select on card	Up key moves the card	card moves up	PASS
SE-F-034	US6	Make the card move up	Holding the left mouse trigger and dragging it up	Able to move card in desired direction with the mouse	card moves up	PASS
SE-F-035	US6	Make the card move left	press of 'left' arrow key after ctrl select on card	Left arrow moves the card	card moves left	PASS
SE-F-036	US6	Make the card move left	Holding the left mouse trigger and dragging it left	Card moves in desired direction with the mouse	card moves left	PASS

SE-F-037	US6	Make the card move down	press of 'down' arrow key	Down arrow moves the card after ctrl key on card	card moves down	PASS
SE-F-038	US6	Make the card move down	Holding the left mouse trigger and dragging it down	Card moves in desired direction with the mouse	card moves down	PASS
SE-F-039	US6	Make the card move right	press of 'right' arrow key after ctrl select on card	Card moves in right direction	card moves right	PASS
SE-F-040	US6	Make the card move right	Holding the left mouse trigger and dragging it right with the mouse	Card move in desired direction	card moves right	PASS
SE-F-042	US6	Make sure the card doesn't move via other non functional keys	Press the 'U' keys	The card doesn't move	card isn't affected by random key press	PASS

SE-F-0043	US6	Select and move a card over other cards before placing it down on an empty table spot	As selected card is moved around table with held left trigger, make it hover over other cards	Able to hover over other cards	card that are still laying on the table are unaffected by moving one	PASS
SE-F-044	US6	Select and move a card over other cards before placing it down on an empty table spot	Use Arrow key to move the card down on an empty spot after ctrl select on card	The desired cards are unaffected	card that are still laying on the table are unaffected by moving one	PASS
SE-F-045	US6	Select multiple cards and make them move one direction together	using the right click select cards and press of 'down' arrow key	multiple cards move when selection box is dragged over cards	selected cards move down the same amount, and together	PASS
SE-F-046	US6	Select multiple cards and make them move one direction together	Press control and right click multiple cards and move them around	Multiple cards move around	selected cards move the same amount, and together	PASS
SE-F-047	US6	Place a card on top of another card by moving it with the arrow keys	Use ctrl to move card under another card and selected place in deck on pop up option	arrow keys move the card.	card is placed atop of bottom one	PASS

Software Engineering Group Project – System Test Table / 1.1 (Release)

SE-F-049	US6	Select and move a card that was previously below another by moving it with the arrow keys	Select covered card with left click and move it with arrow keys	Bottom card moves away	bottom card was selected and moved away from below the first card	PASS
SE-F-050	US6	Select and move a card that was previously below another by moving it with the mouse	Select covered card with left click and move it with held left key	Bottom card is able to be moved	bottom card was selected and moved away from below the first card	PASS
SE-F-051	US7	Ensure visual feedback during repositioning	Select the card to move to the middle	Animation is shown	The card is visually shown to move into the middle of the deck	PASS
SE-F-052	US7	Ensure visual feedback after repositioning	Select the card to move to the bottom of the deck	Visual feedback is shown	Deck changes state to indicate change in card order	PASS
SE-F-053	US7	Ensure the card orientation stays the same	Select a face down card and move it	Card remains face down	The card remains face down in the new position	PASS

Software Engineering Group Project – System Test Table / 1.1 (Release)

SE-F-054	US7	There is visual feedback for repositioning of cards	Card is show to be repositioned	Card pile shakes to show repositioning	Card pile reposition animation plays	PASS
SE-F-055	US8	Select a subset of cards	Simulate mouse click or keyboard shortcut to select multiple cards	Ctrl selects multiple cards	Selected cards are highlighted	PASS
SE-F-056	US8	Reveal card faces (dependence on US11)	Simulate 'reveal' action on face-down cards	Revealed for 5 seconds	Card faces are shown	PASS
SE-F-057	US8	Move selected cards to a face table space	Drag Selected cards to a new empty location	Multiple cards are moved	Cards are placed correctly at the new position	PASS
SE-F-058	US8	Move selected cards on top of a deck	Select reposition option on selected cards to add to the top of a deck	Selected cards appear on top of deck	Cards are placed on the top of the deck	PASS

Software Engineering Group Project – System Test Table / 1.1 (Release)

SE-F-059	US8	Move selected cards underneath a deck	Select reposition option on selected cards to add to the bottom of a deck	Selected card appear on bottom of deck	Cards are placed to the bottom of the deck	PASS
SE-F-060	US8	Move selected cards on top of another group	Drag and drop cards onto another group	Cards are stacked on top of another group	Cards appear visually stacked on top of the group	PASS
SE-F-061	US8	Maintain original orientation	Move a mix of face-up and face-down cards	Cards maintain original orientation	Cards retain their original face-up/face-down state	PASS
SE-F-062	US8	Move all cards in a group at once	Select all cards in a group and move them	Using ctrl key able to do so	Entire group is moved without breaking apart	PASS
SE-F-063	US8	Use keyboard shortcuts for movement	Simulate arrow key movements Referred in readme file	move the card	Cards move correctly based on key input	PASS

Software Engineering Group Project – System Test Table / 1.1 (Release)

SE-F-064	US8	Move cards rapidly multiple times	Simulate quick consecutive movements	Cards move smoothly	No glitches or unintended behaviour occur	PASS
SE-F-065	US9	Check that a user can select a card	Click on a card	Card is highlighted or visually selected	User can select a card	PASS
SE-F-066	US9	Check that selected card can be flipped over	Click flip button or double-click on selected card	Card flips over	Card flips correctly from facedown to faceup or vice versa	PASS
SE-F-067	US9	Check that after flipping, the card remains visible on the table	Flip a selected card	Card remains on table in visible area	Card does not move or disappear	PASS
SE-F-068	US9	Check for visual feedback when flipping a card	Flip a card	Animation or visual effect shows flipping	Visual feedback is visible during flip	PASS

Software Engineering Group Project – System Test Table / 1.1 (Release)

SE-F-069	US10	Verify that a user can select multiple cards simultaneously .	User clicks on multiple cards. System should highlight the selected cards.	Cards are highlighted	Multiple cards can be selected at once. Selected cards are visually highlighted.	PASS
SE-F-070	US10	Ensure that the selected group of cards can be flipped over.	User selects multiple cards. Right clicks to display pop up menu	Using Ctrl multiple cards can be flipped	Pop up menu appears with the options "flip" "reveal" "rotate"	PASS
SE-F-071	US10	Ensure that user flips cards and flipped cards remain visible on the table.	User flips a group of cards by left clicking on "flip".	Cards remain visible	The cards are flipped The flipped cards remain fully visible. No card disappears or moves off the screen.	PASS
SE-F-072	US10	There is visual feedback to show the flip operation.	User flips a group of cards by left clicking on "flip".	Animation is shown for flip	There is a visible animation The user can clearly see the transition from face-down to face-up or the opposite	PASS
SE-F-073	US11	Select a group of facedown cards	Simulate clicking or selecting a facedown group	Card group is highlighted	Group is highlighted, indicating selection	PASS

Software Engineering Group Project – System Test Table / 1.1 (Release)

SE-F-074	US11	Reveal single facedown card	Apply reveal operation to one facedown card	Single card is reveal for 5 seconds	Card face is shown for 5 seconds	PASS
SE-F- 075	US11	Reveal multiple facedown cards	Apply reveal operation to multiple facedown cards	Multiple cards are shown for 5 seconds	All selected cards display their faces for 5 seconds	PASS
SE-F-076	US11	Prevent revealing face-up cards	Attempt to reveal already face-up cards	Nothing changes	No change occurs; face-up cards remain visible	PASS
SE-F-077	US11	Ensure only selected cards are revealed	Select a subset of a group and apply reveal	Face up for 5 seconds	Only selected cards are temporarily face-up	PASS
SE-F-078	US11	Ensure reveal works with keyboard shortcuts	Press R shortcut key for revealing cards	Card is revealed for 5 seconds	Cards display their faces correctly	PASS

Software Engineering Group Project – System Test Table / 1.1 (Release)

SE-F-079	US12	Verify that the user can start recording the dealing layout.	During the game user left clicks top right menu	Option display shown	4 options display with one of them being record.	PASS
SE-F-080	US12	Record dealing operation	User left clicks on the recording option	Records game	Begins recording dealing operation.	PASS
SE-F-081	US12	Ensure that movements of cards from the deck to the table are recorded.	User moves cards from the deck to various positions on the table.	System records movements	The system records each movement.	PASS
SE-F-082	US12	Verify that the user can stop recording the dealing layout.	User selects the option to stop recording. From the options menu by left clicking the top right corner.	Stop recording by pressing record option again	The system stops recording movements. The user is prompted to save or cancel the recording.	PASS
SE-F-083	US12	User cancels the recording.	User presses cancel after being prompted to cancel or save	Recording can be cancelled	Recording is cancelled and player continues to play the game	PASS

Software Engineering Group Project – System Test Table / 1.1 (Release)

SE-F-084	US12	Ensure the user can save the recorded deal in the default location	User presses save when prompted	Saved in default location	Recording is saved in default location	PASS
SE-F-085	US12	Ensure the user can specify a custom save location and filename.	User presses save when prompted	Able to save in specified location	If the file exists, it is overwritten; otherwise, a new file is created.	PASS
SE-F-086	US13	Check user is able to load a deal recording for a deck from the default save location	User selects a card deck and requests to deal by selecting default save location	Able to load recording	File can be found and loaded	PASS
SE-F-087	US13	Check user is able to load a deal recording for a deck from a saved recording	User selects a card deck and requests to deal by navigating and selecting a previous recording	Cards play out recording	File can be selected and loaded	PASS
SE-F-088	US13	Check that a file selected by the user is of valid format	Input a file of wrong format	Error message doesn't displayed	Error message should be displayed, and operation is disbanded	FAIL The needed error message isn't displayed

Software Engineering Group Project – System Test Table / 1.1 (Release)

SE-F-089	US13	Check that cards are dealt out accordingly and visually displays load moves	Input correct file format and confirm	Cards are dealt out	Cards should deal out visually	PASS
SE-F-090	US13	Check that deck has sufficient number of cards before dealing out where user can then decide to continue	Click to load on 50 cards with a saved file addressing 52 cards, click yes on error message	The 50 cards are dealt out	Message should be displayed – cards are dealt out best they can be	PASS
SE-F-091	US14	When selecting a card, rotate it 180 degrees	Ctrl + Right click a card and use the mouse scroll to till it has rotated around 180 degrees	Card rotates to desired degrees	Card animation shows the chosen card turning to face the other direction as long as mouse scroll is being used	PASS
SE-F-092	US14	When selecting multiple cards, we can rotate them by 45 degrees	Ctrl + Right click to select multiple cards and use the mouse scroll to rotate them by around 45 degrees Or press Z/X to turn	Card rotates to 45 degrees	All selected cards display a rotating animation till the mouse scroll stops being user, all end up facing the same direction	PASS
SE-F-093	US14	When selecting a card that had been previously rotated already, rotate it 90 degrees more	Ctrl + Right click the rotated card, and use mouse scroll to rotate it further	Card rotates to desired degrees	Card animation shows card get rotated further from initial rotated position as long as mouse scroll is being used	PASS

Software Engineering Group Project – System Test Table / 1.1 (Release)

SE-F-094	US14	When selecting a card, rotate it further than 360 degrees	Ctrl + Right click a chosen card, and use the mouse scroll till it has gone over rotating 360 degrees	Rotates over 360 degrees	Card animation shows card completely turning whilst mouse scroll is being used, and being let at new rotation	PASS
SE-F-095	US14	When card rotates it conserves rotation	Rotate the card and then Reveal	The card is revealed, but both when showing the card and turning it back over, the rotation is undone	Card reveal animation does not alter the rotated position of the card.	FAIL The card doesn't keep its rotation
SE-F-096	US15	User cancels the recording.	User is prompted to save or cancel after recording and selects "Cancel".	The system cancels the recording operation. The user returns to the game without saving any file.	The recording is discarded and gameplay continues as normal without saving.	PASS
SE-F-097	US15	User save the recording	User is prompted to save or cancel after recording and selects "Save".	The system saves the recorded file. The user receives confirmation that the recording was saved.	The recorded file is successfully created and saved without error.	PASS
SE-F-098	US15	Verify that the user is prompted to save or cancel after recording.	User clicks on the mini menu in the top right corner, selects the "Record" option to start recording, then clicks "Record" again to stop recording.	The system stops recording movements. The user is shown a prompt offering "Save" or "Cancel".	After stopping recording, the user is immediately prompted to either save or cancel the recording.	PASS

Software Engineering Group Project – System Test Table / 1.1 (Release)

SE-F-099	US15	Ensure the user can specify a custom save location and filename.	User selects "Save" after recording and specifies a new folder and filename.	The system saves the recording to the user-selected location with the specified filename. Existing files are overwritten; new files are created otherwise.	The recording is saved correctly at the specified custom location and with the specified name without system errors.	PASS
SE-F-100	US16	Select to play a recorded game	user chooses previous games option	Able to watch previous game played from file	Prompt to select a file	PASS
SE-F-101	US16	Select an invalid recorded game file	User selects a invalid file	Error message is displayed	Displays an error message and stops loading	PASS
SE-F-102	US16	Abandon playback at any point	While a recorded game is playing able to end	Exit the recording	Press of the screen	PASS
SE-F-103	US17	Check that upon load the default of snap to grid is off	Load the game	Nothing changes	Grid is not displayed and snap to grid isn't selected	FAIL User Story wasn't implemented

Software Engineering Group Project – System Test Table / 1.1 (Release)

SE-F-104	US17	Check that the user is able to select snap to grid	Click in the menu bar top right and left click snap to grid	Nothing changes	Grid is displayed, snap to grid is selected	FAIL User Story wasn't implemented
SE-F-105	US17	Check that the grid covers the whole table	Drag a card into the corner of the table	Nothing changes	Card can snap to corner	FAIL User Story wasn't implemented
SE-F-106	US17	Check that cards will realign themselves to conform to the nearest grid lines	Drag a card across the table	Nothing changes	Card snaps to grid	FAIL User Story wasn't implemented
SE-F-107	US17	Check that decks/ cards that are at an angle to the horizontal will rotate completely horizontal	Rotate a card mostly horizontal	Nothing changes	Card snaps to grid completely horizontally	FAIL User Story wasn't implemented
SE-F-108	US17	Check that decks/ cards that are at an angle to the vertical will rotate completely vertical	Rotate a card mostly vertical	Nothing changes	Card snaps to grid completely vertically	FAIL User Story wasn't implemented

Software Engineering Group Project – System Test Table / 1.1 (Release)

SE-F-109	US17	Check cards /decks that are askew on the x and y axis will be moved till they conform to the grid lines	Move card onto grid lines	Nothing changes	Card snaps to closets space on grid	FAIL User Story wasn't implemented
SE-F-110	US17	Check that when snap to grid is deselected cards / decks' positioning are not altered, grid display is removed	Deselect snap to grid	Nothing changes	Cards remain in grid spacing until moved	FAIL Can't deselect since the user Story wasn't implemented
SE-F-111	US18	Check that user is able to toggle sound effects on and off	Click menu bar top right and click on the sound icon	Sound icon is highlighted	Sound can be toggled	FAIL The user is able to toggle the button, but no functionality works for it
SE-F-112	US18	Check that sound plays when cards are shuffled	Click shuffle on a deck	Nothing changes	Sound plays when shuffling	FAIL No sound is hear from deck interaction

History Table

Version	Issue Num.	Date	Changes made to document	Changes by
0.1	#90	18/03/25	Created the document	RF
0.1	#100	18/03/25	Wrote the tests for US1	RF
0.1	#166	18/03/25	Wrote the tests for US2	RF
0.1	#165	18/03/25	Wrote the tests for US3	RF
0.1	#91	18/03/25	Wrote the tests for US4	RF
0.2	#107	18/03/25	Wrote the tests for US5	FS
0.2	#92	18/03/25	Wrote the tests for US6	FS
0.3	#110	25/03/25	Wrote the tests for US7	NP
0.3	#112	25/03/25	Wrote the tests for US8	NP
0.4	#114	29/03/25	Wrote the tests for US9	PS
0.5	#116	25/03/25	Wrote the tests for US10	AAS
0.5	#118	25/03/25	Wrote the tests for US11	NP
0.5	#94	25/03/25	Wrote the tests for US12	AAS
0.6	#120	25/03/25	Wrote the tests for US13	RF
0.7	#95	01/04/25	Wrote the tests for US14	FS
0.8	#93	29/03/25	Wrote the tests for US15	AAS
0.8	#122	26/03/25	Wrote the tests for US16	NP
0.9	#124	01/04/25	Wrote the tests for US17	RF
0.9	#126	01/04/25	Wrote the tests for US18	RF
1.0	#176	01/05/25	Went over the system tests & updated the test results	NP
1.1	#233	06/05/25	Updated System Tests document and History table	FS