Tests in 'prog.ex06.pizzadelivery': 17 total, 1 error, 16 failed

11 ms

prog.ex06.pizzadelivery.TestPizzaSize

4 ms

testPriseListPizzaSize

failed 4 ms

```
price map is nulljava.lang.AssertionError: price map is null
    at junit@4.13/org.junit.Assert.fail(Assert.java:89)
    at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
    at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```

prog.ex06.pizzadelivery.TestSimpleOrder

1 ms

testEmptyPizzaList

failed 1 ms

```
order is nulljava.lang.AssertionError: order is null
    at junit@4.13/org.junit.Assert.fail(Assert.java:89)
    at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
    at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```

testCalculatePizzaPrice01

failed 0 ms

```
order is nulljava.lang.AssertionError: order is null
    at junit@4.13/org.junit.Assert.fail(Assert.java:89)
    at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
    at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```

testCalculatePizzaPrice02

failed 0 ms

```
pizza size price mal is nulljava.lang.AssertionError: pizza size price mal is null
    at junit@4.13/org.junit.Assert.fail(Assert.java:89)
    at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
    at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```

testTwoEmptyOrderObjects

failed 0 ms

```
two orders with the same id were created. Actual: 0java.lang.AssertionError: two orders with the same id were created. Actual: 0
    at junit@4.13/org.junit.Assert.fail(Assert.java:89)
    at junit@4.13/org.junit.Assert.failEquals(Assert.java:187)
    at junit@4.13/org.junit.Assert.assertNotEquals(Assert.java:201)
```

prog.ex06.pizzadelivery.TestSimplePizza

3 ms

at junit@4.13/org.junit.Assert.fail(Assert.java:89)

at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)

at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)

testAddTopping

error   1 ms

20:15:28.058 [Test worker] [INFO] TestSimplePizza - Created order with id:0

20:15:28.058 [Test worker] [INFO] TestSimplePizza - Trying to add toppings to a pizza

Cannot invoke "java.util.List.add(Object)" because the return value of "prog.ex06.exercise.pizzadelivery.Pizza.getToppings()" is nulljava.lang.NullPointerException: Cannot invoke "java.util.List.add(Object)" because the return value of "prog.ex06.exercise.pizzadelivery.Pizza.getToppings()" is null

at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimplePizza.testAddTopping(TestSimplePizza.java:119)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

testAddToManyToppings

failed   0 ms

20:15:28.059 [Test worker] [INFO] TestSimplePizza - Created order with id:0

The number of toppings added lies within the invalid range.java.lang.AssertionError: The number of toppings added lies within the invalid range.

at junit@4.13/org.junit.Assert.fail(Assert.java:89)

at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimplePizza.testAddToManyToppings(TestSimplePizza.java:232)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

testRemoveTopping

failed   1 ms

20:15:28.059 [Test worker] [INFO] TestSimplePizza - Created order with id:0

20:15:28.059 [Test worker] [INFO] TestSimplePizza - Tying to remove toppings from a pizza

order is nulljava.lang.AssertionError: order is null

at junit@4.13/org.junit.Assert.fail(Assert.java:89)

at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)

at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)

prog.ex06.pizzadelivery.TestSimplePizzaDeliveryService

3 ms

testRemovePizzaWithInvalidIDFromOrderWithInvalidID

failed   0 ms

order is nulljava.lang.AssertionError: order is null

at junit@4.13/org.junit.Assert.fail(Assert.java:89)

at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)

at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)

testInfluenceOfTwoPizzaDeliveryObjects

failed   1 ms

order ids are not unique between services expected:<2> but was:<1>java.lang.AssertionError: order ids are not unique between services expected:<2> but was:<1>

Tests in 'prog.ex06.pizzadelivery': 17 total, 1 error, 16 failed

11 ms

order is nulljava.lang.AssertionError: order is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)

testGetByOrderID   failed   0 ms

order with id 0 is nulljava.lang.AssertionError: order with id 0 is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)

testAddPizzaToOrder   failed   0 ms

order is nulljava.lang.AssertionError: order is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)

testRemovePizzaWithInvalidIDFromOrderWithID   failed   0 ms

order is nulljava.lang.AssertionError: order is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)

testGetByInvalidOrderID   failed   2 ms

able to get order with invalid order id.java.lang.AssertionError: able to get order with invalid order id.
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimplePizzaDeliveryService.testGetByInvalidOrderID(TestSimplePizzaDeliveryService.java:60)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

prog.ex06.pizzadelivery.TestTopping   0 ms

testPriseListTopping   failed   0 ms

price map is nulljava.lang.AssertionError: price map is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)