

Ansatz TTD:

Tests schreiben und anschließend danach programmieren

Häufige Fehler in den erstellten Tests:

- assertNotNull wenig genutzt**
- Leichtsinnfehler in while conditions**

Tests in 'prog.ex06.pizzadelivery': 17 total, 13 error, 4 failed

14 ms

prog.ex06.pizzadelivery.TestPizzaSize

5 ms

testPriseListPizzaSize

error 5 ms

Cannot invoke "java.util.Map.remove(Object)" because "previousPriceMap" is null
java.lang.NullPointerException: Cannot invoke "java.util.Map.remove(Object)" because "previousPriceMap" is null

at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestPizzaSize.testPriseListPizzaSize(TestPizzaSize.java:37)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

prog.ex06.pizzadelivery.TestSimpleOrder

0 ms

testEmptyPizzaList

error 0 ms

Cannot invoke "prog.ex06.exercise.pizzadelivery.Order.getPizzaList()" because the return value of "prog.ex06.exercise.pizzadelivery.PizzaDeliveryService.getOrder(int)" is null
java.lang.NullPointerException: Cannot invoke "prog.ex06.exercise.pizzadelivery.Order.getPizzaList()" because the return value of "prog.ex06.exercise.pizzadelivery.PizzaDeliveryService.getOrder(int)" is null

at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimpleOrder.testEmptyPizzaList(TestSimpleOrder.java:67)

testCalculatePizzaPrice01

error 0 ms

Cannot invoke "java.util.Map.get(Object)" because the return value of "prog.ex06.exercise.pizzadelivery.PizzaDeliveryService.getPizzaSizePriceList()" is null
java.lang.NullPointerException: Cannot invoke "java.util.Map.get(Object)" because the return value of "prog.ex06.exercise.pizzadelivery.PizzaDeliveryService.getPizzaSizePriceList()" is null

at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimpleOrder.testCalculatePizzaPrice01(TestSimpleOrder.java:87)

testCalculatePizzaPrice02

error 0 ms

Cannot invoke "java.util.Map.get(Object)" because the return value of "prog.ex06.exercise.pizzadelivery.PizzaDeliveryService.getPizzaSizePriceList()" is null
java.lang.NullPointerException: Cannot invoke "java.util.Map.get(Object)" because the return value of "prog.ex06.exercise.pizzadelivery.PizzaDeliveryService.getPizzaSizePriceList()" is null

at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimpleOrder.testCalculatePizzaPrice02(TestSimpleOrder.java:162)

testTwoEmptyOrderObjects

failed 0 ms

two orders with the same id were created. Actual: 0
java.lang.AssertionError: two orders with the same id were created. Actual: 0

at junit@4.13/org.junit.Assert.fail(Assert.java:89)

at junit@4.13/org.junit.Assert.failEquals(Assert.java:187)

at junit@4.13/org.junit.Assert.assertNotEquals(Assert.java:201)

prog.ex06.pizzadelivery.TestSimplePizza

3 ms

Tests in 'prog.ex06.pizzadelivery': 17 total, 13 error, 4 failed

14 ms

Cannot invoke "prog.ex06.exercise.pizzadelivery.Order.getPizzaList()" because the return value of "prog.ex06.exercise.pizzadelivery.PizzaDeliveryService.getOrder(int)" is null
java.lang.NullPointerException: Cannot invoke "prog.ex06.exercise.pizzadelivery.Order.getPizzaList()" because the return value of "prog.ex06.exercise.pizzadelivery.PizzaDeliveryService.getOrder(int)" is null
at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimplePizza.testAddDuplicateToppings(TestSimplePizza.java:92)

testAddTopping

error 1 ms

19:57:59.475 [Test worker] [INFO] TestSimplePizza - Created order with id:0
19:57:59.475 [Test worker] [INFO] TestSimplePizza - Trying to add toppings to a pizza
Cannot invoke "java.util.List.add(Object)" because the return value of "prog.ex06.exercise.pizzadelivery.Pizza.getToppings()" is null
java.lang.NullPointerException: Cannot invoke "java.util.List.add(Object)" because the return value of "prog.ex06.exercise.pizzadelivery.Pizza.getToppings()" is null
at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimplePizza.testAddTopping(TestSimplePizza.java:113)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

testAddToManyToppings

failed 0 ms

19:57:59.476 [Test worker] [INFO] TestSimplePizza - Created order with id:0
The number of toppings added lies within the invalid range.
java.lang.AssertionError: The number of toppings added lies within the invalid range.
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimplePizza.testAddToManyToppings(TestSimplePizza.java:216)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

testRemoveTopping

error 1 ms

19:57:59.476 [Test worker] [INFO] TestSimplePizza - Created order with id:0
19:57:59.476 [Test worker] [INFO] TestSimplePizza - Trying to remove toppings from a pizza
Cannot invoke "prog.ex06.exercise.pizzadelivery.Order.getPizzaList()" because the return value of "prog.ex06.exercise.pizzadelivery.PizzaDeliveryService.getOrder(int)" is null
java.lang.NullPointerException: Cannot invoke "prog.ex06.exercise.pizzadelivery.Order.getPizzaList()" because the return value of "prog.ex06.exercise.pizzadelivery.PizzaDeliveryService.getOrder(int)" is null
at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimplePizza.testRemoveTopping(TestSimplePizza.java:162)

prog.ex06.pizzadelivery.TestSimplePizzaDeliveryService

6 ms

testRemovePizzaWithInvalidIDFromOrderWithInvalidID

error 4 ms

Cannot invoke "prog.ex06.exercise.pizzadelivery.Order.getPizzaList()" because "order" is null
java.lang.NullPointerException: Cannot invoke "prog.ex06.exercise.pizzadelivery.Order.getPizzaList()" because "order" is null
at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimplePizzaDeliveryService.addDummyPizzaToOrder(TestSimplePizzaDeliveryService.java:184)
at kprog.main@1.0-

testInfluenceOfTwoPizzaDeliveryObjects

failed 0 ms

Tests in 'prog.ex06.pizzadelivery': 17 total, 13 error, 4 failed

14 ms

testRemovePizzaFromOrder

error 0 ms

Cannot invoke "prog.ex06.exercise.pizzadelivery.Order.getPizzaList()" because "order" is null
java.lang.NullPointerException: Cannot invoke "prog.ex06.exercise.pizzadelivery.Order.getPizzaList()" because "order" is null
at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimplePizzaDeliveryService.addDummyPizzaToOrder(TestSimplePizzaDeliveryService.java:184)
at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimplePizzaDeliveryService.testRemovePizzaFromOrder(TestSimplePizzaDeliveryService.java:103)

testGetByOrderID

error 1 ms

Cannot invoke "prog.ex06.exercise.pizzadelivery.Order.getOrderID()" because "o" is null
java.lang.NullPointerException: Cannot invoke "prog.ex06.exercise.pizzadelivery.Order.getOrderID()" because "o" is null
at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimplePizzaDeliveryService.testGetByOrderID(TestSimplePizzaDeliveryService.java:46)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

testAddPizzaToOrder

error 0 ms

Cannot invoke "prog.ex06.exercise.pizzadelivery.Order.getPizzaList()" because "order" is null
java.lang.NullPointerException: Cannot invoke "prog.ex06.exercise.pizzadelivery.Order.getPizzaList()" because "order" is null
at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimplePizzaDeliveryService.testAddPizzaToOrder(TestSimplePizzaDeliveryService.java:90)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

testRemovePizzaWithInvalidIDFromOrderWithID

error 0 ms

Cannot invoke "prog.ex06.exercise.pizzadelivery.Order.getPizzaList()" because "order" is null
java.lang.NullPointerException: Cannot invoke "prog.ex06.exercise.pizzadelivery.Order.getPizzaList()" because "order" is null
at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimplePizzaDeliveryService.addDummyPizzaToOrder(TestSimplePizzaDeliveryService.java:184)
at kprog.main@1.0-

testGetByInvalidOrderID

failed 1 ms

able to get order with invalid order id.
java.lang.AssertionError: able to get order with invalid order id.
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimplePizzaDeliveryService.testGetByInvalidOrderID(TestSimplePizzaDeliveryService.java:60)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

prog.ex06.pizzadelivery.TestTopping

0 ms

testPriseListTopping

error 0 ms

Cannot invoke "java.util.Map.remove(Object)" because "previousPriceMap" is null
java.lang.NullPointerException: Cannot invoke "java.util.Map.remove(Object)" because "previousPriceMap" is null
at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestTopping.testPriseListTopping(TestTopping.java:34)

Next iteration

Tests in 'prog.ex06.pizzadelivery': 17 total, 1 error, 16 failed

11 ms

prog.ex06.pizzadelivery.TestPizzaSize

4 ms

testPriseListPizzaSize

failed

4 ms

```
price map is nulljava.lang.AssertionError: price map is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```

prog.ex06.pizzadelivery.TestSimpleOrder

1 ms

testEmptyPizzaList

failed

1 ms

```
order is nulljava.lang.AssertionError: order is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```

testCalculatePizzaPrice01

failed

0 ms

```
order is nulljava.lang.AssertionError: order is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```

testCalculatePizzaPrice02

failed

0 ms

```
pizza size price mal is nulljava.lang.AssertionError: pizza size price mal is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```

testTwoEmptyOrderObjects

failed

0 ms

```
two orders with the same id were created. Actual: 0java.lang.AssertionError: two orders with the same id were created. Actual: 0
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.failEquals(Assert.java:187)
at junit@4.13/org.junit.Assert.assertNotEquals(Assert.java:201)
```

prog.ex06.pizzadelivery.TestSimplePizza

3 ms

Tests in 'prog.ex06.pizzadelivery': 17 total, 1 error, 16 failed

11 ms

```
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
...
```

testAddTopping

error 1 ms

```
20:15:28.058 [Test worker] [INFO] TestSimplePizza - Created order with id:0
20:15:28.058 [Test worker] [INFO] TestSimplePizza - Trying to add toppings to a pizza
Cannot invoke "java.util.List.add(Object)" because the return value of "prog.ex06.exercise.pizzadelivery.Pizza.getToppings()" is nulljava.lang.NullPointerException: Cannot
invoke "java.util.List.add(Object)" because the return value of "prog.ex06.exercise.pizzadelivery.Pizza.getToppings()" is null
at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimplePizza.testAddTopping(TestSimplePizza.java:119)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
...
```

testAddToManyToppings

failed 0 ms

```
20:15:28.059 [Test worker] [INFO] TestSimplePizza - Created order with id:0
The number of toppings added lies within the invalid range.java.lang.AssertionError: The number of toppings added lies within the invalid range.
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimplePizza.testAddToManyToppings(TestSimplePizza.java:232)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
...
```

testRemoveTopping

failed 1 ms

```
20:15:28.059 [Test worker] [INFO] TestSimplePizza - Created order with id:0
20:15:28.059 [Test worker] [INFO] TestSimplePizza - Trying to remove toppings from a pizza
order is nulljava.lang.AssertionError: order is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
...
```

prog.ex06.pizzadelivery.TestSimplePizzaDeliveryService

3 ms

testRemovePizzaWithInvalidIDFromOrderWithInvalidID

failed 0 ms

```
order is nulljava.lang.AssertionError: order is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
...
```

testInfluenceOfTwoPizzaDeliveryObjects

failed 1 ms

```
order ids are not unique between services expected:<2> but was:<1>java.lang.AssertionError: order ids are not unique between services expected:<2> but was:<1>
...
```

Tests in 'prog.ex06.pizzadelivery': 17 total, 1 error, 16 failed

11 ms

```
order is nulljava.lang.AssertionError: order is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```

testGetByOrderId

failed 0 ms

```
order with id 0 is nulljava.lang.AssertionError: order with id 0 is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```

testAddPizzaToOrder

failed 0 ms

```
order is nulljava.lang.AssertionError: order is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```

testRemovePizzaWithInvalidIDFromOrderWithID

failed 0 ms

```
order is nulljava.lang.AssertionError: order is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```

testGetByInvalidOrderID

failed 2 ms

```
able to get order with invalid order id.java.lang.AssertionError: able to get order with invalid order id.
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimplePizzaDeliveryService.testGetByInvalidOrderID(TestSimplePizzaDeliveryService.java:60)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
```

prog.ex06.pizzadelivery.TestTopping

0 ms

testPriseListTopping

failed 0 ms

```
price map is nulljava.lang.AssertionError: price map is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```


Next iteration

Tests in 'prog.ex06.pizzadelivery': 17 total, 17 failed

8 ms

prog.ex06.pizzadelivery.TestPizzaSize

4 ms

testPriseListPizzaSize

failed

4 ms

```
price map is nulljava.lang.AssertionError: price map is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```

prog.ex06.pizzadelivery.TestSimpleOrder

1 ms

testEmptyPizzaList

failed

1 ms

```
order is nulljava.lang.AssertionError: order is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```

testCalculatePizzaPrice01

failed

0 ms

```
order is nulljava.lang.AssertionError: order is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```

testCalculatePizzaPrice02

failed

0 ms

```
pizza size price mal is nulljava.lang.AssertionError: pizza size price mal is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```

testTwoEmptyOrderObjects

failed

0 ms

```
two orders with the same id were created. Actual: 0java.lang.AssertionError: two orders with the same id were created. Actual: 0
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.failEquals(Assert.java:187)
at junit@4.13/org.junit.Assert.assertNotEquals(Assert.java:201)
```

prog.ex06.pizzadelivery.TestSimplePizza

2 ms

Tests in 'prog.ex06.pizzadelivery': 17 total, 17 failed

8 ms

```
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
...
```

testAddTopping

failed 1 ms

```
20:16:27.517 [Test worker] [INFO] TestSimplePizza - Created order with id:0
20:16:27.517 [Test worker] [INFO] TestSimplePizza - Trying to add toppings to a pizza
toppings are nulljava.lang.AssertionError: toppings are null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
...
```

testAddToManyToppings

failed 1 ms

```
20:16:27.518 [Test worker] [INFO] TestSimplePizza - Created order with id:0
The number of toppings added lies within the invalid range.java.lang.AssertionError: The number of toppings added lies within the invalid range.
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimplePizza.testAddToManyToppings(TestSimplePizza.java:235)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
...
```

testRemoveTopping

failed 0 ms

```
20:16:27.518 [Test worker] [INFO] TestSimplePizza - Created order with id:0
20:16:27.518 [Test worker] [INFO] TestSimplePizza - Tying to remove toppings from a pizza
order is nulljava.lang.AssertionError: order is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
...
```

prog.ex06.pizzadelivery.TestSimplePizzaDeliveryService

1 ms

testRemovePizzaWithInvalidIDFromOrderWithInvalidID

failed 0 ms

```
order is nulljava.lang.AssertionError: order is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
...
```

testInfluenceOfTwoPizzaDeliveryObjects

failed 0 ms

```
order ids are not unique between services expected:<2> but was:<1>java.lang.AssertionError: order ids are not unique between services expected:<2> but was:<1>
```

Tests in 'prog.ex06.pizzadelivery': 17 total, 17 failed

8 ms

```
order is nulljava.lang.AssertionError: order is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```

testGetByOrderId

failed 0 ms

```
order with id 0 is nulljava.lang.AssertionError: order with id 0 is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```

testAddPizzaToOrder

failed 0 ms

```
order is nulljava.lang.AssertionError: order is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```

testRemovePizzaWithInvalidIDFromOrderWithID

failed 0 ms

```
order is nulljava.lang.AssertionError: order is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```

testGetByInvalidOrderID

failed 1 ms

```
able to get order with invalid order id.java.lang.AssertionError: able to get order with invalid order id.
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestSimplePizzaDeliveryService.testGetByInvalidOrderID(TestSimplePizzaDeliveryService.java:60)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
```

prog.ex06.pizzadelivery.TestTopping

0 ms

testPriseListTopping

failed 0 ms

```
price map is nulljava.lang.AssertionError: price map is null
at junit@4.13/org.junit.Assert.fail(Assert.java:89)
at junit@4.13/org.junit.Assert.assertTrue(Assert.java:42)
at junit@4.13/org.junit.Assert.assertNotNull(Assert.java:713)
```

Next iteration

Tests in 'prog.ex06.pizzadelivery': 17 total, 2 error, 1 failed, 14 passed

8.09 s

prog.ex06.pizzadelivery.TestPizzaSize			5 ms
testPriseListPizzaSize	passed		5 ms
prog.ex06.pizzadelivery.TestSimpleOrder			59 ms
testEmptyPizzaList	passed		1 ms
testCalculatePizzaPrice01	passed		7 ms
testCalculatePizzaPrice02	passed		51 ms
testTwoEmptyOrderObjects	passed		0 ms
prog.ex06.pizzadelivery.TestSimplePizza			14 ms
testAddDuplicateToppings	passed		12 ms
testAddTopping	passed		1 ms
testAddToManyToppings	passed		1 ms
testRemoveTopping	passed		0 ms
prog.ex06.pizzadelivery.TestSimplePizzaDeliveryService			8.01 s
testRemovePizzaWithInvalidIDFromOrderWithInvalidID	passed		2 ms
testInfluenceOfTwoPizzaDeliveryObjects	error		1 ms
Index: 29, Size: 0java.lang.IndexOutOfBoundsException: Index: 29, Size: 0 at java.base/java.util.ArrayList.rangeCheckForAdd(ArrayList.java:756) at java.base/java.util.ArrayList.addAll(ArrayList.java:700) at kprog.main@1.0-			
testRemovePizzaFromOrder	passed		1 ms
testGetByOrderID	passed		0 ms
testAddPizzaToOrder	passed		1 ms
testRemovePizzaWithInvalidIDFromOrderWithID	failed		8.00 s

Tests in 'prog.ex06.pizzadelivery': 17 total, 2 error, 1 failed, 14 passed

8.09 s

testGetByInvalidOrderID

passed

1 ms

prog.ex06.pizzadelivery.TestTopping

0 ms

testPriseListTopping

error

0 ms

```
java.lang.UnsupportedOperationException
at java.base/java.util.Collections$UnmodifiableMap.remove(Collections.java:1508)
at kprog.main@1.0-SNAPSHOT/prog.ex06.pizzadelivery.TestTopping.testPriseListTopping(TestTopping.java:37)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
```

Next iteration

Tests in 'prog.ex06.pizzadelivery': 17 total, 1 error, 16 passed

73 ms

prog.ex06.pizzadelivery.TestPizzaSize		4 ms
testPriseListPizzaSize	passed	4 ms
prog.ex06.pizzadelivery.TestSimpleOrder		60 ms
testEmptyPizzaList	passed	2 ms
testCalculatePizzaPrice01	passed	7 ms
testCalculatePizzaPrice02	passed	51 ms
testTwoEmptyOrderObjects	passed	0 ms
prog.ex06.pizzadelivery.TestSimplePizza		4 ms
testAddDuplicateToppings	passed	3 ms
testAddTopping	passed	1 ms
testAddToManyToppings	passed	0 ms
testRemoveTopping	passed	0 ms
prog.ex06.pizzadelivery.TestSimplePizzaDeliveryService		5 ms
testRemovePizzaWithInvalidIDFromOrderWithInvalidID	passed	1 ms
testInfluenceOfTwoPizzaDeliveryObjects	error	2 ms
Index: 29, Size: 0java.lang.IndexOutOfBoundsException: Index: 29, Size: 0 at java.base/java.util.ArrayList.rangeCheckForAdd(ArrayList.java:756) at java.base/java.util.ArrayList.addAll(ArrayList.java:700) at kprog.main@1.0- -----		
testRemovePizzaFromOrder	passed	0 ms
testGetByOrderID	passed	0 ms
testAddPizzaToOrder	passed	1 ms
testRemovePizzaWithInvalidIDFromOrderWithID	passed	0 ms

Tests in 'prog.ex06.pizzadelivery': **17 total, 1 error, 16 passed**

73 ms

 testPriseListTopping

passed

0 ms

Next iteration

Tests in 'prog.ex06.pizzadelivery': 17 total, 17 passed

66 ms

prog.ex06.pizzadelivery.TestSimplePizzaDeliveryService

10 ms

testRemovePizzaWithInvalidIDFromOrderWithInvalidID

passed

7 ms

testInfluenceOfTwoPizzaDeliveryObjects

passed

1 ms

testRemovePizzaFromOrder

passed

1 ms

testGetByOrderID

passed

0 ms

testAddPizzaToOrder

passed

1 ms

testRemovePizzaWithInvalidIDFromOrderWithID

passed

0 ms

testGetByInvalidOrderID

passed

0 ms

prog.ex06.pizzadelivery.TestPizzaSize

0 ms

testPriseListPizzaSize

passed

0 ms

prog.ex06.pizzadelivery.TestSimpleOrder

53 ms

testEmptyPizzaList

passed

0 ms

testCalculatePizzaPrice01

passed

8 ms

testCalculatePizzaPrice02

passed

45 ms

testTwoEmptyOrderObjects

passed

0 ms

prog.ex06.pizzadelivery.TestSimplePizza

3 ms

testAddDuplicateToppings

passed

1 ms

testAddTopping

passed

1 ms

testAddToManyToppings

passed

0 ms

testRemoveTopping

passed

1 ms

prog.ex06.pizzadelivery.TestTopping

0 ms

testPriseListTopping

passed

0 ms

ASB Test Results

→ Test the functionality

✓

In this group of tests we check your code in faulty situations.

→ Checks if an exception occurs if a non-existent Order Id is used in getOrder()

✓

→ Checks if an exception occurs if a non-existent Order Id is used in removePizza()

✓

→ Checks if an exception occurs if a non-existent pizza Id is used in removePizza()

✓

→ Checks if multiple instances of the service can work well parallel.

✓

→ Checks if a TooManyToppingsException is thrown.

✓

→ Test the functionality

✓

In this group of tests we check your code in normal situations.

→ Tests if an empty order can be created

✓

→ Adds a pizza to an order

✓

→ Removes a pizza from an order

✓

→ Checks if the pizza price list is returned correctly

✓

→ Checks if the toppings price list is returned correctly

✓

Checkstyle

Die Bewertung wurde mit 0 Fehlern abgeschlossen.

→ Quellcode datei /prog/ex06/exercise/pizzadelivery/Topping.java



→ Quellcode datei /prog/ex06/solution/pizzadelivery/SimplePizzaDeliveryService.java



→ Quellcode datei /prog/ex06/exercise/pizzadelivery/PizzaDeliveryService.java



→ Quellcode datei /prog/ex06/exercise/pizzadelivery/PizzaSize.java



→ Quellcode datei /prog/ex06/exercise/pizzadelivery/Pizza.java



→ Quellcode datei /prog/ex06/solution/pizzadelivery/SimpleOrder.java



→ Quellcode datei /prog/ex06/exercise/pizzadelivery/TooManyToppingsException.java



→ Quellcode datei /prog/ex06/exercise/pizzadelivery/Order.java



→ Quellcode datei /prog/ex06/solution/pizzadelivery/SimplePizza.java

