



ZOOM® View™

Arrhythmia Logbook Report

Date of Birth
DeviceN/R N/R N/R
VITALIO MRI J276/102818

Report Created 19 Sep 2016

Last Office Interrogation
19 Sep 2016
Implant Date
N/R

Event	Date/Time	Type	Summary	Duration hh:mm:ss
MRI-1	19 Sep 2016 08:59	MRI	MRI Protection Mode	01:25:10
ATR-56	12 Sep 2016 19:14	ATR	Avg V Rate in ATR: 108 min ⁻¹	00:00:01
V-391	12 Sep 2016 17:16	NonSustV	Avg V Rate at Onset: 166 min ⁻¹	00:00:07
V-390	04 Sep 2016 09:20	NonSustV	Avg V Rate at Onset: 171 min ⁻¹	00:00:18
ATR-55	03 Sep 2016 15:52	ATR	Avg V Rate in ATR: 86 min ⁻¹	00:00:02
V-389	03 Sep 2016 12:06	NonSustV	Avg V Rate at Onset: 155 min ⁻¹	00:00:06
V-388	27 Aug 2016 17:04	NonSustV	Avg V Rate at Onset: 174 min ⁻¹	00:00:08
V-387	26 Aug 2016 14:38	NonSustV	Avg V Rate at Onset: 168 min ⁻¹	00:00:08
ATR-54	23 Aug 2016 14:10	ATR	Avg V Rate in ATR: 135 min ⁻¹	-----
V-386	23 Aug 2016 14:10	NonSustV	Avg V Rate at Onset: 172 min ⁻¹	00:00:15
V-385	22 Aug 2016 05:41	NonSustV	Avg V Rate at Onset: 160 min ⁻¹	00:00:07
V-384	16 Aug 2016 21:40	NonSustV	Avg V Rate at Onset: 179 min ⁻¹	00:00:14
V-383	16 Aug 2016 16:37	NonSustV	Avg V Rate at Onset: 165 min ⁻¹	00:00:16
V-382	15 Aug 2016 21:07	NonSustV	Avg V Rate at Onset: 139 min ⁻¹	00:00:19
ATR-53	13 Aug 2016 11:47	ATR	Avg V Rate in ATR: 104 min ⁻¹	00:00:03
ATR-52	11 Aug 2016 13:27	ATR	Avg V Rate in ATR: 128 min ⁻¹	00:00:05
ATR-51	05 Aug 2016 08:07	ATR	Avg V Rate in ATR: 110 min ⁻¹	00:00:01
ATR-50	21 Jul 2016 17:17	ATR	Avg V Rate in ATR: 98 min ⁻¹	00:00:01
ATR-49	12 Jul 2016 05:25	ATR	Avg V Rate in ATR: 78 min ⁻¹	00:00:01
ATR-48	05 Jul 2016 16:23	ATR	Avg V Rate in ATR: 122 min ⁻¹	00:00:04
ATR-47	23 Jun 2016 17:46	ATR	Avg V Rate in ATR: 78 min ⁻¹	-----
V-140	03 Feb 2015 11:48	SVT (V<=A)	Avg V Rate at Onset: 184 min ⁻¹	00:01:14