



ZOOM ® View™

Arrhythmia Logbook Report

Date of Birth
DeviceN/R N/R N/R
VITALIO MRI J277/433364

Report Created 02 Oct 2015

Last Office Interrogation
N/R
Implant Date
N/R

Event	Date/Time	Type	Summary	Duration hh:mm:ss
ATR-13	02 Oct 2015 06:13	ATR	Avg V Rate in ATR: 90 min ⁻¹	00:00:13
ATR-12	02 Oct 2015 04:50	ATR	Avg V Rate in ATR: 68 min ⁻¹	00:00:02
ATR-11	02 Oct 2015 04:49	ATR	Avg V Rate in ATR: 65 min ⁻¹	00:00:01
ATR-10	02 Oct 2015 04:47	ATR	Avg V Rate in ATR: 80 min ⁻¹	00:00:11
ATR-9	02 Oct 2015 04:42	ATR	Avg V Rate in ATR: 107 min ⁻¹	00:00:05
ATR-8	02 Oct 2015 04:41	ATR	Avg V Rate in ATR: 75 min ⁻¹	00:00:07
ATR-7	02 Oct 2015 04:41	ATR	Avg V Rate in ATR: 61 min ⁻¹	00:00:01
ATR-6	01 Oct 2015 17:34	ATR	Avg V Rate in ATR: 84 min ⁻¹	00:00:07
ATR-5	01 Oct 2015 11:57	ATR	Avg V Rate in ATR: 60 min ⁻¹	00:00:01
ATR-4	01 Oct 2015 10:08	ATR	Avg V Rate in ATR: 67 min ⁻¹	00:00:04

Clinician Signature: