Keeping your secrets safe

It's actually very easy.
Rails already provides us the tools
But it's the laziness that we need to fight.

The config/master.key file
Is the hash Rails uses to decode your
Secrets in config/credentials.yml.enc

A cautionary tale

When you add an IP to your allow list, you only allow access to SendGrid (web and API) when the request comes from that specific IP address and you deny all others. IP allow listing adds security to your account and can help prevent malicious activity.

Recent Access Attempts

Your current IP is **unknown**

ALLOWED	IP ADDRESS	FIRST DATE	LAST DATE	METHOD	LOCATION	CONFIGURE
✓	85.25.194.235	2022-11-07 05:24 AM	2022-11-07 05:24 AM	API Key ⓘ	Strasbourg, Grand Est	⚙ ▾
✓	49.12.120.155	2022-11-07 05:22 AM	2022-11-07 05:22 AM	API Key ⓘ	Germany	⚙ ▾
✓	52.13.83.182	2022-11-07 05:21 AM	2022-11-07 05:21 AM	API Key ⓘ	Boardman, Oregon	⚙ ▾
✓	144.76.196.13	2022-11-07 04:56 AM	2022-11-07 04:56 AM	API Key ⓘ	Germany	⚙ ▾
✓	192.119.163.103	2022-11-07 04:07 AM	2022-11-07 04:07 AM	API Key ⓘ	Chicago, Illinois	⚙ ▾
✓	44.197.173.58	2022-11-07 02:45 AM	2022-11-07 02:45 AM	API Key ⓘ	Ashburn, Virginia	⚙ ▾
✓	44.201.104.50	2022-11-07 01:32 AM	2022-11-07 01:32 AM	API Key ⓘ	Ashburn, Virginia	⚙ ▾
✓	100.26.1.221	2022-11-07 12:39 AM	2022-11-07 12:39 AM	API Key ⓘ	Ashburn, Virginia	⚙ ▾
✓	34.239.173.228	2022-11-07 12:35 AM	2022-11-07 12:35 AM	API Key ⓘ	Ashburn, Virginia	⚙ ▾
✓	3.210.203.44	2022-11-07 12:15 AM	2022-11-07 12:15 AM	API Key ⓘ	Ashburn, Virginia	⚙ ▾
✓	27.34.16.10	2022-11-06 10:34 PM	2022-11-06 10:34 PM	Web ⓘ	Kathmandu, Bagmati Province	⚙ ▾

Email API

Design Library

Stats

Activity

Suppressions

Settings

Account Details
Alert Settings
API Keys
Inbound Parse
IP Access Management
IP Addresses
Mail Settings
Sender Authentication
Subuser Management
Teammates
Tracking
Two-Factor Authentication

Twilio SMS NEW

REPUTATION 96%

EMAILS THIS MONTH
14.22k

- My name is Abhilekh

- I'm a Paid Open Source Contributor

- I like to think we can make reactive apps just using Rails!