

Course Name: Computer Networks and Internet Protocol

Assignment 2 - Week 2 (Jan 2026)

TYPE OF QUESTION: MCQ/MSQ

Number of questions: 10

Total mark: 10 X 1 = 10

QUESTION 1

Is *host.xyz.com*. a fully qualified domain name?

- a) True
- b) False

Correct Answer: (a)

Detailed Solution: The given domain name ends in a “dot”. So it is fully qualified.

QUESTION 2

What makes FTP more secure than TFTP (Trivial File Transfer Protocol)?

- a) TFTP lacks features like user authentication and secure data transfer mechanisms.
- b) TFTP allows simultaneous connections without encryption.
- c) TFTP uses TCP, which is inherently less secure than UDP.
- d) TFTP is designed for unreliable networks, making it inherently less secure.

Correct Answer: (a)

Detailed solution: Compared to FTP, which uses TCP and has authentication mechanisms, TFTP is less dependable and safe since it lacks crucial security features like user authentication and runs on UDP.

QUESTION 3

In the HTTP architecture, which of the following best describes a Uniform Resource Locator (URL)?

- a) A secure protocol for encrypting HTTP communication.
- b) A client-side scripting language for web development.
- c) A unique identifier for resources, including the protocol, hostname, and path
- d) A header that allows caching of web pages for better performance.

Correct Answer: (c)

Detailed solution: A URL uniquely identifies resources on the web, specifying the protocol (e.g., HTTP or HTTPS), hostname (e.g., example.com), port (if applicable), and the path to the resource."

QUESTION 4

Which of the following is the correct syntax for anchor tags in HTML?

- a) <p>...</p>
- b) <ar>...</ar>
- c) <a>...
- d) ...

Correct Answer: (c)

Detailed Solution: Example:- <a href=<http://host.xyz.com>> Link

QUESTION 5

Which of the following is correct for statements **P**, **Q** and **R**?

P : HTTP uses TCP port 80 for communication.

Q: TELNET transmits data in an encrypted format.

R: DNS can operate on both TCP and UDP.

- a) Both **P** and **R** is False, Only **Q** is True
- b) Both **P** and **R** is True, **Q** is False
- c) Only **Q** is True
- d) Only **R** is False

Correct Answer: (b)

Detailed Solution:

P: True. HTTP uses TCP port 80 for communication.

Q: False. TELNET transmits data in plaintext, making it unencrypted and insecure.

R: True. DNS typically runs on UDP for queries but switches to TCP for zone transfers or large responses.

QUESTION 6

What is the correct syntax to be written in the command line to initiate a Telnet connection to the web server of www.iitkgp.ac.in?

- a) telnet//www.iitkgp.ac.in
- b) telnet:www.iitkgp.ac.in
- c) telnet://www.iitkgp.ac.in
- d) telnet www.iitkgp.ac.in

Correct Answer: (d)

Detailed Solution : The command starts with Telnet, followed by the hostname or IP address.

QUESTION 7

Which of the following protocols allow non-ASCII data to be sent over email?

- a) IMAP4
- b) TELNET
- c) MIME
- d) POP3

Correct Answer: (c)

Detailed Solution : MIME transforms data into a format that SMTP can transmit, such as Base64 encoding for binary files, allowing non-ASCII data to be sent over email.

QUESTION 8

Which of the following is true about the mail transfer protocol?

- S1 : Can send image files with the help of IMAP4
- S2 : Can send image files with the help of POP3
- S3 : IMAP4 is more secure than POP3

- a) Only S1
- b) Only S2
- c) S2 and S3 only
- d) S3 Only

Correct Answer: (d)

Detailed Solution :

S1: **Incorrect.** SMTP cannot send image files directly; it requires MIME (not IMAP4) for sending non-ASCII data like images.

S2: **Incorrect.** POP3 is used for retrieving emails, not for sending them. SMTP sends emails, but image files are sent via MIME.

S3: **Correct.** IMAP4 is generally more secure than POP3 because it supports features like encrypted communication and better mailbox management.

QUESTION 9

Which of the following is/are not an Application Layer protocol(s) ?

- a) HTTP
- b) SFTP
- c) UDP
- d) SNMP

Correct Answer: (c)

Detailed Solution: UDP is a Transport Layer protocol.

QUESTION 10

What is the command used by DNS to translate a fully qualified domain name into its corresponding IP address?

- a) iplookup
- b) nssearch
- c) ipconfig
- d) nslookup

Correct Answer: (d)

Detailed Solution: nslookup translate fully qualified domain names to corresponding IP addresses.
