

To create Maven QuickStart project, follow the below steps in Eclipse IDE



Step-1 Start Eclipse IDE in your machine.

1. Launch Eclipse IDE on your machine.
2. When Eclipse starts, you'll see a dialog box prompting you to select a workspace.
3. You have two options:

Choose an existing workspace by selecting it from the list.

Create a new workspace by clicking the **Browse** button, navigating to your desired folder location, and selecting it.

4. Once you have selected or created the workspace, click the **Launch** button to open Eclipse with that workspace.




Step-3

Click the next button.

Step-4


After clicking the **Next** button, a dialog box will appear prompting you to choose the Maven plug-ins you want to install or use in your Eclipse IDE.

Select the appropriate Maven plug-ins (usually the default selections are fine), then proceed by clicking **Next** or **Finish** to continue with the setup.



In this dialog box, you can change the **Catalog** value from the dropdown list according to your application requirements.

Note: Select **INTERNAL** from the **Catalog** list. Then, from the available archetypes, select **maven-archetype-quickstart**. After making your selection, click **Next** to proceed.



Step-5 After Selecting maven-archetype-quickstart

When you choose the maven-archetype-quickstart from the list (typically during project creation in Eclipse, IntelliJ IDEA, or similar IDEs), a **dialog box appears prompting you to enter key Maven coordinates**:

Group Id:

Artifact Id:

Version:0.0.1-SNAPSHOT

Package:

☒ run archetype generation interactively

Properties available from archetype:

Name	Value

Add...
Remove

Advanced

?

< Back

Next >

Finish

Cancel

New Maven Project

New Maven project

Specify Archetype parameters

com.paruluniversity

myFirstMaven

Version:0.0.1-SNAPSHOT

Package:com.paruluniversity.myFirstMaven

☒ run archetype generation interactively

Properties available from archetype:

Name	Value

Add...
Remove

Advanced

?

< Back

Next >

Finish

Cancel

Step-5 After Clicking the "Finish" Button

Once you **click the Finish button**, the IDE or Maven tool will begin **creating the Maven project**. Here's what typically happens:

Maven Project Creation Process

1. **Download and Set Up Archetype**
Maven uses the maven-archetype-quickstart to generate the default project structure.
2. **Dependency Resolution (if first time)**
Maven may download required dependencies (like JUnit, Maven plugin, etc.) from the central repository.
3. **Prompt for Confirmation (Command Line Only)**
If you are creating the project **via command line** using the command:

```
groupId: com.paruluniversity
artifactId: myFirstMaven
version: 0.0.1-SNAPSHOT
package: com.paruluniversity.myFirstMaven
Y: :
```

Once you respond **Y**, it will create a new maven project in eclipse.

```
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 06:38 min
[INFO] Finished at: 2024-07-03T19:15:05+05:30
[INFO] -----
```

Project Structure

```
▼  newmaven
  >  src/main/java
  >  src/test/java
  >  JRE System Library [J2SE-1.5]
  >  Maven Dependencies
  >  src
  >  target
  >  pom.xml
```

Steps to Add a Dependency Using URL (Maven Repository)

1. Go to <https://mvnrepository.com>
2. Search for the library you want to add (e.g., JUnit, MySQL Connector, Spring, Hibernate, etc.)
3. Click on the version you want.
4. Copy the <dependency> XML block.
5. Paste it into the <dependencies> section of your pom.xml.

```
<dependencies>
  <dependency>
    <groupId>junit</groupId>
    <artifactId>junit</artifactId>
    <version>3.8.1</version>
    <scope>test</scope>
  </dependency>
  <!-- https://mvnrepository.com/artifact/com.mysql/mysql-connector-j -->
  <dependency>
    <groupId>com.mysql</groupId>
    <artifactId>mysql-connector-j</artifactId>
    <version>8.2.0</version>
  </dependency>
</dependencies>
```
