



To create Spring MVC project, follow the below steps in Eclipse IDE

Start Eclipse IDE in your machine.

Once you start IDE it will open below Dialog box and here you have to define your project workspace ***either in default path or give your own folder location*** for project then click on Launch.




It will open the below screen.




To create eclipse maven Project, follow the below steps.

1) Click FILE Menu -> NEW -> Maven Project -> Select the Workspace -> Click Next – It will display below dialog box.




Here you need to create Group ID and Artifact ID, then click NEXT




Once you click on finished, it will create springex2 project in eclipse.

2) Select webapp folder -> WEB-INF then right click and create the folder with name called **views** and add the file with name **index.jsp** inside the **view** folder.

3) Now right click on project, choose **build path then select configure build path**, it will display below dialog box.




Now select the project facets from dialog box and click on Runtime, It will display installed Apache servers in dialog box. (if not display the installed first)




Now select one of the server on which you would like to deploy the project, click Apply and Apply and Close.

Click on server tab and select Hyperlink and follow the steps to deploy the application.




Click on Apache and select the 9.0 / 10.0 version from list.




Click on next button and add the server to project.

Select the project, and click on add to deploy the project.



Then right click on added server and execute start option from the list.



Once call the start button it will start the server as well as deploy the project.

4) Now go to the project folder and open POM.XML file and add the below dependency in file.


```
<properties>
    <spring.version>6.1.10</spring.version>
</properties>

<dependencies>
    <dependency>
        <groupId>org.springframework</groupId>
        <artifactId>spring-core</artifactId>
        <version>${spring.version}</version>
    </dependency>

    <dependency>
        <groupId>org.springframework</groupId>
        <artifactId>spring-web</artifactId>
        <version>${spring.version}</version>
    </dependency>

    <dependency>
        <groupId>org.springframework</groupId>
        <artifactId>spring-webmvc</artifactId>
        <version>${spring.version}</version>
    </dependency>
</dependencies>
```

5) Now right click **src/main/java** from **javasource** folder and add the package name **com.spring2.controller**



Once you add the package inside the folder then right click and add the class file name **homeController**.

Java Class

⚠ Type name is discouraged. By convention, Java type names usually start with an uppercase letter

Source folder:

Package:

☐ Enclosing type:

Name:

Modifiers: ☒ public ☐ package ☐ private ☐ protected
☐ abstract ☐ final ☐ static

Superclass:

Interfaces:

Which method stubs would you like to create?

☐ public static void main(String[] args)
☐ Constructors from superclass
☒ Inherited abstract methods

Do you want to add comments? (Configure templates and default value [here](#))
☐ Generate comments

Now add the below code into controller name called homeController and add the below code.

```
package com.springex2.controller;
```

```
import org.springframework.stereotype.Controller;
import org.springframework.web.bind.annotation.RequestMapping;
import org.springframework.web.bind.annotation.RequestMethod;
```

```
@Controller
```

```
public class homeController {
```

```
    @RequestMapping(value="/", method = RequestMethod.GET)
```

```
    public String landing() {
```

```
        return "index";
```

```
    }
```

```
}
```

5) Now go to the WEB-INF folder and add the web.xml file and add the below code.

```
<web-app>
```

```
    <display-name>Archetype Created Web Application</display-name>
```

```
    <context-param>
```

```
        <param-name>contextConfigLocation</param-name>
```

```
        <param-value>/WEB-INF/dispatcher-servlet.xml</param-value>
```

```
    </context-param>
```

```
    <listener>
```

```
        <listener-
```

```
class>org.springframework.web.context.ContextLoaderListener</listener-
```

```
class>
```

```
    </listener>
```

```
</servlet>
```

```

        <servlet-name>dispatcher</servlet-name>
        <servlet-
class>org.springframework.web.servlet.DispatcherServlet</servlet-class>
        <load-on-startup>1</load-on-startup>
    </servlet>
    <servlet-mapping>
        <servlet-name>dispatcher</servlet-name>
        <url-pattern>/</url-pattern>
    </servlet-mapping>
</web-app>

```

6) Now go to the WEB-INF folder and add the dispatcher-servlet.xml file and add the below code.

```


<?xml version="1.0" encoding="UTF-8"?>
<beans xmlns="http://www.springframework.org/schema/beans"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xmlns:context="http://www.springframework.org/schema/context"
    xmlns:mvc="http://www.springframework.org/schema/mvc"
    xsi:schemaLocation="http://www.springframework.org/schema/beans
http://www.springframework.org/schema/beans/spring-beans.xsd
http://www.springframework.org/schema/context
http://www.springframework.org/schema/context/spring-context.xsd
http://www.springframework.org/schema/mvc
http://www.springframework.org/schema/mvc/spring-mvc.xsd">

    <mvc:annotation-driven />
    <context:component-scan base-package="com.springex2.controller" />


    <bean
class="org.springframework.web.servlet.view.InternalResourceViewResolve
r">
        <property name="prefix" value="/WEB-INF/views/" />
        <property name="suffix" value=".jsp" />
    </bean>

```

7. Now right click to project and select **RUN ON server**



Once you run the project on server, it will render the below contents in the browser.



Welcome to home controller