		_	ОВ	Ref. MP C084-0055-25											Loca	al. Prog:			Rep. 0	NC:	х	
			JSI	Dog	scriç		7000	30		v 1	254		3	x /N	OY			Sen	arado n	/ corte:		
			SOL SRA		Míni Míni			30			254 251	^	<u> </u>	^ //\	UA				arado p	oone.		
			G/P	-				_				304						Baix	a de m	aterial:		
	MICRONS	G/P		Trabalho CNC			_	M3011-0300-AISI304 1616														
				101	10			170	10									1				
4	4 4	4	4	4		4	4	 _4	4		4	4]	<u> </u> 4	4 4		4	4	4 \ 4		4 4		\$ <u> </u>
	4 4	4	4	4		4	4	4	4		4	4	1 4	1 4		4	4	4 4		4 4		\$\
	6 \$ 6 \$ 6	6	6		6	6	6	6	6	6		6 %	6 ₹	6	6	6	6	6	6	6 \$ 6	6	
5<	16. 6. 6																			Jan Jo	2	
6<		6	6	26 \ \ \ \ \ \ \ \	6		6	6	}6\ } }	€ 6 \	6	6		6	6 √ ́	6	6 6	3 / 6	3 \ 6	3/26/		4
	3/3 27/3 2					\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\															5 }}	5
4	3 3	7	3	3	3		3	3		3	\3 [']	3	} <i>`</i>]/	\3 ^{\(\)}	3	7	3 /3	3	3	3	5	
	{ 3 3 3	√ 3		3	, 3	\mathbb{J} .	3	, 3	\mathbb{I}	3	3	″ ⊸ 3		3	″ " 3	\mathcal{J}	3 3		3	3		5
2					, J 	J										J					• •	5
	3 3 3	ິ 3	3	$\mathbb{K}_{\mathbf{a}}$	3 4	× 3	\mathbb{K}_{ϵ}	3 4	√3 √3	∑3		3	√ √ 3		3 ^ℤ	~ 3	3	√3 3	% 3	3/1	2	
9						1										1				2		4
8/2	3 3	3	_∄ 3∑	∛, 3	3/4	3	4 3	3 🛴	3	५ ૩ે		3 🛴	₇ 3	Y 3	3 🏹	. 3 [\]	્રૈં 3 ૅં	₇₇ 3	🖔 3ે	22	2<	4
	pron				, <u> </u>	W														Mer.		
Mágu	uina Gá	s		14	/07/2	2025			Nest	ina						y 1		00:1	7.21 6	31		
Máqı BYS						2025 15 00			Nest /	ing	To	em	ро	tota	al	x 1			7:21.6 4:43.2			
BYS	PRINT Nitrogêi	nio	855	10:	:54:1	15.00			/		-					x 1 x 2			7:21.6 4:43.2			
BYS.	PRINT Nitrogêi oveitamento:	nio 72.8	855	10:	:54:1 65.		kg	Pe	so M	ing P (kg)	Te	ste d	le Re	egulag	gem	x 2		00:3	4:43.2	22	3.22	
BYS. Apro	PRINT Nitrogêi oveitamento: ilho:	72.8 0		10: %	:54:1 65.9 0	955	kg kg	Pe 90	/) Te:	ste d serv	e Re ⁄açõ	egulag es	gem	x 2	100-AISI304				3.22	
Apro Reta Suca	PRINT Nitrogêr oveitamento: alho: ata:	nio 72.8		10: %	:54:1 65.	955	kg	Pe 90	so M	P (kg)) Te:	ste d	le Re /açõ mad	egulag es lor	gem	x 2 ^{M3011-03} Felip	00-AISI304	00:3	4:43.2 ×2	00:34:45		
BYS. Apro	PRINT Nitrogêi oveitamento: ilho:	72.8 0 27.		10: %	:54:1 65.9 0	955	kg kg	Pe 90	so M	P (kg)) Te:	ste d serv	le Re /açõ mad	egulag es	gem	x 2 M3011-03 Felip	100-AISI304	00:3	4:43.2 ×2 mensé	00:34:45	Pes 0.008	
BYS Apro Reta Suca	PRINT Nitrogên pveitamento: alho: ata: Referência TSTREG20X200 A-42 - LASER TS	72.6 0 27.	145	10: %	:54:1 65.9 0	955	kg kg	Pe 90	so M 0.529 Clier	P (kg)	Oth Pro	ste d serv	le Revaçõ	egulag es lor	To: 100 2	x 2 M3011-03 Felip	e Faltam 994 0	00:3 Felipe Dit 20 15	x 2 menso x x	00:34:45 00:34:45 0es 20 195.5	Pes 0.008 0.07	8
BYS. Apro Reta Suca # 12 8 9 3	PRINT Nitrogên veitamento: alho: ata: Referência TSTREG20X200 A-42 - LASER TS AB250-3 - LASER A-42 - LASER	72.8 0 27. 810 8T DB R TST L	145	10: %	:54:1 65.9 0	955	kg kg	Pe 90	So M 0.529 Clier PROGPROGPROG	P (kg) nte GRESSG GRESSG GRESSG	Ok Pro	ste d serv	C	egulag es lor hapa	To: 100 2 2 128	х 2 мзо11-03 Felip	### ##################################	00:3 Felipe Dii 20 15 15 168	x 2 menso x x x x x 3.767 x	00:34:45 00:34:45 00:34:45 00:34:45 00:34:45 00:34:45 195.5 148.1 195.535	0.008 0.07 0.053 0.494	3 4
BYS. Apro Reta Suca # 12 8 9 3 2	PRINT Nitrogên veitamento: alho: ata: Referência TSTREG20X200 A-42 - LASER TS AB250-3 - LASER AMP-068 - LASER	72.8 0 27. 810 8T DB R TST L	145	10: %	:54:1 65.9 0	955	kg kg	Pe 90	So M 0.529 Clier PROGRAMO P	P (kg) nte GRESSG GRESSG GRESSG GRESSG	Oth Pro	ste d serv	C	egulag es lor hapa	To: 100 2 2 128 128	х 2 мзо11-оз Felip	### Paltam 994	00:3 Felipe Dii 20 15 15 168 148	x 2 mensé x x x x 3.767 x 5.267 x	00:34:45 00:34:45 Des 20 195.5 148.1 195.535 100	0.008 0.07 0.053 0.494 0.217	3 4 7
# 12 8 9 3 2 4 5	PRINT Nitrogên veitamento: alho: ata: Referência TSTREG20X200 A-42 - LASER TS AB250-3 - LASER AMP-068 - LASER AMP-068 - LASER AB250-3 - LASER AB250-3 - LASER	72.0 0 27.	145	10: %	:54:1 65.9 0	955	kg kg	Pe 90	PROGPROGPROG	P (kg) nte GRESSO GRESSO GRESSO GRESSO GRESSO	Oth Pro	ste d serv	CI 6 2 12 12 92 14	egulagees lor hapa	Tot 100 2 2 128 128 128 128 128	x 2	### Paltam 994	00:3 Felipe Diii 20 15 168 148 148	x2 mense x x x 3.767 x 3.767 x 3.767 x 3.147 x	00:34:45 00:34:	0.008 0.07 0.053 0.494 0.217 0.298 0.248	3 4 7 5
BYS. Apro Reta Suca # 12 8 9 3 2 4	PRINT Nitrogên veitamento: alho: ata: Referência TSTREG20X200 A-42 - LASER TS AB250-3 - LASER AMP-068 - LASER AMP-068 - LASER A-41 - LASER	72.0 0 27.	145	10: %	:54:1 65.9 0	955	kg kg	Pe 90	PROGPROGPROG	P (kg) nte GRESSO GRESSO GRESSO GRESSO	Oth Pro	ste d serv	CI 6 2 12 12 92	egulagees lor hapa	Tot 100 2 2 128 128 128 128	x 2	### ##################################	00:3 Felipe Diii 20 15 168 148 148	x2 mense x x x 3.767 x 3.767 x 3.767 x 3.147 x	00:34:45 00:34:45 00:34:45 00:34:45 00:34:45 195.5 148.1 195.535 100 105	0.008 0.07 0.053 0.494 0.217 0.298 0.248	3 4 7 5
# 12 8 9 3 2 4 5	PRINT Nitrogên veitamento: alho: ata: Referência TSTREG20X200 A-42 - LASER TS AB250-3 - LASER AMP-068 - LASER AMP-068 - LASER AB250-3 - LASER AB250-3 - LASER	72.0 0 27.	145	10: %	:54:1 65.9 0	955	kg kg	Pe 90	PROGPROGPROG	P (kg) nte GRESSO GRESSO GRESSO GRESSO GRESSO	Oth Pro	ste d serv	CI 6 2 12 12 92 14	egulagees lor hapa	Tot 100 2 2 128 128 128 128 128	x 2	### Paltam ### 994 ### 0 ##	00:3 Felipe Diii 20 15 168 148 148	x2 mense x x x 3.767 x 3.767 x 3.767 x 3.147 x	00:34:45 00:34:	0.008 0.07 0.053 0.494 0.217 0.298 0.248	3 4 7 5
# 12 8 9 3 2 4 5	PRINT Nitrogên veitamento: alho: ata: Referência TSTREG20X200 A-42 - LASER TS AB250-3 - LASER AMP-068 - LASER AMP-068 - LASER AB250-3 - LASER AB250-3 - LASER	72.0 0 27.	145	10: %	:54:1 65.9 0	955	kg kg	Pe 90	PROGPROGPROG	P (kg) nte GRESSO GRESSO GRESSO GRESSO GRESSO	Oth Pro	ste d serv	CI 6 2 12 12 92 14	egulagees lor hapa	Tot 100 2 2 128 128 128 128 128	x 2	### Paltam ### 994 ### 0 ##	00:3 Felipe Diii 20 15 168 148 148	x2 mense x x x 3.767 x 3.767 x 3.767 x 3.147 x	00:34:45 00:34:	0.008 0.07 0.053 0.494 0.217 0.298 0.248	3 4 7 5
# 12 8 9 3 2 4 5	PRINT Nitrogên veitamento: alho: ata: Referência TSTREG20X200 A-42 - LASER TS AB250-3 - LASER AMP-068 - LASER AMP-068 - LASER AB250-3 - LASER AB250-3 - LASER	72.0 0 27.	145	10: %	:54:1 65.9 0	955	kg kg	Pe 90	PROGPROGPROG	P (kg) nte GRESSO GRESSO GRESSO GRESSO GRESSO	Oth Pro	ste d serv	CI 6 2 12 12 92 14	egulagees lor hapa	Tot 100 2 2 128 128 128 128 128	x 2	### Paltam ### 994 ### 0 ##	00:3 Felipe Diii 20 15 168 148 148	x2 mense x x x 3.767 x 3.767 x 3.767 x 3.147 x	00:34:45 00:34:	0.008 0.07 0.053 0.494 0.217 0.298 0.248	3 4 7 5
# 12 8 9 3 2 4 5	PRINT Nitrogên veitamento: alho: ata: Referência TSTREG20X200 A-42 - LASER TS AB250-3 - LASER AMP-068 - LASER AMP-068 - LASER AB250-3 - LASER AB250-3 - LASER	72.0 0 27.	145	10: %	:54:1 65.9 0	955	kg kg	Pe 90	PROGPROGPROG	P (kg) nte GRESSO GRESSO GRESSO GRESSO GRESSO	Oth Pro	ste d serv	CI 6 2 12 12 92 14	egulagees lor hapa	Tot 100 2 2 128 128 128 128 128	x 2	### Paltam ### 994 ### 0 ##	00:3 Felipe Diii 20 15 168 148 148	x2 mense x x x 3.767 x 3.767 x 3.767 x 3.147 x	00:34:45 00:34:	0.008 0.07 0.053 0.494 0.217 0.298 0.248	3 4 7 5
# 12 8 9 3 2 4 5	PRINT Nitrogên veitamento: alho: ata: Referência TSTREG20X200 A-42 - LASER TS AB250-3 - LASER AMP-068 - LASER AMP-068 - LASER AB250-3 - LASER AB250-3 - LASER	72.0 0 27.	145	10: %	:54:1 65.9 0	955	kg kg	Pe 90	PROGPROGPROG	P (kg) nte GRESSO GRESSO GRESSO GRESSO GRESSO	Oth Pro	ste d serv	CI 6 2 12 12 92 14	egulagees lor hapa	Tot 100 2 2 128 128 128 128 128	x 2	### Paltam ### 994 ### 0 ##	00:3 Felipe Diii 20 15 168 148 148	x2 mense x x x 3.767 x 3.767 x 3.767 x 3.147 x	00:34:45 00:34:	0.008 0.07 0.053 0.494 0.217 0.298 0.248	3 4 7 5
# 12 8 9 3 2 4 5	PRINT Nitrogên veitamento: alho: ata: Referência TSTREG20X200 A-42 - LASER TS AB250-3 - LASER AMP-068 - LASER AMP-068 - LASER AB250-3 - LASER AB250-3 - LASER	72.0 0 27.	145	10: %	:54:1 65.9 0	955	kg kg	Pe 90	PROGPROGPROG	P (kg) nte GRESSO GRESSO GRESSO GRESSO GRESSO	Oth Pro	ste d serv	CI 6 2 12 12 92 14	egulagees lor hapa	Tot 100 2 2 128 128 128 128 128	x 2	### Paltam ### 994 ### 0 ##	00:3 Felipe Diii 20 15 168 148	x2 mense x x x 3.767 x 3.767 x 3.767 x 3.147 x	00:34:45 00:34:	0.008 0.07 0.053 0.494 0.217 0.298 0.248	3 4 7 5
# 12 8 9 3 2 4 5	PRINT Nitrogên veitamento: alho: ata: Referência TSTREG20X200 A-42 - LASER TS AB250-3 - LASER AMP-068 - LASER AMP-068 - LASER AB250-3 - LASER AB250-3 - LASER	72.0 0 27.	145	10: %	:54:1 65.9 0	955	kg kg	Pe 90	PROGPROGPROG	P (kg) nte GRESSO GRESSO GRESSO GRESSO GRESSO	Oth Pro	ste d serv	CI 6 2 12 12 92 14	egulagees lor hapa	Tot 100 2 2 128 128 128 128 128	x 2	### Paltam ### 994 ### 0 ##	00:3 Felipe Diii 20 15 168 148	x2 mense x x x 3.767 x 3.767 x 3.767 x 3.147 x	00:34:45 00:34:	0.008 0.07 0.053 0.494 0.217 0.298 0.248	3 4 7 5
# 12 8 9 3 2 4 5	PRINT Nitrogên veitamento: Ilho: ata: Referência TSTREG20X200 A-42 - LASEI A-42 - LASEI A-42 - LASER AMP-068 - LASE AB250-3 - LASEI AB250-4 - LASEI	72.0 0 27.	145	10: % % %	65.4:1 65.4:0 24.3	955	kg kg	Pe 90	PROG PROG PROG PROG PROG	P (kg) nte GRESSO GRESSO GRESSO GRESSO	Oth Pro	ste d serv		egulages lor hapa	Tot 100 2 2 128 128 128 128 128	x 2	### Paltam ### 994 ### 0 ##	00:3 Felipe Din 20 15 168 148 148	x2 mense x x x 3.767 x 3.767 x 3.767 x 3.147 x	00:34:45 Oes 20 195.5 148.1 195.535 100 105 105 195.535	Pes 0.008 0.07 0.053 0.494 0.217 0.298 0.248	3 4 7 5
# 12 8 9 3 2 4 5 5 6	PRINT Nitrogên veitamento: alho: ata: Referência TSTREG20X200 A-42 - LASER TS AB250-3 - LASER AMP-068 - LASER AMP-068 - LASER AB250-3 - LASER AB250-3 - LASER	72.0 0 27.	145	10: %	65.4:1 65.4:0 24.3	955	kg kg	Pe 90	PROG PROG PROG PROG PROG	P (kg) nte GRESSO GRESSO GRESSO GRESSO GRESSO	Oth Pro	ste d serv		egulagees lor hapa	To: 100 2 2 128 128 128 128	x 2	### Paltam ### 994 ### 0 ##	00:3 Felipe Diii 20 15 168 148	x2 mense x x x 3.767 x 3.767 x 3.767 x 3.147 x	00:34:45 Oes 20 195.5 148.1 195.535 100 105 105 195.535	0.008 0.07 0.053 0.494 0.217 0.298 0.248	3 4 7 5
# 12 8 9 3 2 4 5 6 6 1	PRINT Nitrogên veitamento: Ilho: ata: Referência TSTREG20X200 A-42 - LASEI A-42 - LASEI A-42 - LASER AMP-068 - LASE AB250-3 - LASEI AB250-4 - LASEI	72.0 0 27.	145	10: % % %	65.4:1 65.4:0 24.3	955	kg kg	Pe 90	PROG PROG PROG PROG PROG	P (kg) nte GRESSO GRESSO GRESSO GRESSO	Oth Pro	ste d serv		egulages lor hapa	To: 1000 2 2 128 128 128 128	x 2 M3011-03 Felip Tal	### Paltam ### 994 ### 0 ##	00:3 Felipe Din 20 15 168 148 148	x2 mense x x x 3.767 x 3.767 x 3.767 x 3.147 x	00:34:45 Oes 20 195.5 148.1 195.535 100 105 105 195.535	Pes 0.008 0.07 0.053 0.494 0.217 0.298 0.248	3 4 7 5
# 12 8 9 3 2 4 4 5 6 6 1 1 2 2	PRINT Nitrogên veitamento: Ilho: ata: Referência TSTREG20X200 A-42 - LASEI A-42 - LASEI A-42 - LASER AMP-068 - LASE AB250-3 - LASEI AB250-4 - LASEI	72.0 0 27.	145	10: % % %	65.4:1 65.4:0 24.3	955	kg kg kg	Pe 90	PROG PROG PROG PROG PROG	P (kg) nte GRESSO GRESSO GRESSO GRESSO	Oth Pro	ste d serv		egulages lor hapa	To: 1000 2 2 1288 1288 1288 1288 1288 1288	x 2 M3011-03 Felip ral 11 12	### Paltam ### 994 ### 0 ##	00:3 Felipe Din 20 15 168 148 148	x2 mense x x x 3.767 x 3.767 x 3.767 x 3.147 x	00:34:45 Oes 20 195.5 148.1 195.535 100 105 105 195.535	Pes 0.008 0.07 0.053 0.494 0.217 0.298 0.248	3 4 7 5
# 12 8 9 3 2 4 5 6 6 1	PRINT Nitrogên veitamento: Ilho: ata: Referência TSTREG20X200 A-42 - LASEI A-42 - LASEI A-42 - LASER AMP-068 - LASE AB250-3 - LASEI AB250-4 - LASEI	72.0 0 27.	145	10: % % %	65.4:1 65.4:0 24.3	955	kg kg	Pe 90	PROG PROG PROG PROG PROG	P (kg) nte GRESSO GRESSO GRESSO GRESSO	Oth Pro	ste d serv		egulages lor hapa	To: 1000 2 2 1288 1288 1288 1288 1288 1288	x 2 M3011-03 Felip Tal	### Paltam ### 994 ### 0 ##	00:3 Felipe Din 20 15 168 148 148	x2 mense x x x 3.767 x 3.767 x 3.767 x 3.147 x	00:34:45 Oes 20 195.5 148.1 195.535 100 105 105 195.535	Pes 0.008 0.07 0.053 0.494 0.217 0.298 0.248	3 4 7 5
# 12 8 9 3 2 4 5 6 6 1 1 2 2	PRINT Nitrogên veitamento: Ilho: ata: Referência TSTREG20X200 A-42 - LASEI A-42 - LASEI A-42 - LASER AMP-068 - LASE AB250-3 - LASEI AB250-4 - LASEI	72.0 0 27.	145	10: % % %	65.4:1 65.4:0 24.3	955	kg kg kg	Pe 90	PROG PROG PROG PROG PROG	P (kg) nte GRESSO GRESSO GRESSO GRESSO	Oth Pro	ste d serv		egulages lor hapa	To: 1000 2 2 1288 1288 1288 128	x 2 M3011-03 Felip ral 11 12	### Paltam ### 994 ### 0 ##	00:3 Felipe Din 20 15 168 148 148	x2 mense x x x 3.767 x 3.767 x 3.767 x 3.147 x	00:34:45 Oes 20 195.5 148.1 195.535 100 105 105 195.535	Pes 0.008 0.07 0.053 0.494 0.217 0.298 0.248	3 4 7 5