

Harbor Observatory Annual Report 2025

Observations, findings and priorities

Authors: Maya Chen; Leo Martin

Executive overview

Harbor Observatory monitored water quality at three fictional coastal stations during 2025. This report summarizes the observations and the priorities for the next reporting period.

All figures are invented for calibration. The visible title, document language and metadata should describe this same publication. A nearby year or another observatory is a meaningful identity difference.

Principal findings

Mean visibility increased from 2.4 to 3.1 metres. North station has one missing winter observation, so annual station averages are only partly comparable.

Reporting period: January to December 2025.

Publisher: Harbor Observatory, a fictional research group.




Figure 1. Mean water visibility at the three fictional stations.

Field sampling procedure

Read the left column first, then continue in the right column. The numbered steps depend on their predecessors.

1. Prepare the sealed bottles

Label each bottle before sampling.
Keep bottles capped until needed.

3. Store the collected sample

Place the filled bottle in the cooler.
Record the collection time.

2. Collect a water sample

Open the prepared bottle at the station.
Fill it once; recap it immediately.

4. Analyze and record results

Test the sample after transport.
Attach the result to its bottle label.

The procedure is fictional and is not laboratory safety advice.

+0.7 m rise in mean water visibility since 2024, across all three stations

Station locations are shown in [Map 2](#) in the annex.

Mean water visibility by station (data)

Station	Mean visibility (metres)
North	2.8
Central	3.1
South	3.4