

Cucumber Report

18 Dec 2023, 11:48:39

Start : Dec 18, 11:46:49.474 am

End : Dec 18, 11:48:32.726 am

Duration : 1 m 43.252 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 12
FAILED - 3
SKIPPED - 6



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>checking computer feature</u>	1 m 43.252 s	3	0	3	0	21	12	3	6


#	Feature Name	Scenario Name
1	<u>checking computer feature</u>	: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSucce *
2		: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSucce *
3		: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSucce *

* The feature name and/or scenario name has been cropped to fit in the available space.

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@onlytest	3	0	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>checking computer feature</u>	3	0	3	0	1 m 43.252 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>checking computer feature</u>	<u>: verifyThatUserShouldBuildYouOwnComputerAndAddTh *</u>	7	4	1	2	36.352 s
2		<u>: verifyThatUserShouldBuildYouOwnComputerAndAddTh *</u>	7	4	1	2	33.739 s
3		<u>: verifyThatUserShouldBuildYouOwnComputerAndAddTh *</u>	7	4	1	2	32.948 s

* The feature name and/or scenario name has been cropped to fit in the available space.


checking computer feature

FAILED	DURATION - 1 m 43.252 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 21 Pass - 12 Fail - 3 Skip - 6	
/ 11:46:49.474 am // 11:48:32.726 am /					



: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully

FAILED		DURATION - 36.352 s			Steps Total - 7 Pass - 4 Fail - 1 Skip - 2	
/ 11:46:49.489 am // 11:47:25.841 am /						
checking computer feature						
@onlytest						


#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	1.967 s
2	And User Clicks on Computer tab	PASSED	0.873 s
3	And User clicks on Desktop link	PASSED	0.891 s
4	And User click on Product Build your own computer	PASSED	1.112 s
5	And User select products "2.2 GHz Intel Pentium Dual-Core E2200","2 GB","320 GB","Vista Home [+\$50.00]","Microsoft Office [+\$50.00]" on build your computer page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#product_attribute_1product_attribute_1"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [88d0058e2ffc9272f46fc9623f57b113, findElement {using=id, value=product_attribute_1product_attribute_1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49242}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49242/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 88d0058e2ffc9272f46fc9623f57b113	FAILED	20.279 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at com.nopcommerce.demo.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:148) at com.nopcommerce.demo.pages.BuildYourOwnComputerPage.selectProcessor(BuildYourOwnComputerPage.java:40) at com.nopcommerce.demo.steps.ComputerSteps.userSelectProductsOnBuildYourComputerPage(ComputerSteps.java:42) at ?.User select products "2.2 GHz Intel Pentium Dual-Core E2200","2 GB","320 GB","Vista Home [+\$50.00]","Microsoft Office [+\$50.00]" on build your computer page(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/computerpage. feature:20) * Not displayable characters are replaced by '?'. </pre>		
6	And clicks on Add to cart button	SKIPPED	0.001 s
7	Then user should see the message"The product has been added to your shopping cart"	SKIPPED	0.001 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	2.522 s
	: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully		
			



: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully

<div>FAILED</div> <div>DURATION - 33.739 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 11:47:25.940 am // 11:47:59.679 am /				
checking computer feature				
@onlytest				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	1.881 s
2	And User Clicks on Computer tab	PASSED	1.034 s
3	And User clicks on Desktop link	PASSED	1.026 s
4	And User click on Product Build your own computer	PASSED	0.892 s
5	<p>And User select products "2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]", "4GB [+\$20.00]", "400 GB [+\$100.00]", "Vista Premium [+\$60.00]", "Acrobat Reader [+\$10.00]" on build your computer page</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#product_attribute_1product_attribute_1"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [71054df24c89d7cd26b95f98540f8fa1, findElement {using=id, value=product_attribute_1product_attribute_1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49286}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:49286/devtoo..., se.cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 71054df24c89d7cd26b95f98540f8fa1</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)</p>	FAILED	20.200 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at com.nopcommerce.demo.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:148) at com.nopcommerce.demo.pages.BuildYourOwnComputerPage.selectProcessor(BuildYourOwnComputerPage.java:40) at com.nopcommerce.demo.steps.ComputerSteps.userSelectProductsOnBuildYourComputerPage(ComputerSteps.java:42) at ?.User select products "2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]", "4GB [+\$20.00]", "400 GB [+\$100.00]", "Vista Premium [+\$60.00]", "Acrobat Reader [+\$10.00]" on build your computer page(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/computerpage.feature:20) * Not displayable characters are replaced by '?'. </pre>		
6	And clicks on Add to cart button	SKIPPED	0.008 s
7	Then user should see the message"The product has been added to your shopping cart"	SKIPPED	0.004 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.793 s
	: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully		
			

: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully

<div>FAILED</div> <div>DURATION - 32.948 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 11:47:59.778 am // 11:48:32.726 am /</div>				
<div>checking computer feature</div>				
<div>@onlytest</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	1.571 s
2	And User Clicks on Computer tab	PASSED	0.842 s
3	And User clicks on Desktop link	PASSED	1.114 s
4	And User click on Product Build your own computer	PASSED	1.119 s
5	<p>And User select products "2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]", "8GB [+\$60.00]", "320 GB", "Vista Home [+\$50.00]", "Total Commander [+\$5.00]" on build your computer page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#product_attribute_1product_attribute_1"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [524e75ea545eff8ac9ee0b6f5c956e51, findElement {using=id, value=product_attribute_1product_attribute_1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49328}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49328/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 524e75ea545eff8ac9ee0b6f5c956e51 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at com.nopcommerce.demo.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:148) at com.nopcommerce.demo.pages.BuildYourOwnComputerPage.selectProcessor(BuildYourOwnComputerPage.java:40)</pre>	FAILED	20.211 s

#	Step / Hook Details	Status	Duration
	<p>at com.nopcommerce.demo.steps.ComputerSteps.userSelectProductsOnBuildYourComputerPage(ComputerSteps.java:42)</p> <p>at ?.User select products "2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]","8GB [+\$60.00]","320 GB","Vista Home [+\$50.00]","Total Commander [+\$5.00]" on build your computer page(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/computerpage.feature:20)</p> <p>* Not displayable characters are replaced by '?'. </p>		
6	And clicks on Add to cart button	SKIPPED	0.001 s
7	Then user should see the message"The product has been added to your shopping cart"	SKIPPED	0.001 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.597 s
	: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully		
	